

UvA-DARE (Digital Academic Repository)

Directional limits on persistent gravitational waves using data from Advanced LIGO's first two observing runs

Abbott, B.P.; The LIGO Scientific Collaboration and The Virgo Collaboration

DOI [10.1103/PhysRevD.100.062001](https://doi.org/10.1103/PhysRevD.100.062001)

Publication date 2019

Document Version Final published version

Published in Physical Review D. Particles and Fields

[Link to publication](https://dare.uva.nl/personal/pure/en/publications/directional-limits-on-persistent-gravitational-waves-using-data-from-advanced-ligos-first-two-observing-runs(8d3e7c8d-7476-407b-9a03-52d31398ca0a).html)

Citation for published version (APA):

Abbott, B. P., & The LIGO Scientific Collaboration and The Virgo Collaboration (2019). Directional limits on persistent gravitational waves using data from Advanced LIGO's first two observing runs. Physical Review D. Particles and Fields, 100(6), [062001]. <https://doi.org/10.1103/PhysRevD.100.062001>

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: https://uba.uva.nl/en/contact, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

UvA-DARE is a service provided by the library of the University of Amsterdam (http*s*://dare.uva.nl)

Directional limits on persistent gravitational waves using data from Advanced LIGO's first two observing runs

B. P. Abbott et al.^{*}

(The LIGO Scientific Collaboration and the Virgo Collaboration)

 \bigcirc (Received 19 April 2019; published 4 September 2019)

We perform an unmodeled search for persistent, directional gravitational wave (GW) sources using data from the first and second observing runs of Advanced LIGO. We do not find evidence for any GW signals. We place limits on the broadband GW flux emitted at 25 Hz from point sources with a power law spectrum at $F_{\alpha,\Theta}$ < $(0.05-25) \times 10^{-8}$ erg cm⁻² s⁻¹ Hz⁻¹ and the (normalized) energy density spectrum in GWs at 25 Hz from extended sources at $\Omega_{\alpha}(\Theta) < (0.19-2.89) \times 10^{-8}$ sr⁻¹ where α is the spectral index of the energy density spectrum. These represent improvements of $2.5-3\times$ over previous limits. We also consider point sources emitting GWs at a single frequency, targeting the directions of Sco X-1, SN 1987A, and the Galactic center. The best upper limits on the strain amplitude of a potential source in these three directions range from $h_0 < (3.6-4.7) \times 10^{-25}$, 1.5× better than previous limits set with the same analysis method. We also report on a marginally significant outlier at 36.06 Hz. This outlier is not consistent with a persistent gravitational-wave source as its significance diminishes when combining all of the available data.

DOI: [10.1103/PhysRevD.100.062001](https://doi.org/10.1103/PhysRevD.100.062001)

I. INTRODUCTION

The stochastic gravitational wave (GW) background (SGWB) is the superposition of many sources of GWs in the Universe [\[1\].](#page-7-0) Anisotropies in the SGWB can be generated by spatially extended sources such as a population of neutron stars in the Galactic plane or a nearby galaxy [\[2,3\],](#page-7-1) or from perturbations in statistically isotropic backgrounds formed at cosmological distances such as the compact binary background [\[4](#page-7-2)–9] or the background from cosmic strings [\[10\]](#page-7-3). Cross-correlation based methods have been used to search for the anisotropic background in previous observing runs [\[11](#page-7-4)–14] of the initial and Advanced Laser Interferomter Gravitational-wave Observatory (LIGO) [\[15\],](#page-7-5) and future searches will incorporate data from the Advanced Virgo [\[16\]](#page-7-6) detector. Using very similar techniques, one can also search for point sources with an unknown phase evolution, which could include rotating neutron stars in the Galaxy [\[17,18\]](#page-7-7). Since a SGWB search is by nature unmodeled, performing the anisotropic SGWB search allows us to take an eyes-wide-open approach to exploring the GW sky. For an analysis that focuses on searching for an isotropic SGWB using the same data, see [\[19\].](#page-7-8)

In this paper, we present the results of three complementary searches, which probe different types of anisotropy. All of the searches are based on cross-correlation methods; for a review see [\[20\]](#page-7-9). A spherical harmonic decomposition (SHD) of the GW power on the sky [\[12,21\]](#page-7-10) is optimized to search for extended sources on the sky with a smooth frequency spectrum. The broadband radiometer analysis [\[17,18\]](#page-7-7) (BBR) is optimized for detecting resolvable, persistent point-sources emitting GWs across a wide frequency band. Finally, the directed narrow band radiometer (NBR) looks at the frequency spectrum for three astrophysically interesting directions: Scorpius X-1 (Sco X-1) [\[22,23\]](#page-7-11), Supernova 1987A (SN 1987A) [\[24,25\]](#page-7-12), and the Galactic center [\[26,27\]](#page-7-13). We do not find a significant detection for any of the searches, and so we place upper limits on the amplitude of the anisotropic SGWB, and on point sources with broad and narrow frequency ranges. Our upper limits improve on the best results from previous runs [\[11\]](#page-7-4) by approximately a factor of 2.5–3 for the broadband searches and a factor of 1.5 for the narrow band searches. For the narrow band radiometer search, we find a marginally significant outlier in the direction of SN 1987A, when analyzing just the data from LIGO's second observing run (O2). Its significance diminishes, however, when including all of the available data.

II. DATA

We analyze strain data from the first (O1) and second (O2) observing runs of Advanced LIGO's 4 km detectors in Hanford, Washington (H1) and Livingston, Louisiana (L1). The O1 data set used here was collected from 15∶00 UTC on 18 September, 2015 to 16∶00 UTC on 12 January, 2016, while the O2 data set was collected from 16∶00:00 UTC on 30 November, 2016 to 22∶00:00 UTC on 25 August, 2017. In O2, linearly coupled noise was removed from the strain time series at H1 and L1 using Wiener filtering $[28-32]$ $[28-32]$. The Virgo (V1) detector started to collect data

Full author list given at the end of the article.

from August 2017 but does not contribute significantly to the sensitivity of SGWB searches in O2, both because its noise level is much higher than the LIGO detectors and because it ran for a much shorter period of time. Therefore, we do not include Virgo in this analysis. We plan, however, to include Virgo in the analysis of data from future observation runs.

Our data processing methods follow the procedure used in O1 [\[11,33\].](#page-7-4) First, we down-sample the strain time series from 16,384 Hz to 4,096 Hz. We then divide the data into 192 s, 50% overlapping, Hann-windowed segments and apply a cascading 16th order Butterworth digital high-pass filter with a knee frequency of 11 Hz. We compute the cross-correlation of coincident 192 s segments at both detectors in the frequency domain and then coarse-grain to a frequency resolution of $1/32$ Hz. Finally, we optimally combine results from those overlapping time segments to produce the final cross-correlation estimate [\[34\]](#page-8-1).

In order to account for non-Gaussian features in the data, we remove segments associated with instrumental artifacts and hardware injections used for signal validation [\[35,36\]](#page-8-2). Segments containing known GW signals [\[37\]](#page-8-3) are also excluded. Finally, we apply a nonstationarity cut (see, e.g., [\[38\]](#page-8-4)) to eliminate segments where the power spectral density of the noise changes on time scales that are of the same order as the chosen segment length. In total these cuts removed 16% of the data, leading to a total search live time of 99 days from the O2 run. For our results where we combine data between the O1 and O2 observing runs we have a total search live time of 129 days. In addition, frequency bins associated with known instrumental artifacts are removed [\[39\].](#page-8-5) These frequency domain cuts discarded 4% of the most sensitive frequency band for the BBR and SHD searches and 15% of the observing band for the NBR search. The subtraction of linearly coupled noise did not introduce any new frequency domain cuts.

The broadband searches integrate over frequencies between 20 and 500 Hz. This range accounts for more than 99% of the sensitivity for the power law spectral models that we use (see Table 1 of [\[40\]\)](#page-8-6). The narrow band analysis searches over the frequency band from 20 to 1726 Hz using frequency bins of various sizes depending upon frequency and sky direction. The lower edge of this range is chosen because of increased noise and nonstationarity at lower frequencies, while the upper edge of the range is a product of the filter used to resample the data from 16,384 Hz to 4,096 Hz.

III. METHODS

The anisotropic SGWB background can be defined in terms of the dimensionless energy density $\Omega_{gw}(f,\Theta)$ per unit frequency f and solid angle Θ ,

$$
\Omega_{\rm gw}(f,\Theta) = \frac{f}{\rho_c} \frac{\mathrm{d}^3 \rho_{GW}}{\mathrm{d} f \mathrm{d}^2 \Theta},\tag{1}
$$

where $\rho_c = 3H_0^2c^2/(8\pi G)$ is the critical energy density
needed to have a spatially flat universe. We take the Hubble needed to have a spatially flat universe. We take the Hubble constant to be $H_0 = 67.9 \text{ km s}^{-1} \text{ Mpc}^{-1}$ [\[41\].](#page-8-7) Following past analyses, we assume that we can factorize Ω_{gw} into frequency and sky-direction dependent terms,

$$
\Omega_{\rm gw}(f,\Theta) = \frac{2\pi^2}{3H_0^2} f^3 H(f) \mathcal{P}(\Theta). \tag{2}
$$

This quantity has units of the dimensionless energy density parameter per steradian. For the radiometer searches it is useful to define a different representation in terms of energy flux,

$$
\mathcal{F}(f,\Theta) = \frac{c^3 \pi}{4G} f^2 H(f) \mathcal{P}(\Theta),\tag{3}
$$

which has units of erg cm⁻² s⁻¹ Hz⁻¹ sr⁻¹, where c is the speed of light and G is Newton's gravitational constant.

We divide the searches into the *broadband* searches (SHD and BBR), which produce sky maps where the flux has been integrated over a broad range of frequencies, and the narrow band search (NBR), which looks at the strain amplitude spectrum in a fixed sky direction. For the broadband searches, we typically assume that the energy spectrum has a power law form, $H(f) = (f/f_{ref})^{\alpha-3}$, where $\alpha = \{0, 2/3, 3\}$ describes a range of astrophysical and cosmological models [\[11\],](#page-7-4) and f_{ref} is a reference frequency which we take to be 25 Hz, as in [\[11\]](#page-7-4). The SHD search looks for sources with a large angular extent. We express the results in terms of the spherical harmonic decomposition of $\Omega_{gw}(f,\Theta)$ assuming a power-law in frequency of spectral index α . We then report the energy density in each direction at a reference frequency of 25 Hz, denoted by $\Omega_{\alpha}(\Theta)$.

For the BBR search, we assume that the angular distribution of the power is localized in a 1 deg² pixel, $\mathcal{P}(\Theta) = \mathcal{P}_{\Theta_0} \delta^2(\Theta, \Theta_0)$. The results of the BBR are then given in terms of the quantity F_{α,Θ_0} , which is the flux evaluated at the reference frequency of 25 Hz, assuming a power law, after integrating over solid angle. The explicit definitions of F_{α,Θ_0} and $\Omega_{\alpha}(\Theta)$ are given in the Supplemental Material [\[42\].](#page-8-8)

Finally, the NBR search does not integrate over frequency and attempts to measure the strain amplitude, h_0 , of a putative monochromatic source in each frequency bin independently. This includes combining adjacent 0.031 Hz frequency bins together to account for the Doppler modulation due to the motion of the Earth around the Solar System barycenter and any binary motion of the source itself [\[11\]](#page-7-4).

The full description of the methods used to search for an anisotropic SGWB is presented in the Supplemental Material [\[42\]](#page-8-8) and in the paper describing the analysis of

FIG. 1. Broadband radiometer maps illustrating a search for pointlike sources. The top row shows maps of SNR, while the bottom row shows maps of the upper limits at 95% confidence on energy flux F_{α,Θ_0} [erg cm⁻² s⁻¹ Hz⁻¹]. Three different power-law indices, $\alpha = 0$, 2/3 and 3, are represented from left to right. The p-values associated with the maximum SNR are (from left to right) $p = 9\%, p = 20\%$, $p = 66\%$ (see Table [I\)](#page-4-1).

the Advanced LIGO O1 data. We follow the notation presented in that letter [\[11\]](#page-7-4).

The searches all generally start by estimating the dirty map X_{ν} , and its corresponding covariance matrix $\Gamma_{\mu\nu}$, referred to here as the Fisher matrix [\[11,21,43\].](#page-7-4) The dirty map represents an estimate of the GW power as seen through the detector's beam matrix.

Given the Fisher matrix $\Gamma^I_{\mu\nu}$ and dirty map X^I_{ν} , where I labels the observing run, we can form a combined Fisher matrix and dirty map by summing the results from the two runs, O1 and O2 [\[20\]](#page-7-9),

$$
\Gamma_{\mu\nu} = \Gamma_{\mu\nu}^{(01)} + \Gamma_{\mu\nu}^{(02)},
$$
\n
$$
X_{\mu} = X_{\mu}^{(01)} + X_{\mu}^{(02)}.
$$
\n(4)

From the combined Fisher matrix and dirty map, we can construct estimators of the power on the sky via

$$
\hat{\mathcal{P}}_{\mu} = \sum_{\nu} (\Gamma_{\mathcal{R}}^{-1})_{\mu\nu} X_{\nu}.
$$
 (5)

In the above equations, μ , ν label either pixels (i.e., directions on the sky) or spherical harmonic components—i.e., $\mu \equiv (lm)$, depending on which basis is used to represent the sky maps. The subscript "R" on the Fisher matrix means that regularization has been applied (e.g., singular value decomposition) in order to perform the matrix inversion [\[11\].](#page-7-4)

We can also construct an estimate of the angular power spectrum, C_l , for the SGWB from the estimate of the spherical harmonics coefficients, $\hat{\mathcal{P}}_{lm}$. The C_l 's describe the angular scale of the structure found in the clean maps [\[21\]](#page-7-14),

$$
\hat{C}_l = \left(\frac{2\pi^2 f_{\text{ref}}^3}{3H_0^2}\right)^2 \frac{1}{1+2l} \sum_{m=-l}^l [|\hat{\mathcal{P}}_{lm}|^2 - (\Gamma_{\text{R}}^{-1})_{lm,lm}].\tag{6}
$$

We have also used theoretical models for the SGWB from compact binaries [\[4\]](#page-7-2) and from Nambu-Goto cosmic strings [\[10\]](#page-7-3) to check our assumption that the SGWB energy density $\Omega_{gw}(f,\Theta)$ can be factorized into a spectral shape term and an angular power term. We find that both models predict C_l 's that follow the appropriate frequency power laws ($\alpha = 2/3$ for compact binaries and $\alpha = 0$ for cosmic strings) across the frequency range in which the LIGO stochastic searches are most sensitive, thereby supporting this assumption (see also [\[44\]\)](#page-8-9).

IV. RESULTS

A. Broadband radiometer and spherical harmonic decomposition results

The sky maps for the BBR search are shown in Fig. [1](#page-3-0), and for the SHD search in Fig. [2.](#page-4-0) Converting maps from the spherical harmonics basis [i.e., $\mu = (lm)$] to the pixel basis is discussed in detail in [\[21\]](#page-7-14). Each column indicates a different value of the spectral index, α . The top row shows a map of the signal-to-noise ratio (SNR) for each sky direction. The SNR sky maps are consistent with Gaussian noise (see the p-values given in Table [I\)](#page-4-1). Consequently, we place upper limits on the amount of GW power in each pixel using the methods outlined in [\[45\].](#page-8-10) The bottom rows of Figs. [1](#page-3-0) and [2](#page-4-0) show maps of these upper limits for the BBR and SHD analyses, respectively. The minimum and maximum 95% confidence upper limits across all pixels for both the BBR and SHD searches are shown in Table [I](#page-4-1). These limits represent a median improvement across the sky of 2.6–2.7 for the BBR search and 2.8–3 for the SHD search, depending on the power-law spectral index, α .

B. Limits on angular power spectra

We also use the maps from the SHD analysis to set upper limits on the angular power spectrum components, C_l .

FIG. 2. All-sky maps reconstructed from a spherical harmonic decomposition. This search is optimized for extended sources, and the plots above show SNR (top) and upper limits at 95% confidence on the energy density of the SGWB Ω_{α} [sr⁻¹] (bottom). Results for three different power-law spectral indices, $\alpha = 0$, 2/3 and 3 are shown from left to right. These three different sets of maps have an l_{max} of 3, 4, and 16 respectively. The p-values associated with the maximum SNR are (from left to right) $p = 9\%$, $p = 31\%$, $p = 27\%$ (see Table [I](#page-4-1)).

The upper limits are shown for three spectral indices in Fig. [3.](#page-5-0) The upper limit for $\alpha = 2/3$ can be compared with theoretical predictions in the literature for the SGWB from compact binaries [\[4,6,46\].](#page-7-2) In particular, the calculation in Refs. [\[4,46\]](#page-7-2) gives $C_l^{1/2} \approx 3 \times 10^{-11}$ sr⁻¹ for $1 \le l \le 4$ (the calculation in Ref. [\[6\]](#page-7-15) gives values that are ∼10× smaller). Similarly, the upper limit for $\alpha = 0$ can be compared with predictions for the SGWB from Nambu-Goto cosmic strings in Ref. [\[10\],](#page-7-3) using the same models for the string network as in Ref. [\[47\]](#page-8-11). Assuming the isotropic component of the cosmic string SGWB is consistent with the upper limits set by LIGO's second observing run [\[40\]](#page-8-6), the dipole $(l = 1)$ can be as large as $C_1^{1/2} \approx 10^{-10}$ sr⁻¹, though the values for higher multipoles $l > 1$ are many orders of values for higher multipoles $l > 1$ are many orders of magnitude smaller. These predictions are therefore consistent with the upper limits obtained here and present an important target for future observing runs.

Looking forward towards the prospect of detection, it is important to note that the finite sampling of the Galaxy distribution and the compact binary coalescence event rate induces a shot noise in the anisotropies of the astrophysical GW background. As it has been recently shown [\[48\]](#page-8-12) this shot noise leads to a scale-invariant bias term in the angular power spectrum C_l and it scales with observing time. Such a bias will dominate over the true cosmological power spectrum, which to be recovered will need either sufficiently long observing times or subtraction of the foreground.

C. Narrow band radiometer results

The narrow band radiometer search estimates the strain amplitude, h_0 , of a potential source of GWs in three different directions. The maximum SNR across the frequency band and an estimate of the significance of that

TABLE I. Search information for BBR and SHD. On the left side of the table we show the value of the power-law spectral index, α , and the scaling of Ω_{gw} and $H(f)$ with frequency. To the right we show results for the broadband radiometer (BBR) and spherical harmonic decomposition (SHD) searches for the combined O1 and O2 analysis, as well as the results from O1 for comparison. We show the maximum SNR across all sky positions for each spectral index, as well as an estimated p-value. We also show the range of 95% upper limits on energy flux set by the BBR search across the whole sky [erg cm⁻² s⁻¹ Hz⁻¹] and the SHD range of upper limits on normalized energy density across the whole sky [sr^{−1}]. These limits use data from both O1 and O2. The median improvement across the sky compared to limits set in O1 is 2.6–2.7 for the BBR search and 2.8–3 for the SHD search, depending on power-law spectral index.

						All-sky (broadband) results			
			Max SNR ($% p-value$)		Upper limit ranges		01 Upper limit ranges		
α	$\Omega_{\rm gw}$	H(f)	BBR	SHD	BBR $(x10^{-8})$	SHD $(x10^{-8})$	BBR $(x10^{-8})$	SHD $(x10^{-8})$	
θ	constant	$\propto f^{-3}$	3.09(9)	2.98(9)	$4.4 - 25$	$0.78 - 2.90$	$15 - 65$	$3.2 - 8.7$	
2/3	$\propto f^{2/3}$	$\propto f^{-7/3}$	3.09(20)	2.61(31)	$2.3 - 14$	$0.64 - 2.47$	$7.9 - 39$	$2.5 - 6.7$	
	$\propto f^3$	constant	3.27(66)	3.57(27)	$0.05 - 0.33$	$0.19 - 1.1$	$0.14 - 1.1$	$0.5 - 3.1$	

FIG. 3. Upper limits on C_l 's at 95% confidence for the SHD analyses for $\alpha = 0$ (top, black triangles), $\alpha = 2/3$ (middle, red circles) and $\alpha = 3$ (bottom, blue squares). These represent an improvement in upper limits over O1 of 2.5–3 depending on spectral index, α , and l .

SNR for each direction are shown in Table [II.](#page-5-1) The uncertainty on the frequency for the SNR reported in Table [II](#page-5-1) is a reflection of the original (uncombined) frequency bin width. The ephemeris for Scorpius X-1 has been updated since the publication of [\[11\]](#page-7-4), and so the search presented below assumes a projected semimajor axis, a_0 , in the center of the range presented by [\[49\]](#page-8-13).

In the direction of Sco X-1 and the Galactic center, the maximum SNR is consistent with what one expects from Gaussian noise. In the direction of SN 1987A, there is a frequency bin with a 1-sided, single-direction p -value 1.7% at 181.8 Hz. This p-value includes a trials factor for the number of frequency bins in the analysis. Under the assumption that we search over three independent directions, an extra trials factor would be applied and this p-value rises to 5%. Therefore, we find no compelling evidence for GWs from the analysis that combines frequency bins together. We set 95% upper limits on the strain amplitude of a putative sinusoidal gravitational wave signal, h_0 , in each individual frequency bin, taking into account any Doppler modulation in the signal as well as marginalizing over inclination angle and polarization angle of the source [\[11\]](#page-7-4). These limits, along with the 1σ sensitivity of the search, are shown in Fig. [4.](#page-6-0) To avoid reporting our best limits from downward fluctuations of noise, we take a running median over each 1 Hz frequency band and report the best limit on h_0 and the frequency band of that limit in Table [II.](#page-5-1)

The best limits on Sco-X1 set in this paper are higher than the best limit set in O1 using a model-based cross-correlation method [\[22\]](#page-7-11) and are now lower than those set using hidden Markov model tracking [\[23\]](#page-7-16). The torque-balance limit, set by assuming that torque due to accretion is equal to the braking torque due to GW emission, is still around a factor of 5 lower than the limits set in this paper. The best limits on h_0 in the direction of the Galactic center and SN 1987A are generally higher than previous modeled searches for isolated neutron stars $[24,26,27,50,51]$ in the frequency bands where those analyses overlap with the one presented here. This search spans a wider frequency band (20–1726 Hz) than any one of those individual analyses. It is important to note that the search presented in this paper is inherently unmodeled, meaning it makes no assumption about the phase evolution of a potential signal past time scales of 192 s.

V. OUTLIER AT 36.06 Hz IN THE O2 DATA

In the process of performing the narrow band radiometer search, a natural intermediate step of the analysis is to look directly at the 0.03125 Hz bins for the O2 data, before combining with O1 and before combining over adjacent bins to account for Doppler modulation. We call these "subbins". For this intermediate data product, the maximum SNRs for the Galactic center, Sco X-1, and SN 1987A are 4.6, 4.3, and 5.3, respectively. These first two values correspond to p-values greater than 5%, consistent with Gaussian noise. But for SN 1987A, the maximum SNR of 5.3 at 36.0625 Hz has a corresponding p-value of 0.27%, or 3σ , which is marginally significant.

Assuming that the maximum SNR is due to a pulsar which is spinning down due to GW emission, we can relate the observed strain $h_0 = 7.3 \times 10^{-25}$ (assuming circular polarization) at $f = 36.06$ Hz to other parameters describing the pulsar,

$$
h_0 = \frac{4\pi G}{c^4} \frac{\epsilon I_z f^2}{r}, \qquad \dot{f} = -\frac{G}{5\pi c^5} \epsilon^2 I_z (2\pi f)^5. \tag{7}
$$

We use a fiducial value for the moment of inertia $I_z = 10^{39}$ kg m². If the source is associated with SN 1987A, then the distance to Earth is approximately $r =$ 51 kpc [\[52,53\],](#page-8-14) leading to an ellipticity $\epsilon = 3 \times 10^{-2}$ and spin down $\dot{f} = -7.7 \times 10^{-8}$ Hz/s. But this value of the spin down parameter is inconsistent with the fact that the

TABLE II. Results for the narrow band radiometer search. We give the maximum SNR, corresponding p-value, and the frequency bin of the maximum SNR for each direction in which we searched. We also give the best 95% GW strain upper limits achieved, and the corresponding frequency band, for all three sky locations. The best upper limits are taken as the median of the most sensitive 1 Hz band.

	Narrow band radiometer results								
Direction	Max SNR	<i>p</i> -value $(\%)$	Frequency (Hz) $(\pm 0.016 \text{ Hz})$	Best UL $(x10^{-25})$	Frequency band (Hz)				
$Sco X-1$	4.80	4.5	1602.09	4.2	183.6–184.6				
SN 1987A	4.95	1.7	181.81	3.6	247.75-248.75				
Galactic center	3.80	98	20.28	4.7	$156.8 - 157.8$				

FIG. 4. Upper limit spectra using data from O1 and O2 on the dimensionless strain amplitude, h_0 , at the 95% level for the narrow band radiometer search are indicated by the gray bands for Sco X-1 (left), SN 1987A (middle) and the Galactic center (right). The dark black line indicates the 1σ sensitivity of the search in all three directions. The large spikes are the result of the calibration lines injected into the detector and suspension-wire resonances for various optical elements throughout the instruments.

signal is seen in only one frequency bin. For the signal to remain in a single frequency bin, it either needs to have some balancing torque, perhaps from accretion [\[54\],](#page-8-15) or the signal would need to be at $r \lesssim 1$ kpc (corresponding to $\dot{f} = -2.9 \times 10^{-11}$ Hz/s). In the latter case, the ellipticity $\epsilon = 5 \times 10^{-4}$ is still much larger than that predicted for typical pulsars. An ellipticity this large is unlikely to be caused by elastic deformations [\[55\]](#page-8-16), but could in principle be caused by large internal magnetic fields [\[56](#page-8-17)–58], especially if the protons form a type II superconductor [\[59\]](#page-8-18). It is important to note that an all-sky search for continuous GWs from isolated systems has set limits more stringent than our estimate of h_0 for this outlier [\[51\].](#page-8-19)

Using the techniques described in [\[39\],](#page-8-5) we have not been able to identify a coherent instrumental witness channel that would explain this large SNR. But the fact that the sky direction of the maximum SNR is close to the equatorial pole is consistent with the behavior of instrumental noise lines, since the equatorial poles have no sidereal-time modulation. The signal appears to turn on during O2, with the SNR exceeding 1 on March 13th, 2017, as shown in

FIG. 5. The accumulation of SNR as a function of time for SN 1987a, including both O1 and O2 data. The curve shows the observed cumulative SNR in the 36.06 Hz frequency bin. The green arrows indicate the point where the SNR moves above 1 for the remainder of the available observation time.

Fig. [5.](#page-6-1) In addition, the signal does not exhibit any significant short-term nonstationarity, indicating that this outlier is not generated from a small number of misbehaved time chunks with large SNRs. The turn-on feature of the cumulative SNR is not evidence of a real signal, however, as we have performed simulations of Gaussian noise conditioned on getting a maximum $SNR \geq 5$ and have found examples where a turn-on like this can be produced. In addition, upon combining O2 and O1 data together, the SNR of this frequency bin is reduced to 4.7, which corresponds to a p-value of 10%, which is consistent with noise.

VI. CONCLUSIONS

We have placed upper limits on the anisotropic SGWB using three complementary methods. In each case we do not find conclusive evidence for a GW signal, and so we place upper limits by combining data from Advanced LIGO's first and second observing runs. A marginal outlier at a frequency of 36.06 Hz was seen by the narrow band radiometer search in O2 in the direction of SN 1987A; however it does not appear in the combined O1+O2 data and is not consistent with a persistent signal. We will continue to monitor this particular frequency bin during the next observing run, taking advantage of the greater confidence that comes with increased observation periods and more sensitive detectors.

In the future, the anisotropic searches will include data from Advanced Virgo as well and can be used to study specific astrophysical models. Additionally, new algorithms can take advantage of folded data to produce a wider search of every frequency and sky position [\[60](#page-8-20)–63].

ACKNOWLEDGMENTS

The authors gratefully acknowledge the support of the United States National Science Foundation (NSF) for the construction and operation of the LIGO Laboratory and Advanced LIGO as well as the Science and Technology Facilities Council (STFC) of the United Kingdom, the Max-Planck-Society (MPS), and the State of Niedersachsen/ Germany for support of the construction of Advanced LIGO and construction and operation of the GEO600 detector. Additional support for Advanced LIGO was provided by the Australian Research Council. The authors gratefully acknowledge the Italian Istituto Nazionale di Fisica Nucleare (INFN), the French Centre National de la Recherche Scientifique (CNRS), and the Foundation for Fundamental Research on Matter supported by the Netherlands Organisation for Scientific Research, for the construction and operation of the Virgo detector and the creation and support of the EGO consortium. The authors also gratefully acknowledge research support from these agencies as well as by the Council of Scientific and Industrial Research of India, the Department of Science and Technology, India, the Science and Engineering Research Board (SERB), India, the Ministry of Human Resource Development, India, the Spanish Agencia Estatal de Investigación, the Vicepresidència i Conselleria d'Innovació, Recerca i Turisme and the Conselleria d'Educació i Universitat del Govern de les Illes Balears, the Conselleria d'Educació, Investigació, Cultura i Esport de la Generalitat Valenciana, the National Science Centre of Poland, the Swiss National Science Foundation (SNSF), the Russian Foundation for Basic Research, the Russian Science Foundation, the European Commission, the European Regional Development Funds (ERDF), the Royal Society, the Scottish Funding Council, the Scottish Universities Physics Alliance, the Hungarian Scientific Research Fund (OTKA), the Lyon Institute of Origins (LIO), the Paris Îlede-France Region, the National Research, Development and Innovation Office Hungary (NKFIH), the National Research Foundation of Korea, Industry Canada and the Province of Ontario through the Ministry of Economic Development and Innovation, the Natural Science and Engineering Research Council Canada, the Canadian Institute for Advanced Research, the Brazilian Ministry of Science, Technology, Innovations, and Communications, the International Center for Theoretical Physics South American Institute for Fundamental Research (ICTP-SAIFR), the Research Grants Council of Hong Kong, the National Natural Science Foundation of China (NSFC), the Leverhulme Trust, the Research Corporation, the Ministry of Science and Technology (MOST), Taiwan and the Kavli Foundation. The authors gratefully acknowledge the support of the NSF, STFC, MPS, INFN, CNRS and the State of Niedersachsen/ Germany for provision of computational resources.

- [1] N. Christensen, [Rep. Prog. Phys.](https://doi.org/10.1088/1361-6633/aae6b5) **82**, 016903 (2019).
- [2] D. Talukder, E. Thrane, S. Bose, and T. Regimbau, [Phys.](https://doi.org/10.1103/PhysRevD.89.123008) Rev. D 89[, 123008 \(2014\)](https://doi.org/10.1103/PhysRevD.89.123008).
- [3] N. Mazumder, S. Mitra, and S. Dhurandhar, [Phys. Rev. D](https://doi.org/10.1103/PhysRevD.89.084076) 89[, 084076 \(2014\).](https://doi.org/10.1103/PhysRevD.89.084076)
- [4] A. C. Jenkins, M. Sakellariadou, T. Regimbau, and E. Slezak, Phys. Rev. D 98[, 063501 \(2018\)](https://doi.org/10.1103/PhysRevD.98.063501).
- [5] A. C. Jenkins, R. O'Shaughnessy, M. Sakellariadou, and D. Wysocki, Phys. Rev. Lett. 122[, 111101 \(2019\)](https://doi.org/10.1103/PhysRevLett.122.111101).
- [6] G. Cusin, I. Dvorkin, C. Pitrou, and J.-P. Uzan, [Phys. Rev.](https://doi.org/10.1103/PhysRevLett.120.231101) Lett. 120[, 231101 \(2018\)](https://doi.org/10.1103/PhysRevLett.120.231101).
- [7] G. Cusin, C. Pitrou, and J.-P. Uzan, [Phys. Rev. D](https://doi.org/10.1103/PhysRevD.97.123527) 97, [123527 \(2018\).](https://doi.org/10.1103/PhysRevD.97.123527)
- [8] G. Cusin, C. Pitrou, and J.-P. Uzan, [Phys. Rev. D](https://doi.org/10.1103/PhysRevD.96.103019) 96, [103019 \(2017\).](https://doi.org/10.1103/PhysRevD.96.103019)
- [9] C. R. Contaldi, [Phys. Lett. B](https://doi.org/10.1016/j.physletb.2017.05.020) **771**, 9 (2017).
- [10] A. C. Jenkins and M. Sakellariadou, [Phys. Rev. D](https://doi.org/10.1103/PhysRevD.98.063509) 98, [063509 \(2018\).](https://doi.org/10.1103/PhysRevD.98.063509)
- [11] B. P. Abbott et al. (LIGO Scientific and Virgo Collaborations), Phys. Rev. Lett. 118[, 121102 \(2017\).](https://doi.org/10.1103/PhysRevLett.118.121102)
- [12] J. Abadie et al. (LIGO Scientific and Virgo Collaborations), Phys. Rev. Lett. 107[, 271102 \(2011\).](https://doi.org/10.1103/PhysRevLett.107.271102)
- [13] A. I. Renzini and C. R. Contaldi, [Mon. Not. R. Astron. Soc.](https://doi.org/10.1093/mnras/sty2546) 481[, 4650 \(2018\)](https://doi.org/10.1093/mnras/sty2546).
- [14] A. I. Renzini and C. R. Contaldi, [Phys. Rev. Lett.](https://doi.org/10.1103/PhysRevLett.122.081102) 122, [081102 \(2019\).](https://doi.org/10.1103/PhysRevLett.122.081102)
- [15] J. Aasi et al. (LIGO Scientific Collaboration), [Classical](https://doi.org/10.1088/0264-9381/32/7/074001) [Quantum Gravity](https://doi.org/10.1088/0264-9381/32/7/074001) 32, 074001 (2015).
- [16] F. Acernese et al. (Virgo Collaboration), [Classical Quantum](https://doi.org/10.1088/0264-9381/32/2/024001) Gravity 32[, 024001 \(2015\).](https://doi.org/10.1088/0264-9381/32/2/024001)
- [17] S. W. Ballmer, [Classical Quantum Gravity](https://doi.org/10.1088/0264-9381/23/8/S23) 23, S179 [\(2006\).](https://doi.org/10.1088/0264-9381/23/8/S23)
- [18] B. Abbott et al. (LIGO Scientific and Virgo Collaboration), Phys. Rev. D 76[, 082003 \(2007\)](https://doi.org/10.1103/PhysRevD.76.082003).
- [19] B. P. Abbott et al. (LIGO Scientific and Virgo Collaboration), Phys. Rev. D 100[, 061101 \(2019\).](https://doi.org/10.1103/PhysRevD.100.061101)
- [20] J. D. Romano and N. J. Cornish, [Living Rev. Relativity](https://doi.org/10.1007/s41114-017-0004-1) 20, 2 [\(2017\).](https://doi.org/10.1007/s41114-017-0004-1)
- [21] E. Thrane, S. Ballmer, J. D. Romano, S. Mitra, D. Talukder, S. Bose, and V. Mandic, Phys. Rev. D 80[, 122002 \(2009\).](https://doi.org/10.1103/PhysRevD.80.122002)
- [22] B. P. Abbott et al. (LIGO Scientific and Virgo Collaborations), [Astrophys. J.](https://doi.org/10.3847/1538-4357/aa86f0) 847, 47 (2017).
- [23] B. P. Abbott et al. (LIGO Scientific and Virgo Collaborations), Phys. Rev. D 95[, 122003 \(2017\).](https://doi.org/10.1103/PhysRevD.95.122003)
- [24] L. Sun, A. Melatos, P. D. Lasky, C. T. Y. Chung, and N. S. Darman, Phys. Rev. D 94[, 082004 \(2016\)](https://doi.org/10.1103/PhysRevD.94.082004).
- [25] C. T. Y. Chung, A. Melatos, B. Krishnan, and J. T. Whelan, [Mon. Not. R. Astron Soc.](https://doi.org/10.1111/j.1365-2966.2011.18585.x) 414, 2650 (2011).
- [26] V. Dergachev, M. A. Papa, B. Steltner, and H.-B. Eggenstein, Phys. Rev. D 99[, 084048 \(2019\)](https://doi.org/10.1103/PhysRevD.99.084048).
- [27] J. Aasi et al. (LIGO Scientific and Virgo Collaboration), Phys. Rev. D 88[, 102002 \(2013\)](https://doi.org/10.1103/PhysRevD.88.102002).
- [28] J.C. Driggers et al. (LIGO Scientific Collaboration Instrument Science Authors), [Phys. Rev. D](https://doi.org/10.1103/PhysRevD.99.042001) 99, 042001 [\(2019\).](https://doi.org/10.1103/PhysRevD.99.042001)
- [29] D. Davis, T. Massinger, A. Lundgren, J. C. Driggers, A. L. Urban, and L. Nuttall, [Classical Quantum Gravity](https://doi.org/10.1088/1361-6382/ab01c5) 36, [055011 \(2019\).](https://doi.org/10.1088/1361-6382/ab01c5)
- [30] J.C. Driggers, M. Evans, K. Pepper, and R. Adhikari, [Rev.](https://doi.org/10.1063/1.3675891) Sci. Instrum. 83[, 024501 \(2012\).](https://doi.org/10.1063/1.3675891)
- [31] G. D. Meadors, K. Kawabe, and K. Riles, [Classical Quan](https://doi.org/10.1088/0264-9381/31/10/105014)tum Gravity 31[, 105014 \(2014\).](https://doi.org/10.1088/0264-9381/31/10/105014)
- [32] V. Tiwari et al., [Classical Quantum Gravity](https://doi.org/10.1088/0264-9381/32/16/165014) 32, 165014 [\(2015\).](https://doi.org/10.1088/0264-9381/32/16/165014)
- [33] B. P. Abbott et al. (LIGO Scientific and Virgo Collaborations), Phys. Rev. Lett. 118[, 121101 \(2017\).](https://doi.org/10.1103/PhysRevLett.118.121101)
- [34] B. Allen and J. D. Romano, *Phys. Rev. D* **59**[, 102001 \(1999\).](https://doi.org/10.1103/PhysRevD.59.102001)
- [35] B. P. Abbott et al. (LIGO Scientific and Virgo Collaborations), [Classical Quantum Gravity](https://doi.org/10.1088/0264-9381/33/13/134001) 33, 134001 (2016).
- [36] C. Biwer et al., Phys. Rev. D 95[, 062002 \(2017\)](https://doi.org/10.1103/PhysRevD.95.062002).
- [37] B. P. Abbott et al. (LIGO Scientific and Virgo Collaborations), [arXiv:1811.12907.](http://arXiv.org/abs/1811.12907)
- [38] B. P. Abbott et al. (LIGO Scientific and Virgo Collaborations), [Nature \(London\)](https://doi.org/10.1038/nature08278) 460, 990 (2009).
- [39] P. B. Covas, A. Effler, E. Goetz, P. M. Meyers, A. Neunzert, M. Oliver, B. L. Pearlstone, V. J. Roma, R. M. S. Schofield, V. B. Adya et al., Phys. Rev. D 97[, 082002 \(2018\).](https://doi.org/10.1103/PhysRevD.97.082002)
- [40] B. Abbott et al. (LIGO Scientific and Virgo Collaborations), [arXiv:1903.02886.](http://arXiv.org/abs/1903.02886)
- [41] P. A. R. Ade, N. Aghanim, M. Arnaud, M. Ashdown, J. Aumont, C. Baccigalupi, A. J. Banday, R. B. Barreiro, J. G. Bartlett et al. (Planck Collaboration), [Astron. Astrophys.](https://doi.org/10.1051/0004-6361/201525830) 594[, A13 \(2016\).](https://doi.org/10.1051/0004-6361/201525830)
- [42] See Supplemental Material at [http://link.aps.org/](http://link.aps.org/supplemental/10.1103/PhysRevD.100.062001) [supplemental/10.1103/PhysRevD.100.062001](http://link.aps.org/supplemental/10.1103/PhysRevD.100.062001) includes technical information related to the search that was performed, including more mathematical details.
- [43] S. Mitra, S. Dhurandhar, T. Souradeep, A. Lazzarini, V. Mandic, S. Bose, and S. Ballmer, [Phys. Rev. D](https://doi.org/10.1103/PhysRevD.77.042002) 77, 042002 [\(2008\).](https://doi.org/10.1103/PhysRevD.77.042002)
- [44] G. Cusin, I. Dvorkin, C. Pitrou, and J.-P. Uzan, [arXiv:](http://arXiv.org/abs/1904.07797) [1904.07797.](http://arXiv.org/abs/1904.07797)
- [45] J. T. Whelan, E. L. Robinson, J. D. Romano, and E. H. Thrane, [J. Phys. Conf. Ser.](https://doi.org/10.1088/1742-6596/484/1/012027) 484, 012027 (2014).
- [46] A. C. Jenkins, R. O'Shaughnessy, M. Sakellariadou, and D. Wysocki, [arXiv:1810.13435](http://arXiv.org/abs/1810.13435).
- [47] B. Abbott et al. (LIGO Scientific and Virgo Collaborations), Phys. Rev. D 97[, 102002 \(2018\)](https://doi.org/10.1103/PhysRevD.97.102002).
- [48] A. Jenkins and M. Sakellariadou, [arXiv:1902.07719](http://arXiv.org/abs/1902.07719).
- [49] L. Wang, D. Steeghs, D. K. Galloway, T. Marsh, and J. Casares, [Mon. Not. R. Astron. Soc.](https://doi.org/10.1093/mnras/sty1441) 478, 5174 (2018).
- [50] V. Dergachev and M. A. Papa, [arXiv:1902.05530.](http://arXiv.org/abs/1902.05530)
- [51] B. Abbott et al. (LIGO Scientific and Virgo Collaborations), Phys. Rev. D 96[, 122004 \(2017\)](https://doi.org/10.1103/PhysRevD.96.122004).
- [52] N. Panagia, Chin. J. Astron. Astrophys. Suppl. 8, 155 (2008).
- [53] N. Panagia, R. Gilmozzi, F. Macchetto, H.-M. Adorf, and R. P. Kirshner, [Astrophys. J. Lett.](https://doi.org/10.1086/186164) 380, L23 (1991).
- [54] L. Bildsten, [Astrophys. J. Lett.](https://doi.org/10.1086/311440) **501**, L89 (1998).
- [55] N. K. Johnson-McDaniel and B. J. Owen, [Phys. Rev. D](https://doi.org/10.1103/PhysRevD.88.044004) 88, [044004 \(2013\).](https://doi.org/10.1103/PhysRevD.88.044004)
- [56] S. Bonazzola and E. Gourgoulhon, Astron. Astrophys. 312, 675 (1996).
- [57] B. Haskell, L. Samuelsson, K. Glampedakis, and N. Andersson, [Mon. Not. R. Astron. Soc.](https://doi.org/10.1111/j.1365-2966.2008.12861.x) 385, 531 (2008).
- [58] A. Melatos and D. J. B. Payne, [Astrophys. J.](https://doi.org/10.1086/428600) 623, 1044 [\(2005\)](https://doi.org/10.1086/428600).
- [59] A. Mastrano and A. Melatos, [Mon. Not. R. Astron. Soc.](https://doi.org/10.1111/j.1365-2966.2011.20350.x) 421[, 760 \(2012\)](https://doi.org/10.1111/j.1365-2966.2011.20350.x).
- [60] A. Ain, P. Dalvi, and S. Mitra, [Phys. Rev. D](https://doi.org/10.1103/PhysRevD.92.022003) 92, 022003 [\(2015\).](https://doi.org/10.1103/PhysRevD.92.022003)
- [61] A. Ain, J. Suresh, and S. Mitra, [Phys. Rev. D](https://doi.org/10.1103/PhysRevD.98.024001) 98, 024001 [\(2018\).](https://doi.org/10.1103/PhysRevD.98.024001)
- [62] E. Thrane, S. Mitra, N. Christensen, V. Mandic, and A. Ain, Phys. Rev. D 91[, 124012 \(2015\)](https://doi.org/10.1103/PhysRevD.91.124012).
- [63] B. Goncharov and E. Thrane, [Phys. Rev. D](https://doi.org/10.1103/PhysRevD.98.064018) 98, 064018 [\(2018\).](https://doi.org/10.1103/PhysRevD.98.064018)

B. P. Abbott,¹ R. Abbott,¹ T. D. Abbott,² S. Abraham,³ F. Acernese,^{4,5} K. Ackley,⁶ C. Adams,⁷ R. X. Adhikari,¹ V. B. Adya, 8.9 C. Affeldt, 8.9 M. Agathos, 10 K. Agatsuma, 11 N. Aggarwal, 12 O. D. Aguiar, 13 L. Aiello, $14,15$ A. Ain, 3 P. Ajith, 16 G. Allen,¹⁷ A. Allocca,^{18,19} M. A. Aloy,²⁰ P. A. Altin,²¹ A. Amato,²² A. Ananyeva,¹ S. B. Anderson,¹ W. G. Anderson,²³ S. V. Angelova, 24 S. Antier, 25 S. Appert, 1 K. Arai, 1 M. C. Araya, 1 J. S. Areeda, 26 M. Arène, 27 N. Arnaud, 25,28 S. Ascenzi, 29,30 G. Ashton, 6 S. M. Aston, 7 P. Astone, 31 F. Aubin, 32 P. Aufmuth, 9 K. AultONeal, 33 C. Austin, 2 V. Avendano, 34 A. Avila-Alvarez,²⁶ S. Babak,^{35,27} P. Bacon,²⁷ F. Badaracco,^{14,15} M. K. M. Bader,³⁶ S. Bae,³⁷ P. T. Baker,³⁸ F. Baldaccini,^{39,40} G. Ballardin, 28 S. W. Ballmer, 41 S. Banagiri, 42 J. C. Barayoga, 1 S. E. Barclay, 43 B. C. Barish, 1 D. Barker, 44 K. Barkett, 45 S. Barnum,¹² F. Barone,^{4,5} B. Barr,⁴³ L. Barsotti,¹² M. Barsuglia,²⁷ D. Barta,⁴⁶ J. Bartlett,⁴⁴ I. Bartos,⁴⁷ R. Bassiri,⁴⁸ A. Basti, ^{18,19} M. Bawaj, ^{49,40} J. C. Bayley, ⁴³ M. Bazzan, ^{50,51} B. Bécsy, ⁵² M. Bejger, ^{27,53} I. Belahcene, ²⁵ A. S. Bell, ⁴³ D. Beniwal,⁵⁴ B. K. Berger,⁴⁸ G. Bergmann,^{8,9} S. Bernuzzi,^{55,56} J. J. Bero,⁵⁷ C. P. L. Berry,⁵⁸ D. Bersanetti,⁵⁹ A. Bertolini,³⁶ J. Betzwieser,⁷ R. Bhandare,⁶⁰ J. Bidler,²⁶ I. A. Bilenko,⁶¹ S. A. Bilgili,³⁸ G. Billingsley,¹ J. Birch,⁷ R. Birney,²⁴ O. Birnholtz,⁵⁷ S. Biscans,^{1,12} S. Biscoveanu,⁶ A. Bisht,⁹ M. Bitossi,^{28,19} M. A. Bizouard,²⁵ J. K. Blackburn,¹ C. D. Blair,⁷ D. G. Blair, ⁶² R. M. Blair, ⁴⁴ S. Bloemen, ⁶³ N. Bode, ^{8,9} M. Boer, ⁶⁴ Y. Boetzel, ⁶⁵ G. Bogaert, ⁶⁴ F. Bondu, ⁶⁶ E. Bonilla, ⁴⁸ R. Bonnand,³² P. Booker,^{8,9} B. A. Boom,³⁶ C. D. Booth,⁶⁷ R. Bork,¹ V. Boschi,²⁸ S. Bose,^{68,3} K. Bossie,⁷ V. Bossilkov,⁶² J. Bosveld,⁶² Y. Bouffanais,²⁷ A. Bozzi,²⁸ C. Bradaschia,¹⁹ P. R. Brady,²³ A. Bramley,⁷ M. Branchesi,^{14,15} J. E. Brau,⁶⁹

T. Briant,⁷⁰ J. H. Briggs,⁴³ F. Brighenti,^{71,72} A. Brillet,⁶⁴ M. Brinkmann,^{8,9} V. Brisson,^{25,[†](#page-14-0)} P. Brockill,²³ A. F. Brooks,¹ D. D. Brown,⁵⁴ S. Brunett,¹ A. Buikema,¹² T. Bulik,⁷³ H. J. Bulten,^{74,36} A. Buonanno,^{35,75} D. Buskulic,³² C. Buy,²⁷ R. L. Byer,⁴⁸ M. Cabero,^{8,9} L. Cadonati,⁷⁶ G. Cagnoli,^{22,77} C. Cahillane,¹ J. Calderón Bustillo,⁶ T. A. Callister,¹ E. Calloni,^{78,5} J. B. Camp,⁷⁹ W. A. Campbell,⁶ M. Canepa, $80,59$ K. C. Cannon, 81 H. Cao, 54 J. Cao, 82 E. Capocasa, 27 F. Carbognani,²⁸ S. Caride,⁸³ M. F. Carney,⁵⁸ G. Carullo,¹⁸ J. Casanueva Diaz,¹⁹ C. Casentini,^{29,30} S. Caudill,³⁶ M. Cavaglià, ⁸⁴ F. Cavalier,²⁵ R. Cavalieri,²⁸ G. Cella,¹⁹ P. Cerdá-Durán,²⁰ G. Cerretani,^{18,19} E. Cesarini, ^{85,30} O. Chaibi, ⁶⁴ K. Chakravarti,³ S. J. Chamberlin,⁸⁶ M. Chan,⁴³ S. Chao,⁸⁷ P. Charlton,⁸⁸ E. A. Chase,⁵⁸ E. Chassande-Mottin,²⁷ D. Chatterjee,²³ M. Chaturvedi,⁶⁰ B. D. Cheeseboro,³⁸ H. Y. Chen,⁸⁹ X. Chen,⁶² Y. Chen,⁴⁵ H.-P. Cheng,⁴⁷ C. K. Cheong,⁹⁰ H. Y. Chia,⁴⁷ A. Chincarini,⁵⁹ A. Chiummo,²⁸ G. Cho,⁹¹ H. S. Cho,⁹² M. Cho,⁷⁵ N. Christensen,^{64,93} Q. Chu,⁶² S. Chua,⁷⁰ K. W. Chung, 90° S. Chung, 62° G. Ciani, 50.51° A. A. Ciobanu, 54° R. Ciolfi, 94.95° F. Cipriano, 64° A. Cirone, 80.59° F. Clara, 76° J. A. Clark,⁷⁶ P. Clearwater,⁹⁶ F. Cleva,⁶⁴ C. Cocchieri,⁸⁴ E. Coccia,^{14,15} P.-F. Cohadon,⁷⁰ D. Cohen,²⁵ R. Colgan,⁹⁷ M. Colleoni,⁹⁸ C. G. Collette,⁹⁹ C. Collins,¹¹ L. R. Cominsky,¹⁰⁰ M. Constancio Jr.,¹³ L. Conti,⁵¹ S. J. Cooper,¹¹ P. Corban,⁷ T. R. Corbitt,² I. Cordero-Carrión,¹⁰¹ K. R. Corley,⁹⁷ N. Cornish,⁵² A. Corsi,⁸³ S. Cortese,²⁸ C. A. Costa,¹³ R. Cotesta,³⁵ M. W. Coughlin, ¹ S. B. Coughlin,^{67,58} J.-P. Coulon,⁶⁴ S. T. Countryman,⁹⁷ P. Couvares, ¹ P. B. Covas, ⁹⁸ E. E. Cowan, ⁷⁶ D. M. Coward,⁶² M. J. Cowart,⁷ D. C. Coyne,¹ R. Coyne,¹⁰² J. D. E. Creighton,²³ T. D. Creighton,¹⁰³ J. Cripe,² M. Croquette,⁷⁰ S. G. Crowder,¹⁰⁴ T. J. Cullen,² A. Cumming,⁴³ L. Cunningham,⁴³ E. Cuoco,²⁸ T. Dal Canton,⁷⁹ G. Dálya,¹⁰⁵ S. L. Danilishin,^{8,9} S. D'Antonio,³⁰ K. Danzmann,^{9,8} A. Dasgupta,¹⁰⁶ C. F. Da Silva Costa,⁴⁷ L. E. H. Datrier,⁴³ V. Dattilo,²⁸ I. Dave, 60 M. Davier, 25 D. Davis, 41 E. J. Daw, 107 D. DeBra, 48 M. Deenadayalan, 3 J. Degallaix, 22 M. De Laurentis, 78,5 S. Deléglise,⁷⁰ W. Del Pozzo,^{18,19} L. M. DeMarchi,⁵⁸ N. Demos,¹² T. Dent,^{8,9,108} R. De Pietri,^{109,56} J. Derby,²⁶ R. De Rosa,^{78,5} C. De Rossi,^{22,28} R. DeSalvo,¹¹⁰ O. de Varona,^{8,9} S. Dhurandhar,³ M. C. Díaz,¹⁰³ T. Dietrich,³⁶ L. Di Fiore,⁵ M. Di Giovanni, 111,95 T. Di Girolamo, 78,5 A. Di Lieto, 18,19 B. Ding, 99 S. Di Pace, 112,31 I. Di Palma, 112,31 F. Di Renzo, 18,19 A. Dmitriev,¹¹ Z. Doctor,⁸⁹ F. Donovan,¹² K. L. Dooley,^{67,84} S. Doravari,^{8,9} I. Dorrington,⁶⁷ T. P. Downes,²³ M. Drago,^{14,15} J. C. Driggers,⁴⁴ Z. Du,⁸² J.-G. Ducoin,²⁵ P. Dupej,⁴³ I. Dvorkin,³⁵ S. E. Dwyer,⁴⁴ P. J. Easter,⁶ T. B. Edo,¹⁰⁷ M. C. Edwards, 93 A. Effler, ⁷ P. Ehrens,¹ J. Eichholz, ¹ S. S. Eikenberry, ⁴⁷ M. Eisenmann, 32 R. A. Eisenstein, 12 R. C. Essick, 89 H. Estelles,⁹⁸ D. Estevez,³² Z. B. Etienne,³⁸ T. Etzel,¹ M. Evans,¹² T. M. Evans,⁷ V. Fafone,^{29,30,14} H. Fair,⁴¹ S. Fairhurst,⁶⁷ X. Fan, 82 S. Farinon, 59 B. Farr, 69 W. M. Farr, 11 E. J. Fauchon-Jones, 67 M. Favata, 34 M. Fays, 107 M. Fazio, 113 C. Fee, 114 J. Feicht,¹ M. M. Fejer,⁴⁸ F. Feng,²⁷ A. Fernandez-Galiana,¹² I. Ferrante,^{18,19} E. C. Ferreira,¹³ T. A. Ferreira,¹³ F. Ferrini,²⁸ F. Fidecaro, 18,19 I. Fiori, 28 D. Fiorucci, 27 M. Fishbach, 89 R. P. Fisher, 41,115 J. M. Fishner, 12 M. Fitz-Axen, 42 R. Flaminio, 32,116 M. Fletcher,⁴³ E. Flynn,²⁶ H. Fong,¹¹⁷ J. A. Font,^{20,118} P. W. F. Forsyth,²¹ J.-D. Fournier,⁶⁴ S. Frasca,^{112,31} F. Frasconi,¹⁹ Z. Frei, 105 A. Freise, 11 R. Frey, 69 V. Frey, 25 P. Fritschel, 12 V. V. Frolov, 7 P. Fulda, 47 M. Fyffe, 7 H. A. Gabbard, 43 B. U. Gadre, 3 S. M. Gaebel, ¹¹ J. R. Gair, ¹¹⁹ L. Gammaitoni, ³⁹ M. R. Ganija, ⁵⁴ S. G. Gaonkar, ³ A. Garcia, ²⁶ C. García-Quirós, ⁹⁸ F. Garufi,^{78,5} B. Gateley,⁴⁴ S. Gaudio,³³ G. Gaur,¹²⁰ V. Gayathri,¹²¹ G. Gemme,⁵⁹ E. Genin,²⁸ A. Gennai,¹⁹ D. George,¹⁷ J. George,⁶⁰ L. Gergely,¹²² V. Germain,³² S. Ghonge,⁷⁶ Abhirup Ghosh,¹⁶ Archisman Ghosh,³⁶ S. Ghosh,²³ B. Giacomazzo,^{111,95} J. A. Giaime,^{2,7} K. D. Giardina,⁷ A. Giazotto,^{19,[†](#page-14-0)} K. Gill,³³ G. Giordano,^{4,5} L. Glover,¹¹⁰ P. Godwin,⁸⁶ E. Goetz,⁴⁴ R. Goetz,⁴⁷ B. Goncharov,⁶ G. González,² J. M. Gonzalez Castro,^{18,19} A. Gopakumar,¹²³ M. L. Gorodetsky,⁶¹ S. E. Gossan,¹ M. Gosselin,²⁸ R. Gouaty,³² A. Grado,^{124,5} C. Graef,⁴³ M. Granata,²² A. Grant,⁴³ S. Gras,¹² P. Grassia,¹ C. Gray,⁴⁴ R. Gray,⁴³ G. Greco,^{71,72} A. C. Green,^{11,47} R. Green,⁶⁷ E. M. Gretarsson,³³ P. Groot,⁶³ H. Grote,⁶⁷ S. Grunewald,³⁵ P. Gruning,²⁵ G. M. Guidi,^{71,72} H. K. Gulati,¹⁰⁶ Y. Guo,³⁶ A. Gupta,⁸⁶ M. K. Gupta,¹⁰⁶ E. K. Gustafson,¹ R. Gustafson,¹²⁵ L. Haegel,⁹⁸ O. Halim,^{15,14} B. R. Hall,⁶⁸ E. D. Hall,¹² E. Z. Hamilton,⁶⁷ G. Hammond,⁴³ M. Haney,⁶⁵ M. M. Hanke,^{8,9} J. Hanks,⁴⁴ C. Hanna,⁸⁶ O. A. Hannuksela,⁹⁰ J. Hanson,⁷ T. Hardwick,² K. Haris,¹⁶ J. Harms,^{14,15} G. M. Harry,¹²⁶ I. W. Harry,³⁵ C.-J. Haster,¹¹⁷ K. Haughian,⁴³ F. J. Hayes,⁴³ J. Healy,⁵⁷ A. Heidmann,⁷⁰ M. C. Heintze,⁷ H. Heitmann,⁶⁴ P. Hello,²⁵ G. Hemming,²⁸ M. Hendry,⁴³ I. S. Heng,⁴³ J. Hennig,^{8,9} A. W. Heptonstall,¹ Francisco Hernandez Vivanco,⁶ M. Heurs, $8,9$ S. Hild, 43 T. Hinderer, $127,36,128$ D. Hoak, 28 S. Hochheim, $8,9$ D. Hofman, 22 A. M. Holgado, 17 N. A. Holland, 21 K. Holt,⁷ D. E. Holz,⁸⁹ P. Hopkins,⁶⁷ C. Horst,²³ J. Hough,⁴³ E. J. Howell,⁶² C. G. Hoy,⁶⁷ A. Hreibi,⁶⁴ E. A. Huerta,¹⁷ D. Huet,²⁵ B. Hughey,³³ M. Hulko,¹ S. Husa,⁹⁸ S. H. Huttner,⁴³ T. Huynh-Dinh,⁷ B. Idzkowski,⁷³ A. Iess,^{29,30} C. Ingram,⁵⁴ R. Inta, 83 G. Intini, 112,31 B. Irwin, 114 H. N. Isa, 43 J.-M. Isac, 70 M. Isi, 1 B. R. Iyer, 16 K. Izumi, 44 T. Jacqmin, 70 S. J. Jadhav, 129 K. Jani,⁷⁶ N. N. Janthalur,¹²⁹ P. Jaranowski,¹³⁰ A. C. Jenkins,¹³¹ J. Jiang,⁴⁷ D. S. Johnson,¹⁷ A. W. Jones,¹¹ D. I. Jones,¹³² R. Jones,⁴³ R. J. G. Jonker,³⁶ L. Ju,⁶² J. Junker,^{8,9} C. V. Kalaghatgi,⁶⁷ V. Kalogera,⁵⁸ B. Kamai,¹ S. Kandhasamy,⁸⁴ G. Kang,³⁷ J. B. Kanner,¹ S. J. Kapadia,²³ S. Karki,⁶⁹ K. S. Karvinen,^{8,9} R. Kashyap,¹⁶ M. Kasprzack,¹ S. Katsanevas,²⁸

E. Katsavounidis,¹² W. Katzman,⁷ S. Kaufer,⁹ K. Kawabe,⁴⁴ N. V. Keerthana,³ F. Kéfélian,⁶⁴ D. Keitel,⁴³ R. Kennedy,¹⁰⁷ J. S. Key, ¹³³ F. Y. Khalili, ⁶¹ H. Khan, ²⁶ I. Khan, ^{14,30} S. Khan, ^{8,9} Z. Khan, ¹⁰⁶ E. A. Khazanov, ¹³⁴ M. Khursheed, ⁶⁰ N. Kijbunchoo,²¹ Chunglee Kim,¹³⁵ J. C. Kim,¹³⁶ K. Kim,⁹⁰ W. Kim,⁵⁴ W. S. Kim,¹³⁷ Y.-M. Kim,¹³⁸ C. Kimball,⁵⁸ E. J. King,⁵⁴ P. J. King,⁴⁴ M. Kinley-Hanlon,¹²⁶ R. Kirchhoff,^{8,9} J. S. Kissel,⁴⁴ L. Kleybolte,¹³⁹ J. H. Klika,²³ S. Klimenko,⁴⁷ T. D. Knowles,³⁸ P. Koch,^{8,9} S. M. Koehlenbeck,^{8,9} G. Koekoek,^{36,140} S. Koley,³⁶ V. Kondrashov,¹ A. Kontos,¹² N. Koper,^{8,9} M. Korobko,¹³⁹ W. Z. Korth,¹ I. Kowalska,⁷³ D. B. Kozak,¹ V. Kringel,^{8,9} N. Krishnendu,¹⁴¹ A. Królak,^{142,143} G. Kuehn,^{8,9} A. Kumar,¹²⁹ P. Kumar,¹⁴⁴ R. Kumar,¹⁰⁶ S. Kumar,¹⁶ L. Kuo,⁸⁷ A. Kutynia,¹⁴² S. Kwang,²³ B.D. Lackey,³⁵ K.H. Lai,⁹⁰ T. L. Lam,⁹⁰ M. Landry,⁴⁴ B. B. Lane,¹² R. N. Lang,¹⁴⁵ J. Lange,⁵⁷ B. Lantz,⁴⁸ R. K. Lanza,¹² A. Lartaux-Vollard,²⁵ P. D. Lasky,⁶ M. Laxen,⁷ A. Lazzarini,¹ C. Lazzaro,⁵¹ P. Leaci,^{112,31} S. Leavey,^{8,9} Y. K. Lecoeuche,⁴⁴ C. H. Lee,⁹² H. K. Lee,¹⁴⁶ H. M. Lee,¹⁴⁷ H. W. Lee,¹³⁶ J. Lee,⁹¹ K. Lee,⁴³ J. Lehmann,^{8,9} A. Lenon,³⁸ N. Leroy,²⁵ N. Letendre,³² Y. Levin, 6.97 J. Li, 82 K. J. L. Li, 90 T. G. F. Li, 90 X. Li, 45 F. Lin, 6 F. Linde, 36 S. D. Linker, 110 T. B. Littenberg, 148 J. Liu, 62 X. Liu,²³ R. K. L. Lo,^{90,1} N. A. Lockerbie,²⁴ L. T. London,⁶⁷ A. Longo,^{149,150} M. Lorenzini,^{14,15} V. Loriette,¹⁵¹ M. Lormand,⁷ G. Losurdo,¹⁹ J. D. Lough,^{8,9} C. O. Lousto,⁵⁷ G. Lovelace,²⁶ M. E. Lower,¹⁵² H. Lück,^{9,8} D. Lumaca,^{29,30} A. P. Lundgren,¹⁵³ R. Lynch,¹² Y. Ma,⁴⁵ R. Macas,⁶⁷ S. Macfoy,²⁴ M. MacInnis,¹² D. M. Macleod,⁶⁷ A. Macquet,⁶⁴ F. Magaña-Sandoval,⁴¹ L. Magaña Zertuche, 84 R. M. Magee, 86 E. Majorana, 31 I. Maksimovic, 151 A. Malik, 60 N. Man, 64 V. Mandic, 42 V. Mangano, 43 G. L. Mansell,¹² M. Manske,^{23,21} M. Mantovani,²⁸ F. Marchesoni,^{49,40} F. Marion,³² S. Márka,⁹⁷ Z. Márka,⁹⁷ C. Markakis,^{10,17} A. S. Markosyan,⁴⁸ A. Markowitz,¹ E. Maros,¹ A. Marquina,¹⁰¹ S. Marsat,³⁵ F. Martelli,^{71,72} I. W. Martin,⁴³ R. M. Martin,³⁴ D. V. Martynov,¹¹ K. Mason,¹² E. Massera,¹⁰⁷ A. Masserot,³² T. J. Massinger,¹ M. Masso-Reid,⁴³ S. Mastrogiovanni,^{112,31} A. Matas,^{42,35} F. Matichard,^{1,12} L. Matone,⁹⁷ N. Mavalvala,¹² N. Mazumder,⁶⁸ J. J. McCann,⁶² R. McCarthy,²¹ D. E. McClelland,²¹ S. McCormick,⁷ L. McCuller,¹² S. C. McGuire,¹⁵⁴ J. McIver,¹ D. J. McManus,²¹ T. McRae,²¹ S. T. McWilliams,³⁸ D. Meacher,⁸⁶ G. D. Meadors,⁶ M. Mehmet,^{8,9} A. K. Mehta,¹⁶ J. Meidam,³⁶ A. Melatos,⁹⁶ G. Mendell,²³ R. A. Mercer,²³ L. Mereni,²² E. L. Merilh,⁶⁴ M. Merzougui,⁶⁴ S. Meshkov,¹ C. Messenger,⁴³ C. Messick,⁸⁶ R. Metzdorff,⁷⁰ P. M. Meyers, ⁹⁶ H. Miao, ¹¹ C. Michel, ²² H. Middleton, ⁹⁶ E. E. Mikhailov, ¹⁵⁵ L. Milano, ^{78,5} A. L. Miller, ⁴⁷ A. Miller, ^{112,31} M. Millhouse,⁵² J. C. Mills,⁶⁷ M. C. Milovich-Goff,¹¹⁰ O. Minazzoli,^{64,156} Y. Minenkov,³⁰ A. Mishkin,⁴⁷ C. Mishra,¹⁵⁷ T. Mistry,¹⁰⁷ S. Mitra,³ V. P. Mitrofanov,⁶¹ G. Mitselmakher,⁴⁷ R. Mittleman,¹² G. Mo,⁹³ D. Moffa,¹¹⁴ K. Mogushi,⁸⁴ S. R. P. Mohapatra,¹² M. Montani,^{71,72} C. J. Moore,¹⁰ D. Moraru,⁸¹ G. Moreno,⁸¹ S. Morisaki,⁸¹ B. Mours,³² C. M. Mow-Lowry,¹¹ Arunava Mukherjee,^{8,9} D. Mukherjee,²³ S. Mukherjee,¹⁰³ N. Mukund,³ A. Mullavey,⁷ J. Munch,⁵⁴ E. A. Muñiz,⁴¹ M. Muratore,³³ P. G. Murray,⁴³ A. Nagar,^{85,158,159} I. Nardecchia,^{29,30} L. Naticchioni,^{112,31} R. K. Nayak,¹⁶⁰ J. Neilson,¹¹⁰ G. Nelemans,^{63,36} T. J. N. Nelson,⁷ M. Nery,^{8,9} A. Neunzert,¹²⁵ K. Y. Ng,¹² S. Ng,⁵⁴ P. Nguyen,⁶⁹ D. Nichols,^{127,36} S. Nissanke,^{127,36} F. Nocera,²⁸ C. North,⁶⁷ L. K. Nuttall,¹⁵³ M. Obergaulinger,²⁰ J. Oberling,⁴⁴ B. D. O'Brien,⁴⁷ G. D. O'Dea,¹¹⁰ G. H. Ogin,¹⁶¹ J. J. Oh,¹³⁷ S. H. Oh,¹³⁷ F. Ohme,^{8,9} H. Ohta,⁸¹ M. A. Okada,¹³ M. Oliver,⁹⁸ P. Oppermann,^{8,9} Richard J. Oram,⁷ B. O'Reilly,⁷ R. G. Ormiston,⁴² L. F. Ortega,⁴⁷ R. O'Shaughnessy,⁵⁷ S. Ossokine,³⁵ D. J. Ottaway,⁵⁴ H. Overmier,⁷ B. J. Owen,⁸³ A. E. Pace,⁸⁶ G. Pagano,^{18,19} M. A. Page,⁶² A. Pai,¹²¹ S. A. Pai,⁶⁰ J. R. Palamos,⁶⁹ O. Palashov,¹³⁴ C. Palomba,³¹ A. Pal-Singh,¹³⁹ Huang-Wei Pan,⁸⁷ B. Pang,⁴⁵ P. T. H. Pang,⁹⁰ C. Pankow,⁵⁸ F. Pannarale,^{112,31} B. C. Pant,⁶⁰ F. Paoletti,¹⁹ A. Paoli,²⁸ A. Parida,³ W. Parker,^{7,154} D. Pascucci,⁴³ A. Pasqualetti,²⁸ R. Passaquieti,^{18,19} D. Passuello,¹⁹ M. Patil,¹⁴³ B. Patricelli,^{18,19} B. L. Pearlstone,⁴³ C. Pedersen,⁶⁷ M. Pedraza,¹ R. Pedurand,^{22,162} A. Pele,⁷ S. Penn,¹⁶³ C. J. Perez,⁴⁴ A. Perreca,^{111,95} H. P. Pfeiffer,^{35,117} M. Phelps,^{8,9} K. S. Phukon,³ O. J. Piccinni,^{112,31} M. Pichot,⁶⁴ F. Piergiovanni,^{71,72} G. Pillant,²⁸ L. Pinard,²² M. Pirello,⁴⁴ M. Pitkin,⁴³ R. Poggiani,^{18,19} D. Y. T. Pong,⁹⁰ S. Ponrathnam,³ P. Popolizio,²⁸ E. K. Porter,²⁷ J. Powell,¹⁵² A. K. Prajapati,¹⁰⁶ J. Prasad,³ K. Prasai,⁴⁸ R. Prasanna,¹²⁹ G. Pratten,⁹⁸ T. Prestegard,²³ S. Privitera,³⁵ G. A. Prodi,^{111,95} L. G. Prokhorov,⁶¹ O. Puncken,^{8,9} M. Punturo,⁴⁰ P. Puppo,³¹ M. Pürrer,³⁵ H. Qi,²³ V. Quetschke,¹⁰³ P. J. Quinonez,¹ E. A. Quintero,¹ R. Quitzow-James,⁶⁹ F. J. Raab,⁴⁴ H. Radkins,⁴⁴ N. Radulescu,⁶⁴ P. Raffai,¹⁰⁵ S. Raja,⁶⁰ C. Rajan,⁶⁰ B. Rajbhandari,⁸³ M. Rakhmanov,¹⁰³ K. E. Ramirez,¹⁰³ A. Ramos-Buades,⁹⁸ Javed Rana,³ K. Rao,⁵⁸ P. Rapagnani,^{112,31} V. Raymond,⁶⁷ M. Razzano,^{18,19} J. Read,²⁶ T. Regimbau,³² L. Rei,⁵⁹ S. Reid,²⁴ D. H. Reitze,^{1,47} W. Ren,¹⁷ F. Ricci,^{112,31} C. J. Richardson,³³ J. W. Richardson,¹ P. M. Ricker,¹⁷ K. Riles,¹²⁵ M. Rizzo,⁵⁸ N. A. Robertson,^{1,43} R. Robie,⁴³ F. Robinet,²⁵ A. Rocchi,³⁰ L. Rolland,³² J. G. Rollins,¹ V. J. Roma,⁶⁹ M. Romanelli,⁶⁶ J. D. Romano,⁸³ R. Romano,^{4,5} C. L. Romel,⁴⁴ J. H. Romie,⁷ K. Rose,¹¹⁴ D. Rosińska, ^{164,53} S. G. Rosofsky, ¹⁷ M. P. Ross, ¹⁶⁵ S. Rowan, ⁴³ A. Rüdiger, ^{8,9,[†](#page-14-0)} P. Ruggi, ²⁸ G. Rutins, ¹⁶⁶ K. Ryan, ⁴⁴ S. Sachdev,¹ T. Sadecki,⁴⁴ M. Sakellariadou,¹³¹ L. Salconi,²⁸ M. Saleem,¹⁴¹ A. Samajdar,³⁶ L. Sammut,⁶ E. J. Sanchez,¹ L. E. Sanchez,¹ N. Sanchis-Gual,²⁰ V. Sandberg,⁴⁴ J. R. Sanders,⁴¹ K. A. Santiago,³⁴ N. Sarin,⁶ B. Sassolas,²²

P. R. Saulson,⁴¹ O. Sauter,¹²⁵ R. L. Savage,⁴⁴ P. Schale,⁶⁹ M. Scheel,⁴⁵ J. Scheuer,⁵⁸ P. Schmidt,⁶³ R. Schnabel,¹³⁹ R. M. S. Schofield, 69 A. Schönbeck, 139 E. Schreiber, 8,9 B. W. Schulte, 8,9 B. F. Schutz, 67 S. G. Schwalbe, 33 J. Scott, 43 S. M. Scott,²¹ E. Seidel,¹⁷ D. Sellers,⁷ A. S. Sengupta,¹⁶⁷ N. Sennett,³⁵ D. Sentenac,²⁸ V. Sequino,^{29,30,14} A. Sergeev,¹³⁴ Y. Setyawati,^{8,9} D. A. Shaddock,²¹ T. Shaffer,⁴⁴ M. S. Shahriar,⁵⁸ M. B. Shaner,¹¹⁰ L. Shao,³⁵ P. Sharma,⁶⁰ P. Shawhan,⁷⁵ H. Shen,¹⁷ R. Shink,¹⁶⁸ D. H. Shoemaker,¹² D. M. Shoemaker,⁷⁶ S. ShyamSundar,⁶⁰ K. Siellez,⁷⁶ M. Sieniawska,⁵³ D. Sigg,⁴⁴ A. D. Silva,¹³ L. P. Singer,⁷⁹ N. Singh,⁷³ A. Singhal,^{14,31} A. M. Sintes,⁹⁸ S. Sitmukhambetov,¹⁰³ V. Skliris,⁶⁷ B. J. J. Slagmolen,²¹ T. J. Slaven-Blair,⁶² J. R. Smith,²⁶ R. J. E. Smith,⁶ S. Somala,¹⁶⁹ E. J. Son,¹³⁷ B. Sorazu,⁴³ F. Sorrentino,⁵⁹ T. Souradeep,³ E. Sowell,⁸³ A. P. Spencer,⁴³ A. K. Srivastava,¹⁰⁶ V. Srivastava,⁴¹ K. Staats,⁵⁸ C. Stachie,⁶⁴ M. Standke, ^{8,9} D. A. Steer, ²⁷ M. Steinke, ^{8,9} J. Steinlechner, ^{139,43} S. Steinlechner, ¹³⁹ D. Steinmeyer, ^{8,9} S. P. Stevenson, ¹⁵² D. Stocks,⁴⁸ R. Stone,¹⁰³ D. J. Stops,¹¹ K. A. Strain,⁴³ G. Stratta,^{71,72} S. E. Strigin,⁶¹ A. Strunk,⁴⁴ R. Sturani,¹⁷⁰ A. L. Stuver,¹⁷¹ V. Sudhir,¹² T. Z. Summerscales,¹⁷² L. Sun,¹ S. Sunil,¹⁰⁶ J. Suresh,³ P. J. Sutton,⁶⁷ B. L. Swinkels,³⁶ M. J. Szczepańczyk,³³ M. Tacca,³⁶ S. C. Tait,⁴³ C. Talbot,⁶ D. Talukder,⁶⁹ D. B. Tanner,⁴⁷ M. Tápai,¹²² A. Taracchini,³⁵ J. D. Tasson,⁹³ R. Taylor,¹ F. Thies,^{8,9} M. Thomas,⁷ P. Thomas,⁴⁴ S. R. Thondapu,⁶⁰ K. A. Thorne,⁷ E. Thrane,⁶ Shubhanshu Tiwari,^{111,95} Srishti Tiwari,¹²³ V. Tiwari,⁶⁷ K. Toland,⁴³ M. Tonelli,^{18,19} Z. Tornasi,⁴³ A. Torres-Forné,¹⁷³ C. I. Torrie,¹ D. Töyrä,¹¹ F. Travasso,^{28,40} G. Traylor,⁷ M. C. Tringali,⁷³ A. Trovato,²⁷ L. Trozzo,^{174,19} R. Trudeau,¹ K. W. Tsang,³⁶ M. Tse,¹² R. Tso,⁴⁵ L. Tsukada,⁸¹ D. Tsuna,⁸¹ D. Tuyenbayev,¹⁰³ K. Ueno,⁸¹ D. Ugolini,¹⁷⁵ C. S. Unnikrishnan,¹²³ A. L. Urban,² S. A. Usman,⁶⁷ H. Vahlbruch,⁹ G. Vajente,¹ G. Valdes,² N. van Bakel,³⁶ M. van Beuzekom,³⁶ J. F. J. van den Brand,^{74,36} C. Van Den Broeck,^{36,176} D. C. Vander-Hyde,⁴¹ J. V. van Heijningen,⁶² L. van der Schaaf,³⁶ A. A. van Veggel,⁴³ M. Vardaro,^{50,51} V. Varma,⁴⁵ S. Vass,¹ M. Vasúth,⁴⁶ A. Vecchio,¹¹ G. Vedovato,⁵¹ J. Veitch,⁴³ P. J. Veitch,⁵⁴ K. Venkateswara,¹⁶⁵ G. Venugopalan,¹ D. Verkindt,³² F. Vetrano,^{71,72} A. Viceré,^{71,72} A. D. Viets,²³ D. J. Vine,¹⁶⁶ J.-Y. Vinet,⁶⁴ S. Vitale,¹² T. Vo,⁴¹ H. Vocca,^{39,40} C. Vorvick,⁴⁴ S. P. Vyatchanin,⁶¹ A. R. Wade,¹ L. E. Wade,¹¹⁴ M. Wade,¹¹⁴ R. Walet,³⁶ M. Walker,²⁶ L. Wallace,¹ S. Walsh,²³ G. Wang,^{14,19} H. Wang,¹¹ J. Z. Wang,¹²⁵ W. H. Wang,¹⁰³ Y. F. Wang, 90 R. L. Ward, 21 Z. A. Warden, 44 J. Warner, 44 M. Was, 32 J. Watchi, 99 B. Weaver, 44 L.-W. Wei, 8,9 M. Weinert, 8,9 A. J. Weinstein,¹ R. Weiss,¹² F. Wellmann,^{8,9} L. Wen,⁶² E. K. Wessel,¹⁷ P. Weßels,^{8,9} J. W. Westhouse,³³ K. Wette,²¹ J. T. Whelan,⁵⁷ B. F. Whiting,⁴⁷ C. Whittle,¹² D. M. Wilken,^{8,9} D. Williams,⁴³ A. R. Williamson,^{127,36} J. L. Willis,¹ B. Willke, 8.9 M. H. Wimmer, 8.9 W. Winkler, 8.9 C. C. Wipf, ¹ H. Wittel, 8.9 G. Woan, ⁴³ J. Woehler, 8.9 J. K. Wofford, ⁵⁷ J. Worden,⁴⁴ J. L. Wright,⁴³ D. S. Wu,^{8,9} D. M. Wysocki,⁵⁷ L. Xiao,¹ R. Xu,¹⁰⁴ H. Yamamoto,¹ C. C. Yancey,⁷⁵ L. Yang,¹¹³ M. J. Yap,²¹ M. Yazback,⁴⁷ D. W. Yeeles,⁶⁷ Hang Yu,¹² Haocun Yu,¹² S. H. R. Yuen,⁹⁰ M. Yvert,³² A. K. Zadrożny,^{103,142} M. Zanolin,³³ T. Zelenova,²⁸ J.-P. Zendri,⁵¹ M. Zevin,⁵⁸ J. Zhang,⁶² L. Zhang,¹ T. Zhang,⁴³ C. Zhao,⁶² M. Zhou,⁵⁸ Z. Zhou,⁵⁸ X. J. Zhu, 6 M. E. Zucker, 1,12 and J. Zweizig¹

(The LIGO Scientific Collaboration and the Virgo Collaboration)

¹LIGO, California Institute of Technology, Pasadena, California 91125, USA
 $\frac{2}{5}I$ quisique State University, Pator Pouce, Louisique 70803, USA

 μ ² Louisiana State University, Baton Rouge, Louisiana 70803, USA

 3 Inter-University Centre for Astronomy and Astrophysics, Pune 411007, India

 4 Università di Salerno, Fisciano, I-84084 Salerno, Italy

⁵INFN, Sezione di Napoli, Complesso Universitario di Monte S.Angelo, I-80126 Napoli, Italy

 ${}^{6}Oz$ Grav, School of Physics and Astronomy, Monash University, Clayton 3800, Victoria, Australia

 17 LIGO Livingston Observatory, Livingston, Louisiana 70754, USA

⁸Max Planck Institute for Gravitational Physics (Albert Einstein Institute), D-30167 Hannover, Germany
⁹Leibniz Universität Hannover, D-30167 Hannover, Germany

¹⁰University of Cambridge, Cambridge CB2 1TN, United Kingdom
¹¹University of Birmingham, Birmingham B15 2TT, United Kingdom
¹²LIGO, Massachusetts Institute of Technology, Cambridge, Massachusetts 02139, USA
¹³Inst

Bengaluru 560089, India
¹⁷NCSA, University of Illinois at Urbana-Champaign, Urbana, Illinois 61801, USA
¹⁸Università di Pisa, I-56127 Pisa, Italy ¹⁹INFN, Sezione di Pisa, I-56127 Pisa, Italy

²⁰Departamento de Astronomía y Astrofísica, Universitat de València, E-46100 Burjassot, València, Spain²¹OzGrav, Australian National University, Canberra, Australian Capital Territory 0200, Australia
²²Laboratoire d

²⁵LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, F-91898 Orsay, France
²⁶California State University Fullerton, Fullerton, California 92831, USA
²⁷APC, AstroParticule et Cosmologie, Université Paris Dide

Observatoire de Paris, Sorbonne Paris Cité, F-75205 Paris Cedex 13, France
²⁸European Gravitational Observatory (EGO), I-56021 Cascina, Pisa, Italy
²⁹Università di Roma Tor Vergata, I-00133 Roma, Italy
³⁰INFN, Sezio

Université Savoie Mont Blanc, CNRS/IN2P3, F-74941 Annecy, France
³³Embry-Riddle Aeronautical University, Prescott, Arizona 86301, USA
³⁴Montclair State University, Montclair, New Jersey 07043, USA

 35 Max Planck Institute for Gravitational Physics (Albert Einstein Institute),

D-14476 Potsdam-Golm, Germany

³⁶Nikhef, Science Park 105, 1098 XG Amsterdam, Netherlands

³⁷Korea Institute of Science and Technology Information, Daejeon 34141, South Korea

³⁸West Virginia University, Morgantown,

⁴⁵Caltech CaRT, Pasadena, California 91125, USA
⁴⁶Wigner RCP, RMKI, H-1121 Budapest, Konkoly Thege Miklós út 29-33, Hungary
⁴⁷University of Florida, Gainesville, Florida 32611, USA
⁴⁸Stanford University, Stanford,

⁴⁸Stanford University, Stanford, California 94305, USA
⁴⁹Università di Camerino, Dipartimento di Fisica, 1-62032 Camerino, Italy
⁵⁰Università di Padova, Dipartimento di Fisica e Astronomia, 1-35131 Padova, Italy
⁵¹

Northwestern University, Evanston, Illinois 60208, USA

 59 INFN, Sezione di Genova, I-16146 Genova, Italy 60 RRCAT, Indore, Madhya Pradesh 452013, India

⁶¹Faculty of Physics, Lomonosov Moscow State University, Moscow 119991, Russia
⁶²OzGrav, University of Western Australia, Crawley, Western Australia 6009, Australia
⁶³Department of Astrophysics/IMAPP, Radboud Univer

⁶⁴ Artemis, Université Côte d'Azur, Observatoire Côte d'Azur, CNRS, CS 34229,

⁶⁵Physik-Institut, University of Zurich, Winterthurerstrasse 190, 8057 Zurich, Switzerland
⁶⁶Univ Rennes, CNRS, Institut FOTON—UMR6082, F-3500 Rennes, France
⁶⁷Cardiff University, Cardiff CF24 3AA, United Kingdom
⁶

⁷⁰Laboratoire Kastler Brossel, Sorbonne Université, CNRS, ENS-Université PSL,

⁷¹Università degli Studi di Urbino 'Carlo Bo,' I-61029 Urbino, Italy ⁷¹Università degli Studi di Urbino 'Carlo Bo,' I-61029 Urbino, Italy ⁷²INFN, Sezione di Firenze, I-50019 Sesto Fiorentino, Firenze, Italy

⁷³Astronomical Observatory Warsaw University, 00-478 Warsaw, Poland ⁷⁴VU University Amsterdam, 1081 HV Amsterdam, Netherlands ⁷⁵University of Maryland, College Park, Maryland 20742, USA ⁷⁵ University of Maryland, College Park, Maryland 20742, USA
⁷⁶ School of Physics, Georgia Institute of Technology, Atlanta, Georgia 30332, USA
⁷⁷ Université Claude Bernard Lyon 1, F-69622 Villeurbanne, France
⁷⁸ I-00184 Roma, Italyrico Fermi, I-00184 Roma, Italy
⁸⁶The Pennsylvania State University, University Park, Pennsylvania 16802, USA
⁸⁷National Tsing Hua University, Hsinchu City, 30013 Taiwan, Republic of China
⁸⁸Charle ⁸⁹University of Chicago, Chicago, Illinois 60637, USA
⁹⁰The Chinese University of Hong Kong, Shatin, NT, Hong Kong
⁹¹Seoul National University, Seoul 08826, South Korea
⁹²Pusan National University, Busan 46241, So ⁹⁴INAF, Osservatorio Astronomico di Padova, I-35122 Padova, Italy ⁹⁵INFN, Trento Institute for Fundamental Physics and Applications, I-38123 Povo, Trento, Italy
⁹⁶OzGrav, University of Melbourne, Parkville, Victoria 3010, Australia ⁹⁷Columbia University, New York, New York 10027, USA
⁹⁸Universitat de les Illes Balears, IAC3—IEEC, E-07122 Palma de Mallorca, Spain
⁹⁹Université Libre de Bruxelles, Brussels 1050, Belgium
¹⁰⁰Sonoma State Universi Budapest 1117, Hungary
¹⁰⁶Institute for Plasma Research, Bhat, Gandhinagar 382428, India
¹⁰⁷The University of Sheffield, Sheffield S10 2TN, United Kingdom
¹⁰⁸IGFAE, Campus Sur, Universidade de Santiago de Compostela, $[143124\;Param, Italy$ 110

110

California State University, Los Angeles, 5151 State University Dr, Los Angeles, California 90032, USA

111₁ Università di Trento, Dipartimento di Fisica, 1-38123 Povo, Trento, Italy

¹¹² Univ ¹¹⁸Observatori Astronòmic, Universitat de València, E-46980 Paterna, València, Spain
¹¹⁹School of Mathematics, University of Edinburgh, Edinburgh EH9 3FD, United Kingdom
¹²⁰Institute Of Advanced Research, Gandhinaga 127 GRAPPA, Anton Pannekoek Institute for Astronomy and Institute of High-Energy Physics, University of Amsterdam, Science Park 904, 1098 XH Amsterdam, Netherlands

¹²⁸Delta Institute for Theoretical Physics, Science Park 904, 1090 GL Amsterdam, Netherlands
¹²⁹Directorate of Construction, Services and Estate Management, Mumbai 400094 India ¹³⁰University of Białystok, 15-424 Białystok, Poland
¹³¹King's College London, University of London, London WC2R 2LS, United Kingdom 132 University of Southampton, Southampton SO17 1BJ, United Kingdom 133 University of Washington Bothell, Bothell, Washington 98011, USA
 134 Institute of Applied Physics, Nizhny Novgorod, 603950, Russia $1^{35}Ewha$ Womans University, Seoul 03760, South Korea
 $1^{35}Ewha$ Womans University, Seoul 03760, South Korea
 1^{37} National Institute for Mathematical Sciences, Daejeon 34047, South Korea
 1^{33} Ulsan National Instit ¹⁴⁷Korea Astronomy and Space Science Institute, Daejeon 34055, South Korea ¹⁴⁸NASA Marshall Space Flight Center, Huntsville, Alabama 35811, USA ¹⁴⁸NASA Marshall Space Flight Center, Huntsville, Alabama 35811, USA
¹⁴⁹Dipartimento di Matematica e Fisica, Università degli Studi Roma Tre, 1-00146 Roma, Italy
¹⁵⁰INFN, Sezione di Roma Tre, 1-00146 Roma, Italy
¹⁵ ¹⁵⁸INFN Sezione di Torino, Via P. Giuria 1, 1-10125 Torino, Italy
¹⁵⁹Institut des Hautes Etudes Scientifiques, F-91440 Bures-sur-Yvette, France
¹⁶⁰IISER-Kolkata, Mohanpur, West Bengal 741252, India
¹⁶¹Whitman Coll 168
Université de Montréal/Polytechnique, Montreal, Quebec H3T 1J4, Canada ¹⁶⁹Indian Institute of Technology Hyderabad, Sangareddy, Khandi, Telangana 502285, India ¹⁷⁰International Institute of Physics, Universidade Federal do Rio Grande do Norte, 171Villanova University, 800 Lancaster Ave, Villanova, Pennsylvania 19085, USA
¹⁷²Andrews University, Berrien Springs, Michigan 49104, USA
¹⁷³Max Planck Institute for Gravitationalphysik (Albert Einstein Institute), D-14476 Potsdam-Golm, Germany
¹⁷⁴Università di Siena, I-53100 Siena, Italy
¹⁷⁵Trinity University, San Antonio, Texas 78212, USA
¹⁷⁶Van Swinderen Institute for Particle Physics and Gravity, University of Groningen, Nijenborgh 4, 9747 AG Groningen, Netherlands

[†](#page-9-0) Deceased.