

Shared Nearest Neighbors Approach and Interactive Browser for Network Analysis of a Comprehensive Non-Small-Cell Lung Cancer Data Set

Stephanie T. Schmidt, Neal Akhave, Ryan E. Knightly, Alexandre Reuben, Natalie Vokes, Jianhua Zhang, Jun Li, Junya Fujimoto, Lauren A. Byers, Beatriz Sanchez-Espiridon, Lixia Diao, Jing Wang, Lorenzo Federico, Marie-Andree Forget, Daniel J. McGrail, Annikka Weissferdt, Shiaw-Yih Lin, Younghee Lee, Erika Suzuki, Jeffrey J. Kovacs, Carmen Behrens, Ignacio I. Wistuba, Andrew Futreal, Ara Vaporciyan, Boris Sepesi, John V. Heymach, Chantale Bernatchez, Cara Haymaker, Tina Cascone, Jianjun Zhang, Christopher A. Bristow, Timothy P. Heffernan, Marcelo V. Negrao*, Don L. Gibbons*, and the ICON team

* Equal contribution

Schmidt, et al. JCO Clinical Cancer Informatics no. 6 (2022) e2200040.


Presenter (STS) has no disclosures.

THE UNIVERSITY OF TEXAS

MD Anderson
Cancer Center


Making Cancer History®

ImmunogenomiC prOfiling of Non-small cell lung cancer Project (ICON)




Shared Nearest Neighbors (SNN) approach for multi-platform networks

Rank	Gene A	Gene B	...
1	Protein 1	Protein 2	
2	Protein 2	Protein 4	
3	Protein 3	Protein 1	...
4	Protein 4	Protein 6	
5	Protein 5	Protein 5	
...			




Qualifying pairs:
A-B, B-C, B-E, C-D, D-E




ICON data network highlights new connections based on interplay between integrated platforms


Selection of SNN with RNA-based edges
Improved performance over SNN, RNA alone



SNN platforms provide more edges per node
Overlaps in network edges from each platform shown




Community detection identifies modules
10 top-level and 93 mid-level modules with 10+ genes




MD ANDERSON CANCER CENTER

ICON data browser enables interactive network exploration for insights into tumor characteristics of interest

Network panel (top) and plotting/modeling panel (bottom) of the ICON data browser



Score distributions for highlighted modules relevant to selected features



Recurrence in Stage 2+, non-LUSC tumors TP53 oncogenotype in LUSC tumors

To learn more, please see our recent publication in *JCO CCI*.

Ongoing: Expansion of approach to NEOSTAR to enable multi-cohort, multi-platform integration