

The Mood of the Silver Economy: A Data Science Analysis of the Mood States of Older Adults and the Implications on their Wellbeing

Marco A. Palomino,
Rohan Allen, Farida Aider,
Francesca A. Tiroto and Ioanna Giorgi

University of Plymouth
SECaM
Plymouth, PL4 8AA
United Kingdom

Email: {marco.palomino, rohan.allen-13,
farida.aider, francesca.tiroto,
ioanna.giorgi}@plymouth.ac.uk

Hazel Alexander

Plymouth Community Homes
Plumer House
Plymouth, PL6 5DH
United Kingdom

Email: hazel.alexander@pch.co.uk

Giovanni L. Masala

University of Kent
School of Computing
Kent, CT2 7NZ
United Kingdom

Email: g.masala@kent.ac.uk

Abstract—For the first time in the history of humanity, the number of people over 65 surpassed those under 5 in 2018. Undoubtedly, older people will play a significant role in the future of the economy and society in general, and technological innovation will be indispensable to support them. Thus, we were interested in learning how home automation could enable older people to live independently for longer. To better understand this, we held focus groups with UK senior citizens in 2021, and we analyzed the data derived from them from the perspective of affective computing. We have trained a machine learning classifier capable of distinguishing moods commonly associated with older adults. We have identified depression, sadness and anger as the most prominent mood states conveyed in our focus groups. Our practical insights can aid the design of strategic choices concerning the wellbeing of the ageing population.

I. INTRODUCTION

IN THE EUROPE of 2060, one in three inhabitants will be over 65 [1]. A similar trend of increasing life expectancy and reversal of the population pyramid will be followed by the rest of the developed countries [2]. The forms of consumption will therefore change and older people will become the engine of the so-called *silver economy* [3].

The silver economy includes all the economic activities, products and services designed to meet the needs of older adults [4]. The concept derived from the *silver market* that emerged in Japan—the country with the highest percentage of people over 65—during the 1970s [5], and brings together sectors as diverse as health, banking, automotive, energy, housing, leisure and tourism. Scientific advances and joint efforts will be critical to address the unique health challenges of the ageing population and their communities [3]. Undoubtedly, the

ageing of the population will lead to the creation of jobs and the emergence of careers related to the silver economy.

Regrettably, mental health problems in older adults are frequent. Indeed, late life depression is common, and it is typically associated with disability, reduced quality of life, mortality, and high health care costs [6]. Moreover, depressed older adults frequently have comorbid medical illnesses and cognitive impairments [6]. Life events such as moving from a private residence to a nursing home, or an assisted-living facility, can trigger symptoms such as anxiety, confusion, hopelessness, and loneliness. This is part of a nursing diagnosis now known as *relocation stress syndrome* [7].

In an attempt to prevent relocation stress, the *AGE IN* project endeavours to propose a strategy to keep the ageing population independent for longer in their own homes [8]. *AGE IN* has suggested a combination of house adaptations and the development of a local ecosystem for the silver economy [8]. As shown in recent studies [9], one of the keys to the silver economy will be technological innovation. Advances in home automation, artificial intelligence, the Internet of Things, eHealth and other services typical of smart cities, will prove relevant to support the ageing population.

To bring the *AGE IN* strategy to fruition, it is vital to understand the needs and concerns of older adults. Consequently, we organized a series of focus groups in the summer of 2021, where UK senior citizens participated in discussions about independent living, house adaptations, isolation, and their concerns about the future. Due to the sensitive nature of the focus groups, we undertook the ethical approval process required by the *University of Plymouth*, which is where the focus groups were held. Our ethical approval was recorded under the title “*AGE IN Robot Home*” through the *Plymouth Ethics Online System* (PEOS) [10]. Our approach was reinforced by a white

[†]The authors acknowledge the funding provided by the Interreg 2 Seas Mers Zeeën AGE IN project (2S05-014).

paper published by the *UK Ministry of Housing, Communities and Local Government* in 2020 [11].

Transcriptions of the conversations which took place during the focus groups that we organized allowed us to gather opinions and relevant feedback. We then processed these transcriptions with the use of text mining techniques and machine-learning algorithms to extract knowledge and insights into the feelings and emotions expressed by older adults. We expect the practical insights derived from our study to aid in the decision-making of strategic choices concerning the mental health of the ageing population—especially, as a considerable amount of fear and depression were expressed by the senior citizens who participated in our focus groups.

The remainder of this paper is organized as follows. We start by summarising the related work on emotion analysis and its links to older adults in Section II. Afterwards, we describe our dataset in Section III and its processing in Section IV. Then, we present our results in Section V, and we discuss them in Section VI. Finally, we draw our conclusions in Section VII.

II. RELATED WORK

Plenty of multidisciplinary research has demonstrated through text analysis that word use is a reliable indicator of a person’s psychological state [12]. Thus, *sentiment analysis* has been amply used to analyze people’s evaluations, appraisals, and attitudes towards products, services, and topics [13], [14], [15]. However, most sentiment analysis work focuses on assigning a positive or negative rating—*polarity*—to a piece of text [16], whereas we aim to recognise a range of emotional categories, which is the goal of *affective computing* [17].

Emotions are critical for the interaction of human beings, as they enable people to express their reactions to any stimulus they experience [18]. Although the idea of employing computers to recognise emotions was first introduced by Picard in 1997 [19], it is only recently when the advances in machine learning have boosted *natural language processing* (NLP) to reach human-level performance [20].

Over the past decade, we have witnessed the publication of a great deal of literature interested in identifying emotions in text. Most of this literature has adopted supervised machine learning approaches to recognise specific sets of emotions. An example of this is Chaffar and Inkpen’s research, which combined emotion-annotated news headlines, fairy tales and blogs to create a suitable training set [21]. Chaffar and Inkpen claim to have achieved a much better performance with a *support vector machine* (SVM) classifier than with any other alternative. Moreover, their SVM classifier generalises well on unseen examples [21].

We were keen on testing approaches that depart from the traditional methods followed by sentiment analysis, which used lexicons and bag-of-words models. We are aware of the improvements reported by researchers who have worked with sequences of characters, without pre-processing the text that becomes the input of a *recurrent neural network* (RNN). Colnerič and Demšar [22] implemented one of such approaches

and used it to classify tweets into emotional categories. Their work is particularly relevant to ours.

Following Colnerič and Demšar [22], we have also implemented our own emotion classifier, though we did not consider the models developed by Paul Ekman [23] and Robert Plutchik [24], as Colnerič and Demšar did. Instead, we concentrated on a different model for the reasons explained below.

Ekman studied facial expressions to define six universally recognisable emotions: anger, disgust, fear, joy, sadness and surprise [23]. Even though facial recognition is an area which we wish to explore in the long term, we are currently unable to apply it. Thus, Ekman’s model is not suitable for our work.

Plutchik considered eight basic, pairwise, contrasting emotions: joy vs. sadness, trust vs. disgust, fear vs. anger, and surprise vs. anticipation [24]. Even though we plan to widen the range of emotions analyzed by our classifiers as our research progresses, the lack of annotated training collections complicates any attempts to implement Plutchik’s model. Ultimately, we could pursue Colnerič and Demšar’s approach—that is, consider each emotion as a separate category and disregard the different levels of intensities that Plutchik defined [22]. Regrettably, such a simplification would diminish the value and full extent of Plutchik’s model. Additionally, we would prefer to fine-tune our implementation for a smaller number of emotions before involving a wider range.

We favored the implementation of a third emotion model, different from Ekman’s and Plutchik’s, as we also wanted to identify an alternative approach that is more suitable for the study of the ageing population. This led us to consider the *Profile of Mood States* (POMS) [25], which contemplates *fatigue* and *depression*—two states of mood often associated with older adults.

In the following sections, we explain how we gathered our dataset and how we implemented our classifier.

III. DATASET

We organized meetings with 17 British senior citizens who currently live in the city of Plymouth (UK). We invited them to participate in our focus groups through our professional partnership with *Plymouth Community Homes* (<https://www.plymouthcommunityhomes.co.uk/>). We refer to these older adults hereafter as *participants*, and they were separated into three groups:

- **Group 1:** Participants whose ages were 59–80 and required daily support with mobility issues—for example, a wheelchair, a prosthetic leg or a walking aid.
- **Group 2:** Participants whose ages were 66–80 and did not require support with mobility issues.
- **Group 3:** Participants whose ages were 57–63 and did not require support with mobility issues.

For a whole morning or afternoon, the participants visited the University of Plymouth on 27–29 July 2021 and had conversations with a group of academic researchers about their views on ageing, isolation, their own future, and the relevance of using technological and automation tools to keep their independence at home. Apart from the conversations, the

[48]—the number of trees was selected using linear search—and long short term memory (LSTM) [49].

To train the classifiers, we used Colnerič and Demšar’s training set, which is based on a dataset comprising 73 billion tweets annotated using distant supervision [22]. Regrettably, the random forest was too slow; thus, we built forests with a maximum of 100 trees. Still, training 100 trees using bigrams took longer than a day on *Colab* [50]. All our work was carried out using the `scikit-learn` library [51], and all the parameters were left at their default values.

Regarding neural network architectures, we decided to use an RNN, as it can naturally handle texts of variable lengths, which would be of help when working with transcribed text. We understand that there are other architectures which may be suitable, but we will have to test them in the future.

Instead of pre-processing the transcriptions, we treated each line of a conversation as a sequence of characters, and pass such characters one by one into the neural network. Then, the task of the network was to combine the characters into a suitable representation and predict the moods expressed. The neural network had to learn which sequences of characters form words, since space was not treated differently from any other character. The benefit of this character-based approach is that it does not require any pre-processing. If we were working with words, we would need a tokenizer first and then we would have to decide which morphological variations of the words are similar enough to consider them equivalent for their representation, which is what stemming and lemmatization do. However, in our character setting approach, all those decisions were left to the neural network to figure out.

Our embeddings consist of sequences of characters mapped into vectors. We used only characters that occurred in the training dataset 25 times or more, which yielded a set of 410 characters, and we removed emoticons and other symbols that were not part of our transcriptions. The embeddings were then passed through the RNN layer. We experimented exclusively with the LSTM variant, as Peng has shown that LSTM produces valuable results for text classification [52].

Although POMS comprises seven mood states, we removed the *friendliness* mood from our classifier, as Norcross *et al.* have found that the adjectives corresponding to it are too weak to ensure valid classification [25]. We also complemented the model with other adjectives derived from the *BrianMac Sports Coach* website [44]. Table I shows the full list of adjectives that we employed to identify each of the mood states.

We complemented our results with `text2emotion` [53], a well-regarded Python library to determine the emotions expressed in text. Note that `text2emotion` is based on the original work by Diaz *et al.* [18].

V. RESULTS

The participants of Focus Group 1 were more technologically orientated than the others. Keywords such as *Internet*, *technology* and *Zoom* were among the most characteristic keywords employed in the conversations held by the participants

TABLE I
PROFILE OF MOOD STATES (POMS)—CHOSEN ADJECTIVES

Mood state	Adjectives
anger	angry, peeved, grouchy, spiteful, annoyed, resentful, bitter, ready to fight, deceived, furious, bad tempered, rebellious
confusion	forgetful, unable to concentrate, muddled, confused, bewildered, uncertain about things
depression	sorry for things done, unworthy, guilty, worthless, desperate, hopeless, helpless, lonely, terrified, discouraged, miserable, gloomy, sad, unhappy
fatigue	fatigued, exhausted, bushed, sluggish, worn out, weary, listless
tension	tense, panicky, anxious, shaky, on edge, uneasy, restless, nervous
vigour	active, energetic, full of pep, lively, vigorous, cheerful, carefree, alert

of this focus group. Coincidentally, the first focus group was also the one with the largest number of male participants.

Studies suggest that females feel less confident in their interaction with technology, because they have learned less and practiced less, and feel more anxious about using computers when compared with their male counterparts [54]. Nevertheless, the presence of keywords such as *Facebook*, *WhatsApp*, *computer* and *mobile* with high TF-IDF weights across the three focus groups reveals that all the participants were familiar with a variety of modern applications and items.

Generally, the focus groups conversations confirm that older adults appreciate the benefits of technology. Still, negative attitudes towards technology were expressed when referring to the inconveniences associated with it. This seems to be in line with the work of Mitzner *et al.* [55].

For illustration purposes, we have listed below a few comments extracted from the conversations that took place in the focus groups and discuss the benefits and inconveniences of interacting with technology.

- **Benefit 1:** “*I mean, I wouldn’t have been able to see my family without the internet!*”
- **Benefit 2:** “*And I use it digitally for communicating with my children with a portal which is a magic machine. I just make telephone calls by saying to the television, please ring Harry and Harry’s on the television.*”
- **Benefit 3:** “*So technology is good. Yeah. But then you’ve got to know how to use it, and also be careful, being safe as well when you’re using these things. That’s my priority all the time.*”
- **Inconvenience 1:** “*I tell you what makes me very sad about technology is when you hear these people, these women that get sucked in by these men for all this money. [Laughs.] It’s true, isn’t it? That’s true. Yeah.*”
- **Inconvenience 2:** “*Doctors... now... they are a nightmare! Because I’m trying to get an E-consult and if you’re not*

on the Internet now, you can't get your prescription and you can't contact doctors. That is huge!"

- Inconvenience 3:** "You want older people to embrace technology... make it easier. Make it less scary. Yeah, they get that. Sometimes these iPhones. I mean, I love it. I'm a geek. Yeah. As soon as there is a new technology I want it! But I've got friends that can't understand it. The technical wording is too difficult... I love it, but I don't understand a lot of it. Make it easy. We want older people or people who are scared of it to embrace the technology. Make it easy. Yeah, if that makes sense. Right?"

Using our classifier, we assigned each line in the transcriptions a probability associated with each of the POMS categories. The values displayed in Fig. 2 represent the addition of the probabilities for each category to occur in each of the lines of the transcriptions derived from Focus Group 1.




Fig. 2. Distribution of the probabilities of each of the POMS categories present in the transcriptions of Focus Group 1.

The participants in Focus Group 1 have multiple chronic health conditions and mobility impairments. In fact, some of them have already transitioned into supported-living accommodation. They have lost a degree of autonomy and are aware that their current abilities are likely to deteriorate further in the short term. Unsurprisingly, Fig. 3 shows that, according to `text2emotion`, fear is the most prominent emotion conveyed by Focus Group 1.

Beadle and De la Vega have pointed out that the decline of cognitive empathy frequently correlates with an increase in emotional empathy in older adults [56]. This may explain why the participants in Focus Group 2 engage in caring roles regularly, supporting others who are older or have additional concerns. While this provides them with a sense of fulfilment, it also increases their sadness both aimed at the recipients of their support and themselves. Fig. 4 corroborates that sadness is the most prominent emotion found in Focus Group 2.

Our POMS classifier yielded very similar results across the three focus groups. Depression, anger, and confusion are the most prominent moods in all cases. The only difference is the amount associated with each mood. Fig. 5 displays the distribution for Focus Group 2.




Fig. 3. Distribution of the probabilities of each of the `text2emotion` categories present in the transcriptions of Focus Group 1.




Fig. 4. Distribution of the probabilities of each of the `text2emotion` categories present in the transcriptions of Focus Group 2.




Fig. 5. Distribution of the probabilities of each of the POMS categories present in the transcriptions of Focus Group 2.

Focus Group 3 expressed a higher level of surprise than all the others, as it can be seen in Fig. 6. To explain this, it is important to examine the meaning of *surprise*. Peirce [57] and Pollard [58] define “surprise” as a reflective moment of self-realization or a new viewpoint previously unconsidered. As a younger group, with fewer health concerns, the conversations held in Focus Group 3 were mainly hypothetical or based on the participants’ observations of the experiences of others.




Fig. 6. Distribution of the probabilities of each of the `text2emotion` categories present in the transcriptions of Focus Group 3.

Focus Group 3 drew on examples of older adults in their families and social circles, realizing what might be to come for them. These participants were more likely to look for comparisons within the group to reflect on their own ageing process, as Sayag and Kavé have suggested [59]. Fig. 7 displays the POMS distribution for Focus Group 3.




Fig. 7. Distribution of the probabilities of each of the POMS categories present in the transcriptions of Focus Group 3.

VI. DISCUSSION

There are common themes of conversation among older adults which generate anger, depression, sadness and fear—for example, admittance into a care home [60] or susceptibility to scams [61]. However, there are also differences that can explain the variations in the mood states expressed by the

participants of our focus groups. To start with, women live longer than men, on average, even when mortality is high—for instance, during severe famines and epidemics [62]. Whilst part of the gender longevity disparity can be accounted for by the nature of the work and leisure activities that a proportion of men engaged in, there is clear evidence to suggest that women live longer than men in almost all modern populations [63]. Undoubtedly, loneliness, depression, and social isolation are critical to explain why men die younger [64].

Older women have larger social networks and maintain more ties to people outside their households than older men [65]. Men who have previously relied on their partners to maintain family structures and relationships can be left without the social skills to retain and extend their connections when they lose their partners. Also, Mann [66] has explained that men’s desire to demonstrate and impart their knowledge and experience can be severely impacted when they lose contacts in their late lives. As a result, men are more likely to experience depression in later life [67]. Unsurprisingly, widowed men are more prone to subsequent depression than widowed women [67]. This may be the reason why our POMS classifier detected more depression and anger from men when the analysis of Focus Group 1 was divided by gender. Fig. 8 shows the differences in moods between genders in Focus Group 1.




Fig. 8. Differences in moods between men and women in Focus Group 1. The histograms display the distribution of the probabilities of each of the POMS categories present in the transcriptions of Focus Group 1.

In our focus groups, men expressed more anger at falling—which is another common theme among older adults [68]—than women; whereas women identified the loss of social connections as paramount, which has also been noticed by Goll *et al.*, in a sample of older adults living independently in London, England [69].

VII. CONCLUSIONS

Words matter because our attitudes towards a subject are frequently implicit in our lexical choices. Words are reflective and expressive of our attitudes and emotions, and can also explain how we think [70], [71]. The words people use to communicate not only express what they are thinking about,




Fig. 9. Differences in moods between men and women in Focus Group 2. The histograms display the distribution of the probabilities of each of the POMS categories present in the transcriptions of Focus Group 2.




Fig. 10. Differences in moods between men and women in Focus Group 3. The histograms display the distribution of the probabilities of each of the POMS categories present in the transcriptions of Focus Group 3.

but also how they are feeling. Thus, an appropriate way to examine the attitudes of people towards an issue is to analyze the words they use to describe it, and the linguistic sentiment inherent in those words [72]. This is where the main contribution of the work presented here lies.

We have applied machine learning to analyze conversations recorded with older adults. Our analysis provides practical insights, and it can aid in the decision-making of strategic choices concerning the ageing population. The advantages of using POMS over other emotion classifiers have been discussed, and we expect to start the search for other models that are applicable for the study of older adults. This certainly helps in building a comprehensive view of senior citizens, which opens new possibilities to identify their problems and find ways to boost their wellbeing.

The UK Office for National Statistics has confirmed that we are living longer lives because of medical advances and safer workplaces, among other conditions [73]. Given this trend, it seems to be time to rethink how we support older adults, as well as the way in which society approaches the finances, housing, health, and care of the silver economy. Precisely, one

of the current *Grand Challenge Missions* set out by the UK Government is to ensure that people can enjoy at least 5 extra healthy, independent years of life by 2035 [74]. Our current work and future developments attempt to harness the power of innovation to help meet the needs of an ageing society.

ACKNOWLEDGMENT

The authors thank Plymouth Community Homes for their help in the organisation of the focus groups and the participants for their time and insights.

REFERENCES

- [1] A. Ahtonen, "Healthy and active ageing: Turning the 'silver' economy into gold," *Policy Brief*, vol. 12, no. 3, p. 2012, 2012.
- [2] Iberdrola, "Silver Economy," 2022, <https://www.iberdrola.com/innovation/silver-economy>.
- [3] F. Bran, M.-L. Popescu, and P. Stanciu, "Perspectives of silver economy in the European Union," *Revista de Management Comparat International*, vol. 17, no. 2, p. 130, 2016.
- [4] A. S. Zueva and T. S. Khrolenko, "Population ageing: Demographic security threat or silver industry development potential," *RUDN Journal of Public Administration*, vol. 6, no. 3, pp. 234–242, 2019.
- [5] A. Klimczuk, "Comparative analysis of national and regional models of the silver economy in the European Union," A. Klimczuk, *Comparative Analysis of National and Regional Models of the Silver Economy in the European Union*, "International Journal of Ageing and Later Life", vol. 10, no. 2, pp. 31–59, 2016.
- [6] J. Unützer and M. L. Bruce, "The elderly," *Mental Health Services Research*, vol. 4, no. 4, pp. 245–247, 2002.
- [7] C. Walker, L. C. Curry, and M. O. Hogstel, "Relocation stress syndrome in older adults transitioning from home to a long-term care facility: Myth or reality?" *Journal of Psychosocial Nursing and Mental Health Services*, vol. 45, no. 1, pp. 38–45, 2007.
- [8] Interreg 2 Seas Mers Zeeën, "AGE IN," 2022, <https://www.interreg2seas.eu/en/AGEIN>.
- [9] A. Ollevier, G. Aguiar, M. Palomino, and I. S. Simpelaere, "How can technology support ageing in place in healthy older adults? A systematic review," *Public Health Reviews*, vol. 41, no. 1, pp. 1–12, 2020.
- [10] University of Plymouth, "Plymouth Ethics Online System (PEOS)," 2022, <https://www.plymouth.ac.uk/research/plymouth-ethics-online-system>.
- [11] Council Housing and Housing Association, "The charter for social housing residents," Ministry of Housing, Communities and Local Government, Tech. Rep., Nov. 2020, https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/936098/The_charter_for_social_housing_residents_-_social_housing_white_paper.pdf.
- [12] C. K. Chung and J. W. Pennebaker, "Using computerized text analysis to assess threatening communications and behavior," *Threatening Communications and Behavior: Perspectives on the Pursuit of Public Figures*, pp. 3–32, 2011.
- [13] B. Liu, "Sentiment analysis and opinion mining," *Synthesis Lectures on Human Language Technologies*, vol. 5, no. 1, pp. 1–167, 2012.
- [14] P. Gonçalves, M. Araújo, F. Benevenuto, and M. Cha, "Comparing and combining sentiment analysis methods," in *Proceedings of the ACM Conference on Online Social Networks*, 2013, pp. 27–38.
- [15] M. A. Palomino, A. P. Varma, G. K. Bedala, and A. Connelly, "Investigating the Lack of Consensus Among Sentiment Analysis Tools," in *Human Language Technology. Challenges for Computer Science and Linguistics*, Z. Vetulani, P. Paroubek, and M. Kubis, Eds. Cham: Springer International Publishing, 2020, pp. 58–72.
- [16] R. A. Calvo and S. D'Mello, "Affect detection: An interdisciplinary review of models, methods, and their applications," *IEEE Transactions on Affective Computing*, vol. 1, no. 1, pp. 18–37, 2010.
- [17] J. Tao and T. Tan, "Affective computing: A review," in *International Conference on Affective Computing and Intelligent Interaction*. Springer, 2005, pp. 981–995.
- [18] S. S. Díaz et al., "Intelligent execution of behaviors in a NAO robot exposed to audiovisual stimulus," in *IEEE Colombian Conference on Robotics and Automation (CCRA)*. IEEE, 2018, pp. 1–6.
- [19] R. W. Picard, *Affective Computing*. MIT press, 2000.

- [20] M. Spruit, S. Verkleij, K. de Schepper, and F. Scheepers, "Exploring language markers of mental health in psychiatric stories," *Applied Sciences*, vol. 12, no. 4, p. 2179, 2022.
- [21] S. Chaffar and D. Inkpen, "Using a heterogeneous dataset for emotion analysis in text," in *Advances in Artificial Intelligence*, C. Butz and P. Lingras, Eds. Berlin, Heidelberg: Springer Berlin Heidelberg, 2011, pp. 62–67.
- [22] N. Colnerić and J. Demšar, "Emotion recognition on Twitter: comparative study and training a unison model," *IEEE Transactions on Affective Computing*, vol. 11, no. 3, pp. 433–446, 2018.
- [23] P. Ekman, "An argument for basic emotions," *Cognition & emotion*, vol. 6, no. 3–4, pp. 169–200, 1992.
- [24] R. Plutchik, "A general psychoevolutionary theory of emotion," in *Theories of Emotion*. Elsevier, 1980, pp. 3–33.
- [25] J. C. Norcross, E. Guadagnoli, and J. O. Prochaska, "Factor structure of the profile of mood states (POMS): Two partial replications," *Journal of Clinical Psychology*, vol. 40, no. 5, pp. 1270–1277, 1984.
- [26] A. K. Pandey, R. Gelin, and A. Robot, "Pepper: The first machine of its kind," *IEEE Robotics & Automation Magazine*, vol. 25, no. 3, pp. 40–48, 2018.
- [27] Trint Ltd., "Trint: Audio Transcription Software," 2022, <https://trint.com/>.
- [28] J. S. Gircus, K. Yang, and C. V. Ferri, "The gender difference in depression: Are elderly women at greater risk for depression than elderly men?" *Geriatrics*, vol. 2, no. 4, 2017. [Online]. Available: <https://www.mdpi.com/2308-3417/2/4/35>
- [29] C. Buckley, "Implementation of the SMART information retrieval system [technical report]," *Cornell University, TR85-686*, vol. 4, no. 4, p. 4, 1985.
- [30] H. Schütze, C. D. Manning, and P. Raghavan, *Introduction to Information Retrieval*. Cambridge University Press Cambridge, 2008.
- [31] C. Haynes *et al.*, "Automatic classification of National Health Service feedback," *Mathematics*, vol. 10, no. 6, p. 983, 2022.
- [32] B. G. Berger and R. W. Motl, "Exercise and mood: A selective review and synthesis of research employing the profile of mood states," *Journal of Applied Sport Psychology*, vol. 12, no. 1, pp. 69–92, 2000.
- [33] D. M. McNair, M. Lorr, and L. F. Droppleman, *Manual Profile of Mood States*. Educational & Industrial Testing Service, 1971.
- [34] A. Leunes and J. Burger, "Profile of mood states research in sport and exercise psychology: Past, present, and future," *Journal of Applied Sport Psychology*, vol. 12, no. 1, pp. 5–15, 2000.
- [35] S. Y. Cheung and E. T. Lam, "An innovative shortened bilingual version of the profile of mood states (POMS-SBV)," *School Psychology International*, vol. 26, no. 1, pp. 121–128, 2005.
- [36] A. Pepe and J. Bollen, "Between conjecture and memento: Shaping a collective emotional perception of the future," in *AAAI Spring Symposium: Emotion, Personality, and Social Behavior*, 2008, pp. 111–116.
- [37] J. Bollen, H. Mao, and A. Pepe, "Modeling public mood and emotion: Twitter sentiment and socio-economic phenomena," in *Proceedings of the AAAI Conference on Web and Social Media*, vol. 5, no. 1, 2011, pp. 450–453.
- [38] J. Morita, Y. Nagai, and T. Moritsu, "Relations between body motion and emotion: Analysis based on laban movement analysis," in *Proceedings of the Annual Meeting of the Cognitive Science Society*, vol. 35, no. 35, 2013.
- [39] M. Makita, A. Mas-Bleda, E. Stuart, and M. Thelwall, "Ageing, old age and older adults: A social media analysis of dominant topics and discourses," *Ageing & Society*, vol. 41, no. 2, pp. 247–272, 2021.
- [40] R. M. Kok and C. F. Reynolds, "Management of depression in older adults: a review," *Jama*, vol. 317, no. 20, pp. 2114–2122, 2017.
- [41] A. Fiske, J. L. Wetherell, and M. Gatz, "Depression in older adults," *Annual review of clinical psychology*, vol. 5, pp. 363–389, 2009.
- [42] R. Briggs, K. Tobin, R. A. Kenny, and S. P. Kennelly, "What is the prevalence of untreated depression and death ideation in older people? Data from the Irish longitudinal study on aging," *International psychogeriatrics*, vol. 30, no. 9, pp. 1393–1401, 2018.
- [43] B. E. Leonard, "Inflammation, depression and dementia: Are they connected?" *Neurochemical research*, vol. 32, no. 10, pp. 1749–1756, 2007.
- [44] Mackenzie, B, "Scoring for POMS," 2022, <https://www.brianmac.co.uk/pomscoring.htm>.
- [45] W. S. Noble, "What is a support vector machine?" *Nature biotechnology*, vol. 24, no. 12, pp. 1565–1567, 2006.
- [46] D. Berrar, "Bayes' theorem and naive bayes classifier," *Encyclopedia of Bioinformatics and Computational Biology: ABC of Bioinformatics*, vol. 403, 2018.
- [47] D. G. Kleinbaum, K. Dietz, M. Gail, M. Klein, and M. Klein, *Logistic Regression*. Springer, 2002.
- [48] G. Biau, "Analysis of a random forests model," *The Journal of Machine Learning Research*, vol. 13, no. 1, pp. 1063–1095, 2012.
- [49] J. Nowak, A. Taspinar, and R. Scherer, "LSTM recurrent neural networks for short text and sentiment classification," in *International Conference on Artificial Intelligence and Soft Computing*. Springer, 2017, pp. 553–562.
- [50] G. Research, "Google Colaboratory," 2022, <https://colab.research.google.com/>.
- [51] F. Pedregosa, G. Varoquaux, A. Gramfort, V. Michel, B. Thirion, O. Grisel, M. Blondel, P. Prettenhofer, R. Weiss, V. Dubourg, J. Vanderplas, A. Passos, D. Cournapeau, M. Brucher, M. Perrot, and E. Duchesnay, "Scikit-learn: Machine learning in Python," *Journal of Machine Learning Research*, vol. 12, pp. 2825–2830, 2011.
- [52] X. Peng, "A comparative study of neural network for text classification," in *2020 IEEE Conference on Telecommunications, Optics and Computer Science (TOCS)*. IEEE, 2020, pp. 214–218.
- [53] Python Software Foundation, "text2emotion 0.0.5," 2022, <https://pypi.org/project/text2emotion/>.
- [54] J. He and L. A. Freeman, "Are men more technology-oriented than women? the role of gender on the development of general computer self-efficacy of college students," *Journal of Information Systems Education*, vol. 21, no. 2, pp. 203–212, 2010.
- [55] T. L. Mitzner, J. B. Boron, C. B. Fausset, A. E. Adams, N. Charness, S. J. Czaja, K. Dijkstra, A. D. Fisk, W. A. Rogers, and J. Sharit, "Older adults talk technology: Technology usage and attitudes," *Computers in human behavior*, vol. 26, no. 6, pp. 1710–1721, 2010.
- [56] J. N. Beadle and C. E. De la Vega, "Impact of aging on empathy: Review of psychological and neural mechanisms," *Frontiers in psychiatry*, vol. 10, p. 331, 2019.
- [57] J. Buchler, *Philosophical writings of Peirce*. Dover, 1955.
- [58] V. Pollard, "Ethics and reflective practice: Continuing the conversation," *Reflective Practice*, vol. 9, no. 4, pp. 399–407, 2008.
- [59] M. Sayag and G. Kavé, "The effects of social comparisons on subjective age and self-rated health," *Ageing & Society*, pp. 1–14, 2021.
- [60] S. Quine and S. Morrell, "Fear of loss of independence and nursing home admission in older Australians," *Health & Social Care in the Community*, vol. 15, no. 3, pp. 212–220, 2007.
- [61] B. D. James, P. A. Boyle, and D. A. Bennett, "Correlates of susceptibility to scams in older adults without dementia," *Journal of elder abuse & neglect*, vol. 26, no. 2, pp. 107–122, 2014.
- [62] V. Zarulli, J. A. B. Jones, A. Oksuzyan, R. Lindahl-Jacobsen, K. Christensen, and J. W. Vaupel, "Women live longer than men even during severe famines and epidemics," *Proceedings of the National Academy of Sciences*, vol. 115, no. 4, pp. E832–E840, 2018.
- [63] J. Lemaire, "Why do females live longer than males?" *North American Actuarial Journal*, vol. 6, no. 4, pp. 21–37, 2002.
- [64] A. Steptoe, A. Shankar, P. Demakakos, and J. Wardle, "Social isolation, loneliness, and all-cause mortality in older men and women," *Proceedings of the National Academy of Sciences*, vol. 110, no. 15, pp. 5797–5801, 2013.
- [65] B. Cornwell, "Independence through social networks: Bridging potential among older women and men," *Journals of Gerontology Series B: Psychological Sciences and Social Sciences*, vol. 66, no. 6, pp. 782–794, 2011.
- [66] R. Mann, "Out of the shadows?: Grandfatherhood, age and masculinities," *Journal of Aging Studies*, vol. 21, no. 4, pp. 281–291, 2007.
- [67] F. Förster, A. Pabst, J. Stein, S. Röhr, M. Löbner, K. Hesel, L. Miebach, A. Stark, A. Hajek, B. Wiese *et al.*, "Are older men more vulnerable to depression than women after losing their spouse? evidence from three german old-age cohorts (agedifferent.de platform)," *Journal of Affective Disorders*, vol. 256, pp. 650–657, 2019.
- [68] R. W. Kressig, S. L. Wolf, R. W. Sattin, M. O'Grady, A. Greenspan, A. Curns, and M. Kutner, "Associations of demographic, functional, and behavioral characteristics with activity-related fear of falling among older adults transitioning to frailty," *Journal of the American Geriatrics Society*, vol. 49, no. 11, pp. 1456–1462, 2001.
- [69] J. C. Goll, G. Charlesworth, K. Scior, and J. Stott, "Barriers to social participation among lonely older adults: The influence of social fears and identity," *PLoS one*, vol. 10, no. 2, 2015.
- [70] T. Holtgraves, "Social psychology and language: Words, utterances, and conversations," *Handbook of Social Psychology*, 2010.

- [71] Y. R. Tausczik and J. W. Pennebaker, "The psychological meaning of words: LIWC and computerized text analysis methods," *Journal of language and social psychology*, vol. 29, no. 1, pp. 24–54, 2010.
- [72] S. Eggly, M. A. Manning, R. B. Slatcher, R. A. Berg, D. L. Wessel, C. J. Newth, T. P. Shanley, R. Harrison, H. Dalton, J. M. Dean *et al.*, "Language analysis as a window to bereaved parents' emotions during a parent—physician bereavement meeting," *Journal of Language and Social Psychology*, vol. 34, no. 2, pp. 181–199, 2015.
- [73] A. Storey, N. Coombs, and S. Leib, "Living longer: Caring in later working life," UK Office for National Statistics, Tech. Rep., Mar. 2019.
- [74] Department for Business, Energy & Industrial Strategy, "The grand challenge missions," Industrial Strategy, Tech. Rep., Jan. 2021.