## **Supplementary Material**


## **Spatial Connections between Microplastics and Heavy Metal Pollution within Floodplain Soils**

Collin J. Weber <sup>1,\*</sup>, Jens Hahn <sup>2</sup> and Christian Opp <sup>1</sup>


- <sup>1</sup> Department of Geography, Philipps-Universität Marburg, 35037 Marburg, Germany; opp@staff.uni-marburg.de
- <sup>2</sup> Federal Institute of Hydrology, 56068 Koblenz, Germany; jens.hahn@bafg.de
- \* Correspondence: collin.weber@geo.uni-marburg.de


Size class <sup>a</sup>	Soil sample	Depth (cm) <sup>b</sup>	Particle mass (mg)	Description of particles	Main polymer type	Example picture
5	ELM-1-1	0-10	16.50	fragments (white)	PMMA	
5	ELM-1-3	20-30	11.30	plates (silver)	РОМ	
2	ELM-1-3	20-30	30.40	films and fragments (white/transparent)	РА	
2	ELM-1-4	30-40	23.50	fragments (silver/white)	CSM	
	LIM-1-1	0-10	42.10	fragments (white/transparent)	РР	
	LIM-1-2	10-20	17.00	films (transparent)	PE-LD	
	ROT-1-2	0-10	131.40	fragment (white, massive)	PE-LD	
	STD-1-2	10-20	42.10	fragment and film (transparent /colored)	CSM	
	STD-1-3	20-30	40.90	film (white)	PE-LD	
5	STD-4-1	0-10	120.90	film (transparent/blue)	РР	

<sup>a</sup> Sieved size class of plastic particles, <sup>b</sup> Depth of sampling section within soil profile




🖷 C 🗯 fSi 🗯 mSi 💻 cSi 🗯 fS 🔅 mS 😐 cS






🗉 C 🛢 fSi 🛢 mSi 🔳 cSi 🗏 fS 💐 mS 📒 cS

Figure S2: Grain size distribution for soil profiles of site ROT. a: Profile ROT-1, b: Profile ROT-2.




🖷 C 🗯 fSi 🛤 mSi 🔳 cSi 🗯 fS 🐸 mS 💻 cS

**Figure S3:** Grain size distribution for soil profiles of site STD. a: Profile STD-1, b: Profile STD-2, c: Profile STD-3, d: Profile STD-4.



**Figure S4:** Grain size distribution for soil profiles of site LIM. a: Profile LIM-1, b: Profile LIM-2, c: Profile LIM-3, d: Profile LIM-4.



**Figure S5:** Heavy metal and metalloid As concentrations (mg kg<sup>-1</sup>) from floodplain soils samples (n = 112) ordered by descending mean concentration.