

DAFTAR PUSTAKA

- Abdel-Latif A dan Osman G. 2017. Comparison of three genomic DNA extraction methods to obtain high DNA quality from maize. *Plant methods.* 13(1): 1. DOI: <https://doi.org/10.1186/s13007-016-0152-4>.
- Achari GA dan Ramesh R. 2014. Characterization of bacteria degrading 3-hydroxy palmitic acid methyl ester (3OH-PAME), a quorum sensing molecule of *Ralstonia solanacearum*. *Letters in Applied Microbiology.* 60: 447-455. DOI: <https://doi.org/10.1111/lam.12389>.
- Adhikari M, Yadav DR, Kim SW, Um YH, Kim HS, Lee SC, Song JY, Kim HG, dan Lee YS. 2017. Biological control of bacterial fruit blotch of watermelon pathogen (*Acidovorax citrulli*) with rhizosphere associated bacteria. *The Plant Pathology Journal.* 33(2): 170-183. DOI: 10.5423/PPJ.OA.09.2016.0187.
- Afzal I, Shinwari ZK, Sikandar S, Shahzad S. 2019. Plant beneficial endophytic bacteria: Mechanisms, diversity, host range and genetic determinants. *Microbiological Research.* 221: 36-49. DOI: <https://doi.org/10.1016/j.micres.2019.02.001>.
- Agrios GN. 2005. *Plant Pathology 5th edition.* USA: Elsevier Academic Press.
- Ahmad F, Ahmad I, dan Khan MS. 2008. Screening of free-living rhizospheric bacteria for their multiple plant growth promoting activities. *Microbiological Research.* 163(2): 173-181. DOI: <https://doi.org/10.1016/j.micres.2006.04.001>.
- Alfano JR, Kim HS, Delaney TP, dan Collmer A. 1997. Evidence that the *Pseudomonas syringae* pv. *syringae* hrp-linked hrmA gene encodes an Avr-like protein that acts in an hrp-dependent manner within tobacco cells. *Molecular Plant-Microbe Interactions.* 10(5): 580-588. DOI: <https://doi.org/10.1094/MPMI.1997.10.5.580>.
- Akbaba M dan Ozaktan H. 2018. Biocontrol of angular leaf spot disease and colonization of cucumber (*Cucumis sativus* L.) by endophytic bacteria. *Egyptian Journal of Biological Pest Control.* 28(1): 14. DOI: <https://doi.org/10.1186/s41938-017-0020-1>.
- Akhsani F, Hamidy A, Farajallah A, dan Smith EN. 2017. Hubungan filogenetik *Phrynella pulchra* Boulenger, 1887 berdasarkan gen 16S rRNA. *Zoo Indonesia.* 26(2): 107-115. DOI: 10.52508/zi.v26i2.3721.
- Alicia GMS dan Bruce KMD. 2018. Chapter 5 – Genetic testing techniques. Di dalam: Robin NH, Farmer MB, editor. *Pediatric Cancer Genetics.* Elsevier. hlm 47-64.

- Alves AO, Xavier AS, Conceicao CS, Mariano RLR, dan Souza EB. 2018. Survival of *Acidovorax citrulli* in infected melon tissues and in different edafoclimatic conditions. *Revista Brasileira de Fruticultura.* 40(5). DOI: <https://doi.org/10.1590/0100-29452018005>.
- Assouline I, Milshtein H, Mizrahi M, Levy E, dan Ben-Ze'ev IS. 1997. *Acidovorax avenae* subsp. *citrulli* transmitted by Solanaceous seeds. *Phytoparasitica.* 25(2): 117-118.
- Babiker BM, Ahmed MAE, Ibrahim HM. (2016). Isolation & Identification of Catalase Producing *Bacillus* spp: A Comparative Study. *International Journal of Advanced Research.* 4(2): 1206-1211.
- Badan Karantina Pertanian. 2008. *Pedoman Diagnosis OPTK Golongan Bakteri.* Departemen Pertanian.
- [BPS] Badan Pusat Statistika. 2021. *Produksi Tanaman Buah-Buahan.* <https://www.bps.go.id/indicator/55/62/2/produksi-tanaman-buah-buahan.html> [30 April 2021].
- Bahar O, Kritzman G, dan Burdman S. 2009. Bacterial fruit blotch of melon: screens for disease tolerance and role of seed transmission in pathogenicity. *European Journal of Plant Pathology.* 123: 71-83. DOI: <https://doi.org/10.1007/s10658-008-9345-7>.
- Balliau A dan Sallaku G. 2017. Early production of melon, watermelon and squashes in low tunnels. Di dalam: Baudoin W, Nersisyan A, Shamilov A, Hodder A, dan Gutierrez D, editor. *Good Agricultural Practices for greenhouse vegetable production in the South East European countries.* Food And Agriculture Organization Of The United Nations. hlm 341-351.
- Bashan Y, Diab S, dan Okon Y. 1982. Survival of *Xanthomonas campestris* pv. *vesicatoria* in pepper seeds and roots in symptomless and dry leaves in non-host plants and in the soil. *Plant Soil.* 68: 161-170. DOI: <https://doi.org/10.1007/BF02373702>.
- Becker L, Steglich M, Fuchs S, Werner G, dan Nübel U. 2016. Comparison of six commercial kits to extract bacterial chromosome and plasmid DNA for MiSeq sequencing. *Scientific Reports.* 6(1): 1-5. DOI: <https://doi.org/10.1038/srep28063>.
- Beltrán-García MJ, White JF, Prado FM, Prieto KR *et al.* 2014. Nitrogen acquisition in Agave tequilana from degradation of endophytic bacteria. *Scientific Reports.* 4(1): 1-7. DOI: <https://doi.org/10.1038/srep06938>.

- Bind M dan Nema S. 2019. Isolation and molecular characterization of endophytic bacteria from pigeon pea along with antimicrobial evaluation against *Fusarium udum*. *Applied Microbiology*. 5(2): 163.
- Bouaziz A, Djidel S, Bentaher A, dan Khennouf S. 2020. Polyphenolic content, antioxidant and anti-inflammatory activities of melon (*Cucumis melo* L. var. *inodorus*) seeds. *Journal of Drug Delivery and Therapeutics*. 10(S-2): 22-26. DOI: <https://doi.org/10.22270/jddt.v10i2-s.4022>.
- Bradbury JF. 1970. Isolation and Preliminary Study of Bacteria from Plants. *Pest Articles & News Summaries*. 16(4): 632-637. DOI: <https://doi.org/10.1080/09670877009413430>.
- Bukin YS, Galachyants YP, Morozov IV, Bukin SV, Zakharenko AS, dan Zamskaya TI. 2019. The effect of 16S rRNA region choice on bacterial community metabarcoding results. *Scientific Data*. 6: 190007. DOI: <https://doi.org/10.1038/sdata.2019.7>.
- Buntoro BH, Rogomulyo R, dan Trisnowati S. 2014. Pengaruh takaran pupuk kandang dan intensitas cahaya terhadap pertumbuhan dan hasil temu putih (*Curcuma zedoaria* L.). *Vegetalika*. 3(4): 29-39.
- Burdman S dan Bahar O. 2010. Bacterial fruit blotch: A threat to the cucurbit industry. *Israel Journal of Plant Sciences*. 58(1): 19-31. DOI: <https://doi.org/10.22146/veg.5759>.
- Burdman S dan Walcott R. 2012. *Acidovorax citrulli*: generating basic and applied knowledge to tackle a global threat to the cucurbit industry. *Molecular Plant Pathology*. 13(8): 805-815. DOI: 10.1560/IJPS.58.1.19.
- Burdon JJ, Zhan J, Barret LG, Papaïx J, dan Thrall PH. 2016. Addressing the challenges of pathogen evolution on the world's arable crops. *The American Phytopathology Society*. 106(10): 1117-1127. DOI: <https://doi.org/10.1094/PHYTO-01-16-0036-FI>.
- Camagna M dan Takemoto D. 2018. Hypersensitivity response in plants. In: eLS. John Wiley & Sons. Ltd: Chichester. DOI: 10.1002/9780470015902.a0020103.pub2.
- Campbell NA, Reexe JB, Mitchel LG. 2003. *Biologi*. Penerbit Erlangga: Jakarta.
- Chen Q dan Liu S. 2019. Identification and characterization of the phosphate-solubilizing bacterium *Pantoea* sp. S32 in reclamation soil in Shanxi, China. *Frontiers in Microbiology*. 10: 2171. DOI: 10.3389/fmicb.2019.02171.

- Cho MS, Park DH, Ahn TY, dan Park DS. 2015. Rapid and specific detection of *Acidovorax avenae* subsp. *citrulli* using SYBR green-based real-time PCR amplification of the YD-repeat protein gene. *Journal of Microbiology and Biotechnology*. 25(9): 1401-1409. DOI: <https://doi.org/10.4014/jmb.1502.02029>.
- Coburn B, Serkirov I, dan Finlay BB. 2007. Type III Secretion Systems and Disease. *Clinical Microbiology Reviews*. 20(4): 535-549. DOI: <https://doi.org/10.1128/CMR.00013-07>.
- Coll NS, Epple P, dan Dangl JL. 2011. Programmed cell death in the plant immune system. *Cell Death & Differentiation*. 18: 1247-1256. DOI: <https://doi.org/10.1038/cdd.2011.37>
- Doutinho TA dan Venter SN. 2009. *Pantoea ananatis*: an unconventional plant pathogen. *Molecular Plant Pathology*. 10(3): 325-335. DOI: <https://doi.org/10.1111/j.1364-3703.2009.00542.x>.
- Craig L, Forest KT, Maier B. 2019. Type IV pili: dynamics, biophysics and functional consequences. *Nature Reviews Microbiology*. 17(7): 429-440. DOI: <https://doi.org/10.1038/s41579-019-0195-4>.
- Deng WL, Huang TC, dan Tsai YC. 2010. First report of *Acidovorax citulli* subsp. *citrulli* as the causal agent of bacterial leaf blight of betelvine in Taiwan. *Plant Disease*. 94(8): 1065-1065. DOI: <https://doi.org/10.1094/PDIS-94-8-1065A>.
- Desriani, Safira UM, Bintang M, Rivai A, Lisdiyanti P. 2014. Isolasi dan karakterisasi bakteri endofit dari tanaman binahong dan katepung cina. *Jurnal Kesehatan Andalas*. 3(2): 89-93. DOI: <https://doi.org/10.25077/jka.v3i2.33>.
- Diarti MW, Rohmi R, Achmad YSK, dan Jiwintarum Y. 2017. A characteristic of morphology, colony, and biochemistry of bacteria that isolated from sediments of mosquito breeding lagoon. *Jurnal Kesehatan Prima* 11(2): 124-136. DOI: 10.32807/jkp.v11i2.6.
- Domenech P dan Reed M. 2009. Rapid and spontaneous loss of phthiocerol dimycocerosate (PDIM) from *Mycobacterium tuberculosis* grown in vitro: implications for virulence studies. *Microbiology (Reading)*. 155(11): 3532-3543. DOI: 10.1099/mic.0.029199-0.
- Doni F, Suhaimi NSM, Irawan B, Mohamed Z, dan Mispan MS. 2021. Associations of *Pantoea* with rice plants: as friends or foes?. *Agriculture*. 11(12): 1278. DOI: <https://doi.org/10.3390/agriculture11121278>.
- Donkor ES, Dayie NTKD, Adiku TK. 2013. Bioinformatics with basic local alignment search tool (BLAST) and fast alignment (FASTA). *Journal of*

- Bioinformatics and Sequence Analysis.* 6(11): 1-6. DOI: 10.5897/IJBC2013.0086.
- Dharmayanti NLPI. 2011. Filogenetika molekuler: metode taksonomi organisme berdasarkan sejarah evolusi. *Wartazoa.* 21(1): 1-10.
- Dutta B, Scherm H, Gitaitis R, dan Walcott R. 2012. *Acidovorax citrulli* speed inoculum load affects seedling transmission and spread of bacterial fruit blotch of watermelon under greenhouse conditions. *Plant Disease.* 96(5): 705. DOI: <https://doi.org/10.1094/PDIS-04-11-0292>.
- Duangurai T, Reamtong O, Rungruengkitkun A, Srinon V, Boonyuen U, Limmathurotsakul D, Chantratita N, dan Pumirat P. 2020. In vitro passage alters virulence, immune activation and proteomic profiles of *Burkholderia pseudomallei*. *Scientific Reports.* 10: 8320. DOI: <https://doi.org/10.1038/s41598-020-64914-4>.
- Eckshtain-Levi N, Munitz T, Zivanovic M, Traore SM, Sproer C, Zhao B, Welbaum G, Walcott R, Sikorski J, dan Burdman S. 2014. Comparative analysis of type III secreted effector genes reflects divergence of *Acidovorax citrulli* strains into three distinct lineages. *Phytopathology.* 104: 1152-1162. DOI: <https://doi.org/10.1094/PHYTO-12-13-0350-R>.
- Edgar RC. 2004. MUSCLE: multiple sequence alignment with high accuracy and high throughput. *Nucleic Acids Research.* 32(5): 1792-1797. DOI: <https://doi.org/10.1093/nar/gkh340>.
- Edwards KD, Fernandez-Pozo N, et al. 2017. A reference genome for *Nicotiana tabacum* enables map-based cloning of homeologous loci implicated in nitrogen utilization efficiency. *BMC Genomics.* 18: 448. DOI: <https://doi.org/10.1186/s12864-017-3791-6>.
- Egoumenides L, Gauthier A, Barial S, Saby M, Orechenkoff C, Simoneau G, dan Carillon J. 2018. A specific melon concentrate exhibits photoprotective effects from antioxidant activity in healthy adults. *Nutrients.* 10(4): 437. DOI: <https://doi.org/10.3390/nu10040437>.
- Ek-Ramos MJ, Gomez-Flores R, Orozco-Flores A, Rodrigues-Padilla C, González-Ochoa G, dan Tamez-Guerra. 2019. Bioactive products from plant-endophytic gram-positive bacteria. *Frontiers in Microbiology.* 10: 643. DOI: <https://doi.org/10.3389/fmicb.2019.00463>.
- El-Deeb B, Bazaid S, Gherbawy Y, dan Elhairy H. 2012. Characterization of endophytic bacteria associated with rose plant (*Rosa damascena trigintipeta*) during flowering stage and their plant growth promoting traits. *Journal of Plant Interactions.* 7(3): 248-253. DOI: <https://doi.org/10.1080/17429145.2011.637161>.

- Eljounaidi K, Lee SK, Bae H. 2016. Bacterial endophytes as potential biocontrol agents of vascular wilt disease – Review and future prospects. *Biological Control*. 103: 62-68. DOI: <https://doi.org/10.1016/j.biocontrol.2016.07.013>.
- Elmagzob AAH, Obrahim MM, dan Zhang GF. 2019. Seasonal diversity of endophytic bacteria associated with *Cinnamomum camphora* (L.) Presl. *Diversity*. 11: 1-12. DOI: <https://doi.org/10.3390/d11070112>.
- Endl J, Achigan-Dako EG, Pandey AK, Monforte AJ, Pico B, dan Schaefer H. 2018. Repeated domestication of melon (*Cucumis melo*) in Africa and Asia and a new close relative from India. *American Journal of Botany*. 105(10): 1662-1671. DOI: <https://doi.org/10.1002/ajb2.1172>.
- [EPPO] European and Mediterranean Plant Protection Organization. 2016. PM 7/127 (1) *Acidovorax citrulli*. *EPPO Bulletin*. 46(3): 444-462.
- Etmiani F dan Harighi B. 2018. Isolation and identification of endophytic bacteria with plant growth promoting activity and biocontrol potential from wild pistachio trees. *Plant Pathology Journal*. 34(3): 208-217. DOI: 10.5423/PPJ.OA.07.2017.0158.
- Fadiji AM dan Babalola O. 2020. Elucidating mechanisms of endophytes used in plant protection and other bioactivities with multifunctional prospects. *Frontiers in Bioengineering and Biotechnology*. 8: 467. DOI: <https://doi.org/10.3389/fbioe.2020.00467>.
- Faridah F, Baharuddin, Amin N, dan Nasruddin. 2017. *In vitro* testing of indole acetic acid and gibberellic acid production of bacterial isolates from mo-plus and *Paenibacillus polymyxia*. *Asian Journal of Microbiology, Biotechnology & Environmental Sciences* 20 (Feb. Suppl.): S80-S83
- Fernandez V, Eichert T, Del Rio V, Lopez-Casado G, et al. 2008. Leaf structural changes associated with iron deficiency chlorosis in field-grown pear and peach: physiological implications. *Plant and Soil*. 311(1): 161-172. DOI: <https://doi.org/10.1007/s11104-008-9667-4>.
- Fessehaie A dan Walcott RR. 2005. Biological control to protect watermelon blossoms and seed from infection by *Acidovorax avenue* subsp. *citrulli*. *Phytopathology*. 95(4): 413-419. DOI: <https://doi.org/10.1094/PHYTO-95-0413>.
- Finlay BB dan Falkow S. 1997. Common themes in microbial pathogenicity revisited. *Microbiology and Molecular Biology Reviews*. 61: 136-169. DOI: <https://doi.org/10.1128/mmbr.61.2.136-169.1997>.

Firdous J, Lathif NA, Mona R dan Muhamad N. 2019. Endophytic bacteria and their potential application in agriculture: A review. *Indian Journal of Agricultural Research*. 53(1): 1-7. DOI: 10.18805/IJARe.A-366.

Fritsch RJ dan Krause I. 2003. Electrophoresis. Di dalam: Caballero B, editor. *Encyclopedia of Food Sciences and Nutrition*. Academic Press. hlm 2055–2062.

Girek Z, Prodanovic S, Zdravkovic J, Zivanovic T, Ugrinovic M, dan Zdravkovic. 2013. The effect of growth regulators on sex expression in melon (*Cucumis melo* L.). *Crop Breeding and Applied Biotechnology*. 13:165-171.

[GBIF] Global Biodiversity Information Facility. 2021. *Cucumis melo* L. <https://www.gbif.org/species/2874570>. [30 April 2021].

Gomes LH, Duarte KMR, Andrino FG, dan Tavares FCA. 2000. A simple method for DNA isolation from *Xanthomonas* spp. *Scientia Agricola*. 57(3): 553-555.

Guliyev N, Sharifova S, Ojaghi J, Abbasov M, dan Akparov Z. 2018. Genetic diversity among melon (*Cucumis melo* L.) accessions revealed by morphological traits and ISSR markers. *Turkish Journal of Agriculture and Forestry*. 42: 393-401. DOI: 10.3906/tar-1707-18.

Gupta N. 2019. DNA extraction and polymerase chain reaction. *Journal of Cytology*. 36(2): 116-117.

Hardiansyah MY, Musa Y, dan Jaya AM. (2020). The identification of plant growth promoting rhizobacteria from thorny bamboo rhizosphere with 3% KOH Gram test and Gram staining test. *International Journal of Applied Biology*. 4(2): 7-17.

Harboim P, Harboim C, Van Overbeek LS, Van Elsas JD. 2012. Dynamics of seed-borne rice endophytes on early plant growth stages. *PLoS ONE*. 7: e30438. DOI: <https://doi.org/10.1371/journal.pone.0030438>.

Hong CE, Park JM. 2016. Endophytic bacteria as biocontrol agents against plant pathogens: current state-of-the-art. *Plant Biotechnology Reports*. 10(6): 353-357. DOI: <https://doi.org/10.1007/s11816-016-0423-6>.

Horuz S dan Aysan Y. 2017. Biological control of watermelon seedling blight caused by *Acidovorax citrulli* using antagonistic bacteria from the genera *Curtobacterium*, *Microbacterium*, and *Pseudomonas*. *Plant Protection Science*. 54(3): 138-146. DOI: <https://doi.org/10.17221/168/2016-PPS>.

Horuz S, Centinkaya-Yildiz R, Mirik M, dan Aysan Y. 2014. Occurrence, isolation, and identification of *Acidovorax citrulli* from melon in Turkey. *Plant Protection Science*. 50(4): 179-183. DOI: 10.17221/30/2014-pps.

Huang J-S. 2001. *Plant Pathogenesis and Resistance: Biochemistry and physiology of plant microbe interaction.* Netherlands, Kluwer Acad. Publ

Huda AN, Suwarno WB, dan Maharijaya A. 2018. Karakteristik buah melon (*Cucumis melo* L.) pada lima stadia kematangan. *Jurnal Agronomi Indonesia.* 46(3): 298-305. DOI: <https://doi.org/10.24831/jai.v46i3.12660>.

Husni AAA, Ismail SI, Jaafar N, Zulperi D. 2021. Etiology, diagnostic approaches and management strategies of *Acidovorax citrulli*, a bacterial fruit blotch pathogen of cucurbits. *Plant Protection Science.* 57(2): 75-94. DOI: <https://doi.org/10.17221/52/2020-PPS>.

Ilmiah, Sukeda, Widanarni, dan Enang H. 2012. Isolation and characterization of pathogenic *Vibrio* on tiger grouper *Epinephelus fuscoguttatus*. *Indonesian Aquaculture Journal.* 1(2): 141-143. DOI: <https://doi.org/10.19027/jai.11.28-37>.

[IPGRI] The International Plant Genetic Resources Institute. 2003. *Descriptors for Melon (Cucumis melo L.)* International Plant Genetic Resources Institute: Roma, Italia.

Isbir T, Kirac D, Demircan B, dan Dalan B. 2013. Gel electrophoresis. Di dalam: Maloy S, Hughes K, editor. *Brenner's Encyclopedia of Genetics, Second Edition.* Elsevier. hlm 165-167.

Ishak MA dan Daryono BS. 2020. Identifikasi dan analisis ketahanan terhadap penyakit embun tepung pada melon (*Cucumis melo* L.) kultivar meloni. *Bioeduscience.* 4(10): 1-10. DOI: <https://doi.org/10.29405/j.bes/411-104725>.

Istigomah L, Aini Q, Abadi AL. 2017. Kemampuan *Bacillus subtilis* dan *Pseudomonas fluorescens* dalam melarutkan fosfat dan memproduksi hormon IAA (*Indole Acetic Acid*) untuk meningkatkan pertumbuhan tanaman tomat. *Buana Sains.* 17(1): 75-84.

Jayanti RM dan Joko T. 2020. Plant growth promoting and antagonistic potential of endophytic bacteria isolated from melon in Indonesia. *Plant Pathology Journal.* 19: 200-210. DOI: 10.3923/ppj.2020.200.210.

Jeanson S, Flourey J, Gagnaire V, Lortal S, dan Thierry A. 2015. Bacterial Colonies in Solid Media and Foods: A Review on Their Growth and Interactions with the Micro-Environment. *Frontiers in Microbiology.* 6: 1284. DOI: <https://doi.org/10.3389/fmicb.2015.01284>.

Ji H dan Dong H. 2015. Key steps in type III secretion system (T3SS) towards translocon assembly with potential sensor at plant plasma membrane. *Molecular Plant Pathology.* 16(7): 762-773. DOI: <https://doi.org/10.1111/mpp.12223>.

- Jiang CH, Wu F, Yu ZY, Xie P, Ke HJ, Li HW, Yu YY, dan Guo JH. 2015. Study on screening and antagonistic mechanisms of *Bacillus amyloliquefaciens* 54 against bacterial fruit blotch (BFB) caused by *Acidovorax avenae* subsp. *citrulli*. *Microbiological Research.* 170: 95-104. DOI: <https://doi.org/10.1016/j.micres.2014.08.009>.
- Jimenez-Guerrero I, Perez-Montano F, Silva GMD, Wagner N, Shkedy D, Zhao M, Pizarro L, Bar M, Walcott R, Sessa G, Pupko T, dan Burdman S. 2019. Show me your secret(ed) weapons: a multifaceted approach reveals a wide arsenal of type III-secreted effectors in the cucurbit pathogenic bacterium *Acidovorax citrulli* and novel effectors in the *Acidovorax* genus. *Molecular Plant Pathology.* 21(1): 17-37. DOI: <https://doi.org/10.1111/mpp.12877>.
- Jimenez-Gomez A, Saati-Santamaria Z, Kostovcik M, Rivas R, Velazquez E, Mateos PF, Menendez E, dan Garcia-Fraile P. 2020. Selection of the root endophyte *Pseudomonas brassicacearum* CDVBN10 as plant growth promoter for *Brassica napus* L. crops. *Agronomy.* 10: 1788. DOI: <https://doi.org/10.3390/agronomy10111788>.
- Johnson JS, Spakowicz DJ, Hong BY, Petersen LM, Demkowicz P, et al. 2019. Evaluation of 16S rRNA gene sequencing for species and strain-level microbiome analysis. *Nature Communications.* 10(1): 1-11. DOI: <https://doi.org/10.1038/s41467-019-13036-1>.
- Kejani AA, Tafreshi SAH, Nekouei KSM, dan Mofid MR. 2010. Efficient isolation of high quality nucleic acids from different tissues of *Taxus baccata* L. *Molecular Biology Reports.* 37(2): 797-800. DOI: <https://doi.org/10.1007/s11033-009-9607-2>.
- Kiill LHP, Feitoza EDA, Siqueira KMMD, Ribeiro MDF, dan Silva EMSD. 2016. Evaluation of floral characteristics of melon hybrids (*Cucumis melo* L.) in pollinator attractiveness. *Revista Brasileira de Fruticultura.* 38(2): e531. DOI: <https://doi.org/10.1590/0100-29452016531>.
- Kimura M. 1980. A simple method for estimating evolutionary rates of base substitutions through comparative studies of nucleotide sequences. *Journal of Molecular Evolution.* 16: 111-120. DOI: <https://doi.org/10.1007/BF01731581>.
- King EO, Ward MK, dan Raney DE. 1954. Two simple media for the demonstration of pyocyanin and fluorescin. *Journal of Laboratory and Clinical Medicine.* 44(2): 301-307. DOI: <https://doi.org/10.5555/uri:pii:002221435490222X>.
- Köhl J, Kolnaar R, Ravensberg WJ. 2019. Mode of action of microbial biological control agents against plant diseases: relevance beyond efficacy. *Front. Plant Sci.* 10:845. DOI: <https://doi.org/10.3389/fpls.2019.00845>.

- Kong P. 2019. Evaluation of a novel endophytic *Pseudomonas lactis* strain for control of boxwood blight. *Journal of Environmental Horticulture*. 37(2): 39-43. DOI: <https://doi.org/10.24266/0738-2898-37.2.39>.
- Kulda G dan Bacon C. 2008. Clavicipitaceous endophytes: their ability to enhance resistance of grasses to multiple stresses. *Biological Control*. 46: 57–71. DOI: <https://doi.org/10.1016/j.biocontrol.2008.01.023>.
- Kumagai LB, Woods PW, Walcott R, dan Moua X. 2014. First report of bacterial fruit blotch on melon caused by *Acidovorax citrulli* in California. *Plant Disease*. 98(10): 1423. DOI: <https://doi.org/10.1094/PDIS-03-14-0286-PDN>.
- Kumar S dan Gadagkar SR. 2001. Efficiency of the neighbor-joining method in reconstructing deep and shallow evolutionary relationships in large phylogenies. *Journal of Molecular Evolution*. 51(6): 544-553. DOI: <https://doi.org/10.1007/s002390010118>.
- Kumar MS, Kaur G, dan Sandhu AK. 2014. Genomic DNA Isolation from fungi, algae, plant, bacteria and human blood using CTAB. *International Journal of Science and Research*. 3(9): 617-618.
- Lally R, Galbally P, Moreira AS, Spink J, Ryan D, Germaine KJ, dan Dowling DN. 2017. Application of endophytic *Pseudomonas fluorescens* and a bacterial consortium to *Brassica napus* can increase plant height and biomass under greenhouse and field conditions. *Frontiers in Plant Science*. 8: 2193. DOI: <https://doi.org/10.3389/fpls.2017.02193>.
- Latha P, Karthikeyan M, dan Rajeswari E. 2019. Endophytic bacteria: prospects and applications for the plant disease management. Di dalam: Ansari R dan Mahmood I, editor. *Plant Health Under Biotic Stress*. Springer. hlm 1-50.
- Latin RX. 2000. Bacterial fruit blotch of cucurbits. *Plant Health Progress*. 1(1): 12. DOI: <https://doi.org/10.1094/PHP-2000-0602-01-HM>.
- Lestari PB dan Hartati TW. 2017. *Mikrobiologi Berbasis Inkuiry*. Penerbit Gunung Samudra.
- Li F, He X, Sun Y, Zhang X, Tang X, Li Y, et al. 2019. Distinct endophytes are used by diverse plants for adaptation to karst region. *Scientific Reports*. 9: 5246-5257. DOI: <https://doi.org/10.1038/s41598-019-41802-0>.
- Liu Y, Zhou Y, Qiao J, Yu W, Pan X, Zhang T, Liu Y, dan Lu SE. 2021. Phenazine-1-carboxylic acid produced by *Pseudomonas chlororaphis* YL-1 is effective against *Acidovorax citrulli*. *Microorganisms*. 9: 2012. DOI: <https://doi.org/10.3390/microorganisms9102012>.

- Loconsole G, Potere O, Boscia D *et al.* 2014. Detection of *Xylella fastidiosa* in olive trees by molecular and serological methods. *Journal of Plant Pathology*. 96(1): 7-14. DOI: <http://dx.doi.org/10.4454/JPP.V96I1.041>.
- Loper JE, Hassan KA, Mavrodi DV, Davis EW, Lim CK, Shaffer BT, *et al.* 2012. Comparative genomics of plant-associated *Pseudomonas* spp.: Insights into diversity and inheritance of traits involved in multitrophic interactions. *PLOS Genetics*. 8(7): 1-27. DOI: <https://doi.org/10.1371/journal.pgen.1002784>.
- Menteri Pertanian. 2014. Keputusan Menteri Pertanian RI Nomor 041/Kpts/SR.120/D.2.7/6/2014 tentang Deskripsi Melon Varietas Pertiwi.
- Meyer JM. 2000. Pyoverdines: pigments, siderophores and potential taxonomic markers of fluorescent *Pseudomonas* species. *Archives of Microbiology*. 174(3): 135-142. DOI: <https://doi.org/10.1007/s002030000188>.
- Molina-Torres CA, Castro-Garza J, Ocampo-Candiani J, Monot M, Cole ST, dan Vera-Cabrera L. 2010. Effect of serial subculturing on the genetic composition and cytotoxic activity of *Mycobacterium tuberculosis*. *Journal of Medical Microbiology*. 59: 384-391.
- Nasrabadi HS dan Nemati H. 2015. Temperature affects vigour and pollen viability of melon. *Agricultural and Biological Sciences Journal*. 1(5): 183-185.
- Nikunjkumar BD. 2012. Molecular identification of bacteria using 16S rDNA sequencing [disertasi]. Gujarat: Department of Microbiology, Gujarat University.
- Nishimaki T dan Sato K. 2019. An extension of the Kimura Two-Parameter Model to the natural evolutionary process. *Journal Molecular Evolution*. 87(1): 60-67. DOI: <https://doi.org/10.1007/s00239-018-9885-1>.
- Nuryanto H. 2007. *Budi Daya Melon*. Ganeca Exact.
- Ogwu MC. 2018. Effects of indole-3-acetic acid on the growth parameters of *Citrullus lanatus* (Thunberg) Matsum and Nakai. *Momona Ethiopian Journal of Science (MEJS)*. 10(1): 109-125. DOI: <http://dx.doi.org/10.4314/mejs.v10i1.8>.
- Oukala N, Aissat K, dan Pastor V. 2021. Bacterial endophytes: the hidden actor in plant immune responses against biotic stress. *Plants*. 10(5): 1012. DOI: <https://doi.org/10.3390/plants10051012>.
- Pandey R, Paul V, Das M, Meena M, dan Meena RC. 2017. Plant growth analysis. *Physiological Techniques to Analyze the Impact of Climate Change on Crop Plants*. IARI: New Delhi.

- Pangastuti A. 2006. Species definition of prokaryotes based on 16S rRNA and protein coding genes sequence. *Biodiversitas Journal of Biological Diversity*. 7(3). DOI: <https://doi.org/10.13057/biodiv/d070319>.
- Parvin W, Othman R, Jaafar H, Wong MY. 2016. Detection of phenazines from UPMP3 strain of *Pseudomonas aeruginosa* and its antagonistic effects against *Ganoderma boninense*. *International Journal of Agriculture and Biology*. 18: 483-488. DOI: 10.17957/IJAB/15.0111.
- Paungfoo-Lonhienne C, Rentsch D, Robatzek S, Webb RI, Sagulenko E et al. 2010. Turning the table: plants consume microbes as a source of nutrients. *PLOS ONE*. 5: e11915. DOI: <https://doi.org/10.1371/journal.pone.0011915>.
- Pavlo A, Leonid O, Iryna Z, Natalia K, dan Maria PA. 2011. Endophytic bacteria enhancing growth and disease resistance of potato (*Solanum tuberosum* L.). *Biological Control*. 56(1): 43-49. DOI: <https://doi.org/10.1016/j.biocontrol.2010.09.014>.
- Pestana EA, Belak S, Diallo A, Crowther JR dan Viloen GJ. 2009. Real-Time PCR – The Basic Principles. Di dalam: *Early, Rapid, and Sensitive Veterinary Molecular Diagnostic – Real Time PCR Applications*. Springer, Dordrechty. hlm 27-46.
- Pineda M, Perez-Bueno M, dan Baron M. 2018. Detection of bacterial infection in melon plants by classification methods based on imaging data. *Front. Plant Sci.* 9:164. DOI: 10.3389/fpls.2018.00164.
- Prescott LM, Harley JP, dan Klein DA. 1996. *Microbiology* (3rd ed). Wm. C. Brown Publishers.
- Purkayastha GD, Saha A, dan Saha D. 2010. Characterization of antagonistic bacteria isolated from tea rhizosphere in sub-Himalayan West Bengal as potential biocontrol agents in tea. *J Mycol Plant Pathol*. 40(1): 27-37.
- Purnawati A, Sastrahidayat IR, Abadi AL, Hadiastono T. 2014. Endophytic bacteria as biocontrol agents of tomato bacterial wilt disease. *The Journal of Tropical Life Science*. 4(1): 33-36.
- Putri DH, Putri MF, Fifendy M. 2018. Diversitas bakteri endofit pada daun muda dan tua tumbuhan Andaleh (*Morus macraoura* miq.). *Eksakta*. 19(1): 125-130.
- Rachmawati, R. 2018. Analisis gen merkuri reduktase (merA) pada isolat bakteri dari tambang emas Kabupaten Bombana Sulawesi Tenggara. *Jurnal Progres Kimis Sains*. 3(2).

- Rahman MT, Uddin MS, Sultana R, Moue A, dan Setu M. 2013. Polymerase Chain Reaction (PCR): A short review. *AKMMC J.* 4(1): 30-36. DOI: <https://doi.org/10.3329/akmmcj.v4i1.13682>.
- Raji OH, Orelaja OT. 2014. Nutritional composition and oil characteristics of golden melon (*Cucumis melo*) Seeds. *Food Science and Quality Management.* 27: 18-21.
- Ramette A, Frapolli M, Saux MF, Le GC, Meyer JM, Defago G, et al. 2011. *Pseudomonas protegens* sp. nov., widespread plant-protecting bacteria producing the biocontrol compounds 2,4-diacetylphloroglucinol and pyoluteorin. *Systemic and Applied Microbiology.* 34(3): 180-188. DOI: <https://doi.org/10.1016/j.syapm.2010.10.005>.
- Rane KK dan Latin RX. 1992. Bacterial fruit blotch of watermelon: association of the pathogen with seed. *Plant Disease.* 76: 509-512.
- Rayees AA, Hilal A, Bhatand NAD. 2014. Biocontrol agents and their mechanism in plant disease management. *Sciencia Acta Xaveriana An International Science Journal.* 5(1): 47-58.
- Romlah S, Nauly PG, Nurasyiah S. 2018. Perbandingan efektivitas metode isolasi DNA (*boiling water* dan CTAB) pada bakteri *Klebsiella pneumonia*. *Prosiding Pertemuan Ilmiah Nasional Penelitian & Pengabdian Masyarakat I.* 1(1): 627-633.
- Roodi D, Millner JP, McGill C, Johnson RD, Jauregui R, dan Card SD. 2020. Methylobacterium, a major component of the culturable bacterial endophyte community of wild *Brassica* seed. *PeerJ.* 8: e9514. DOI: 10.7717/peerj.9514.
- Sadrati N, Daoud H, Zerroug A, Dahamna S, dan Bouharati S. 2013. Screening antimicrobial and antioxidant secondary metabolites from endophytic fungi isolated from wheat (*Triticum durum*). *Journal of Plant Protection Research.* 53(2).
- Sah S, Krishani S, dan Singh R. 2021. *Pseudomonas* mediated nutritional and growth promotional activities for sustainable food security. *Current Research in Microbial Sciences.* 2: 100084. DOI: <https://doi.org/10.1016/j.crmicr.2021.100084>.
- Samreen T, Naveed M, Nazir MZ, Asghar HN, Khan MI, Zahir ZA, Kanwal S, Jeevan B, Sharma D, Meena VS, Meena SK, Sarkar D, Devika OS, Choudhary M. 2021. Seed associated bacterial and fungal endophytes: diversity, life cycle, transmission, and application potential. *Applied Soil Ecology.* 168: 104191. DOI: <https://doi.org/10.1016/j.apsoil.2021.104191>.

- Santos JF, Sacramento BL, Mota KNAB, Souza JTD, dan Neto ADDA. 2014. Sunflower growth according to seed inoculation with endophytic bacteria. *Pesquisa Agropecuaria Tropical*. 44: 142-150. DOI: 10.1590/S1983-40632014000200008.
- Schaad NW, Jones J, dan Chun W. (2001). *Laboratory Guide for Identification of Plant Pathogenic Bacteria 3 rd edition*. Amerika: American Phytopathological Society. St. Paul, MN.
- Schaad NW, Postnikova E, Sechler A, Claflin LE, Vidaver AK, Jones JB, Agarkova I, Ignatov A, Dickstein E dan Ramundo BA. 2008. Reclassification of subspecies of *Acidovorax avenae* as *A. avenae* (Manns 1905) emend., *A. cattleyae* (Pavarino, 1911) comb. nov., *A. citrulli* (Schaad et al., 1978) comb. nov., and proposal of *A. oryzae* sp. nov. *Systemic and Applied Microbiology*. 31: 434– 446. DOI: <https://doi.org/10.1016/j.syapm.2008.09.003>.
- Schaad NW, Song WY, dan Hatziloukas E. 2000. PCR primers for detection of plant pathogenic species and subspecies of *Acidovorax*. *United Statec Department of Agriculture patents*.
- Schaffer AA dan Paris HS. 2003. Melon, squashes, and gourds. Di dalam: Caballero B, Trugo L, Finglas P, editor. *Encyclopedia of Food Sciences and Nutritions*. Elsevier Science Ltd. hlm 3817-3826.
- Selangga DGW dan Listihani. 2021. Screening of endophytic bacteria isolated from *Mimosa pudica* in Bali Island. *Sustainable Environment Agricultural Science*. 5(1): 50-57. DOI: <https://doi.org/10.22225/seas.5.1.3303.50-57>.
- Setiati N, Partaya, Hidayah N. 2020. The use of two pairs primer for CO1 gene amplification on traded stingray at fish auction Tasik Agung Rembang. *Journal of Physics: Conference Series*. 1567: 032056.
- Sharifi-Tehrani A, Zala M, Natsch A, Moenne-Locoz Y, dan Defago G. 1998. Biocontrol of soil-borne fungal plant diseases by 2,4-diacetylphloroglucinol-producing fluorescent pseudomonads with different restriction profiles of amplified 16S rDNA. *European Journal of Plant Pathology*. 104(7): 631-643. DOI: <https://doi.org/10.1023/A:1008672104562>.
- Sharma S dan Kumar S. 2021. Fast and accurate bootstrap confidence limits on genome-scale phylogenies using little bootstraps. *Nature Computational Science*. 1(9): 573-577. DOI: <https://doi.org/10.1038/s43588-021-00129-5>.
- Shen YS dan Fulthorpe R. 2015. Seasonal variation of bacterial endophytes in urban trees. *Frontiers in Microbiology*. 6: 427. DOI: <https://doi.org/10.3389/fmicb.2015.00427>.

- Shi Y, Lou K, dan Li C. 2009. Promotion of plant growth by phytohormone-producing endophytic microbes of sugar beet. *Biology and Fertility of Soils*. 45(6): 645-653. DOI: <https://doi.org/10.1007/s00374-009-0376-9>.
- Shoresh M, Yedidia I, dan Chet I. 2005. Involvement of jasmonic acid/ethylene signaling pathway in the systemic resistance induced in cucumber by *Trichoderma asperellum* T203. *Phytopathology*. 95(1): 76-84. DOI: <https://doi.org/10.1094/PHYTO-95-0076>.
- Shu-Bin L, Mao F, Ren-Chao Z, Juan H. 2012. Characterization and evaluation of the endophyte *Bacillus* B014 as a potential biocontrol agent for the control of *Xanthomonas axonopodis* pv. *dieffenbachiae* – Induced blight of *Anthurium*. *Biological Control*. 63(1): 9-16. DOI: <https://doi.org/10.1016/j.biocontrol.2012.06.002>.
- Silva GM, Souza RA, Yan L, dan Junior RS. 2016. Strains of the group I lineage of *Acidovorax citrulli*, the causal agent of bacterial fruit blotch of Cucurbitacee crops, are predominant in Brazil. *Phytopathology*. 106(1): 1486-1494. DOI: <https://doi.org/10.1094/PHYTO-05-16-0205-R>.
- Simionato AS, Navarro MOP, Jesus MLA, Barazetti AR, Silva CS, Simoes GC, Balbi-Pena MI, Mello JCP, Panagio LA, Almeida RSC, Andrade G, Oliveira AG. 2017. The effect of phenazine-1-carboxylic acid on mycelial growth of *Botrytis cinerea* produced by *Pseudomonas aeruginosa* LV strain. *Frontiers in Microbiology*. 8: 1102. DOI: <https://doi.org/10.3389/fmicb.2017.01102>.
- Slusarenko AJ, Fraser RSS, Van Loon LC. 2000. *Mechanisms of Resistance to Plant Diseases*. Dordrecht. Kluwer Acad. Publ.
- Song YR, Hwang IS, dan Oh CS. 2020. Natural variation in virulence of *Acidovorax citrulli* isolates that cause bacterial fruit blotch in watermelon, depending on infection routes. *Plant Pathology Journal*. 36(1): 29-42. DOI: 10.5423/PPJ.OA.10.2019.0254.
- Sukamto, Listiana N, Indrayanti R, dan Wahyuno D. 2019. Isolasi dan karakterisasi potensi isolat bakteri rizosfir dalam mengendalikan penyakit budok pada tanaman nilam. *Buletin Penelitian Tanaman Rempah dan Obat*. 30(1): 35-46.
- Suman A dan Marag PS. 2018. Growth stage and tissue specific colonization of endophytic bacteria having plant growth promoting traits in hybrid and composite maize (*Zea mays* L.). *Microbiological Research*. 214: 101-113. DOI: <https://doi.org/10.1016/j.micres.2018.05.016>.
- Surico G. 2013. The concepts of plant pathogenicity, virulence/avirulence and effector proteins by a teacher of plant pathology. *Phytopathology Mediterranea*. 52(3): 399-417.

- Susanti A, Periadnadi, dan Nurmiati. 2017. Isolasi dan karakterisasi bakteri alami pencernaan ikan patin siam (*Pangasius hypophthalmus*) sebagai kandidat probiotik. *Jurnal Metamorfosa*. 4(2): 247-255.
- Swamy KRM. 2017. Origin, distribution and systematics of culinary cucumber (*Cucumis melo* subsp. *agrestis* var. *conomon*). *Journal of Horticultural Sciences*. 12(1): 1-22.
- Syahri YF, Baharuddin, Fachruddin, Yani A. 2019. Biochemical tests and identification of potential indigenous bacteria from nickel post-mining land in Pomalaa. *IOP Conference Series: Earth and Environmental Science*. 382: 012020.
- Teeseling MCF, Pedro MA, dan Cava F. 2017. Determinants of bacterial morphology: from fundamentals to possibilities for antimicrobial targeting. *Frontiers in Microbiology*. 8: 1264. DOI: <https://doi.org/10.3389/fmicb.2017.01264>.
- Thakur A, Verma S, Reddy VP, dan Sharma D. 2019. Hypersensitive responses in plants. *Agricultural Reviews*. 40(2): 113-120. DOI: 10.18805/ag.R-1858.
- Tian Q, Feng J, Hu J, dan Zhao W. 2016. Selective detection of viable seed-borne *Acidovorax citrulli* by real-time PCR with propidium monoazide. *Scientific Reports*. 6: 35457. DOI: <https://doi.org/10.1038/srep35457>.
- Traore SM, Eckshtain-Levi N, Miao J, Sparks AC, Wang Z, Wang K, Li Q, Burdman S, Walcott R, Welbaum GE, Zhao B. 2019. *Nicotiana* species as surrogate host for studying the pathogenicity of *Acidovorax citrulli*, the causal agent of bacterial fruit blotch of cucurbits. *Molecular Plant Pathology*. 20(6): 800-814. DOI: <https://doi.org/10.1111/mpp.12792>.
- Von Neubeck M, Huptas C, Gluck C, Krewinkel M, Stoeckel M, Stressler T, Fischer L, Hinrichs J, Scherer S, dan Wenning M. 2017. *Pseudomonas lactis* sp. nov. and *Pseudomonas paralactis* sp. nov., isolated from bovine raw milk. *International Journal of Systematic and Evolutionary Microbiology*. 67(6): 1656-1664.
- Walcott RR. 2008. Integrated pest management of bacterial fruit blotch in cucurbits. Di dalam: Ciancio A dan Makerji KG, editor. *Integrated Management of Disease Caused by Fungi, Phytoplasma and Bacteria*. Springer, New York. hlm 191-209.
- Walcott RR, Gitaitis RD, Castro AC. 2003. Role of blossom in watermelon seed infestation by *Acidovorax avenae* subsp. *citrulli*. *Phytopathology*. 93: 528-534. DOI: <https://doi.org/10.1094/PHYTO.2003.93.5.528>.

- Wang J, Shao X, Xhang Y, Zhu Y, Yang P, Yuan J, Wang T, Yin C, Wang W, Chen S, Liang H, dan Deng X. 2018. HrpS is a global regulator on Type III Secretion System (T3SS) and Non-T3SS genes in *Pseudomonas savastanoi* pv. *phaseolicola*. *Molecular Plant-Microbe Interactions*. 31(12): 1232-1243. DOI: <https://doi.org/10.1094/MPMI-02-18-0035-R>.
- Wang L, Xie Y, Cui Y, Xu J, He W, Chen H, dan Guo J. 2015. Conjunctively screening of biocontrol agents (BCAs) against fusarium root rot and fusarium head blight caused by *Fusarium graminearum*. *Microbiological Research*. 177: 34-42. DOI: <https://doi.org/10.1016/j.micres.2015.05.005>.
- Whitaker BK dan Bakker MG. 2019. Bacterial endophyte antagonism toward a fungal pathogen in vitro does not predict protection in live plant tissue. *FEMS Microbiology Ecology*. 95(2): fiy237. DOI: <https://doi.org/10.1093/femsec/fiy237>.
- Wibowo RH, Sipriyadi, Darwis W, Putri EK, Rosianti N, Medani DI, Wulandari GD, Purbianto KA, dan Susanti N. 2020. Identification of pathogenic bacteria on carp commodities (*Cyprinus carpio*) at quality control and fishery product safety agency (BKIPM) of Bengkulu. *Operations Research: International Conference Series*. 1(2): 20-55. DOI: <https://doi.org/10.47194/orics.v1i2.72>.
- Wiltgen M. 2019. Algorithms for structure comparison and analysis: homology modelling of proteins. *Encyclopedia of Bioinformatics and Computational Biology*. 1: 38-61.
- Windari U, Joko T, dan Subandiyah S. 2015. Deteksi penyakit bacterial fruit blotch pada melon menggunakan ELISA. *Jurnal Perlindungan Tanaman Indonesia*. 19(1): 1-5.
- Yadav SK, Yadav AB, Kedia NB, Kedia G, Kumar K. 2019. Polymerase chain reaction (PCR) – A review with its pertinency to dentistry. *International Journal of Oral Health Dentistry*. 5(4): 184-190. DOI: <http://doi.org/10.18231/j.ijohd.2019.042>.
- Zeb A. 2016. Phenolic profile and antioxidant activity of melon (*Cucumis melo* L.) seeds from Pakistan. *Foods*. 5(4): 67. DOI: <https://doi.org/10.3390/foods5040067>.
- Zhang Y, Kang X, Liu H, Liu Y, Li Y, Yu X, et al. 2018. Endophytes isolated from ginger rhizome exhibit growth promoting potential for Zea mays. *Archives of Agronomy and Soil Science*. 64(9): 1302-1314. DOI: <https://doi.org/10.1080/03650340.2018.1430892>.

Zulfaniati N, Joko T, Arwiyanto T, dan Sulandari S. 2018. *Deteksi molekular Acidovorax citrulli pada benih melon* [skripsi]. Yogyakarta: Universitas Gadjah Mada.

Zuraidah. 2013. Pengujian beberapa bakteri penghambat pertumbuhan *Xanthomonas oryzae* pv. *oryzae* pada tanaman padi. *Jurnal Ilmiah Pendidikan Biologi, Biologi Edukasi*. 5(1): 18-24.

