

Edinburgh Research Explorer

Maximising impactful and locally relevant mental health research:

Citation for published version:

Calia, C, Chakrabarti, A, Sarabwe, E & Chiumento, A 2022, 'Maximising impactful and locally relevant mental health research: Ethical considerations', Wellcome Open Research', vol. 7, pp. 1-14. https://doi.org/10.12688/wellcomeopenres.18269.1

Digital Object Identifier (DOI):

10.12688/wellcomeopenres.18269.1

Link:

Link to publication record in Edinburgh Research Explorer

Document Version:

Publisher's PDF, also known as Version of record

Published In:

Wellcome Open Research

General rights

Copyright for the publications made accessible via the Edinburgh Research Explorer is retained by the author(s) and / or other copyright owners and it is a condition of accessing these publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy
The University of Edinburgh has made every reasonable effort to ensure that Edinburgh Research Explorer content complies with UK legislation. If you believe that the public display of this file breaches copyright please contact openaccess@ed.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.





OPEN LETTER

Maximising impactful and locally relevant mental health research: ethical considerations [version 1; peer review: 1 approved, 1 not approved]

Clara Calia 101, Amit Chakrabarti², Emmanuel Sarabwe³, Anna Chiumento 1014

V1

First published: 26 Sep 2022, **7**:240

https://doi.org/10.12688/wellcomeopenres.18269.1

Latest published: 26 Sep 2022, 7:240


https://doi.org/10.12688/wellcomeopenres.18269.1

Abstract

Background: Achieving ethical and meaningful mental health research in diverse global settings requires approaches to research design, conduct, and dissemination that prioritise a contextualised approach to impact and local relevance.

Method: Through three case studies presented at the 2021 Global Forum on Bioethics in Research meeting on the ethical issues arising in research with people with mental health conditions, we consider the nuances to achieving ethical and meaningful mental health research in three diverse settings. The case studies include research with refugees Rwanda and Uganda; a neurodevelopmental cohort study in a low resource setting in India, and research with Syrian refugees displaced across the Middle East.

Results: Key considerations highlighted across the case studies include how mental health is understood and experienced in diverse contexts to ensure respectful engagement with communities, and to inform the selection of contextually-appropriate and feasible research methods and tools to achieve meaningful data collection. Related to this is a need to consider how communities understand and engage with research to avoid therapeutic misconception, exacerbating stigma, or creating undue inducement for research participation, whilst also ensuring meaningful benefit for research participation. Central to achieving these is the meaningful integration of the views and perspectives of local stakeholders to inform research design, conduct, and legacy. The case studies foreground the potential tensions between meeting local community needs through the implementation of an intervention, and attaining standards of scientific rigor in research design and methods; and between adherence to procedural ethical requirements such as ethical review and documenting informed consent, and ethical practice through



¹Clinical Psychology, University of Edinburgh, Edinburgh, EH8 9AG, UK

²ICMR-Centre for Ageing and Mental Health, Division of Non-Communicable Diseases, Indian Council of Medical Research, Salt Lake, Kolkata, 700091, India

³Quality Assurance, Community Based Sociotherapy, Kigali, Rwanda

⁴Primary Care and Mental Health, University of Liverpool, Liverpool, L69 7ZA, UK

attention to the needs of the local research team.

Conclusions: We conclude that engagement with how to achieve local relevance and social, practice, and academic impact offer productive ways for researchers to promote ethical research that prioritises values of solidarity, inclusion, and mutual respect.

Kevwords

Global Mental Health, Bioethics, Research ethics, Low and middle income countries, Community engagement, Impact, International partnerships

This article is included in the GFBR: Ethical issues arising in research with people with mental health conditions collection.



Corresponding author: Anna Chiumento (achiumento@ed.ac.uk)

Author roles: Calia C: Conceptualization, Writing – Original Draft Preparation, Writing – Review & Editing; Chakrabarti A: Conceptualization, Writing – Original Draft Preparation, Writing – Review & Editing; Sarabwe E: Conceptualization, Writing – Original Draft Preparation, Writing – Review & Editing; Chiumento A: Conceptualization, Writing – Original Draft Preparation, Writing – Review & Editing

Competing interests: No competing interests were disclosed.

Grant information: This work was supported by Wellcome through funding to the Global Forum on Bioethics in Research (GFBR). GFBR funding is provided by The Wellcome Trust, the National Institutes of Health and the UK Medical Research Council. Amit Chakrabarti's work on c-VEDA is jointly funded by the Indian Council of Medical Research (ICMR/MRC/3/M/2015-NCD-I) and the Newton Grant from the Medical Research Council (MR/N000390/1), United Kingdom, and the case study presented here arises from a 2020 project. Clara Calia's work is funded by a SFC-GCRF Covid-19 urgent call "From the FIELD: impacts of COVID-19 on lives and livelihoods of Syrians living in the Levant". The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript. The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Copyright: © 2022 Calia C *et al.* This is an open access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Calia C, Chakrabarti A, Sarabwe E and Chiumento A. Maximising impactful and locally relevant mental health research: ethical considerations [version 1; peer review: 1 approved, 1 not approved] Wellcome Open Research 2022, 7:240 https://doi.org/10.12688/wellcomeopenres.18269.1

First published: 26 Sep 2022, **7**:240 https://doi.org/10.12688/wellcomeopenres.18269.1

Disclaimer

The views expressed in this article are those of the author(s). Publication in Wellcome Open Research does not imply endorsement by Wellcome.

Background

The ethical importance of achieving impactful and locally relevant mental health research in diverse global settings has long been recognised [see e.g. 1, 2], with the COVID-19 pandemic providing new impetus to this³⁻⁶. Mental health problems are a globally important public health issue in countries at different stages of economic development, and community-based mental health research is essential to understanding and responding to the growing burden of mental health problems in diverse global settings.

The breadth of considerations for impactful and locally relevant research range from research conceptualisation and prioritisation that is commensurate with local community understandings of mental health and expectations of mental health care; to methodological issues of contextually appropriate and feasible research design, methods, and measurement of mental health and related constructs. Frameworks for understanding mental health have been criticised for adopting ill-fitting models divorced from their sociocultural contexts⁷. The mental health constructs adopted may not be contextually valid, and their focus on illness and disorder may exacerbate stigma, misinterpret local idioms of distress8, and overemphasise the role of factors such as conflict-trauma at the expense of social determinants of mental health^{9,10}. Research design can further exacerbate ethical tensions due to perceived prioritisation of care, or the rigidity of research designs [see this special issue for discussions from a previous GFRB on this topic: 11]. We also engage with the scope of what it means to discuss 'impact' - whether academic (e.g. peer review publications), the development of academic and practitioner collaborations and strengthening of local research capacity, or the social value of research or mental health care to participants and the wider community, including access to ancillary care and policy engagement and influence to embed services beyond limited research timelines.

Conducting impactful and locally relevant research also incorporates effective and respectful engagement with communities, and equitable partnerships government and non-governmental actors. Global research projects are built on principles of solidarity, justice, and fairness¹² embedded in a shared commitment to finding solutions to intractable, large scale and complex challenges. Ethics is a fundamental feature of contemporary global research, yet how ethics is conceptualised and enacted can vary by culture, institution, and discipline^{13,14}. Furthermore, global research can include interactions between people with significant differences in power and voice, for example working with individuals who are highly vulnerable due to their socioeconomic status, ethnic or gender identity, physical and mental wellbeing, or being embedded in an inadequate legal and political protective environment. Global researchers must

therefore be critically aware of their own practices and perspectives, as well as those of the individuals they collaborate or engage with ^{15–17}.

All of these considerations are reflected in the evolution of the scope and focus of the global mental health field which increasingly embraces an understanding of mental health and mental health care that are socially, politically, economically, and culturally embedded and constructed^{18–21}. They raise underpinning considerations of community expectations of research(ers), the research project, and ancillary care, as well as for supporting local researchers engaging with the everyday complexities of research participants lives. They furthermore draw attention to the role of research funding – from the prioritisation of which topics get researched and using which research design and methods, to research timelines facilitating or restricting the opportunities for meaningful community engagement and partnership founded on common principles of solidarity²².

We critically consider these issues through engagement with three case studies presented at the 2021 Global Forum on Bioethics in Research meeting on the ethical issues arising in research with people with mental health conditions. Through an examination of each case, we consider the nuances to achieving ethical and meaningful mental health research in three diverse settings, highlighting common strategies and approaches to achieving this.

CASE 1: Ethical issues in research evaluating the implementation of Community-Based Sociotherapy in refugee settings in Rwanda and Uganda

Background

The World Health Organization (WHO) indicates that the basis of effective mental health services is the prevention and management of common mental health problems at the community and primary health care level, with an emphasis on self-care²³. Community based Sociotherapy (hereafter Sociotherapy) has sought to adopt this model, with a history originating in the treatment of military casualties of the Second World War²⁴, and subsequently applied in the Netherlands to support the psychiatric treatment of refugees²⁵. When introduced in Rwanda in 2005, Sociotherapy was adapted to a communitybased approach supporting Rwandans to respond to the consequences of the 1994 genocide against the Tutsi. Currently, Sociotherapy is implemented in communities, prisons, and refugee camps in Rwanda, the Democratic Republic of Congo (DRC), Liberia, and a refugee settlement in Uganda. In all of these settings, Sociotherapy as a group-based approach intends to support people whose lives have been disrupted by conflict and ongoing daily stressors. Its primary objectives include regaining and strengthening a sense of human dignity and psychosocial healing among participants.

Sociotherapy participants include people with a variety of psychosocial problems who do not need to have a mental health diagnosis. Sociotherapy groups are composed of fifteen people who live in the same neighbourhood and who meet weekly for three-hour sessions over 15 weeks. Each group is facilitated by two trained facilitators (Sociotherapists) from the same community as the participants, and group sessions follows six phases (safety, trust, care, respect, new life orientations and memory), with each session applying participatory methods to maintain participant engagement.

Case study

Since November 2018, the Community Based Sociotherapy Adapted for Refugees (COSTAR) project - a collaboration between the University of Liverpool of UK, Makerere University of Uganda, and the University of Rwanda - has been conducting a cluster randomized controlled trial (cRCT) which aims to evaluate how Sociotherapy contributes to the reduction of depressive symptomatology in Congolese refugees living in settlement/camps in Uganda and Rwanda (See here for more information). COSTAR research participants are randomly recruited, after which they complete a pre-intervention survey and are randomly allocated to either the Sociotherapy intervention or the control arm (a group discussion around the Sustainable Development Goals and local community information). The ethical issues described in this case study draw upon the experiences of ES as the COSTAR coordinator of the Sociotherapy implementation, and his experience of conducting research in post-conflict settings.

- 1. Evaluating an adapted version of Sociotherapy according to a predesigned trial protocol: Sociotherapy is usually contextualised to the setting in which it is implemented. Recruiting participants involves Sociotherapists who know their community well identifying people likely to benefit from the approach. During the invitation process, the Sociotherapists lay the foundation for trust building between themselves and participants. Conversely, in COSTAR, Sociotherapy participants were randomly recruited by research assistants who were external to the community, and who conducted a formal pre-intervention survey as part of the recruitment process. After this, participants were randomly assigned to the Sociotherapy or the control arm; and a different research assistant linked the selected participants to Sociotherapists. This long process led by researcher assistants reduced trust between participants and Sociotherapists - a key component of the Sociotherapy process. This lengthy process may also have reduced the motivation of selected participants to engage in Sociotherapy groups, with potential negative impacts on the benefit they gained from the intervention as attendance in the COSTAR project was lower than sessions recruited via the usual approach adopted by Sociotherapy.
- 2. Responding to suicidal ideation: In the COSTAR screening process, people who were considered to have severe mental health problems, such as suicidal ideation, were to be excluded from further involvement and to be referred for specialist care. However, there were participants allocated to Sociotherapy who didn't

report having suicidal ideation in the pre-intervention and post-intervention surveys, but who during the Sociotherapy groups indicated that they had planned to commit suicide. These participants reported that Sociotherapy led them to abandon the idea of suicide, and therefore did not require referral to a specialist. In the usual practice of Sociotherapy, there is no formal screening to decide who participates in Sociotherapy, with the informal criterion being to exclude people manifesting noticeable severe mental health problem which cannot be managed in group sessions, ensuring the person is referred to a specialist for support. Due to the COSTAR cRCT recruitment process, participants with suicidal ideation may have been excluded, whilst our experience suggests that they may benefit from Sociotherapy.

3. Multiple layers of ethical and regulatory approvals: In the COSTAR project, all research adaptations had to be approved by the sponsor, the ethics committee of the University of Liverpool, and ethics committees in Uganda and Rwanda. The intervention was halted many times whilst the relevant approvals were obtained through this long (and expensive) process. These delays disrupted the intervention for both Sociotherapists and participants, which sometimes led to the de-motivation of participants and Sociotherapists, in turn leading to the cessation of both Sociotherapy and control arm sessions, further affecting the scientific validity of the cRCT.

Critical reflections

Psychosocial interventions are promoted to heal wounds caused by violence and to restore social cohesion in the process of sustainable peace building²⁶. To test the effectiveness of these interventions, RCTs are considered gold standard, due to their procedures that aim to reduce researcher influence on data. However, because of the predetermined methodological standards of cRCTs, the COSTAR project imposed its methodological and ethical procedures upon the implementation of Sociotherapy. This approach meant that the intervention measured in the COSTAR project is different from the one usually implemented. It is possible that due to the adaptation of Sociotherapy to the demands of the cRCT, the intervention may be considered ineffective against the COSTAR specified outcome measures. However, for the reasons outlined, this research does not accurately capture or evaluate Sociotherapy as usually practiced, thus does not contribute to understanding its potential effectiveness in routine implementation. This raises ethical issues of the research designs, methods, tools, and procedures used to capture intervention effectiveness; and wider issues of participant inclusion and exclusion as research is conducted according to a random recruitment process and without delivery of the intervention to all participants, raising ethical issues of research benefits²⁷.

On a positive note, due to this experience the Sociotherapy team have learned about how to measure the effectiveness of Sociotherapy as it is usually implemented. In a subsequent research study currently being conducted the recruitment is led by Sociotherapists following the usual process of identifying people in the community who may benefit, and inviting them to participate without screening. After recruitment, participants are randomly allocated to either intervention arm or control arm, and all control arm participants will receive the intervention after completion of the research. In this way, the Sociotherapy team have been able to address the ethical tensions present in the previous COSTAR study, adopting a rigorous and ecologically valid research approach to provide insights into the efficacy of the Sociotherapy intervention.

A further recommendation arising from these ethical challenges is to localise procedural research ethics to avoid a long process of approvals. Allowing protocol adaptations to be approved by local ethical committee and/or having systems for local sponsorship and ethical review would reduce interruptions to intervention delivery whilst waiting for approvals, whilst maintaining scientific and ethical rigor²⁸.

CASE 2: The need for the integration of health benefits as an ethical challenge in mental health research among low resource populations in India Background

The objective of this project was to develop a cohort (n=1526) of children of coal mine workers aged 6 to 23 years belonging to low socio-economic groups from rural and semi-urban areas in West Bengal, Bihar, Uttar Pradesh, as well as a tribal population. This project was part of a larger neurodevelopmental cohort "Consortium on Vulnerability to Externalizing Disorders and Addictions" (2016 – 2020) carrying out a detailed assessment of behavioural, neuropsychological, neuroimaging and environmental exposures that can underlie externalising mental health problems²⁹.

Case study

This case study examines the ethical implications of our experience that receiving tangible health benefits is perceived as the most important direct benefit which motivates participation in community-based mental health research in low resource settings in India. Our cohort comprised children of coal mine workers engaged in manual labour (skilled/ semi-skilled/unskilled), as well as other children living in the mining neighbourhood. The cohort was drawn from a population of approximately 6,000 workers from 16 coal mines in the Asansol - Ranigani area of West Bengal, approximately 150km from the nearest metropolitan city of Kolkata. Male workers in this population are known to have a high prevalence of alcohol problems which is likely to affect vulnerability to mental health disorders among their offspring³⁰. Local community representative coordinators were engaged to assist research staff in participant recruitment. Following administration of informed consent, all participants underwent a detailed neuropsychological assessment and biological samples were collected. Neuroimaging was carried out in a sub-set of eligible participants who consented to this procedure, conducted in a government funded imaging centre in Kolkata, with travel arrangements and costs covered by the project. In our study we faced the following ethical challenges:

- 1. Conceptualisation of mental health as a barrier to participant recruitment: Our early realization was that for this population living in low socio-economic conditions the primary framework for understanding mental health is grounded in belief systems rather than a biomedical understanding. During our past and ongoing population-based studies a consistent observation has been a very low level of awareness about the existence of mental health problems, and mental health conditions are not perceived as a "disease". This poses an ethical challenge in the implementation of research, as a result of the concept of mental health remaining obscure is that people do not come forward to participate in research on this topic. Although it is desirable that the population has some understanding about mental health before initiation of the study, in our research a more pragmatic approach was adopted whereby we conveyed the concept of mental health during explanations about the study and the consent process. Therefore, we understood that alternate strategies are required to engage this population by foregrounding the relevance of the research to their current situation. In addition to explanations during participant information and consent processes, we also adopted wider engagement strategies. For example, considering the high prevalence of alcohol problems in this population we initiated a primary care screening and management of alcohol problems available to everyone in the community, and through participation in this screening we then introduced the study and encouraged individuals to bring their families to participate. This strategy was introduced in an effort to engage the local population by providing services to address a recognised problem in the community - alcohol dependence - and to assist in engaging more families to participate in the study.
- 2. Adequacy of, and collaboration with, local health services: The inadequacy of primary physical and mental health care remains a deterrent in implementing mental health studies in this population. During our project participants raised physical health issues and expected treatment advice and medication. We perceived that the reason for this could be the inadequacy of primary care service, which is unable to cater to the local population's basic health needs. To address this, we collaborated with Physicians of Eastern Coalfields Ltd, a locally-based service provided free of charge, and referred participants with physical treatment needs for consultation. Second, we provided all participants with a complete hemogram (blood test) and routine urine report from biological samples collected for research purposes free of cost. Based on reports from these tests, we also tried to provide basic medicines at no cost through linking participants with government health programs.

3. Research benefits: We also felt that in low resource population settings the scientific benefits of research through the advancement of knowledge are intangible to the local community, and people are more concerned with receiving direct health benefits. Whilst some family members with children with obvious mental health issues (e.g., suicidality) were keen to participate, our experience was that participant's primary motivation to engage in the study remained to receive physician consultation and medications.

Critical reflections

Mental health issues related to personality, temperament and behaviour are, perhaps, perceived as social deviations rather than initiation of a disease process. To address this, in our study we explained to participants that such deviations may result in diagnosable mental health issues in the future, which need to be addressed at a very early stage to prevent more complex problems developing. One of the possible reasons for poorer understanding about mental health could be because this population struggle with receiving adequate physical health care.

We also encountered challenges due to the poor provision of mental health services at the primary care level. In our setting, participants with a provisional mental health diagnosis tend to seek Psychiatrist consultation. Considering the existing treatment gap for mental health services in India, it is difficult to arrange such services for this population at the primary care level. At the same time it is unethical for a participant with a provisional mental health diagnosis to remain uncared for. Therefore, in a country like India, to conduct ethical community-based mental health research requires the availability of mental health services at the primary and secondary care level. One of the main reasons people from low-income countries refuse to participate in health research is due to a lack of direct benefits from the study³¹. We sought to address this by collaborating with local healthcare providers to ensure direct benefits to participants in the form of physical health tests and treatments, and to the wider local community in the form of an alcohol screening programme.

It is also important to emphasize that whilst minority population groups face a greater disease burden, they are known to be under-represented in health research³². Ethically sound population-based research creates a strong evidence base to provide locally relevant and effective treatments for underprivileged populations. Our experience suggests that when participants are offered clear information to raise their awareness of mental health, and are provided physical and mental health services to meet their immediate needs, it creates a bond of trust between the researchers and the population. We recommend that researchers seek to build trust by understanding the health needs of the population in their socioeconomic and cultural context, empathising with their needs, and acting to deliver meaningful direct research benefits. With this trust there is greater community advocacy about the study, facilitating spontaneous participation. This is an essential mechanism to generate a reliable mental health

evidence base among underprivileged communities, which can assist in informing a more equitable allocation of health resources.

This case study illustrates how mental health research in low resource settings is constrained by ethical challenges from the outset. When conducting community-based mental health research in low socio-economic populations of India, the application of ethical principles need to be contextualized to the socio-cultural context. Where the health needs in such communities are not met by currently available services, it is recommended that the researcher coordinates with local services to provide access for research participants and the wider community, thereby creating a bond of trust between researchers and the community, encouraging voluntary participation. Research participation shall result in awareness about mental health issues that may not currently be acknowledged at the community level, supporting both future mental health research and the mental health knowledge and understanding by the local community.

CASE 3: Maximising meaningful and impactful mental health research for Syrian refugees during Covid-19 – co-creation, local relevance and ethical practice

Background

The One Health FIELD Network brings together diverse, multidisciplinary expertise to increase food system resilience and support sustainable development in fragile and complex contexts. It draws together international and local partners, including: Syrian Academic Expertise for Agriculture and Food Security, various disciplinary schools from the University of Edinburgh, and the non-governmental organisation Cara (The Council for At-Risk Academics). It encompasses five pillars: Partnerships, Food Security and Safety, Gender Equality, Natural Resources, Livelihoods and Labour, and Health and Well Being.

From the Field was a research project launched by the Network to explore the impact of Covid-19 on the lives, livelihoods, and wellbeing of Syrians living in Lebanon, Iraqi Kurdistan, Jordan, Syria and Turkey using bespoke remote ethnographic approaches³³. Data was collected between April and September 2020, and explored the linkages between the psychosocial wellbeing of respondents and food security in a population facing enormous pressures and diminishing supports in their day-to-day lives. The University of Edinburgh and Cara identified and worked with local researchers to co-create and deploy questionnaire surveys using accessible technologies to 100 Syrian refugees in the region. These local research collaborators supported the co-creation of the survey, navigating Syrian idioms of distress and interrogating the proposed standardised measures to ensure these reflected local language and understandings, and reviewing and providing feedback on proposed recruitment procedures. They also offered qualitative feedback on their data collection experiences throughout the study.

Case study

The central ethical question facing the project was how can we co-create an international research project with local mental health researchers/practitioners and displaced Syrians which is locally relevant and impactful? To support this, *From the Field* was underpinned by the Global Research Ethics Toolkit. Rather than adopting a procedural ethics regulatory stance, this toolkit seeks to offer a flexible frame of reference to promote contextual ethical reflection and accountability within the research process and among research teams¹⁵. The toolkit proposes two fundamental axes of reflective ethical analysis; firstly, iterative analysis throughout the 'Research Journey', and secondly, analysis based on the '4Ps' model: Place, People, Principle and Precedent.

Shaped by the toolkit, the From the Field project developed a space for team members to work with respect for each other's experiences and multidisciplinary knowledge to embed ethical reflections within the project's collaborative practice. It provided a framework to guide team members to engage with a variety of complex practical and conceptual ethical challenges on an equal footing without assumptions or fear of judgement. To achieve this, From the Field through its collaboration with Cara placed Syrian and host community researchers at the centre of the design and implementation of the study. Working with Cara helped achieve the project's goal to be meaningful and impactful by engaging a network of local experts who could support the research aims, while also enhancing protective links to at-risk academics. The collaborative discussions that followed resulted recommendations to create a nascent network of expertise exploring long-term contingency planning for food security and health in Syria. It was imperative that the research questions guiding From the Field would be valuable to participants, contributing positively to the lives of those affected by the Syria crisis.

Collaborative discussions and reflections helped to identify the most appropriate tool for assessing mental wellbeing: The Short Warwick-Edinburgh Mental Well-Being Scale, S-WEMWBS³⁴, selected for its validity for Arabic speakers. Our local research collaborators felt that this tool with its non-invasive, positively-worded orientation was suitable in this challenging humanitarian context, and it accounts for both dimensions of affect and functioning in order to capture changes in mood and the impact of daily stressors.

The toolkit's ethical framework supported the team to ensure the psychological wellbeing of both displaced individuals and local mental health researchers. Participating in mental health research with displaced populations can itself have an impact on researcher mood and self-perception: a study can fulfil the expressed needs of displaced people to speak about issues affecting them, while local researchers may find themselves emotionally affected by participants' responses. Research participants may be frustrated if their immediate needs are ignored in research. The sociocultural and linguistic background which made the local researchers more

knowledgeable of the expressions of mental distress, also exposed them to stress. In humanitarian contexts, cultural counter transference can emerge between the researcher and the researched³⁵, and different types of empathy may manifest³⁶. To address this, *From the Field project* highlighted that mental health researchers require access to suitable training, clear referral pathways to respond to participants' stated needs, protocols for situations of harm risk, and supportive supervision³⁷.

Critical reflections

Conducting global research in conflict-affected contexts presents complex ethical challenges³⁸, including disrupting local power dynamics, the appropriateness of asking sensitive questions, and navigating risk for researchers and participants. The characteristics of ethical research, such as inclusivity, participation or accessibility, may themselves be contested. Such considerations have led some to argue for more nuanced guidelines and professional training, while others have emphasised a need to clarify feasibility, necessity and harm-benefit ratio³⁹.

In this study, we applied the Ethics Toolkit to support critical ethical reflections in team discussions throughout the research journey. Specifically, as a team, we reflected on the decision to identify measures which were felt to reveal the dimensions of psychosocial functioning relevant to displaced Syrians, over and above claims to diagnostic categorisations. We also considered the extent to which our study could contribute to identifying the elements of psychosocial functioning relevant to those affected by humanitarian crisis⁴⁰, for example by enriching a more nuanced understanding of potentially simplistic descriptions of displaced persons as 'vulnerable' or 'resilient'.

Our experience in this study suggests that culturally-attuned, locally-driven mental health research is essential to a positive conceptualisation of mental health conditions, and is necessary if we are to understand the prevalence and presentation of common mental health problems in humanitarian settings. It also highlights that mental health research for displaced populations must ensure measures are fit-for-purpose in the sociocultural context in which they are used, and diagnostic tools and interventions should integrate an appreciation of the daily stressors people face and that act as social determinants of mental health. The ethical selection of research measures and tools includes a commitment to critically consider the necessity of asking sensitive questions, balancing potential harm to participants and researchers against epistemic knowledge gains.

If global researchers are to be successful in identifying and promoting solutions to the significant challenges the world currently faces, then they must be able to develop processes that allow stakeholders - including local researchers and host communities- to communicate around, and reflect on, the ethical dilemmas that arise. Developing strong and equitable partnerships, investing in the capacity of local mental health researchers, and supporting the development of ethical

systems of researcher care so they can safely undertake research with those experiencing mental health distress, have been central ethical tenants in the design and conduct of this study.

Discussion

The case studies presented highlight the breadth of considerations relevant to achieving impactful and locally relevant research. In our discussion, we consider core themes arising from these case studies and make recommendations for future practice.

The importance of wide and bi-directional stakeholder engagement and collaboration across high and low and middle income country (LMIC) partners, and with local research communities, and from research inception to conclusion, are recognised as essential for facilitating clear research expectations leading to mutual respect and trust 13,15-17,41. In this process, stakeholders must be identified based on the research focus, which could include local mental and public health practitioners or organisations, policy makers, local community representatives including those with lived experience of mental health conditions, and other researchers or academic communities. To promote ethical engagement, these stakeholders need to have meaningful opportunities to shape and influence the selection of priority research questions, research design, conduct, and dissemination. Such inclusive collaboration can act to promote trust and sustain both community and researcher interest in mental health, avoiding tokenistic approaches to research 'partnerships'.

Similarly, at the inception stage and throughout the research, and in collaboration with stakeholders, all facets of 'impact' should be identified. As the case studies demonstrate, this encompasses: social impact such as transforming local community understanding of, or attitudes towards, those with mental health conditions, and addressing research questions of priority to local communities; mental health services impact through the development and testing of mental health treatments or intervention implementation, including as a result of ancillary care or post-trial access to interventions; impact at the level of research infrastructure through the development of skills of local research team members or local mental health / public health practitioners, policy change or influence; and finally scientific impact through contributions to knowledge via traditional academic outputs (e.g. publications or presentations). It is also important to monitor and track impact during the research process, capturing both intended and unintended impacts arising from community, health system, and policy maker interactions, and recognising complex power dynamics that underpin these⁴².

Our case studies also highlight the importance of recognising the competing demands upon mental health researchers who are motivated to address the needs of local communities, but whose operational context may be shaped by demands for bringing in grant income, publishing in academic journals, and career advancement⁴³. Compounding this is the often low-priority afforded to mental health in LMICs⁴⁴, which

in turn shapes societal awareness and conceptualisations of mental health, and can make community engagement in research challenging. There are also tensions between the epistemic value of generating evidence to address inequities through identifying local needs to shape the provision of mental health care, and the constraints facing LMIC health care systems where physical and/or mental health care may be unavailable or of low quality⁴⁵. In such cases, the question is raised as to whether it is ethical to be identifying needs that cannot be met? Following on from this, it becomes important to consider to what extent researchers who are looking to address this inequity of health resources should be thinking about this in how they approach their research, for example, do they have an ethical responsibility to ensure that research is proposing solutions that are implementable in light of existing local resources and context? This would suggest that it may be unethical to conduct research that proposes solutions that are unaffordable, even if they contribute to a wider evidence-base. These tensions are embedded in a long history of global research and efforts to avoid 'parachute' research that involves conducting research on LMIC populations to generate evidence to be applied in other (most often HIC) contexts⁴⁶.

In addition, whilst the authors of this paper champion the role of procedural research ethics, there remains scope to enhance systems of procedural research ethics to better embrace contextualisation and collaborative and inclusive systems of review^{38,39,47}. The ethical review process is one opportunity for ensuring the local relevance of research to community needs and health system capacities, as well as assessing consideration such as direct benefit arising for the local community. We support calls for a fair system of procedural ethical review that seeks to meaningfully engage with the complexities of establishing equitable and inclusive international research collaborations working to conduct locally relevant research in diverse settings41,48,49. Such a re-visioning of procedural research ethics is important for decolonising the ethical oversight of global mental health research, seeking to embrace pluriversality50, and to conceptualise procedural ethics as one phase of ethical engagement in the research journey^{15,39}.

Our case studies have drawn attention to the key driver for achieving both meaningful and impactful mental health research is the mediating role of locally embedded researchers who bring knowledge of the research setting and context, and whose insight should be central to shaping how research is approached, including integrating novel and locally feasible research methodologies. This is particularly important when researching established interventions in LMIC contexts, taking steps to balance ecological validity of intervention implementation with the demands of scientific research standards; and in ensuring the relevance and cross-cultural / cross-language validity of research instruments or tools⁵¹. Achieving this requires continued investment and support for the development of mental health researchers and practitioners in LMIC settings. Local teams equipped with the scientific and ethical

knowledge to meaningfully inform, and lead, research through phases of conceptualisation, development, implementation, and impact for local communities and health systems are essential to achieving impactful and locally relevant research. Local researchers are also the ones embedded within settings and navigating the lived-through tensions inherent to conducting research, such as balancing social impact and scientific rigor, and championing local needs in international collaborations. As has been highlighted, achieving this requires attention to efforts to decolonise structural systems of research funding, ethical oversight mechanisms, publication and academic credit for research, and researcher career development 52,53.

Conclusion

Achieving impactful and locally relevant mental health research in diverse global settings is essential to informing mental health care that is grounded in norms of reciprocal solidarity and respect. Actively considering the dimensions of what 'impact' means in a given context and for a specific research project, and how research might ensure relevance for the local community, are two drivers of ethical mental health research. They seek to ensure that research is responsive to local community needs and respectful of local community ways of knowing, and of providing mental health support, balancing these against the scientific aim of advancing knowledge. Recognising pluriversal conceptualisations of mental health across cultural and linguistic contexts that are deeply embedded in diverse epistemologies, researchers must ensure meaningful stakeholder engagement to inform research prioritisation, design, implementation, and dissemination. Such steps promote equitable, respectful, and meaningful engagement to shape locally-relevant and impactful mental health evidence and services. The case studies discussed foreground the breadth of considerations inherent to achieving impactful and locally relevant research across structural systems of research funding, governance, and career

development. We conclude that engagement with how to achieve local relevance and social, practice, and academic impact offer productive ways for researchers to promote ethical research that prioritises values of solidarity, inclusion, and mutual respect.

Data availability

No data are associated with this article.

Acknowledgements

The authors gratefully acknowledge the guidance and support provided by Ms Adrienne Hunt, Global Forum on Bioethics in Research Secretariat, throughout the preparation of this open letter. We furthermore thank all of the GFBR 2021 attendees for their questions and comments on the presentation of these case studies at the 2021 online conference, and the dedicated discussion group scribes for their reflections from small-group discussions, all of which have shaped our approach to this letter.

Amit Chakrabarti acknowledges the support from Prof. Vivek Benegal, Centre for Addiction Medicine, National Institute of Mental Health & Neurosciences, India (India PI of c-VEDA study), Prof. Gunter Schumann, Centre for Population Neuroscience and Stratified Medicine, Fudan University and Charite Berlin; all other investigators in India and the UK, project staff, local coordinators and officials at Eastern Coalfields Ltd., India. Emmanuel Sarabwe would like to acknowledge the support of Prof. Johanna Maria Richters in developing his case study. Clara Calia would like to acknowledge the role of colleagues in the One Health network, specifically contributions of Lisa Boden, Ann-Christin Zuntz, Mackenzie Klema, Shaher Abdullateef, Stella Mazeri, Joy Abi-habib, Maria Azar, Joseph Burke, Liz Grant, Suk-Jun Kim and Tom Parkison who supported the work presented in this letter.

References

- Ruiz-Casares M: Research ethics in global mental health: Advancing culturally responsive mental health research. Transcult Psychiatry. 2014; 51(6): 790–805.
 - PubMed Abstract | Publisher Full Text
- Lairumbi GM, Michael P, Fitzpatrick R, et al.: Ethics in practice: the state of the debate on promoting the social value of global health research in resource poor settings particularly Africa. BMC Med Ethics. 2011; 12(1): 22–29. PubMed Abstract | Publisher Full Text | Free Full Text
- Calia C, Reid C, Guerra C, et al.: Ethical challenges in the COVID-19 research context: a toolkit for supporting analysis and resolution. Ethics & Behavior. 2021; 31(1): 60–75.
 Publisher Full Text
- Kuehn BM: WHO: Pandemic Sparked a Push for Global Mental Health Transformation. JAMA. 2022; 328(1): 5–7.
 PubMed Abstract | Publisher Full Text
- Tindana PO, De Vries J, Kamuya D: Ethical challenges in community engagement practices in research during the COVID-19 pandemic in Africa [version 1; peer review: 1 approved, 1 approved with reservations].

- Open Research Africa. 2020; **3**(23): 23. **Publisher Full Text**
- Nuffield Council on Bioethics: Research in global health emergencies: ethical issues report developments. Nuffield Council on Bioethics: London, UK, 2021

Peference Source

- Hassan G, Ventevogel P, Jefee-Bahloul H, et al.: Mental health and psychosocial wellbeing of Syrians affected by armed conflict. Epidemiol Psychiatr Sci. 2016; 25(2): 129–141.
 PubMed Abstract | Publisher Full Text | Free Full Text
- Nichter M: Idioms of distress revisited. Cult Med Psychiatry. 2010; 34(2): 401–416.
 PubMed Abstract | Publisher Full Text
- Wells R, Lawsin C, Wells D: Understanding psychological responses to trauma among refugees: The importance of measurement validity in cross-cultural settings. Journal and Proceedings of the Royal Society of New South Wales. 2015; 148(455–456): 60–69. Reference Source

- World Health Organisation: World Health Statistics 2014. World Health Organisation: Geneva, 2014. **Reference Source**
- van der Graff R, Cheah PY: Ethics of alternative trial designs and methods in low-resource settings. Trials. 2019; 20(Suppl 2): 705-708. PubMed Abstract | Publisher Full Text | Free Full Text
- Parker M, Kingori P: Good and Bad Research Collaborations: Researchers' Views on Science and Ethics in Global Health Research. PLoS One. 2016; 11(10): e0163579.

PubMed Abstract | Publisher Full Text | Free Full Text

- McDermott R, Gibbons P, Mpanje D, et al.: Beyond ethical approval: fostering ethical research practices within inter-sectoral research projects involving academic and NGO sector partners. Int J Humanitarian Action. 2019; 4(1): **Publisher Full Text**
- Reich SM, Reich JA: Cultural Competence in Interdisciplinary Collaborations: A Method for Respecting Diversity in Research Partnerships. Am J Community Psychol. 2006; 38(1–2): 51–62. PubMed Abstract | Publisher Full Text
- Reid C, Calia C, Guerra C, et al.: Ethics in global research: Creating a toolkit to support integrity and ethical action throughout the research journey. *Res Ethics*. 2021; **17**(3): 359–374.
- Cornish H, Fransman J, Newman K: Rethinking research partnerships: discussion guide and toolkit. 2017. **Reference Source**
- Daenhardt M, Bollaert C: Doing research ethically: principles and practices for international development practitioners and evaluators. Teddington/ London. 2021.
- Patel V, Saxena S, Lund C, et al.: The Lancet Commission on global mental health and sustainable development. Lancet. 2018; 392(10157): 1553–1598. PubMed Abstract | Publisher Full Text
- White RG, Orr DMR, Read UM, et al.: Situating Global Mental Health: Sociocultural Perspectives. In: The Palgrave Handbook of Sociocultural Perspectives on Global Mental Health. R.G. White, et al., Editors. Palgrave Macmillan, UK: London, 2017; 1-27. **Publisher Full Text**
- Biehl JG, Petryna A: When people come first: critical studies in global health. Princeton University Press, 2013. Reference Source
- Bemme D, Kirmayer LJ: Global Mental Health: Interdisciplinary challenges for a field in motion. Transcult Psychiatry. 2020; 57(1): 3-18. PubMed Abstract | Publisher Full Text
- Wright K, Sheather J: The Role of Solidarity in Research in Global Health Emergencies. Am J Bioeth. 2020; 20(5): 4-6. PubMed Abstract | Publisher Full Text
- Sayed GD: Mental health in Afghanistan: burden, challenges and the way forward. World Bank: Washington, NY, 2011 **Reference Source**
- Whiteley S: The Evolution of the Therapeutic Community. Psychiatr Q. 2004; **75**(3): 233–248. PubMed Abstract | Publisher Full Text
- Richters A, Dekker C, Scholte WF: Community based sociotherapy in Byumba, Rwanda. Intervention. 2008; 6(2): 100-116. **Publisher Full Text**
- Lambourne W, Gitau LW: **Psychosocial Interventions, Peacebuilding and Development in Rwanda.** *J Peacebuilding Dev.* 2013; **8**(3): 23–36.
- Carlson C, Sweetland A, Wainberg M: Ethical challenges in global mental health clinical trials. Lancet Psychiatry. 2018; 5(11): 866–867.

 PubMed Abstract | Publisher Full Text | Free Full Text
- Chiumento A, Khan MN, Rahman A, et al.: Managing ethical challenges to mental health research in post-conflict settings. Dev World Bioeth. 2016; **16**(1): 15-28.

PubMed Abstract | Publisher Full Text | Free Full Text

- Sharma E, Vaidya N, Iyengar U, et al.: Consortium on Vulnerability to Externalizing Disorders and Addictions (cVEDA): A developmental cohort study protocol. BMC Psychiatry. 2020; 20(1): 2-26. PubMed Abstract | Publisher Full Text | Free Full Text
- Neelakanti R, Sriramula P: **A study on work characteristics and morbidity pattern of coal mine workers in South India.** *International Journal of* Community Medicine and Mental Health. 2019; **6**(8): 3190–3194 **Publisher Full Text**
- Mfutso-Bengo J, Masiye F, Molyneux M, et al.: Why do people refuse to take part in biomedical research studies? Evidence from a resource-poor area. Malawi Med J. 2008; **20**(2): 57–63. **PubMed Abstract** | **Publisher Full Text** | **Free Full Text**

- Redwood S, Gill PS: Under-representation of minority ethnic groups in research-call for action. *Br J Gen Pract.* 2013; **63**(612): 342–3. PubMed Abstract | Publisher Full Text | Free Full Text
- Zuntz AC, Klema M, Abdullateef S, et al.: Syrian refugee labour and food insecurity in Middle Eastern agriculture during the early COVID-19 pandemic. Int Labour Rev. 2022; 161(2): 245–266. Publisher Full Text
- Clarke A, Friede T, Putz R, et al.: Warwick-Edinburgh Mental Well-being Scale (WEMWBS): Validated for teenage school students in England and Scotland. A mixed methods assessment. BMC Public Health. 2011; 11(1): PubMed Abstract | Publisher Full Text | Free Full Text
- Foster RP: The Clinician's Cultural Countertransference: The **Psychodynamics of Culturally Competent Practice.** *Clin Soc Work J.* 1998; **26**(3): 253–270. **Publisher Full Text**
- Lachal C: Le partage du traumatisme : comment soigner les patients 36. traumatisés. Le Journal des psychologues. 2007; 253(10): 50–54 **Publisher Full Text**
- World Health Organization: Task shifting: rational redistribution of tasks among health workforce teams: global recommendations and guidelines. World Health Organisation: Geneva, 2007. Reference Source
- Nuffield Council on Bioethics: Research in Global Health Emergencies: Ethical Issues. Nuffield Council on Bioethics: UK, 2020.
- Calia C, Guerra C, Reid C, et al.: Developing an Evidence-base to Guide Ethical Action in Global Challenges Research in Complex and Fragile Contexts: A Scoping Review of the Literature. Ethics Soc Welf. 2022; 16(1): 54–72.
- Tay AK, Silove D: The ADAPT model: bridging the gap between psychosocial and individual responses to mass violence and refugee trauma. *Epidemiol Psychiatr Sci.* 2017; **26**(2): 142–145. PubMed Abstract | Publisher Full Text | Free Full Text
- Morrison K, Tomsons S, Gomez A, et al.: Network of Ethical Relationships model for global North-South population health research. Glob Public Health. 2018; 13(7): 819-842. PubMed Abstract | Publisher Full Text
- Kingori P: The 'empty choice': A sociological examination of choosing medical research participation in resource-limited Sub-Saharan Africa. Curr Sociol. 2015; 63(5): 763–778.

PubMed Abstract | Publisher Full Text | Free Full Text

- Moran H, Karlin L, Lauchlan E, et al.: Understanding Research Culture: What researchers think about the culture they work in [version 1; peer review: 1 approved, 1 approved with reservations]. Wellcome Open Res. 2020; 5: 201. **Publisher Full Text**
- World Health Organisation: Mental Health Altlas. World Health Organisation: 44 Geneva, 2021. **Reference Source**
- Funk M, Drew N: WHO QualityRights: transforming mental health services. Lancet Psychiatry. 2017; 4(11): 826-827. **PubMed Abstract | Publisher Full Text**
- Sheel M, Kirk MD: Parasitic and parachute research in global health. Lancet Glob Health. 2018; 6(8): e839. PubMed Abstract | Publisher Full Text
- Chiumento A, Rahman A, Frith L, et al.: Ethical standards for mental health and psychosocial support research in emergencies: review of literature and current debates. *Global Health*. 2017; **13**(1): 8. PubMed Abstract | Publisher Full Text | Free Full Text
- Chiumento A, Rahman A, Frith L: Writing to template: Researchers' negotiation of procedural research ethics. *Soc Sci Med.* 2020; **255**: 112980–112990. PubMed Abstract | Publisher Full Text
- Friesen P, Yusof AMM, Sheehan M: Should the Decisions of Institutional Review Boards Be Consistent? Ethics Hum Res. 2019; 41(4): 2–14. PubMed Abstract | Publisher Full Text
- 50 Dunford R: Toward a decolonial global ethics. J Glob Ethics. 2017; 13(3): 380-397. **Publisher Full Text**
- White RG, Fay R, Chiumento A, et al.: Communication about distress and well-being: Epistemic and ethical considerations. *Transcult Psychiatry*. 2022; **59**(4): PubMed Abstract | Publisher Full Text | Free Full Text
- Büyüm AM, Kenney C, Koris A, et al.: Decolonising global health: if not now, when? BMJ Glob Health. 2020; 5(8): e003394. PubMed Abstract | Publisher Full Text | Free Full Text
- Rivera-Segarra E, Mascayano F, Alnasser L, et al.: Global mental health research and practice: a decolonial approach. Lancet Psychiatry. 2022; 9(7): 595-600. PubMed Abstract | Publisher Full Text

Open Peer Review

Current Peer Review Status: ×







Reviewer Report 24 October 2022

https://doi.org/10.21956/wellcomeopenres.20249.r52531

© 2022 Jayaweera K. This is an open access peer review report distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Kaushalya Jayaweera 🗓



Institute for Research and Development, Colombo, Sri Lanka

This article provides an overview of the complex ethical challenges involved in global mental health research. The authors discuss three case studies which demonstrate the challenges and barriers in engaging and involving participants from resource poor settings and conducting research. The critical reflections of each case study provide insights into how researchers in similar settings may manage the ethical challenges they face in their own research. With the availability of a myriad of publications on procedural ethics, articles such as these provide invaluable insights on overcoming potential ethical challenges and barriers involved in field research.

Is the rationale for the Open Letter provided in sufficient detail?

Yes

Does the article adequately reference differing views and opinions?

Yes

Are all factual statements correct, and are statements and arguments made adequately supported by citations?

Yes

Is the Open Letter written in accessible language?

Yes

Where applicable, are recommendations and next steps explained clearly for others to follow?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Epidemiology, ethics, mental health, non-communicable diseases, public

patient involvement and engagement

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.

Reviewer Report 10 October 2022

https://doi.org/10.21956/wellcomeopenres.20249.r52530

© **2022 Miller K.** This is an open access peer review report distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Kenneth E. Miller

Department of Educational and Counselling Psychology, and Special Education, The University of British Columbia, Vancouver, BC, Canada

The authors are to be commended for addressing a critical set of ethical issues related to conducting research in low-income communities and populations with different cultural backgrounds than those of the lead researchers. The title doesn't accurately reflect this focus, and I'd suggest modifying it (it currently just speaks about locally relevant research, but the examples are all of global health/mental health researchers working in low-income settings, and their discussion seems to focus on research in such settings).

A strength of the paper is the use of case studies to illustrate and engage with key ethical issues. This approach can help authors move beyond abstract, intellectual discussion by grounding their arguments in concrete examples. The first case study is an excellent example of this approach, illustrating clearly the trade-off in validity when imposing an overly rigid RCT design to evaluate a community-based psychosocial intervention. The solutions that were developed in the subsequent study of sociotherapy nicely illustrate how good science can evolve out of innovative thinking coupled with a genuine dialogue between researchers and local practitioners and other knowledgeable stakeholders.

Unfortunately, I found the subsequent two case studies less compelling. Case #2 seems to regard the disease model of mental distress/illness as the true model, and a problem in the local community was their lack of awareness of this correct model. In fact, many mental health researchers, including many trained in high income settings, also see mental health problems as reflecting social determinants rather ascribing to a disease model. The researchers acknowledge that some of the resistance to the research project stemmed from difficulties among participants in seeing the relevance of a basic science study in a context of considerable deprivation. It seems like their solution was basically to encourage participation through the provision of blood tests and urine samples which were then used to make medical referrals, and through screening people for alcohol problems. It's unclear to me how the relevance of the research was ever truly conveyed and agreed upon by the target community—a key argument made in the paper, or whether and how the alcohol screenings were used to link people to treatment services (why screen without treating?). Also, the authors say they provided meds, but they did not; they provided test results and referrals, which isn't the same as providing meds. I would modify the wording to make this

more accurate. Did people use the referrals and get the meds or other services they needed? Did the authors follow up on this?

Case #3 is perhaps the least concrete of the three. I had trouble understanding what The Global Ethics Research Toolkit involves—and while I was able to look it up online, ideally a reader should be able to get a clearer sense from the paper itself. I understand that the team followed the concept of "reflective ethical analysis", and the 4Ps model, but I don't actually understand what this meant in practice. I was surprised that the short form of the WEMWBS was selected due to its "validity with Arabic speakers". Arabic speakers comprise an extraordinarily large set of ethnically and nationally diverse groups, and the validity of the WEMWBS has only been established for a very small number of them. Syrians are Arabic speaking, but one wouldn't want to assume validity of the measure because it had been validated on another Arabic speaking population. If the authors meant that it was selected because of its validity with Syrians, then this should be clearly stated and a reference included. I was also a bit surprised by the choice of the measure, which I like and have used, in light of the authors' discussion of the importance of understanding Syrian idioms of distress and capturing the impact of displacement on Syrians. The short form of the WEMWBS is good, but doesn't capture any Syrian idioms of distress, nor does it assess anything close to a representative sample of impacts of displacement and displacement-related stressors. The authors note, accurately and importantly, that researchers "must ensure measures...are appropriate to the sociocultural context in which they are used, and diagnostic tools and interventions should integrate an appreciation of the daily stressors people face." Absolutely true, but it's unclear to me from the case report to what extent this group of researchers actually did these things. Perhaps the report could spell that out more clearly. Likewise, Case #3 suggests the importance of a host of ethical considerations, yet doesn't illustrate how these were enacted or addressed in the study being presented (e.g., considering all facets of impact, capturing both unintended and intended impacts, etc.). It's fine to create a list of ethical considerations, but I think the power of case studies is to illustrate concretely how specific issues were encountered and addressed, as was done so well in Case 1.

The Discussion is among the richest and most compelling sections of the paper. Some critical points are raised, none of which have yet been adequately answered in the literature, and the authors are to be commended for raising them here. Chief among these is the thorny question of whether it is ethical to propose solutions based on one's research that are not feasible in the real-world context where the research has been conducted.

Two small points in the Discussion: if the authors wish to refer to ethical oversight as colonialist, they should make the case why this is so and not simply state it (as they do when they speak of "decolonializing ethical oversight"). Secondly, I would urge the authors to use accessible language; I have no idea what *pluriversality* is, and the citation next to the term does not make me want to go hunt down the meaning of the word.

Is the rationale for the Open Letter provided in sufficient detail?

Yes

Does the article adequately reference differing views and opinions?

Partly

Are all factual statements correct, and are statements and arguments made adequately supported by citations?

Partly

Is the Open Letter written in accessible language?

Partly

Where applicable, are recommendations and next steps explained clearly for others to follow?

Partly

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Mental health, armed conflict, and displacement

I confirm that I have read this submission and believe that I have an appropriate level of expertise to state that I do not consider it to be of an acceptable scientific standard, for reasons outlined above.