## Kent Academic Repository

### Full text document (pdf)

#### Citation for published version

Cavallaro, Francesca L, Kendall, Sally, Van der Meulen, Jan, kennedy, Eilis, Howarth, Emma, Gilbert, Ruth and Harron, Katie (2022) Evaluation of the real-world implementation of the Family Nurse Partnership in England: an observational cohort study using linked data from health, education and children's social care. International Journal of Population Data Science.

#### DOI

https://doi.org/10.23889/ijpds.v7i3.1831

#### Link to record in KAR

https://kar.kent.ac.uk/98267/

#### **Document Version**

Author's Accepted Manuscript

#### Copyright & reuse

Content in the Kent Academic Repository is made available for research purposes. Unless otherwise stated all content is protected by copyright and in the absence of an open licence (eg Creative Commons), permissions for further reuse of content should be sought from the publisher, author or other copyright holder.

#### Versions of research

The version in the Kent Academic Repository may differ from the final published version.

Users are advised to check http://kar.kent.ac.uk for the status of the paper. Users should always cite the published version of record.

#### **Enquiries**

For any further enquiries regarding the licence status of this document, please contact: researchsupport@kent.ac.uk

If you believe this document infringes copyright then please contact the KAR admin team with the take-down information provided at http://kar.kent.ac.uk/contact.html





# International Journal of Population Data Science





Journal Website: www.ijpds.org

Evaluation of the real-world implementation of the Family Nurse Partnership in England: an observational cohort study using linked data from health, education and children's social care.

Francesca Cavallaro<sup>1</sup>, Rebecca Cannings-John<sup>2</sup>, Fiona Lugg-Widger<sup>2</sup>, Jan van der Meulen<sup>3</sup>, Ruth Gilbert<sup>4</sup>, Eilis Kennedy<sup>5</sup>, Michael Robling<sup>2</sup>, and Katie Harron<sup>4</sup>

- <sup>1</sup>The Health Foundation
- <sup>2</sup>Cardiff University
- <sup>3</sup>London School of Hygiene & Tropical Medicine
- <sup>4</sup>UCL GOS Institute of Child Health
- <sup>5</sup>Tavistock and Portman NHS Foundation Trust

#### **Objectives**

The Family Nurse Partnership (FNP) is an early home visiting service supporting young mothers. A randomised controlled trial of FNP in England found no effect on short-term primary outcomes or maltreatment up to age seven, but positive impacts on educational outcomes by age 7. We report preliminary results of an evaluation of FNP using linked administrative data.

#### **Approach**

We constructed a cohort of all mothers aged 13-19 and their firstborn child(ren) giving birth between 2010 and 2017, using linked administrative data from hospital admissions (Hospital Episode Statistics) and education and social care (National Pupil Database). We evaluated differences in a range of policy relevant child and maternal outcomes, comparing mothers who were enrolled in FNP with those who were not using propensity score matching.

#### Results

Of 110,960 mothers in our linked cohort, 26,290 (24%) were enrolled in FNP. FNP mothers were younger, more deprived, and more likely to have adversity or social care histories than mothers not enrolled. Preliminary results suggest that FNP was not associated with fewer unplanned hospital admissions for injury / maltreatment by age two, improved child development at age 4, persistent school absence or children looked after in out-of-home care by age 7, or improved maternal outcomes. Some adverse outcomes appeared to be increased in the FNP group. We will present findings amongst subgroups of younger maternal age (13-15 years), increased deprivation according to quintile of Index of Multiple Deprivation, and adversity and social care history. We also present sensitivity analyses that aim to minimise confounding.

#### Conclusion

Our study supports findings from previous trials of FNP showing little benefit for measured child and maternal outcomes. Interpretation of results needs careful consideration of the impact of residual confounding due to unmeasured or undisclosed factors (e.g. family violence) linked to targeting of FNP to higher risk mothers, and surveillance bias.

