Enhanced point of care ultrasound skills after additional instruction from simulated patients Amélioration des compétences en matière d'échographie au point d'intervention grâce à la rétroaction supplémentaire fournie par des patients simulés instructeurs

Paul Olszynski,¹ Bryan Johnston,² Danielle McIntyre,³ Krista Trinder²

¹Department of Emergency Medicine, University of Saskatchewan, Saskatchewan, Canada; ²College of Medicine, University of Saskatchewan, Saskatchewan, Canada; ³University of Saskatchewan Health Sciences, Saskatchewan, Canada Correspondence to: Paul Olszynski; email: p.olszynski@usask.ca

Published ahead of issue: Nov 16, 2022 CMEJ 2022 Available at https://doi.org/10.36834/cmej.74246

© 2022 Olszynski, Johnston, McIntyre, Trinder; licensee Synergies Partners. This is an Open Journal Systems article distributed under the terms of the Creative Commons Attribution License. (<u>https://creativecommons.org/licenses/by-nc-nd/4.0</u>) which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is cited.

Abstract

Background: Point of Care Ultrasound (POCUS) training in Canadian undergraduate medical programs is steadily increasing. To date, the simulated patients (SPs) in our program have only provided feedback on comfort and professionalism. Involving the POCUS SPs as teachers (SP-teachers) of POCUS skills provides an additional opportunity for instruction. In this pilot study, we explored the impact of SP-teachers instructing medical trainees while they learned POCUS. Outcomes of interest included the level of proficiency achieved after the session and trainee satisfaction with the learning experience.

Methods: Second year medical students were randomized into a conventional or SP-teacher learning experience. Both groups received the same video tutorial, instructor guidance, and basic SP feedback (comfort and professionalism). The SP-teaching group received additional instruction (landmarks, transducer technique, and troubleshooting) from the SP-teachers when session instructors were assisting others. Students evaluated the session and were subsequently assessed through direct observation.

Results: Students that received SP-teaching scored significantly higher in both image acquisition (p = 0.029, d = 1.26) and overall entrustment (p = 0.002, d =1.75). Both groups rated their sessions highly.

Conclusions: Students that received SP-teaching were observed to better acquire images and achieved higher entrustment scores. In this pilot study, SP-teachers had a positive effect on acquisition of POCUS skills.

Résumé

Contexte : L'enseignement de l'échographie au point d'intervention (POCUS) dans les programmes de médecine de premier cycle au Canada est en pleine expansion. Jusqu'à présent, les patients simulés (PS) de notre programme ne fournissaient que des commentaires sur le confort et le professionnalisme. La participation de patients simulés en tant qu'instructeurs (PS-instructeurs) pour les compétences POCUS offre une occasion d'apprentissage supplémentaire. Dans cette étude pilote, nous avons exploré l'effet de l'intervention des PS-instructeurs dans le cadre d'une séance de formation en POCUS. Les résultats sont intéressants en ce qui concerne le niveau de compétences atteint par les stagiaires à la suite de la séance et sur le plan de leur satisfaction à l'égard de cette expérience d'apprentissage.

Méthodes : Des étudiants en deuxième année de médecine ont été répartis au hasard entre un groupe qui a reçu une formation traditionnelle et un groupe qui a reçu la formation avec l'intervention de PS-instructeurs. Les deux groupes ont eu accès au même tutoriel, aux mêmes conseils de l'instructeur et à une rétroaction de base de la part des PS (confort et professionnalisme). Les apprenants du groupe travaillant avec des PSinstructeurs ont reçu des commentaires supplémentaires de la part de ces derniers (repères, technique du transducteur et dépannage) pendant que les instructeurs assistaient d'autres stagiaires. Les étudiants ont évalué la séance et ont ensuite fait l'objet d'une évaluation par observation directe.

Résultats : Les étudiants qui ont bénéficié de l'intervention de PSinstructeurs ont obtenu des résultats nettement plus élevés en ce qui concerne l'acquisition d'images (p=0,029, d=1,26) et leur score de confiance global (p=0,002, d=1,75). Les deux groupes ont évalué leur séance de formation de manière très positive.

Conclusions : On a constaté que les étudiants qui ont bénéficié de commentaires supplémentaires de la part des PS-instructeurs ont eu de meilleurs résultats en acquisition d'images et un score de confiance plus élevé. D'après cette étude pilote, les PS-instructeurs ont eu un effet positif sur l'acquisition de compétences en POCUS.

Introduction

Point of Care Ultrasound (POCUS) is ultrasonography performed by a clinician at the patient's bedside. It is broad in scope and its clinical applications are far-reaching.¹⁻³ As early as 2014, half of Canadian medical schools had already implemented some form of POCUS education in their undergraduate medical education (UGME) programing.⁴ At the University of Saskatchewan, POCUS training is integrated into UGME in both pre-clerkship⁵ and clerkship.⁶ In pre-clerkship, learning is facilitated through a flippedclassroom model that includes video tutorials and handson scanning sessions with simulated patients (SP) for a total of 10 hours of POCUS training. Student group sizes are typically 2-4 students for each ultrasound machine (and simulated patient) to maximize each learner's hands-on scanning time. Trainees receive coaching from our instructors who move from group to group.

SPs contribute substantially to UGME training at the University of Saskatchewan. SPs offer a readily available, safe, and adaptive patient encounter that can meet the learner's educational needs.⁷ POCUS SPs provide trainees an opportunity to develop their image generation skills on a range of patient body types outside the pressures of clinical care and account for approximately 448 SP-contact hours/year. POCUS SPs in our program regularly offer our trainees feedback on comfort (transducer pressure, patient positioning) and professionalism during scanning sessions. Due to their limited POCUS knowledge SPs have been reluctant to offer any additional instruction regarding image generation and interpretation. This represents a potentially missed opportunity for POCUS instruction. SPs as teachers (SP-teachers) are easy to train compared to real patients and can contribute to teaching a variety of clinical competencies including the physical exam, advanced communication, and the pelvic exam.⁷⁻¹⁰

Feedback on performance is an essential component of medical training and is vital to student success in POCUS training.¹¹⁻¹³ Image acquisition and interpretation skills are refined through repeated practice as trainees familiarize themselves with the breadth of normal and abnormal findings. While POCUS learning opportunities may include a range of different experiences and modalities,¹⁴ direct supervision remains an important source of feedback. Given that surveys on POCUS integration in UGME consistently rank the lack of qualified instructors as a main barrier to implementation,¹⁵ instruction from POCUS SP-teachers on image acquisition could prove helpful.

Our aim was to determine if trainees benefit from instruction on POCUS from SP-teachers. Such instruction extends beyond offering trainees feedback on comfort and professionalism, and includes transducer technique, surface and sonographic landmarking, image orientation and interpretation, as well as patient-specific troubleshooting aspects of scanning. It also includes prompts regarding maneuvers that patients may be asked to perform to help optimize image generation (for example, having the patient take a deep breath in, bend their knees, or roll into decubitus). We hypothesized that students who receive this additional instruction from their SP-teacher during training would perform better in a standardized direct observation.

Methods

This study was approved via delegated review by the Research Ethics Board of the University of Saskatchewan (Bio #2521). We recruited 20 second-year medical students who had completed their first year of their program. Students volunteered to participate in a typical 80-minute scanning session followed by an Observed Structured Clinical Examination (OSCE) station that afternoon (see Figure 1). Students were electronically randomized into two groups and remained blinded to which they were assigned, control and intervention. Due to COVID-19 restrictions during their first year of studies, students did not have access to POCUS machines outside of scheduled instruction time.




Figure 1. Study flowchart.*1 student did not arrive for the session, and 1 other did not return for the OSCE (n = 8 control, n = 10 intervention)

Prior to arriving for their assigned scanning session, students were instructed to watch a previously developed 20-minute tutorial on the use of POCUS in suspected obstructive nephropathy and uropathy.⁵ During the scanning session, two POCUS instructors assisted the students as they worked in pairs thus each instructor was helping 2-3 pairs of students, providing instruction and feedback. In the control group, SPs offered no additional teaching beyond basic feedback on comfort and professionalism. In the intervention group, the same SPs provided additional POCUS instruction (when POCUS instructors were busy with other groups), now in the role of POCUS SP-teachers. Students were then asked to complete an online survey to capture feedback on their scanning session. Students then participated in a previously developed OSCE⁵ to assess their use of POCUS in suspected obstructive nephropathy. Such use of OSCEs is consistent with previous published reports exploring the impact of SPteachers on student learning.7-10 Each student's performance was rated using the Ultrasound Competency Assessment Tool^{16,17} to ascertain a difference in performance between the two groups following the training session. This tool was chosen because it includes an entrustment score, making ratings easily interpretable through five basic anchors¹⁸ compatible with competency based medical education in UGME.

The six SPs in this study were recruited from the University of Saskatchewan's Clinical Learning and Resource Centre's (CLRC) SP program. All SPs had extensive experience as SPs at previous POCUS scanning sessions. Two weeks prior to the study date, these SPs were invited to a workshop where author PO taught core aspects of POCUS including ultrasound physics, image generation, and sono-anatomy. At the end of this three-hour workshop, they were given guidance on key aspects of scanning and how to engage with the students. The same six SPs were scanned during both the control and intervention arms of the study.

The authors developed an online questionnaire (Survey Monkey, California, USA) based on current program evaluation questions and included both 5-point Likert scale and free-text questions. Students were asked to rate several aspects of the session including general organization, overall ratings of instruction and SPs, as well as perceived achievement of the session objectives.

For the OSCE, we invited a qualified and experienced POCUS instructor from one of our distributed training sites. This instructor did not know the trainees prior to the encounter and remained blinded to their study grouping.

Student OSCE performance scores were analyzed using SPSS version 27. Independent samples t-tests were conducted where students in the control group were compared to students in the intervention group. Effect sizes (Cohen's d) were also calculated as a practical measure of significance not impacted by sample size, where .2 is small, .5 is medium, and .8 is large.

Results

Of those recruited, 19 students participated in the study scanning session, and 18 completed the OSCE station. Students in the intervention group received significantly higher ratings than students in the control group on image acquisition (control 2.38 (0.52), intervention 2.90 (0.32) p = .029, score range 1-3) and overall entrustment (control 2.88 (0.64), intervention 3.80 (0.42), p = .002, score range 1-5). These differences yielded large effect sizes. Means, standard deviations, and statistical information are reported in the Table 1 below.

Table 1. Control and intervention group mean scores

Item	Control		Intervention		Statistical Information
	Μ	SD	Μ	SD	Statistical information
Preparation	3.00	.00	3.00	.00	
(range 1-3)					
Image	2.38	.52	2.90	.32	t(16) = -2.52, p = .029,
Generation					d = -1.26
(range 1-3)					
Image	2.75	.46	2.80	.42	t(16) = .24, p = .814, d
Optimization					=11
(range 1-3)					
Clinical	2.75	.46	3.00	.00	t(16) = -1.53, p = .179,
Interpretation					d =82
(range 1-3)					
Overall	2.88	.64	3.80	.42	t(16) = -3.69, p = .002,
Entrustment					d = -1.75
(range 1-5)					

Legend M: mean, SD: standard deviation

Student evaluations of the training sessions did not reveal significant differences. Both groups gave high scores, with mean ratings > 4.00 for almost all items, indicating satisfaction with the session. When surveyed about the SPs specifically, all students ranked SP involvement and feedback highly, with mean ratings \geq 4.89 given for all items. When asked open-ended questions about what should be continued in future sessions, most students highlighted the importance of practice and feedback from both instructors and SPs: "The standardized patients and instructors created a very friendly and informative environment that was comfortable to learn in."

Discussion

Students in the intervention group demonstrated better image acquisition skills and achieved higher overall entrustment scores than those in the control group. Students in both arms rated the experience very highly, describing feedback from the SPs as valuable and contributing to learning.

In this study, SPs were able to assimilate and then teach basic POCUS concepts while simultaneously serving as simulated patients. This is comparable to how a SP-teacher engages with trainees when teaching the pelvic exam.^{7,8} Our findings raise the prospect that POCUS SP-teachers could make meaningful contributions to student POCUS performance, consistent with previous studies on the impact of SP-teachers on student learning and outcomes.⁷⁻¹⁰

Despite the widespread adoption of POCUS,¹⁹ and the resulting implications for UGME training,²⁰ it remains to be determined to what degree medical students should be able to perform (or be entrusted with) POCUS. While our findings suggest entrustment scores of 3 and 4 are possible, further research on the appropriateness and durability of these skills will be required. Importantly, such ratings could be adopted by POCUS SP-teachers. This would provide consistent assessment across courses and instructors, further strengthening the case for integration of these capable clinical instructors into POCUS education.

Limitations

Our sample size was small. Further studies should include a larger cohort, and an element of repeated measures with more assessments and more time between the learning session and assessment. This will help establish the durability of learning as well as inform to what level an average medical student can be expected to perform POCUS. Generalizability is also limited as the six SPs in this pilot study had extensive prior experience as POCUS SPs. It is unclear whether less experienced SPs could learn the required materials to be as effective POCUS SP-teachers as our pilot group. We intend to expand our POCUS SPteacher program and use ongoing program evaluation to monitor SP-teacher performance.

Conclusions

In this study, students that received POCUS instruction from SP-teachers performed better than those who did not, demonstrating significant gains in image generation skills and higher overall entrustment scores. Students ranked POCUS SP feedback highly and felt it contributed to their learning. These findings warrant further study with a larger cohort and a longitudinal study design.

Conflicts of Interest: The Authors have no conflict of interest to declare

Funding: This study was financially supported by a Dean's Summer Research Project grant through the College of Medicine at the University of Saskatchewan. Funding of \$5000 was awarded to our medical student research assistant and author Bryan Johnston.

Acknowledgements: We thank the staff at the CLRC at the University of Saskatchewan for accommodating the time and space required for this study, as well as providing the POCUS machines.

References

- Moore CL, Copel JA. Point-of-care ultrasonography. N Engl J Med. 2011 Feb 24;364(8):749-57. https://doi.org/10.1056/NEJMra0909487
- Hoppmann RA, Rao VV, Poston MB, et al. An integrated ultrasound curriculum (iUSC) for medical students: 4-year experience. *Crit Ultrasound J.* 2011 Apr;3(1):1-12. https://doi.org/10.1007/s13089-011-0052-9.
- International Federation for Emergency Medicine. *Point-of-Care Ultrasound Curriculum Guidelines*. First ed. West Melbourne: International Federation for Emergency Medicine, 2014.
- Steinmetz P, Dobrescu O, Oleskevich S, Lewis J. Bedside ultrasound education in Canadian medical schools: A national survey. *Can Med Educ J.* 2016 Mar 31;7(1):e78-86. <u>https://doi.org/10.36834/cmej.36646</u>
- Olszynski P, Anderson J, Trinder K, Domes T. Point-of-care ultrasound in undergraduate urology education: a prospective control-intervention study. *J Ultrasound Med*. 2018 Sep;37(9):2209-2213. <u>https://doi.org/10.1002/jum.14571</u>.
- Olszynski P, Russell M, Neufeld A, Malin G. The Clinical Ultrasonography Elective in Clerkship (CUSEC): a pilot elective for senior clerkship students at the University of Saskatchewan. *Can Med Educ J.* 2020 Mar 16;11(1):e144-e146. <u>https://doi.org/10.36834/cmei.61810</u>.
- Barrows HS. An overview of the uses of standardized patients for teaching and evaluating clinical skills. AAMC. Acad Med. 1993 Jun;68(6):443-51; discussion 451-3. https://doi.org/10.1097/00001888-199306000-00002.
- Stillman PL, Swanson DB. Ensuring the clinical competence of medical school graduates through standardized patients. *Arch Intern Med.* 1987 Jun;147(6):1049-52. PMID: 3592872.
- Stillman PL, Regan MB, Philbin M, Haley HL. Results of a survey on the use of standardized patients to teach and evaluate clinical skills. *Acad Med.* 1990 May;65(5):288-92. https://doi.org/10.1097/00001888-199005000-00002.
- 10. Bokken L, Rethans JJ, Scherpbier AJ, van der Vleuten CP. Strengths and weaknesses of simulated and real patients in the

teaching of skills to medical students: a review. *Simul Healthc.* 2008 Fall;3(3):161-9.

https://doi.org/10.1097/SIH.0b013e318182fc56.

- Parks AR, Atkinson P, Verheul G, Leblanc-Duchin D. Can medical learners achieve point-of-care ultrasound competency using a high-fidelity ultrasound simulator?: a pilot study. *Crit Ultrasound J.* 2013 Nov 19;5(1):9. <u>https://doi.org/10.1186/2036-7902-5-9</u>.
- Mackay FD, Zhou F, Lewis D, Fraser J, Atkinson PR. Can you teach yourself point-of-care ultrasound to a level of clinical competency? Evaluation of a self-directed simulation-based training program. *Cureus*. 2018 Sep 17;10(9):e3320. <u>https://doi.org/10.7759/cureus.3320</u>.
- Vignon P, Pegot B, Dalmay F, et al. Acceleration of the learning curve for mastering basic critical care echocardiography using computerized simulation. *Intensive Care Med.* 2018 Jul;44(7):1097-1105. <u>https://doi.org/10.1007/s00134-018-5248-z</u>.
- 14. Ma IWY, Steinmetz P, Weerdenburg K, et al. The Canadian medical student ultrasound curriculum: a statement from the Canadian ultrasound consensus for undergraduate medical education group. *J Ultrasound Med*. 2020 Jul;39(7):1279-1287. https://doi.org/10.1002/jum.15218.
- Russell FM, Zakeri B, Herbert A, Ferre RM, Leiser A, Wallach PM. The state of point-of-care ultrasound training in undergraduate medical education: findings from a national

survey. Acad Med. 2022 May 1;97(5):723-727. https://doi.org/10.1097/ACM.000000000004512

- Bell C, Hall AK, Wagner N, Rang L, Newbigging J, McKaigney C. The Ultrasound Competency Assessment Tool (UCAT): development and evaluation of a novel competency-based assessment tool for point-of-care ultrasound. *AEM Educ Train.* 2020 Oct 3;5(3):e10520. <u>https://doi.org/10.1002/aet2.10520</u>.
- Bell C, Wagner N, Hall A, Newbigging J, Rang L, McKaigney C. The ultrasound competency assessment tool for four-view cardiac POCUS. *Ultrasound J.* 2021;13(1):42. Published 2021 Sep 27. <u>https://doi.org/10.1186/s13089-021-00237-3</u>
- Gofton WT, Dudek NL, Wood TJ, Balaa F, Hamstra SJ. The Ottawa Surgical Competency Operating Room Evaluation (O-SCORE): a tool to assess surgical competence. *Acad Med.* 2012 Oct;87(10):1401-7.

https://doi.org/10.1097/ACM.0b013e3182677805.

- Davis JJ, Wessner CE, Potts J, Au AK, Pohl CA, Fields JM. Ultrasonography in undergraduate medical education: a systematic review. J Ultrasound Med. 2018 Nov;37(11):2667-2679. <u>https://doi.org/10.1002/jum.14628</u>.
- Evans DK, Thiessen MEW. Novel approach to introducing an ultrasonography curriculum with limited instructor resources. J Am Osteopath Assoc. 2019 Aug 1;119(8):533-540. https://doi.org/10.7556/jaoa.2019.095.