## **Case Report**

DOI: http://dx.doi.org/10.18203/2320-6012.ijrms20160555

# A rare case of bacteremia due to *Acinetobacter junii* in an immunocompetent adult

### Asifa Nazir\*, Rumana Farooq, Nahid Nahvi

Department of Microbiology, Government Medical College, Srinagar, J&K, India

Received: 15 January 2016 Accepted: 08 February 2016

#### \*Correspondence:

Dr. Asifa Nazir, E-mail: asifanazir@gmail.com

**Copyright:** © the author(s), publisher and licensee Medip Academy. This is an open-access article distributed under the terms of the Creative Commons Attribution Non-Commercial License, which permits unrestricted non-commercial use, distribution, and reproduction in any medium, provided the original work is properly cited.

#### ABSTRACT

The genus *Acinetobacter* comprises a complex and heterogeneous group of bacteria, many of which are capable of causing a range of opportunistic, often nosocomial, infections in humans. *Acinetobacter junii* is a rare human pathogen associated with bacteraemia in neonates and paediatric oncology patients. We report a unique case of bacteremia caused by *Acinetobacter junii*, in a patient with no risk factors identified.

Keywords: Acinetobacter junii, Bacteremia, Immunocompetent

#### **INTRODUCTION**

The genus *Acinetobacter* comprises a complex and heterogeneous group of bacteria, many of which are capable of causing a range of opportunistic infections in humans. Community acquired infections due to *Acinetobacter* are rare. The main pathogenic species is *Acinetobacter baumannii* complex, which constitutes a common cause of nosocomial infections, particularly in patients with underlying diseases and risk factors (e.g. prior broad-spectrum antibiotic therapy, malignancy, central venous catheter, mechanical ventilation).<sup>1,2</sup>

Acinetobacter species other than *A. baumannii* have rarely been reported to be associated with bloodstream infections. In this report we present a case of bacteremia caused by *Acinetobacter junii* in an immunocompetent adult.

#### **CASE REPORT**

A 45 year old male, normotensive, non-diabetic, chronic smoker was admitted in ward 6 of medical unit IV with complaints of fever and dry cough of ten days duration. The patient had been on phenytoin since 2 years for a seizure disorder due to AV malformation in the frontal lobe. At admission he was conscious, well oriented with a pulse rate of 88/min and BP 110/70 mmHg.

#### Lab investigations

His haemogram was as follows; Hb -11.7gm; WBC count 6500/µl; (neutrophils 65.6%, lymphocytes 16.4%); platelets 2 lacs. The liver and renal parameters were normal. He tested negative for Monteaux, Widal and Malarial parasite. X ray Chest showed right sub pleural fibrosis with right pleural thickening, Bronchoscopy showed no abnormalities and his sputum and BAL examination were negative for AFB.

#### Microbiological investigation

Three sets of blood cultures were drawn at 0, 24 and 48 hours from different venipuncture sites. After 24 hours of incubation, colonies were found on sheep blood agar and MacConkeys agar (Figure 1) which was 1.5-2 mm in diameter and non-lactose fermenting. On staining these isolates appeared as gram- negative cocco bacillary forms (Figure 2). Further identification and antibiotic sensitivity was done on VITEK 2 compact 60 Biomerieux, India Pvt., ltd. The isolate was identified as *A. junii* and it was sensitive to cefatizidime, cefaperazone and sulbactam,

cefepime, aztreonam, doripenem, imipenem, meropenem, amikacin, gentamycin, ciprofloxacin, minocycline, tigicycline, trimethoprim & sulphamethoxazole but resistant to colistin. The patient was put on medication and there was complete resolution of his signs and symptoms. Repeat blood cultures were negative and the patient was discharged.



Figure 1: Non-lactose fermenting colonies of A. junii.



Figure 2: Gram negative coccobacillary forms on gram staining.

#### DISCUSSION

Acinetobacter species are aerobic gram negative coccobacilli that have emerged as important opportunistic pathogens, especially among debilitated patients. Clinical forms of *Acinetobacter* infections include mainly the respiratory tract, bloodstream infections, peritoneum, urinary tract infection, surgical wounds, meningitis, skin and soft tissue infections. Infections caused by species of Acinetobacter other than *A. baumannii* have been rarely reported in literature. *A. junii* (genomic species 5) is a rare human pathogen, being particularly associated with outbreaks of septicaemia in neonates and paediatric oncology patients.<sup>3-5</sup> Rare cases of meningitis, peritonitis,

ocular infection and septicaemia in an adult oncology patient caused by *A. junii* have also been described.<sup>4,6-8</sup>

Relatively few infections caused by *Acinetobacter spp.* are community acquired, reported primarily from countries with tropical or subtropical climate, and mainly affected patients with some form of comorbidity or associated with heavy smoking and excess alcohol consumption.<sup>6,7</sup>

*A. junii* rarely causes infections in humans.<sup>9</sup> In larger analyses from Europe, strains of *A. junii* constitute 3.6–4.8% of all Acinetobacter isolates-12/331 and 9/186, respectively.<sup>10,11</sup> It mainly affects patients who have had prior antimicrobial therapy, invasive procedures, or malignancy.<sup>9</sup> Although *A. junii* is capable of causing serious infections, they are generally non-fatal because the micro-organism is commonly susceptible to antimicrobial agents.<sup>3</sup> The present case represents the first documented case of bacteremia by *A. junii* in an adult immunocompetent patient.

It should be noted that *A. non-baumannii* species, including *A. junii*, may cause bacteremia in an otherwise healthy patient. Special attention should be given to the correct identification of *Acinetobacter non-baumannii* species, which will contribute to a better understanding of the epidemiology and the real clinical impact of these species as a cause of infections in humans.

*Funding: No funding sources Conflict of interest: None declared Ethical approval: Not required* 

#### REFERENCES

- 1. Antunes LCS, Visca P, Towner KJ. Acinetobacter baumannii: evolution of a global pathogen. Pathog Dis. 2014;0:1-10.
- Bergogne-Berezin E, Towner KJ. Acinetobacter spp. as nosocomial pathogens: microbiological, clinical, and epidemiological features. Clin Microbiol Rev. 1996;9:148-65.
- Bernards AT, de Beaufort AJ, Dijkshoorn L, van Boven CP. Outbreak of septicaemia in neonates caused by Acinetobacter junii investigated by amplified ribosomal DNA restriction analysis (ARDRA) and four methods. J Hosp Infect. 1997;35:129-40.
- Borras M, Moreno S, Garcia M, Martin ML, Manonelle A, Fernandez E. Acinetobacter junii causes refractory peritonitis in a patienton automated peritoneal dialysis. Perit Dial Int. 2007;27:101-2.
- Kappstein I, Grundmann H, Hauer T, Niemeyer C. Aerators as a reservoir of Acinetobacter junii: an outbreak of bacteraemia in paediatric oncology patients. J Hosp Infect. 2000;44:27-30.

- 6. Chang WN, Lu CH, Huang CR, Chuang YC. Community-acquired Acinetobacter meningitis in adults. Infection. 2000;28:395-7.
- Prashanth K, Ranga MP, Rao VA, Kanungo R. Corneal perforation due to Acinetobacter junii: a case report. Diagn Microbiol Infect Dis. 2000;37:215-7.
- Linde HJ, Hahn J, Holler E, Reischl U, Lehn N. Septicemia due to Acinetobacter junii. J Clin Microbiol. 2002;40:2696-7.
- 9. Hung YT, Lee YT, Huang LJ, Chen TL, Yu KW, Fung CP. Clinical characteristics of patients with Acinetobacter junii infection. J Microbiol Immunol Infect. 2009;42:47-53.
- Van den Broek PJ, van der Reijden TJK, van Strijen E, Helmig-Schurter AV, Bernards AT, Dijkshoorn L. Endemic and epidemic Acinetobacter species in a university hospital: an 8-year survey. J Clin Microbiol. 2009;47:3593-9.
- Seifert H, Dijkshoorn L, Gerner-Smidt P, Pelzer N, Tjernberg I, Vaneechoutte M. Distribution of Acinetobacter species on human skin: comparison of phenotypic and genotypic identification methods. J Clin Microbiol. 1997;35:2819-25.

**Cite this article as:** Nazir A, Farooq R, Nahvi N. A rare case of bacteremia due to *Acinetobacter junii* in an immunocompetent adult. Int J Res Med Sci 2016;4:969-71.