

The Dancer in the Eye: Towards a Multi-Layered Computational Framework of Qualities in Movement

Antonio Camurri

Casa Paganini – InfoMus
DIBRIS, University of Genova
Genova, Italy
antonio.camurri@unige.it

Gualtiero Volpe

Casa Paganini – InfoMus
DIBRIS, University of Genova
Genova, Italy
gualtiero.volpe@unige.it

Stefano Piana

Casa Paganini – InfoMus
DIBRIS, University of Genova
Genova, Italy
stefano.piana@dist.unige.it

Maurizio Mancini

Casa Paganini – InfoMus
DIBRIS, University of Genova
Genova, Italy
maurizio.mancini@unige.it

Radoslaw Niewiadomski

Casa Paganini – InfoMus
DIBRIS, University of Genova
Genova, Italy
radoslaw.niewiadomski@dibris.unige.it

Nicola Ferrari

Casa Paganini – InfoMus
DIBRIS, University of Genova
Genova, Italy
eusebius_1799@yahoo.com

Corrado Canepa

Casa Paganini – InfoMus
DIBRIS, University of Genova
Genova, Italy
corrado@infomus.org

ABSTRACT

This paper presents a conceptual framework for the analysis of expressive qualities of movement. Our perspective is to model an observer of a dance performance. The conceptual framework is made of four layers, ranging from the physical signals that sensors capture to the qualities that movement communicate (e.g., in terms of emotions). The framework aims to provide a conceptual background the development of computational systems can build upon, with a particular reference to systems analyzing a vocabulary of expressive movement qualities, and translating them to other sensory channels, such as the auditory modality. Such systems enable their users to “listen to a choreography” or to “feel a ballet”, in a new kind of cross-modal mediated experience.

Author Keywords

Cross-modal and multimodal interactive systems; Dance performance; Expressive movement; Automated analysis of movement qualities; Interactive sonification.

Paste the appropriate copyright/license statement here. ACM now supports three different publication options:

- ACM copyright: ACM holds the copyright on the work. This is the historical approach.
- License: The author(s) retain copyright, but ACM receives an exclusive publication license.
- Open Access: The author(s) wish to pay for the work to be open access. The additional fee must be paid to ACM.

This text field is large enough to hold the appropriate release statement assuming it is single-spaced in Times New Roman 8-point font. Please do not change or modify the size of this text box.

Each submission will be assigned a DOI string to be included here.

ACM Classification Keywords

H.5.m. Information interfaces and presentation (e.g., HCI): Miscellaneous.

INTRODUCTION

In his uncanny cosmic mysticism, ancient Persian poet Rûmi claimed that the action of closing eyes is needed for really seeing, because it makes us search for that light that is more evident and clear than the manifest and visible one.

This idea is at the basis of the conceptual framework we propose in this paper, i.e., a framework to guide the design and the development of systems for automated analysis of expressive movement qualities. The rationale is that if we can capture the inner and intimate qualities (e.g., in terms of emotions) movement conveys to an external observer, these qualities can be made manifest and visible through other sensory modalities such as, for example, the auditory one. In such a way, by closing her eyes and by listening to the auditory representation of movement qualities, a user can be made aware of some information, which is hidden in the movement and may be difficult to perceive otherwise.

The proposed framework consists of four layers, ranging from physical signals to high-level qualities of movement (and dance) performance and addresses several aspects such as different spatial and temporal scales. It was developed within the EU-H2020 ICT Project *DANCE*¹, which aims at investigating how sound and music can express, represent, and analyze the affective and relational qualities of body

¹ <http://dance.dibris.unige.it>

movement. To transfer vision into sound, however, a model is needed to understand what we see when we observe the qualities of a movement, and what we perceive in a movement when we feel its qualitative expression. The model presented here, while focusing on the visual analysis of movement qualities, is propaedeutic to their multi- and cross-sensorial translation.

The paper is organized as follows. The next section reviews some related work; our framework is then described layer-by-layer; finally, on-going and future work, with particular focus on existing or planned implementations is discussed.

RELATED WORK

Developing computational models of full-body expressive movement in nonverbal communication is a challenging interdisciplinary research problem. It involves dance and choreography (e.g., Rudolph Laban’s Effort Theory [16]), experimental psychology (e.g., [29]), affective computing (see e.g., some recent surveys on analysis of nonverbal full-body affective content [17][18]), neuroscience (see e.g., the study by de Gelder on the role of the body in conveying emotion [10]). Camurri and colleagues [4][5][7] proposed a multi-layered computational model of expressive gesture, which was adopted in the EyesWeb libraries for expressive gesture analysis (e.g., [9][14]). Recent studies focused on computational models inspired by artistic research, see for example, the work by Alaoui and colleagues to analyze the vocabulary of choreographer Emio Greco [1]. Moreover, analysis of expressive full-body movement qualities proved useful in research on ICT for therapy and rehabilitation of cognitive and motoric disabilities including, e.g., Parkinson disease [8], autism [22], and chronic pain [26].

With respect to our previous work in [4][5][7], the proposed framework (i) is more explicitly connected to an observer’s perspective, (ii) takes into account different spatial and temporal scales, (iii) establishes a clear distinction on the types of data in each layer and introduces specific analysis primitives, and (iv) explicitly targets expressive qualities.

CONCEPTUAL FRAMEWORK

The framework we propose here develops from the multi-layered framework for analysis of nonverbal expressive content in full-body movement defined in [4][5][7]. Our proposal grounds on the following basic assumptions:

1. *Observer Perspective*: we assume the perspective of an observer of a dance performance, rather than the (egocentric) perspective of the dancer. For example, an observer may perceive the movement of a dancer as *light*, but the movement can actually be the result of strong muscular forces and tensions the dancer exerts in order to convey *lightness* to an audience.
2. *Body-Space Scales*: we assume that a specific subset of expressive movement features can be measured at different Body-Space Scales, ranging from a single part of the body (e.g., a hand), to the whole body, up to a group of dancers perceived as a single body/organism. For example, *contraction/expansion* can be measured on

the movement of one hand, of the whole body, or of a group of dancers; *coordination* can be measured both in terms of intra-personal synchronization (either of joints of a limb or of the whole body), and of inter-personal synchronization of dancers within a group. Body-Space Scales are related to the distinction between *Personal Space* and *General Space* proposed in R. Laban’s Effort Theory [16], and adopted in the design of the expressive libraries of the EyesWeb system [5].

3. *Temporal Scales* (from continuous to discrete time): we assume that different time scales apply to different kinds of analyses and extracted features. Low-level features are usually measured as instantaneous qualities; mid-level features typically require time windows in a range of 0.5-3s [11][24]; high-level features, concerning e.g., emotion and social signals, are measured at larger time scales. As long as the analysis moves from low-level signals to high-level concepts, the focus of the analysis moves from continuous time-series of sampled data to events happening at discrete locations in time.
4. *Multimodality*: our model is conceived to fully exploit multimodal integration of motion capture, visual, audio, and physiological data. Respiration features contribute, for example, to analysis of expressive movement.
5. *Analysis Primitives*: we assume that analysis primitives are applied to data at various stages in the model. Analysis primitives are unary, binary, or *n*-ary operators that summarize with one or more values the temporal development of a feature in an analysis time unit (e.g., a movement unit or a time window). Statistical moments (for example, average, standard deviation, skewness, and kurtosis) are among the simplest unary analysis primitives. Further examples of unary operators, that are more complex, include shape (e.g., slope, peaks, valleys [9]), entropy [13], recurrence [27], and time-frequency transforms. Analysis primitives also include predictive models (e.g., HMMs as in [2]), or physical models, such as the mass-damper-spring model adopted in [23].

Figure 1 sketches the overall structure of our multi-layered conceptual framework. In the next subsections, we describe each layer in more detail.




Figure 1. Conceptual framework.

Layer 1 - Physical signals Data from virtual sensors and signal conditioning	
Trajectories	Positional data (e.g., 2D or 3D positions of joints, and of the barycenter) obtained from MoCap, video cameras, and RGB-D sensors (e.g., Kinect).
Bounding Space Convex Hull	The minimum polygon (2D) or volume (3D) surrounding an input cloud of points (MoCap) or a body silhouette.
Accelerations	Measures from accelerometers and gyros.
Physiological sensors data	EMG, EEG, ECG, and so on.
Respiration	Signal from specific respiration sensors or from a microphone.
Nonverbal vocal utterances	E.g., <i>kiai</i> in Karate, vocal utterances in dance.
Floor feet pressure	Measure of physical weight on each foot from a sensitive floor.

Table 1. Physical signals (virtual sensors).

Layer 1 – Physical signals: Virtual sensors

Layer 1 (*Physical signals*) grounds on the concept of *virtual sensor*, understood as a single physical sensor (or as the integration or fusion of data from many physical sensors) combined with signal conditioning (e.g., denoising and filtering), and with techniques for extraction of specific raw data. For example, an RGB-D physical sensor (e.g., Kinect) may be associated with virtual sensors providing the 3D trajectories of specific body parts, the silhouette of the tracked bodies, and the captured depth image. At layer 1 data is captured by an array of virtual sensors, associated to a broad range of physical sensors, including motion capture, video cameras, microphones, and physiological sensors. We characterize each virtual sensor with its sampling rate and with the data it provides (e.g., an image, a 3D position, an acceleration, a numeric sample, an audio or a physiological signal). Data is processed to get representations suitable for the next analysis layer. Table 1 presents a list of possible outputs of layer 1.

Layer 2 – Low-level features: Time-series

Layer 2 (*Low-level features*) receives the raw data from the array of virtual sensors at layer 1 and extracts a collection of features characterizing movement locally in time. That is, low-level features are usually computed instantaneously on the raw data or on small buffers of a few samples by using a sliding-window approach with maximum overlap. Thus low-level features are represented as time-series having usually the same sampling rate as the raw data they are computed from. Time-series may be either univariate (e.g., kinetic energy) or multivariate (e.g., the x , y , and z

components of velocity). Table 2 shows a (non-exhaustive) list of low-level features at layer 2.

Layer 2 - Low-level features Time series of instantaneous descriptors of movement	
Kinematics	Velocity, acceleration, and jerk.
Gravity	Acceleration toward the ground.
Kinetic Energy	The kinetic energy of a cloud of 3D moving joints, possibly weighted by their masses, using weights from biometric tables.
Motion Index or Quantity Of Motion (QoM)	Area of the difference of the silhouettes' area computed on consecutive frames [7].
Postural Contraction	A measure of the extent at which body posture is close to its barycentre.
Postural Symmetry	Geometric symmetry of a posture with respect to a plane or an axis.
Smoothness	A joint moving according to the specific laws from biomechanics defining smoothness [15].
Postural and Dynamic Balance,	Computed from (i) the measure of the projection to the floor of the barycentre of the body in the area defined by the feet and (ii) the ratio between acceleration of the barycentre of the head and of the barycentre of the body.
Change of Weight between Feet	Computed from pressure patterns measured by a sensitive floor.
Postural Tension	A vector describing the angles between the adjacent lines identifying feet (the line connecting the barycentre of each foot), hip, trunk, shoulders, and head directions. This is inspired by classical paintings and sculptures where such angles are exploited to express postural tension.

Table 2. Low-level features.

For example, Gravity, i.e., acceleration toward the ground, is a layer 2 measure, consisting of a time-series of data obtained with an accelerometer or with motion capture, and which is the basis for measuring the Lightness mid-level feature at layer 3.

Layer 3 – Mid-level features: Trajectories or points in multidimensional (amodal) spaces

Whilst analysis at layer 2 is local in time, layer 3 (*Mid-level features*) deals with structural aspects, i.e., it computes features describing one single movement unit. If movement units cannot be identified (e.g., in a continuous stream of tightly interlaced movements), layer 3 operates on time windows, long enough to grab movement time evolution.

Furthermore, features at layer 3 are at a level of abstraction such that they represent *amodal* descriptors, i.e., the level where perceptual channels integrate. This means that, for example, *Fluidity* is a meaningful feature to characterize both audio and movement. Amodal descriptors enable the design of mapping strategies from movement to the sonic domain: we can analyze a movement starting from physical signals (layer 1) up to layer 3, and then we can map features at layer 3 back down to the physical signal in the sonic domain. This is a fundamental step in our DANCE Project, enabling multisensorial translation of movement qualities to another sensorial domain, namely the sonic one.

Analysis and processing at layer 3 goes through two basic steps: segmentation and computation of amodal features.

Segmentation. The segmentation step identifies the analysis unit. This can either be a single movement unit (a gesture) in a stream of movements or a time window of a defined duration. In the former case segmentation may operate at different levels, that is, a movement unit may be, e.g., a single movement or a whole phrase. Depending on how segmentation is performed, layer 3 produces different outputs. If single movement units are isolated, these are conceived as events. This means that it is not possible to determine a sampling rate anymore. Rather each single event is associated with a given time (typically the time instant when the movement unit ends). An array of values of features is associated with each of such events, that is, the output of layer 3 is a position in a multidimensional feature space i.e., a location in a multidimensional map. If, instead, analysis is still performed on time windows, such windows are either not overlapped or partially overlapped. A sampling rate can still be determined, based on windows duration and overlap, and an array of values of features is computed for each time window. In this case, the output of layer 3 is a trajectory in a multidimensional feature space, i.e., a path in a multidimensional map. Features computed at layer 2 are usually employed to perform segmentation. One of the simplest techniques consists in analyzing kinetic energy by applying a possibly adaptive threshold. More sophisticated techniques exploit, e.g., machine learning approaches where a vector of values obtained by applying analysis primitives to layer 2 time-series is used to train and feed recognizers to distinguish pauses and movements. In case real-time analysis is not needed and an archive of performances is available, manual annotation can be carried out when automatic segmentation is not accurate enough.

Computation of features. Two major approaches are applied for computing mid-level amodal features:

1. Direct computation of mid-level features specifically defined and grounded on low-level features and/or physical signals (e.g., Smoothness is involved in the computation of Fluidity). Table 3 introduces a list of mid-level features at layer 3.

Layer 3 - Mid-Level Features Trajectories or points in multidimensional spaces	
Contraction	Movement contracting along time.
Dynamic Symmetry	Symmetry of movement features, also in terms of analysis primitives, e.g., symmetry of entropy between left and right hand [14].
Directness (Laban's <i>Space</i>)	Movement to directly reach a target position (Direct vs. Flexible) [28].
Lightness (Laban's <i>Weight</i>)	How gravity influences a movement, e.g., based on relations between vertical and horizontal components of accelerations.
Suddenness (Laban's <i>Time</i>)	Rapid change of velocity (Sudden vs. Sustained) in a movement.
Impulsivity	Movement which is sudden and not prepared by antagonists muscles [19].
Equilibrium	The extent at which a movement is balanced, i.e., the tendency to fall or to keep a stable balance.
Fluidity	A fluid movement [23] is smooth and coordinated (e.g., a wave-like propagation through body joints).
Repetitiveness	The extent at which a movement exhibits repetitive patterns.
Tension	The extent at which a movement exhibits rotation of multiple planes, including spirals (computed from Postural Tension).
Cohesion	Whether a movement is made of components exhibiting similar features (e.g., tendency of limbs to move as a single entity in a direction).
Coordination	Whether a movement is made of synchronized components (e.g., synchronization of limbs to operate a body at the unison). This corresponds to temporal entrainment in a group.
Origin	Whether a movement originates at a joint, and at what extent a joint leads the body in the movement. This may correspond to leadership when measured in a group.
Attraction	The degree of influence an external point in space has on movement (e.g., like a magnet attracting or repulsing the dancer).
Slowness	Whether a movement is continuous and at an extremely slow speed.
Stillness	Pause: minimal movements depending on physiology (e.g., respiration), emotions, and attention continuously occur.

Table 3. Mid-level features.

2. Application of *analysis primitives* to one or many low-level features. Unary operators can be applied, e.g., to retrieve salient events [20] (for instance, peaks and valleys in the time-series of kinetic energy), and to estimate the complexity of a movement by computing, for example, sample entropy [25] on one or more time-series of low-level features (see e.g., [13]). Binary and n-ary operators can be applied e.g., for measuring the relationships between time-series of low-level features computed on the movement of different body parts (limbs). For example, synchronization techniques are applied to evaluate coordination between hands (the so called intra-personal synchronization) or coordination of dancers in a group (i.e., inter-personal synchronization). Causality provides information on whether, for example, the movement of a joint leads or follows the movement of another joint in the body, or it can even explain the leadership of a dancer or of the movement of a musician in a group [13][14]. Predictive models are applied, e.g., to estimate the extent at which actual movement corresponds to or violate expectations (i.e., something related to tension, see e.g., [6]).

Layer 4 – Expressive qualities

Whilst the previous layers focus mainly on features at a growing level of abstraction from layer 1 to layer 3, this layer mainly focuses on the **nonverbal communication of movement qualities to an external observer**. *Memory* and *Context* are factors that intervene mainly at this layer, characterized by observation within layered and longer time intervals. Both Memory (the history of previous movement qualities) and Context may influence how an external observer perceives and interprets a feature in terms e.g., of expectancy [6], saliency (unexpected, rare, or contrasting movements may contribute to raise sensitivity to specific movement features), and sensitivity (stillness may raise sensitivity to very tiny movements). These factors may be modeled as possible biases in the measure of a feature to get a refined measure that better reflects the perceived quality of a movement.

At layer 4, machine-learning techniques are often employed to map a point or a trajectory in a multidimensional space, obtained at layer 3, onto the movement quality an external observer perceives. Both supervised and unsupervised approaches were adopted in the literature. Considering, e.g., communication of emotion, existing studies applied for example clustering [14], support vector machines [22], and several ways of integrating and fusing different classifiers (e.g., see examples in [18]). Whereas, on the one hand machine learning cannot be simply taken as the solution to whatever problem and should be accurately tailored to the problem under investigation, on the other hand the above-mentioned examples and a growing body of literature [17][18] show that machine learning is a viable and suitable approach to the analysis on nonverbal movement qualities.

Layer 4 - Communication of expressive qualities	
Predictability/expectancy	The extent at which an external observer can predict a dancer's movement [6].
Hesitation	When an external observer cannot clearly perceive a movement intention.
Attraction / Repulsion	The extent at which an external observer is attracted/repulsed.
Groove	The extent at which dancer movement elicits movement in an external observer.
Saliency	A movement which is perceived as salient with respect to others occurring at the same time.
Emotions	The emotion, expressed by full-body movement and posture, which is conveyed to an external observer. Emotions can be represented either in a categorical way or by means of dimensional models (e.g., PAD). See, for example [14][22].
Nonverbal social signals	Entrainment in its temporal and affective components [21][27], leadership [27], and so on.

Table 4: Communication of expressive qualities

COMPUTATIONAL MODELS AND SYSTEMS

Our conceptual framework aims at providing a solid ground to build computational models and systems upon. In the DANCE Project we started implementing the framework in the EyesWeb XMI software platform (www.infomus.org).

With respect to physical signals (layer 1), we implemented a scalable platform, supporting input devices ranging from motion capture, respiration, and other physiological sensors (typically used for research purposes and lab experiments), to RGB-D sensors and wearable devices (for applications in the wild). A typical configuration for a real-time application is based on 5 wireless accelerometers on wrists, ankles, and coccyx (body barycenter).

With respect to low-level features (layer 2), most of them (see Table 2) were already available in EyesWeb and are included in the DANCE implementation of the framework.

Concerning mid-level features (layer 3) and expressive qualities (layer 4), some existing EyesWeb libraries were

reconceived and novel analysis modules were added. Existing modules that were reconceived include e.g., those for measuring Contraction, Dynamic Symmetry, Directness, and Suddenness. New modules include, e.g., computational models for the analysis of Fluidity, based on a physical spring-mass model, as described in [23], and modules for the analysis of Impulsivity, as described in [19]. Future work will focus on the analysis and investigation of features at layer 3 and of expressive qualities at layer 4. Some features in Table 3 (e.g., Tension, Origin, and Lightness) still need some extensive research and development work. This paper, however, focuses on the framework and a broad discussion of each feature and of each movement quality would go far beyond its scope.

SONIFICATION OF DANCE PERFORMANCES

Our research is inspired by the intersection of art and technology [3]. We are using the conceptual framework and its implementation for designing interactive sonifications translating movement qualities into the sonic domain. The work is carried out in collaboration with composers Pablo Palacio and Andrea Cera. Demonstrations were publicly presented at two major events (the STARTS EU Workshop, Bozar, Brussels, Belgium, and the SONAR+ festival, Barcelona, Spain), showing the effectiveness of the approach².

An initial repository of multimodal recordings of movement qualities has been also collected and made available (see our other paper in these proceedings). Further, we are currently working with several choreographers and dancers in order to refine the definitions of the features and qualities included in the conceptual framework: for example, a paper in preparation presents a novel definition and software module to analyse Lightness. Further qualities are currently under analysis, also inspired by the expressive vocabulary of choreographers collaborating in DANCE.

ACKNOWLEDGEMENTS

This research has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 645553 (H2020-ICT Project DANCE). The DANCE Project investigates how affective and relational qualities of human full-body movement can be expressed by the auditory channel.

We thank our colleagues Paolo Coletta, Simone Ghisio, Paolo Alborn, Ksenia Kholykalova, Alberto Massari, and Roberto Sagoleo for their precious contributions, and the dancers Roberta Messa, Federica Loredan, Valeria Puppo.

REFERENCES

1. Sarah Fdili Alaoui, Frédéric Bevilacqua, and Christian Jacquemin. 2015. Interactive Visuals as Metaphors for Dance Movement Qualities. *ACM Trans Interact Intell Syst* 5, 3: 13-24.

2. Frédéric Bevilacqua, Bruno Zamborlin, Anthony Sypniewski, Norbert Schnell, Fabrice Guédy, and Nicolas Rasamimanana. 2009. Continuous realtime gesture following and recognition. In *Gesture in embodied communication and human-computer interaction*, Stefan Kopp and Ipke Wachsmuth (eds.). Springer Berlin Heidelberg, Germany, 73-84.
3. Antonio Camurri and Gualtiero Volpe. 2016. The Intersection of art and technology. *IEEE Multimedia* 23, 1: 10-17.
4. Antonio Camurri, Barbara Mazzarino, Matteo Ricchetti, Renee Timmers, and Gualtiero Volpe. 2004. Multimodal analysis of expressive gesture in music and dance performances. In *Gesture-Based Communication in Human-Computer Interaction*, Antonio Camurri and Gualtiero Volpe (eds.) Springer Berlin Heidelberg, Germany, 20-39.
5. Antonio Camurri, Barbara Mazzarino, and Gualtiero Volpe. 2004. Expressive Interfaces. *Cognition Technology & Work* 6, 1, 15-22.
6. Antonio Camurri, Carol L. Krumhansl, Barbara Mazzarino, and Gualtiero Volpe. 2004. An Exploratory Study of Anticipating Human Movement in Dance. In *Proceeding of the 2nd International Symposium on Measurement, Analysis and Modeling of Human Functions*.
7. Antonio Camurri, Ingrid Lagerlof, and Gualtiero Volpe. 2003. Recognizing Emotion from Dance Movement: Comparison of Spectator Recognition and Automated Techniques. *Int J Hum Comput Stud* 59, 1-2: 213-225.
8. Antonio Camurri, Barbara Mazzarino, Gualtiero Volpe, Pietro Morasso, Federica Priano, and Cristina Re. 2003. Application of multimedia techniques in the physical rehabilitation of Parkinson's patients. *Comput Anim Virtual Worlds (formerly Journal of Visualization and Computer Animation)* 14, 5: 269-278.
9. Ginevra Castellano, Marcello Mortillaro, Antonio Camurri, Gualtiero Volpe, and Kkaus Scherer. 2008. Automated Analysis of Body Movement in Emotionally Expressive Piano Performances. *Music Perception* 26, 2:103-119.
10. Beatrice de Gelder. 2006. Towards the Neurobiology of Emotional Body Language. *Nature Rev. Neuroscience* 7, 3: 242-249.
11. Paul Fraisse. 1963. *The psychology of time*. New York: Harper.
12. Donald Glowinski, Floriane Dardard, Giorgio Gnecco, Stefano Piana, and Antonio Camurri. 2014. Expressive Non-Verbal Interaction in a String Quartet: an Analysis through Head

²<https://www.youtube.com/playlist?list=PLEVgkiAQI8zIFbTFv8I7ioEpuDHNbYsdC>

- Movements. *Journal on Multimodal User Interfaces* 9, 1: 55-68.
13. Donald Glowinski, Maurizio Mancini, Roddie Cowie, Antonio Camurri, Carlo Chiorri, and Cian Doherty. 2013. The movements made by performers in a skilled quartet: a distinctive pattern, and the function that it serves. *Front. Psychol.* 4: 841.
 14. Donald Glowinski, Nele Dael, Antonio Camurri, Gualtiero Volpe, Marcello Mortillaro, and Klaus Scherer. 2011. Towards a Minimal Representation of Affective Gestures. *IEEE Trans Affective Comput* 2, 2: 106-118.
 15. Neville Hogan and Dagmar Sternad. 2007. On rhythmic and discrete movements: reflections, definitions and implications for motor control. *Exp Brain Res* 181, 1: 13-30.
 16. Rudolf Laban and F.C. Lawrence. 1947. *Effort*. MacDonald and Evans.
 17. Michelle Karg, Ali-Akbar Samadani, Rob Gorbet, Kolja Kühnlenz, Jesse Hoey, and Dana Kulić. 2013. Body movements for affective expression: a survey of automatic recognition and generation. *IEEE Trans Affective Comput* 4, 4: 341-359.
 18. Andrea Kleinsmith and Nadia Bianchi-Berthouze. 2013. Affective body expression perception and recognition: A survey. *IEEE Trans Affective Comput* 4, 1: 15-33.
 19. Radoslaw Niewiadomski, Maurizio Mancini, Gualtiero Volpe, and Antonio Camurri. 2015. Automated Detection of Impulsive Movements in HCI. In *Proceedings of the 11th Biannual Conference of Italian SIGCHI Chapter (CHIItaly 2015)*, 166-169.
 20. Katie Noble, Donald Glowinski, Helen Murphy, Corinne Jola, Phil McAleer, Nikhil Darshane, Kedzie Penfield, Sandhiya Kalyanasundaram, Antonio Camurri, and Frank E. Pollick. 2014. Event Segmentation and Biological Motion Perception in Watching Dance. *Art & Perception* 2, 1-2: 59-74.
 21. Jessica Phillips-Silver and Peter E. Keller. 2012. Searching for roots of entrainment and joint action in early musical interactions. *Front Hum Neurosci* 6: 26.
 22. Stefano Piana, Alessandra Staglianò, Francesca Odone, and Antonio Camurri. 2016. Adaptive Body Gesture Representation for Automatic Emotion Recognition. *ACM Trans Interact Intell Syst* 6, 1: 6.
 23. Stefano Piana, Paolo Albornò, Radoslaw Niewiadomski, Maurizio Mancini, Gualtiero Volpe, and Antonio Camurri. 2016. Movement Fluidity Analysis Based on Performance and Perception. In *Proceedings of the 2016 CHI Conference Extended Abstracts on Human Factors in Computing Systems (CHI EA '16)*, 1629-1636.
 24. Ernst Pöppel. 1997. A hierarchical model of temporal perception. *Trends Cogn Sci* 1, 2: 56-61.
 25. Joshua S. Richman and J. Randall Moorman. 2000. Physiological time-series analysis using approximate entropy and sample entropy. *American Journal of Physiology. Heart and Circulatory Physiology* 278, 6: H2039-H2049.
 26. Aneesha Singh, Stefano Piana, Davide Pollarolo, Gualtiero Volpe, Giovanna Varni, Ana Tajadura-Jiménez, Amanda CdeC Williams, Antonio Camurri, and Nadia Bianchi-Berthouze. 2016. Go-with-the-Flow: Tracking, Analysis and Sonification of Movement and Breathing to Build Confidence in Activity Despite Chronic Pain. *Human-Computer Interaction* 31, 3-4: 335-383.
 27. Giovanna Varni, Gualtiero Volpe, and Antonio Camurri. 2010. A System for Real-Time Multimodal Analysis of Nonverbal Affective Social Interaction in User-Centric Media. *IEEE Trans Multimedia* 12, 6: 576-590.
 28. Gualtiero Volpe, and Antonio Camurri. 2011. A system for embodied social active listening to sound and music content. *ACM Journal on Computing and Cultural Heritage*, 4, 1:2-23.
 29. Harald G. Wallbott. 1998. Bodily Expression of Emotion. *European Journal Social Psychology* 28, 6: 879-896.