Kent Academic Repository Full text document (pdf)

Citation for published version

Tamè, Luigi (2016) Modulatory Effects on Structural Body Representations. In: Bodily sensations and bodily awareness: building blocks of subjectivity, 10-11 October 2016, Paris, France.

DOI

Session 1, Monday 10th October

Link to record in KAR

https://kar.kent.ac.uk/98831/

Document Version

Publisher pdf

Copyright & reuse

Content in the Kent Academic Repository is made available for research purposes. Unless otherwise stated all content is protected by copyright and in the absence of an open licence (eg Creative Commons), permissions for further reuse of content should be sought from the publisher, author or other copyright holder.

Versions of research

The version in the Kent Academic Repository may differ from the final published version. Users are advised to check http://kar.kent.ac.uk for the status of the paper. Users should always cite the published version of record.

Enquiries

For any further enquiries regarding the licence status of this document, please contact: **researchsupport@kent.ac.uk**

If you believe this document infringes copyright then please contact the KAR admin team with the take-down information provided at http://kar.kent.ac.uk/contact.html





Modulatory Effects on Structural Body Representations

Luigi Tamè

Birkbeck, University of London



Paris, 10 October 2016

Primary sensory processing

(basic sensory mechanisms underlying bodily senses)

Body schema (dynamic model of body posture underlying skilled action)

Body model (metric properties of the body, size, shape...)

Body structural description


(topological model of the locations and size of body parts relative to each other)

(e.g., Longo et al., 2010; de Vignemont, 2010)


Knowledge of the spatial configuration of bodies is mediated by a representation called the "**body structural description**" (BSD)

The existence of distinct representations of body structure has classically been supported by neuropsychological evidence of patients with conditions such as <u>autotopoagnosia</u> and finger <u>agnosia</u>.

Such patients fail to point to body parts on verbal command (**autotopoagnosia**) or to identify their fingers (**finger agnosia**), but they are relatively unimpaired in skilled action.



Signs of finger agnosia in healthy people have been found using the **In-Between task** (e.g., Rusconi et al., 2009; Tamè et al., in preparation).




(1) identifying which fingers are touched

(2) locating the touched fingers within a structural model of the hand that represents at least the touched fingers and the untouched fingers

Tamè, Farnè & Pavani (in preparation)


Neural correlates of finger gnosis



The left a-mIPL may provide the core substrate of an explicit bilateral body structure representation for the fingers

Rusconi, Tamè et al (2014) Journal of Neuroscience


Is the body structural description <u>fixed</u> or it can be modulated by the real-time posture of the body?



Postural changes can affect the representation of **hand size**, with no apparent effect on hand shape.

Aim (In-Between test)

We investigated whether structural body descriptions are modulated by dynamic changes in body posture using the "inbetween" test, a classical measure of finger agnosia.




How many unstimulated fingers are "In-Between" the two touched fingers?

N=30 Tactile stimuli: 5 ms 72 trials x 6 blocks (ABCCBA)

Tamè, Dransfield, Quettier & Longo (under review)

Results (In-Between test)



Overall underestimation of finger numerosity.

Judgements were higher when the fingers were splayed compared to when they were close or touching.


This effect was present only when tactile stimuli were presented on non-adjacent fingers.

Tamè, Dransfield, Quettier & Longo (under review)

Aim (tactile localisation task)

- 1. Changes in posture might have altered the representation of the fingers themselves.
- 2. Alternately, posture may have altered the localisation of touch.
 - To address this question we used a tactile localisation task in which participants verbally judge which two fingers were touched.








Which fingers were touched?

Results (localisation task)



Results using the localisation task replicate the ones from the In-Between test.

Therefore, posture alters the localisation of touch on nonadjacent fingers. - Body structural descriptions are not as fixed as commonly thought

- Adoption of body structural descriptions seem to be required when body parts are not directly adjacent.

- This dissociation can be attributed to the fact that normally, adjacent body parts fingers, are not supposed to change their relative position in space (physical mechanical constraints)

Acknowledgments



Prof. Matthew R Longo

Elanah Dransfield (Research Assistant at Bodylab)

Thomas Quettier (Research Assistent at Bodylab)



Thanks for your attention

Luigi Tamè

(luigi.tame@gmail.com)



Birkbeck, University of London