

E. M. Ovsiyuk¹, A. A. Safronov¹, A. D. Koral'kov¹, V. V. Kisel²

¹Mozyr State Pedagogical University named after I. P. Shamyakin,
Mozyr, Belarus

²Belarusian State University of Informatics and Radioelectronics,
Minsk, Belarus

SPIN 1/2 PARTICLE WITH THE ANOMALOUS MAGNETIC AND ELECTRIC DIPOLE MOMENTS, THEORIES WITH ONE AND THREE MASS PARAMETERS

In [1], starting from the general formalism by Gel'fand-Yaglom [2], it was introduced a P -asymmetric wave equation for a spin 1/2 particle with the anomalous magnetic moment (in fact, this theory describes the particle with electric dipole moment). In [1], this equation was studied in presence of external Coulomb field, but for simplicity additional interaction due to electric dipole moment was removed, so in [1] only possible manifestation of P -asymmetry was tested. Concerning the theory of the P -symmetric equation for a particle with anomalous magnetic moment see [3–8]; it is Petras [9] who first developed this theory within the general approach by Gel'fand-Yaglom.

The present paper is organized as follows. In section II study solutions of equation for the P -asymmetric particle (referring to electric dipole moment) in presence of external magnetic fields. It turns out that the energy spectra are the same as for P -symmetric particle (referring to anomalous magnetic moment).

To clarify this coincidence, in section III we demonstrate that there exists simple transformation relating these to models, by which one wave equation can be reduced to the form of other, correspondingly the function Ψ transforms to new one Ψ' ; and expressions for operator of P -reflection are different in these two bases.

In section IV, we extend this approach the model, in which both sectors, P -symmetric and P -asymmetric, are presented. The main result is the same: there exists simple transformation (more general than in the above) relating P -symmetric model and that with two sectors, and expres-

sions for wave functions and operators of P -reflection are different in these two bases. We demonstrate that in presence of external uniform magnetic field, the energy spectra in the model with two sectors, indeed coincide with those in P -symmetric theory.

In section V, we develop general theory for P -asymmetric model within the basic Petras approach. In section VI we develop general theory for model with two sectors within the basic Petras approach.

In section VII we extend the known theory for a free fermion with three mass parameters [10–20], to the model with presence of two sectors, P -symmetric (referring to anomalous magnetic moment) and P -asymmetric (referring to electric dipole moment). In the section VIII we generalize this theory so that to take into account the presence of external electromagnetic field.

Thus, the present paper we study solutions of equation for the P -asymmetric particle in presence of external magnetic fields. It turns out that the energy spectra are the same as for P -symmetric particle. To clarify this coincidence, we demonstrate that there exists simple transformation relating these to models, by which one wave equation can be reduced to the form of other, correspondingly the function Ψ transforms to new one Ψ' ; and expressions for operator of P -reflection are different in these two bases. We extend this approach the model, in which both sectors, P -symmetric and P -asymmetric, are presented. The main result is the same: there exists simple transformation (more general than in the above) relating P -symmetric model and that with two sectors, and expressions for wave functions and operators of P -reflection are different in these two bases. We demonstrate that in presence of external uniform magnetic field, the energy spectra in the model with two sectors, indeed coincide with those in P -symmetric theory. We develop general theory for P -asymmetric model within the basic Petras approach. In section VI we develop general theory for model with two sectors within the basic Petras approach. And finally, we extend the known theory for a free fermion with three mass parameters, to the model with presence of two sectors, P -symmetric and P -asymmetric. Also, we generalize this theory so that to take into account the presence of external electromagnetic fields.

References

1. On P -noninvariant wave equation for a spin 1/2 particle with anomalous magnetic moment / V. V. Kisel [et al.] // NPCS. – 2019. – Vol. 22, № 1 – P. 18–40.

2. Gelfand, I. M. General relativistically invariant equations and infinite-dimensional representations of the Lorentz group / I. M. Gelfand, A. M. Yaglom // Journal of Experimental and Theoretical Physics. – 1948. – Vol. 18, № 8. – P. 703–733.

3. Quantum mechanics of electron in magnetic field, taking into account of the anomalous magnetic moment / E. M. Ovsiyuk [et al.] // Doklady of the National Academy of Sciences of Belarus. – 2016. – Vol. 60, № 4. – P. 67–73.

4. Spin 1/2 particle with anomalous magnetic moment in a uniform magnetic field, exact solutions / E. M. Ovsiyuk [et al.] // Nonlinear Phenomena in Complex Systems. – 2016. – Vol. 19, № 2. – P. 153–165.

5. Spin 1/2 particle with anomalous magnetic moment in the uniform electric field / E. M. Ovsiyuk [et al.] // Vesnik of Brest University. Series 4. Physics. Mathematics. – 2016. – № 1. – P. 22–28.

6. Spin 1/2 particle with anomalous magnetic moment in the Coulomb field / E. M. Ovsiyuk [et al.] // Vesnik of Brest University. Series 4. Physics. Mathematics. – 2017. – № 1. – P. 17–34.

7. Veko, O. V. Spin 1/2 particle with anomalous magnetic moment: nonrelativistic approximation, taking into account of the Coulomb field / O. V. Veko, Ya. A. Voynova, V. M. Red'kov // Proceedings of the Komi Science Centre, Ural Branch Russian Academy of Sciences. – 2018. – Issue 33. – P. 13–20.

8. Ovsiyuk, E. M. Spin 1/2 Particle with Anomalous Magnetic Moment in Presence of External Magnetic Field, Exact Solutions / E. M. Ovsiyuk, V. V. Kisel, V. M. Red'kov / Chapter 5 in the book «Relativity, gravitation, cosmology: beyond foundations». – Ed. V. V. Dvoeglazov. – New York: Nova Science Publishers, 2018. – P. 65–80.

9. Petras, M. A note to Bhabha's equation for a particle with maximum spin 3/2 / M. Petras // Czechoslovak Journal of Physics. – 1955. – Vol. 5, № 3. – P. 418–419.

10. Spin 1/2 particle with two masses in magnetic field / E. M. Ovsiyuk [et al.] // Applied Sciences. – 2018. – Vol. 20. – P. 148–166.

11. Fermion with intrinsic spectrum of masses in external fields / V. V. Kisel [et al.] // Proceedings of the Komi Science Centre, Ural Branch Russian Academy of Sciences. – 2018. – Issue 33. – P. 81–88.

12. Fermion with three mass parameters: interaction with external fields / V. V. Kisel [et al.] // Doklady of the National Academy of Sciences of Belarus. – 2018. – Vol. 62, № 6. – P. 661–667.

13. Fermion with three mass parameters, general theory, interaction with external field / V. A. Pletyukhov [et al.] // Scientific Proceeding of Brest University. – 2018. – Part II, Natural sciences. Issue 14. – P. 16–50.

14. *P*-noninvariant relativistic wave equation for a spin 1/2 particle with three mass parameters / V. A. Pletyukhov [et al.] // Vesnik of Brest University. Series 4. Physics. Mathematics. – 2019. – № 2. – P. 35–43.

15. On Modeling Neutrinos Oscillations by Geometry Methods in the Frames of the Theory for a Fermion with Three Mass Parameters / E. M. Ovsiyuk [et al.] // Nonlinear Dynamics and Applications. – 2019. – P. 149–167.

16. On modeling neutrinos oscillations by geometry methods in the frames of the theory for a fermion with three mass parameters / E. M. Ovsiyuk [et al.] // Journal of Physics: Conference Series. – 2019. – Vol. 1416. – P. 012040.

17. Voynova, Ya. A. On the manifestation of the cosmological curvature of space in a model of a neutral fermion with three mass parameters / Ya. A. Voynova, E. M. Ovsiyuk // Problems of physics, mathematics and technics. – 2020. – № 1 (42). – P. 18–28.

18. Red'kov, V. M. Particle fields in the Riemann space and the Lorents group / V. M. Red'kov // Minsk: Belaruskaya navuka Publ., 2009. – 486 p.

19. Pletyukhov, V. A. Relativistic wave equations and internal degrees of freedom / V. A. Pletyukhov, V. M. Red'kov, V. I. Strazhev // Minsk: Belaruskaya navuka Publ., 2015. – 328 p.

20. Elementary particles with internal structure in external fields / V. V. Kisel [et al.] // New York: Nova Science Publishers Inc., 2018. – 404 p.