Governors State University OPUS Open Portal to University Scholarship

All Capstone Projects

Student Capstone Projects

Fall 2022

Career Engine

Nishanth Kolagatla Governors State University

Follow this and additional works at: https://opus.govst.edu/capstones

Recommended Citation

Kolagatla, Nishanth, "Career Engine" (2022). *All Capstone Projects*. 645. https://opus.govst.edu/capstones/645

For more information about the academic degree, extended learning, and certificate programs of Governors State University, go to http://www.govst.edu/Academics/Degree_Programs_and_Certifications/

Visit the Governors State Department

This Capstone Project is brought to you for free and open access by the Student Capstone Projects at OPUS Open Portal to University Scholarship. It has been accepted for inclusion in All Capstone Projects by an authorized administrator of OPUS Open Portal to University Scholarship. For more information, please contact opus@govst.edu.

CAREER ENGINE

By

Nishanth Kolagatla Bachelors., Panimalar Engineering College, 2019

GRADUATE CAPSTONE SEMINAR PROJECT

Submitted in partial fulfillment of the requirements

For the Degree of Master of Science,

With a Major in Computer Science



Governors State University University Park, IL 60484

2022

ABSTRACT

Everyone's learning is increasing in this competitive environment, to the point that professional chances are becoming scarce. Companies desire the greatest personnel in their areas. It was difficult to find persons who were bright enough to be recruited at the time. Companies' attempts to find qualified employees are also increasing. The purpose of this application is to provide a system that allows employers and candidates to communicate with one another. The idea is to speed up the recruiting process by facilitating contact between interested parties. A career engine is a website that offers recruiters and job seekers with online information. Our application helps both job searchers and recruiters choose the finest company for their workers. For job seekers, the employment site presents a list of companies based on their educational credentials, experience, and interests. Furthermore, it offers appropriate candidates from a pool of shortages to recruiters.

In this project, we utilized MySQL to store the data, and the frontend is constructed using HTML5, CSS3, Bootstrap, JavaScript, and the backend for PHP is made with the MVC CodeIgniter framework. In our application, we use the technological stacks listed above. Our application presented three responsibilities: job searchers, recruiters, and administrators. The responsibility of the job seeker is to apply for the position and offer feedback to the business. The following recruiter's role is to publicize job vacancies, contact job seekers, and conduct interviews on their behalf. All users, including job seekers, recruiters, and job listings, must be tracked by the administrator.

Table of Content

1	Proje	ct Description	1
	1.1	Competitive Information	1
	1.2	Relationship to Other Applications/Projects	1
	1.3	Assumptions and Dependencies	1
	1.4	Future Enhancements	1
	1.5	Definitions and Acronyms	2
2	Proje	ct Technical Description	2
	2.1	Application Architecture	2
	2.2	Application Information flows	4
	2.3	Interactions with other Applications	4
	2.4	Capabilities	4
	2.5	Risk Assessment and Management	5
3	Proje	ct Requirements	5
	3.1	Identification of Requirements	5
	3.2	Operations, Administration, Maintenance and Provisioning (OAM&P)	5
	3.3	Security and Fraud Prevention	5
	3.4	Release and Transition Plan	5
4	Proje	ct Design Description	6
5	Inter	nal/external Interface Impacts and Specification	12
6	Desig	n Units Impacts	13
	6.1	Functional Area A/Design Unit A	13
	6.1.1	Impacts	13
	6.1.2	Requirements	13
7	Ackn	owledgements	14
8	Refer	ences	14
9	Appe	ndices	14

1 Project Description

A career engine called HIKEPRO created to give job seekers access to an interactive job board. In its current condition, this online application should be considered a dynamic website that constantly requires updates from both users and businesses. The project's objective is to make it possible for job seekers to submit their resumes and find appropriate employment, while companies may post openings and find competent candidates. On the website, job searchers may upload their resumes, do a job search, and view listings for individual positions. A variety of organizations will be able to browse candidate resumes and post job opportunities on the website. An admin module will be accessible in addition to the jobseeker and company modules, allowing for the administration of the whole Portal.

1.1 Competitive Information

There are several job portal websites available, however for the time being, we decided to match our application with Dice and LinkedIn. We can browse at job seekers' profiles and apply for positions on Dice and LinkedIn. Similar to this, the front page of an online job site features the newest job information as well as the top categories for job search filters by category. Based on input from users or job seekers, we provide star ratings.

1.2 Relationship to Other Applications/Projects

This project provides an all-inclusive solution that may be used for any purpose. On order to search for available positions in the market, job searchers may utilize this project. In addition to communicating with one another about it, recruiters might look for job seekers who are looking for work. The hiring manager can choose to shortlist or reject a job candidate, and the candidate can choose to apply for positions that are still open.

1.3 Assumptions and Dependencies

A fundamental grasp of how to utilize the website is required for all users. Anyone else filling the role of administrator has to be knowledgeable about the process, how to handle recruiters, job searchers, job advertisements, and other administrative duties.

1.4 Future Enhancements

The goals and objectives of the system have been met, yet there is still potential for development. SMS integration for OTP is used to stop recruiters or job seekers from registering without permission. This effort's scope encompasses all information relating to jobs. Additionally, we may give recruiters access to a database of application profiles and training for prospects' self-improvement. Some of the limitations of older job search techniques have been eliminated.

1.5 Definitions and Acronyms

- XAMPP XAMPP is a free and open-source cross-platform web server package that consists mostly of the Apache HTTP Server, MySQL database, and interpreters for PHP and Perl scripts [1]. The acronym XAMPP stands for: X: any of the several operating systems (Windows, Linux, Mac OS X), to be understood as "cross," which means "platform."
- HTML (hypertext markup language) HTML stands for hypertext markup language. It's a hypertext markup language (HTML) that's used to make web pages. It's written with HTML components in mind.
- CSS Cascading Style Sheets is a prominent design language with a full name of CSS. It simplifies the work of displaying webpages and is a relatively easy language to use.
- Hypertext Preprocessor (PHP) (earlier called, Personal Home Page) PHP is a server-side scripting language for web development that is incorporated in HTML.

2 Project Technical Description

This application's architecture and development tools were as follows:

- Database: MySQL; Operating System: Microsoft Windows 10
- Front end components include PHP, HTML, CSS, and JavaScript [3].
- Local host components include Apache Server (XAMPP) and Chrome.
- Any text editor is OK. We preferred Visual Studio Code.

The CodeIgniter Framework's MVC architecture [4] is used by us. Since this is a one-time operation, we decided to utilize the auto-load database library instead of loading it each time you query the database. We employed session variables for the authentication of administrators, recruiters, and seekers. For Notification, we utilized the jQuery basic toast capability. PHP was chosen because it is flexible, affordable, easy to set up, safe, quick, and dependable, and it can interface with a variety of relational database management systems. One of the most widely used open source database management systems worldwide is MySQL. Users may create database using this free and open source database, as well as carry out various data transformations and database management operations. Because of its advanced features, including data security, on-demand scalability, fast speed, and comprehensive workflow management, MySQL was chosen for this project.

2.1 Application Architecture

Administrator Functionalities

Login - A legitimate username and password are entered into the system by the administrator to login.

Dashboard - The administrator may view the system's total number of candidates, companies, job postings, and registered applications.

Active / Inactive - Job seekers' and employers' accounts are activated by the administrator, who also adds accounts for both parties.

Category - To filter job posts by category, the administrator must first establish the category.

Profile - Administrators have the ability to edit their profile information and password.

Logout - The administrator logs out of the system after each activity.

Employer Functionalities

Employers Registration - A company registers as an employer and generates a new account. Employer Login - Using a legitimate email account and password, the company logs into the system.

Post a Job - An employer post the jobs without any restrictions.

Profile update - An employer makes changes to their profile.

Job List Details – Employers locate the positions they listed.

Candidate List – The employer may browse all the applicants, arrange interviews, and pick or reject individuals.

View resume – Look through the resumes of the candidates who applied.

Chat - An employer will communicate with a registered job seeker to discuss the interview and other matters.

Logout - After the action is over, the user logs out of the system.

Job Seekers Functionalities

Registration - A applicant must create a new account to register.

Login - The candidate logs in to the system with a legitimate email address and password.

Find Job. - A job seeker searches for job postings to find a job.

Edit Profile - Changes are made to a seeker's profile using the editing feature.

Upload Resume - An applicant enters their résumé into the system by uploading it.

Job Application - An applicant who is interested in a position submits an application for it.

Search company profile - Candidates can use the system to look up firms by name and location by searching the company profile.

Send Feedback - Sending feedback to the recruiter is an option for candidates.

View applied jobs - A candidate has access to a list of all the positions for which they have applied.

Logout - When the candidate has finished the activity, he or she logs out of the system.



Figure 1: Application workflow

2.3 Interactions with other Applications

We provide job specifications, seeker data, and company details on this platform. We can also offer training in technology and personality. That is determined by how well they performed in the interview, which is better for job seekers in terms of extending their knowledge and for recruiters in terms of discovering more competent applicants for their vacant positions.

2.4 Capabilities

- It maintains a database of recruiters and job opportunities and accepts resume submissions from job seekers [2].
- Job applicants' personal information, educational level, skills, and experience are among the data it saves.
- Employers and job seekers can exchange messages. It includes feedback mechanisms.

2.5 Risk Assessment and Management

The right risk management procedures were followed, and backup plans were established, such as task management process error termination, to make the system easier to use in the event of a mistake.

3 Project Requirements

3.1 Identification of Requirements

<HikePro_CareerEngine_2022-1 User-capability-"CE1">

Responsive Design - On whatever device, users can anticipate the finest user experience.

< HikePro_Career_Engine_2022-2 User-capability-"CE2">

Advanced Search: Job searchers may look for openings based on a variety of parameters, including job location, job type, and job title.

< HikePro_Career_Engine_2022-3 User-capability-"CE3">

Registration: The registration process is voluntary for recruiters and job searchers, but it is a prerequisite to carrying out the required action on their portal.

3.2 Operations, Administration, Maintenance and Provisioning (OAM&P)

There is no requirement for user registration or login in order to use the website. You have access to the main pages as a guest. The data acquired through the search option ought to be kept in the company's or job seeker's database. The admin may view all of the data in the dashboard for easy access. Pages load more quickly for complex web apps like this when large file sizes are reduced. This program ensures that a regular backup of the entire website and data is produced in order to protect the integrity of the website and data. This program verifies that the settings are accurate. The capacity to monitor user progress and place access restrictions.

3.3 Security and Fraud Prevention

The method for establishing security and fraud detection may be established using security planning and planning for fraud prevention. The following phases make up the fraud prevention planning process. Regular updates should be made to the application. As a consequence of the required registration process, all user information is saved.

3.4 Release and Transition Plan

The website must be properly finished and tested prior to being pushed to the live server. The website shouldn't be made available for job consultation until the problems are fixed. The data storage procedure will start after the computer has booted, and the maintenance process will be used to maintain the application's continued operation.

4 Project Design Description

The MVC framework, which is the most modern and effective, speedier than any other platform, open source, and independent of any environment, was used to develop all the features in the Career engine project. The MVC design pattern, which offers greater space and simpler code, is used in project development. Model, View, and Controller are the three main divisions used by MVC to organize all code segments. Depending on the controller function, it retrieves data from the model, utilizes it, and shows it in the view. This controller is used to redirect user requests. In this project, we also used to ajax for notification alerts, and we designed the sites so they wouldn't need to be reloaded. As a result, we used a single instance to develop toast notification for the alert messaging service. The administrator has the ability to create the category. The first step is for the administrator to create a category since in order for a recruiter to post a position after registering they must first select a category. A recruiter's profile can be updated. Everyone wants to visit the website except for the recruiter who advertised the position once the administrator activated it. The applicant can submit an application after the administrator is engaged in the post. If the recruiter likes the applicant's profile, they select them from the shortlist; if they don't think the applicant is a good fit for the position, they reject the application. In the case of an emergency, recruiters will use the applicant they are holding onto while searching for a better fit. The chat feature enables communication between the recruiter and the candidate. Among the advantages of this job application are the following: availability, learnability, user-friendliness, and simplicity of usage Access is available to authorized users around-the-clock. Any computer or portable device with internet connectivity can use this system. Efficiency, speed, and maintainability are all taken into consideration, as well as the validation of data in fields like names, phone numbers, and email addresses.



Figure 2: Guest Page

Enter Job Keyword to search	Category	Category ~ Location			
	FEATURED	BY CATEGORY			
Frontend Developer Angular Developer ^{0 Vacancy}	Frontend Developer React JS 10 Vacancy	Frontend Developer Web Designers 8 Vacancy	Software Testing Not Yet Assigned		
łuman Resource Project Manager Vacancy	Oracle Backend Backend JS				

Figure 3: Feature Category

	JOB LISTING	
	All Featured Experienced Freshers	
Web Designers		Apply Now
♥ Los Angels ③ Fresher		📋 Date created: November, Fri, 2022
Backend JS		Apply Now
♥ California Fresher 25000		🛗 Date created: November, Fri, 2022
Project Manager		Apply Now
♥ CA,Arkansas () Fresher		🗰 Date created: November, Fri, 2022





Home →

EMPLOYERS

Brentwood CountryMart brentwoodtech@yahoo.com

Frederick NewsAgencies

frederivkit@ymail.com

Contact :charles 3103943245 ♀ 224 25th Street,Santa Monica CA 9042 ♀ 935,San vincent,Los Angels CA 90049

Contact :santamonica 1233943245

Figure 5: Company List

ADMIN LOGIN

User Name Admin Password Submit

Figure 6: Admin Login View

HIKE PRO USERS LOGIN

	JOB SEAR	CHER LOGIN								
EMPLOYER LOG	IN									
User Name Admin		Password								
	Admin Login	Register New Employer Submit								
	Figure 7: Employer	/ Job Searcher Login								
EMPLOYERS JOB SEARCHER										
EMPLOYERS	JOB SEAR	CHER								
	JOB SEAR	CHER								
EMPLOYERS EMPLOYERS R	JOB SEAR	CHER								
EMPLOYERS EMPLOYERS R Company Name	JOB SEAR	Official Email								
EMPLOYERS EMPLOYERS R Company Name Company Mobile	JOB SEAR	CHER Official Email Contact Person								
EMPLOYERS EMPLOYERS R Company Name Company Mobile	JOB SEAR	CHER Official Email Contact Person								
EMPLOYERS EMPLOYERS R Company Name Company Mobile User Name Admin		CHER Official Email Contact Person Password								
EMPLOYERS EMPLOYERS R Company Name Company Mobile User Name Admin Confirm Password		CHER Official Email Contact Person Password Company Location								

Figure 8: Employer / Job Searcher Registration

Category List Count	4	Job Seeke	r List Count 3	Employers List Count	2	Jobs List Co	ount 5
JOB SEEKER			JOB SEE	KERS DETAIL	S LIST		
	Show 10) 🗸 entries				Search:	
EMPLOYERS	S.No	Name	Email	Mobile	Dob	Status	Change Status
	1	Hailey	haileybajars@gmail.com	4156789870	1990-11-10	Active	
CATEGORY	2	Carleton	carletonwidget@gmail.com	4348903266	2001-05-06	Active	
1085	3	Marvaarob	marvaarobsvb@gmail.com	2224316756	1995-20-02	Active	
0003	Showing	1 to 3 of 3 entries				F	revious 1 Next
ADD CATEGORY	J						
ADD GATEGONT							

Figure 9: Admin Layout

HIKE PRO	Employer Dashboard		DASHBOARD	WEB SITE	COMPANY	Logout	t →
Dashboard	Prontwood Country			CU C			
🕂 Post Job	Brentwood Country	IT PRO	FILE				
🗹 Edit Profile	ADD JOB						
💄 Job List Details							
💄 Candidate List	Job Title	Job Category	~	Job Type		~	
Details							
💄 Chat with Seeker	Job Company Name Brentwood CountryMart	Job Featured	~	Job Status		~	
	Job Location	Job Vacancy		Job Descript	ion	1.	
	Notice Period	Expected Salary					
	Figure 10:	: Employer Layou	ıt				

HIKE PRO Job Searcher Dashboard

> Company Name: Frederick

NewsAgencies

	archer Dashboard					
Dashboard	Carleton COM	PANY PROFIL	E			
Edit Profile Applied Job Details	SEARCH JOB					
Chat with Company	Angular Developer CA,Los Angels	React JS US,Arizona	Project Manage CA,Arkansas	er Backend JS California		
	Web Designers Los Angels					
	Figure	11: Job Search	er Layout			
HIKE PRO Job Se	earcher Dashboard		DASHBOARD	WEB SITE COMPANY	Logout →	
Dashboard	Carleton PROF	ILE				
C Edit Profile	No Job Title Con	npany Name	Applied Date	pplied Date Applied Status		
Applied Job Details	Backend JS Fre	derick NewsAgencies	November,25,	Der,25, 2022 Pending		
Lead with Company	Interview Date					
s	.No Company Name		Date			
1	Frederick NewsAge	ncies	Septe	ember,04, 2022		
	Fig	gure 22: Applied	l Jobs			
Apply For The Job)					
Carleton	carleto	nwidget@gmail.com		Job summary		
React JS	Choose	e file No file chosen		> Published On: Novembe	r, 2022	
About Yourself				> Vacancy: 10		
				Job Nature: Fresher Salary: 78000		
			1	> Location: US,Arizona		
			Apply Now			
React JS				Company Data		
Q US,Arizona () Fresher	78000			Company Detai		

Job description

Figure 33: Specific Job Information

5 Internal/external Interface Impacts and Specification

The software requirements specification includes a complete description of the system's behavior. This lists the hardware and software requirements that the system must have in order to function optimally. Before they can extract system requirements, developers must have a thorough understanding of the products or systems being created. This is achieved by staying in close contact with system users. The architecture of a system, which specifies its structure, behavior, and other perspectives and analyses, is the main emphasis of the architectural design of that system. Three-tier architectural design was used to create this system. The user interacts with the software through the client tier, which is often an interface like a web browser. Web browsers include those like Internet Explorer, Mozilla Firefox, Google Chrome, Microsoft Edge, Opera, and others. Application logic that transmits data or information between the first and second levels makes up the second/middle tier. The database management system, which is in charge of managing databases, is part of the database tier.

H F	ilters													
L														
Со	Containing the word:													
	Tablo	Actic	'n						Dowe 🔿	Туро	Collation	Sizo	Overhead	
		ACUC	/m						NUWS 🕑	Type	Collation	5126	Overneau	
	hp_admin	*	Browse	M Structure	👒 Search	📲 Insert	扁 Empty	Drop	1	InnoDB	utf8_general_ci	16.0 KiB	-	
	hp_category	\Rightarrow	Browse	K Structure	👒 Search	≩•i Insert	🗮 Empty	🔵 Drop	4	InnoDB	utf8_general_ci	16.0 KiB	-	
	hp_chat	*	Browse	Structure	👒 Search	🕌 Insert	🗮 Empty	Drop	6	InnoDB	utf8_general_ci	16.0 KiB	-	
	hp_employers	\Rightarrow	Browse	K Structure	👒 Search	≩ ∔ Insert	🗮 Empty	🔵 Drop	2	InnoDB	utf8_general_ci	16.0 KiB	-	
	hp_interview	*	Browse	Structure	👒 Search	Insert	🗮 Empty	Drop	3	InnoDB	utf8_general_ci	16.0 KiB	-	
	hp_jobapply	\Rightarrow	Browse	Structure	🕞 Search	≩ ∎ Insert	层 Empty	Drop	3	InnoDB	utf8_general_ci	16.0 KiB	-	
	hp_jobs	*	Browse	M Structure	👒 Search	≩ ∔ Insert	层 Empty	Drop	5	InnoDB	utf8_general_ci	16.0 KiB	-	
	hp_review	\Rightarrow	Browse	Structure	🕞 Search	📑 Insert	层 Empty	\ominus Drop	2	InnoDB	utf8_general_ci	16.0 KiB	-	
	hp_searcher	*	Browse	M Structure	Rearch	ai Insert	 E mpty	Drop	3	InnoDB	utf8_general_ci	16.0 KiB	-	
	migrations	\Rightarrow	Browse	Structure	🕞 Search	≩ ∎ Insert	扁 Empty	Drop	1	InnoDB	utf8_general_ci	16.0 KiB	-	
	10 tables	Sum							30	InnoDB	utf8mb4_general_ci	160.0 KiB	0 B	

Figure 44: Database Information



Figure 55: Database Diagram

6 Design Units Impacts

Applications are developed to carry out certain tasks, therefore satisfying the demands of the user. According to a theoretical application development process, the designer gathers all the specifications, develops the system, performs a verification test to make sure his creation adheres to the guidelines, and finally sends it to production. In the majority of product development processes, one of the most challenging challenges is identifying all demands. It could improve your productivity, efficiency, and the worth of your goods and services. It can also reduce costs and risks.

6.1 Functional Area A/Design Unit A

6.1.1 Impacts

The workflow method and design unit for the seeker, administrator, and recruiter controller are adapted to the operational and client needs. The work process includes authentication, updating data and user information, backing up and recovering data, and administering processes.

6.1.2 Requirements

Users are authenticated by the administrator. For access to this web application, neither registration nor login are required. Both the employer and the candidate's progress should be tracked by the admin. Interfaces between systems must be properly designed and dependable on both the inside and outside. A data backup strategy should be implemented for the protection of customer data.

7 Acknowledgements

God Almighty deserves all the praise for the mercies, unwavering goodness, and abounding love He has shown me. I sincerely appreciate Dr. Dae Wook (Wooky) Kim advice and assistance during the development of the project. I'd want to thank my teammates for their assistance in getting the assignment completed.

8 References

[1] Chiang, C. J. (2012). Enabling successful Collaboration 2.0: A REST-based Web Service and Web 2.0 technology oriented information platform for collaborative product development.

[2] Firth, R. (n.d.). In High Powered CVs.

[3] Saikia, R. D. (2016). Comparison of Procedural PHP with Codeigniter and Laravel Framework.[4] Utomo, H. a. (2014). Implementing Code Igniter Framework in Open Source Mobile Learning Application.

🖙 company > OPEN EDITORS application > views > 🐡 company.php HIKEPRO 🖙 009_hp_interview.php defined('BASEPATH') OR exit('No direct script access allowed'); > models > third party <?php \$this->load->view('user_header');?> views > admin > employer <div class="container-xxl py-5"> > errors > seeker <h1 class="text-center mb-5 wow fadeInUp" data-wow-delay="0.1s">EMPLOYERS</h1> <div class="row g-4" 🐄 company.php <?php \$a=1; foreach(\$company as \$v){ if(\$a++==9){break;}?> 🐡 companydetails.php <a class="cat-item rounded p-4" href="<?php echo base_url('users/companydetails/ 🖙 footer.php 🖙 header.php <h5 class="mb-3"><?php echo \$v['company_name'];?></h5> 🖙 hike_jobdetails.php <h6 class="mb-3 text-primary"><?php echo \$v['company_email'];?></h6> <h6 class="mb-3 text-secondary">Contact :<?php echo \$v['hr_person'];?></h6> 🖬 hikepro signup.php 🖙 home.php index.html i class="fa fa-map-marker-alt text-primary 🖛 jobfilters.php 🖛 joblistdetails.php 🐄 login.php 🟶 user_header.php .htaccess index.html > assets <div class="row g-4">

9 Appendices

Figure 66: Company View

EXPLORER	··· 💏 0	07_hp_chat.php	🏶 003_hp_employer.php	■ readme.rst	🗧 logindetails.txt	🐄 company.php	🌳 hike_jobdetail			
> OPEN EDITORS	applica	application > views > 🐄 hike_jobdetails.php								
✓ HIKEPRO	ひ	Jobs St</th <th>tart></th> <th></th> <th></th> <th></th> <th></th>	tart>							
> third_party	13	<div class="</th"><th>"container-xxl py-5"></th><th></th><th></th><th></th><th>l l</th></div>	"container-xxl py-5">				l l			
∨ views			<pre><div class="container"></div></pre>				l l			
> admin			<h3 class="text-center</th><th>∽ mb-5 wow fadeI</th><th>nUp" data-wow-delay<="" th=""><th>="0.1s">JOB LIST</th><th>AND DETAILS INFO</th></h3>	="0.1s">JOB LIST	AND DETAILS INFO					
> employer			<div class="tab-class</th><th>text-center wow</th><th>fadeInUp" data-wow<="" th=""><th>-delay="0.3s"></th><th>l l</th></div>	-delay="0.3s">	l l					
> errors	17		<ul class="nav nav</th><th>/-pills d-inline</th><th>-flex justify-conte</th><th>nt-center border-l</th><th>bottom mb-5">							
> seeker			<li class="nav</th><th>/-item">			i i				
			<a class="</th"><th>'d-flex align-it</th><th>ems-center text-sta</th><th>rt mx-3 ms-0 pb-3</th><th>active" data-bs</th>	'd-flex align-it	ems-center text-sta	rt mx-3 ms-0 pb-3	active" data-bs			
			<h6 c]<="" td=""><td>lass="mt-n1 mb-0</td><td>">All Featured</td></h6>	lass="mt-n1 mb-0	">All Featured		i i			
company.pnp	21						l l			
companydetails.php	22						i i			
🐨 footer.php	23		<li class="nav</th><th>/-item">							
🟶 header.php			<a class="</th"><th>d-flex align-it</th><th>ems-center text-sta</th><th>rt mx-3 pb-3" data</th><th>a-bs-toggle="pil</th>	d-flex align-it	ems-center text-sta	rt mx-3 pb-3" data	a-bs-toggle="pil			
🖙 hike_jobdetails.php				Lass= mt-ni mb-0	>Experienced		i i			
🏶 hikepro_signup.php	20						l l			
🖙 home.php			(li class="nav	/_item">			l l			
♦ index.html	20		(ii class=	'd-flex align-it	ems-center text-sta	rt mx-3 me-0 pb-3	data-bs-toggle			
🖙 jobfilters.php			<h6 c<="" th=""><th>lass="mt-n1 mb-0</th><th>">Freshers</th></h6>	lass="mt-n1 mb-0	">Freshers					
😤 ioblistdetails.php	31						l l			
	32						l l			
usor boader php							l l			
aser_neader.php			<div class="tab-co</th><th>ontent"></div>			i i				
.ntaccess			<div <mark="" id="tab-1</th><th>l">class="tab-pa</div>	ne fade show p-0 ac	tive">	l l				
Index.html			php foreach</th <th><pre>\$categorydetail</pre></th> <th>s['jobs'] as \$j){?></th> <th></th> <th>i i</th>	<pre>\$categorydetail</pre>	s['jobs'] as \$j){ ?>		i i			
> assets			<div class<="" th=""><th>="job-item p-4</th><th>mb-4"></th><th></th><th>l l</th></div>	="job-item p-4	mb-4">		l l			
> system	38		<div div="" div<="" th=""><th>lass="row g-4"></th><th></th><th></th><th></th></div>	lass="row g-4">						
> uploads	39			iv class="col-s	m-12 col-md-8 d-fle	x align-items-cen	ter">			
	40			<div class="t</th><th>ext-start ns-4"></div>						

Figure 77: Job Details View

∽ HIKEPRO [ୁ E͡异 ဎ	17 color:#104d85 !important;
> third_party	18 }
✓ views	19
> admin	
> employer	21 <div class="container-fluid mb-5 p-5"></div>
> errors	22 <div class="row"></div>
> seeker	23 <aside class="col-md-3"></aside>
	<pre>24 <h4 class="text-uppercase text-blue mb-3 wow fadeInUp" data-wow-delay="0.1s">Apply To Search</h4></pre>
company.pnp	20 <01V Class= card >
ecompanydetails.php	27 storm role form method post actions strip etho base_uri(main/search), 777
🗬 footer.php	20 (a) title (lass="rand-badge")
🖙 header.php	30 <pre></pre>
🖙 hike_jobdetails.php	31 (i class="icon-control fa fa-chevron-down mr-1">
🖙 hikepro_signup.php	32 <h6 class="title">Category</h6>
🖙 home.php	
♦ index.html	34
🗬 jobfilters.php	
😤 joblistdetails.php	<pre>36 <div class="filter-content collapse show" id="collapse_1" style=""></div></pre>
	37 <div class="card-body"></div>
 user besder php 	
- user_neader.php	39 <select class="form-select border-1" name="category"></select>
U Intaccess	40 <option value="">Category</option>
Index.html	41
> assets	42 <pre><pre><pre><pre>42 </pre><pre><pre><pre><pre><pre><pre><pre><</pre></pre></pre></pre></pre></pre></pre></pre></pre></pre>
> system	
> uploads	
) user quide	

Figure 88: Job Filter View

EXPLORER		hp	≕ read	me.rst	logindetails.txt	📅 company.php	🐨 hike_jobdetails.php	📅 jobfilters.php	update_category.p
OPEN EDITORS		applicat	tion > v	iews ≻ a	dmin > 🏶 update_catege	ory.php			
HIKEPRO	C1 C7 U @	1	ph</th <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>						
🐏 009_hp_interview.php			defi	ned('BA	SEPATH') OR exit('N	No direct script acc	ess allowed');		
> models			2nh	n \$this	->load->view('admir	/header').25			
> third_party			ph</td <td>p</td> <td>VIOLU VVICH (ddmir)</td> <td>incluci jjiv</td> <td></td> <td></td> <td></td>	p	VIOLU VVICH (ddmir)	incluci jjiv			
∨ views				if(<pre>\$categoryDetails[0]</pre>	['status']=='Active	'){		
∨ admin					<pre>\$s='selected';</pre>				
🖙 dashboard.php					\$a='';				
👷 header.php				}el	.se if <mark>(</mark> \$categoryDeta	ails[0]['status']=='	inactive'){		
🐨 profile.php					\$s='';				
👷 undate category php		11			<pre>\$a='selected';</pre>				
💭 user login php		12		}					
amployer		14		:=(<pre>\$catogonyDotailc[0]</pre>	['fostured']1)[
		14		11(<pre>selected':</pre>	IL TEACOTEO J1/1			
2 errors					\$p='':				
> seeker		17		}e]	.se if(\$categoryDeta	ails[0]['featured']=	=0){		
> users					\$f='';				
🖙 company.php					<pre>\$g='selected';</pre>				
< companydetails.php				}					
🖙 footer.php		21							
🖙 header.php									
🏶 hike_jobdetails.php				class=	container-xxl py-5				
🏶 hikepro_signup.php		24		<div cl<="" td=""><td>ass="container"></td><td></td><td></td><td></td><td></td></div>	ass="container">				
🐄 home.php				<h1< td=""><td>class="text-center</td><td>mb-5 wow fadeInUp"</td><td>data-wow-delay="0.1s"</td><td>><span style="colo</td><td>or:#9+3264">UPDATE<</td></h1<>	class="text-center	mb-5 wow fadeInUp"	data-wow-delay="0.1s"	> <span style="colo</td><td>or:#9+3264">UPDATE<	
♦ index.html		20		<01 243	v class= row >				
👷 jobfilters.php		27			v class="row σv_{-5} "				
ioblistdetails nhn		20		101	CIUSS-IOW By-5 /				

Figure 99: Update Category View

EXPLORER		≣ loginde	etails.txt	😚 company.php	🏶 hike_jobdetails.php	🐄 jobfilters.php	🏶 update_category.php	🗬 employer_joblist.ph
OPEN EDITORS		applica	tion > views	> employer > 🖛 em	ployer_joblist.php			
HIKEPRO	1:1:00		php</th <th></th> <th></th> <th></th> <th></th> <th></th>					
> third_party			defined	('BASEPATH') OR e	xit('No direct script a	ccess allowed');		
∨ views								
∽ admin			php</th <th></th> <th></th> <th></th> <th></th> <th></th>					
🖙 dashboard.php			\$this->	load-≻view('user_	header');			
🐄 header.php			đ	and an entry of the	in Secondary Supervised (*)	Uses [1] .		
👷 profile php			puser_se	ession_data = \$th	IIS->Session->useruata(usere);		
undate categon/nhn			ink re]="stylesheet" h	pref="20hh echo hase un	l('assets/css/ique	rv dataTables min css').	22"5
user login php			<link re<="" td=""/> <td>l="stylesheet" h</td> <td>ref="<?php echo base un</td><td>l('assets/css/ique</td><td>rv.dataTables.css');?>"></td><td></td></td>	l="stylesheet" h	ref=" php echo base un</td <td>l('assets/css/ique</td> <td>rv.dataTables.css');?>"></td> <td></td>	l('assets/css/ique	rv.dataTables.css');?>">	
w user_iogin.php		11				x		
		12	<div cla<="" th=""><th>ass="container-fl</th><th>uid mt-1"></th><th></th><th></th><th></th></div>	ass="container-fl	uid mt-1">			
Trandidate_joblist.pnp				<pre>/ class="row flex</pre>	-nowrap">			
🗬 edit_joblist.php			<pre> <input 1<="" pre=""/></pre>	ype="hidden" nam	e="editid" id="editid" v	<pre>value="<?php echo </pre></pre>	<pre>\$user_session_data['user</pre>	_id'];?>">
🗬 employer_dashboard.ph	hp			<div class="col-</th><th>auto col-md-3 col-xl-2</th><th>px-sm-2 px-0 bg-da</th><th>rk"></div>				
🏶 employer_home.php				<div <?php="" base_url('u<="" class="</th><th>d-flex flex-column alig</th><th>n-items-center ali</th><th>gn-items-sm-start px-3 p</th><th>t-2 text-white min-</th></tr><tr><th>🏶 employer_joblist.php</th><th></th><th>17</th><th></th><th><a href=</th><th><pre>" echo="" pre=""></div>	sers/employee_home,	/'.\$user_session_data['u	ser_id'].'');	
🖙 employer_profile.php		18		<spa< td=""><td>n class="fs-5 d-none d-:</td><td>sm-inline text-whi</td><td>te"> Dashboard</td><td></td></spa<>	n class="fs-5 d-none d-:	sm-inline text-whi	te"> Dashboard	
> errors								
> seeker					s="nav nav-pills flex-co	olumn mb-sm-auto mi	b-0 align-items-center a	lign-items-sm-start
> users		21			<pre>(lass= nav-item ></pre>	o unl('usons/omnlo	waa dashbaand'),), " cla	ss-"nov link olign
😁 company.php		22			<pre>(i class="fa fa-nlus te:</pre>	xt-info mb-3">	<pre>span class="ms-1 d-non</pre>	e d-sm-inline text-
ecompanydetails php		24						
footer.nhn				<th></th> <th></th> <th></th> <th></th>				
header.php				<1i	<pre>class="nav-item"></pre>			
 neauer.prip bika iabdataik nhm 					<a fa="" fa-edit="" href="<?php echo base</th><th>e_url('users/profi</th><th><pre>le/e/'.\$user_session_dat</pre></th><th>a['user_id'].''); ?</th></tr><tr><th>m nike_jobdetalls.pnp</th><th></th><th></th><th></th><th></th><th><i class=" te:<="" th=""><th>xt-info mb-3"></th><th><pre><span class="ms-1 d-non</pre></pre></th><th>e d-sm-inline text-</th>	xt-info mb-3">	<pre><span class="ms-1 d-non</pre></pre>	e d-sm-inline text-
🐡 hikenro sianun nhn		2.0			E 111 E E13 - //			



✓ HIKEPRO	ធ្មុជ្ខគ		?php				
m employer_uashboaru.php		2 d e	efined('BASEPATH') OR exit('No direct script access allowed');				
employer_home.php							
🖙 employer_joblist.php			php</th				
🖙 employer_profile.php		5 \$1	<pre>\$this->load->view('user_header');</pre>				
> errors		6 \$ I	<pre>Jser_session_data = \$this->session->userdata('User]');</pre>				
∨ seeker							
< seeker_applied_jobl	list.php						
🖛 seeker_dashboard.php		10 <div class="container-fluid mt-1"></div>					
🏶 seeker_home.php		11	<pre><div class="row flex-nowrap"></div></pre>				
🗬 seeker_profile.php		12					
> users			<div class="col-auto col-md-3 col-xl-2 px-sm-2 px-0 bg-dark"></div>				
😁 company.php			<pre><div '.\$user_session_data['user_id'].'');="" <?php="" ?="" base_url('users="" class="d-flex flex-column align-items-center align-items-sm-start px-3 pt-2 text-white min-</pre></th></tr><tr><th>e companydetails php</th><th></th><th></th><th><pre>" cla</div></pre>				
footor.php		16	<pre> Dashboard</pre>				
m looter.php		17					
w neader.pnp		18	<pre><ul class="nav nav-pills flex-column mb-sm-auto mb-0 align-items-center align-items-sm-start</pre></th></tr><tr><th>🖬 hike_jobdetails.php</th><th></th><th></th><th><pre><in class=" nav-item"=""> </pre>				
🐄 hikepro_signup.php			<pre><a nret="</pre">/projecto base_uni(users/dashboard); /> class= nav-link align-middle p </pre>				
🐄 home.php		21	<1 Class= ta ta-search text-into mo-3 > 1 <span class="ms-1" d-none="" d-sm-inline="" text-<br="">(is)				
index.html		22					
🏶 jobfilters.php		23	<pre></pre>				
🖙 joblistdetails.php		25	<pre><a fa="" fa-edit="" href="<?php echo base url('users/profile/i/'.\$user session data['user id'].'');</pre></th></tr><tr><th>🐄 login.php</th><th></th><th></th><th><pre><i class=" mb-3"="" text-info=""> <span class="ms-1 d-none d-sm-inline text-</pre></th></tr><tr><th>🐄 user header.php</th><th></th><th></th><th>Edit Profile</th></tr><tr><th>taccess</th><th></th><th></th><th></th></tr><tr><th>index.html</th><th></th><th></th><th></th></tr><tr><th>• index.num</th><th></th><th>30</th><th>class=" nav-item"=""></pre>				

Figure 101: Seeker Home View

EXPLORER		idetails.php	🐨 jobfilters.php 👘 update_category.php 👘 employer_joblist.php 👘 se	eker_home.php 📅 004_hp_catego
OPEN EDITORS		application	> migrations > 🏘 004_hp_category.php	
/ HIKEPRO	L L ひ 日	1 <	<pre>php defined('BASEPATH') OR exit('No direct script access allowed');</pre>	
> controllers			ass Migration_Hp_category extends CI_Migration {	
> core			<pre>public function up() {</pre>	
> helpers			Athin Athone And Girld annual	
> hooks			<pre>stnis->dbforge->add_field(array('id' => appay(</pre>	
> language			'type' => 'TNT'.	
> libraries			'constraint' => 5,	
			'unsigned' => TRUE,	
 migrations 			<pre>'auto_increment' => TRUE</pre>	
001 bp admin php		11		
001_hp_admin.php		12	'category_name' => array(
• 002_hp_seekei.php		13	'type' => 'VARCHAR',	
• 001 be estadourbe		14	constraint => 100	
W 004_np_category.pnp		15), 'description' => arrav(
w uus_np_jobs.pnp		17	'type' => 'TFXT'.	
<pre> 006_hp_jobapply.php </pre>		18),	
🐄 007_hp_chat.php			'status' => array(
🏶 008_hp_review.php			'type' => 'VARCHAR',	
🏶 009_hp_interview.php		21	<pre>'constraint' => '100',</pre>	
> models		22	'default' =>'Active'	
> third_party				
∨ views		24	'featured' => array(
∽ admin			'type' => 'TINYINT',	
🖙 dashboard.php			constraint => 1,	
🖙 header.php		27	detault =>1	
🖙 profile.php		29	'created at DATETIME DEFAULT current timestamp'.	
🐨 update category.php		30	'modified DATETIME DEFAULT current timestamp on update current	timestamp',
				 Activate Windo

Figure 22: Migrations

EXPLORER ····	jobfilters.p	php 🏘 update_category.php	📾 employer_joblist.php	🟶 seeker_home.php	🟶 004_hp_category.php	🖤 Users.php
OPEN EDITORS	application > controllers > 🏘 Users.php					
[,] HIKEPRO [+ 戸 ひ 卣						
\checkmark application						
> cache		<pre>public functionconstruct(){</pre>				
> config		<pre>parent::construct();</pre>				
✓ controllers		<pre>\$this->load->helper('u</pre>	ırl');			
🖙 Admin.php		<pre>\$this->load->library('</pre>	form_validation');			
♦ index.html	10	\$this->load->model('ac	<pre>imin/admin_model');</pre>			
Main php	11	\$this->load->model(ma	iin_model');			
Migration.php	12					
M Users.php		//TO GET THE LOGIN CREDANT	IALS AND CHECK VALID U			
> core		<pre>public function login(){</pre>				
> helpers						
> hooks	17	17 \$userJ =\$this->session->userdata('UserJ');				
	18	<pre>18 \$userE = \$this->session->userdata('UserE');</pre>				
		1t(\$userJ){				
> libraries		<pre>redirect('users/dashboard'); }</pre>				
> logs	21	21 }elseit(suserb){				
✓ migrations	22		iproyee_dashboard),			
🏶 001_hp_admin.php		}else{				
🏶 002_hp_seeker.php	25	\$data['islogin']=	0;			
🏘 003_hp_employer.php		\$this->load->view(["login",\$data);			
🏘 004_hp_category.php						
🏶 005_hp_jobs.php						
🟶 006_hp_jobapply.php						
🐄 007_hp_chat.php						
🖙 008 hp review.php		//TO SHOW THE EMPLOYEE HOM	IE PAGE INFO			
🐨 009 hp interview.php	32	public function employee_h	nome(\$1d){			

Figure 113: Users Controller

EXPLORER .	•• 🏶 update_category.php	🗬 employer_joblist.php	🏶 seeker_home.php	🗬 004_hp_category.php	📽 Users.php
OPEN EDITORS	application > controllers	> 🏶 Admin.php			
HIKEPRO L C C C		unction rogru(){			
✓ application	20	r = \$this->innut->nost('u	ser name').		
> cache	22 \$pas	s = \$this->input->post('u	ser password'):		
> config					
✓ controllers	24 \$res	<pre>s = \$this->admin_model->lo</pre>	gin_user(\$user,\$pass);	
🖛 Admin.php	25 \$dat	a['res_val']= \$res;			
♦ index.html	26				
🐨 Main.php	27 if(\$	data['res_val']){			
Migration.php		\$cassiondata = annav(
🐨 Users.php		'user id'=> \$data['res va	1'1[0]['id'].		
> core		'username' => \$data['res	val'][0]['user'],		
> helpers	32	'user_email'=> \$data['res	_val'][0]['email'],		
> hooks		'logged_in'=> TRUE,			
		'login_type' => 'Admin'			
	35);			
	36	<pre>\$this->session->set_userd</pre>	ata('User', \$session	data);	
	3/	redirect(base_url(`admin/	dashboard'));		
✓ migrations	30 20 }612	sdata['islogin']= 0.			
w ooal		<pre>\$this->load->view("admin/</pre>	user login"):		
W 002_hp_seeker.php	41 }		,		
🐨 003_hp_employer.php	42 }				
💏 004_hp_category.php	42				

Figure 124: Main Controller