The Attitude of Parents of Children with the Crisis of Consciousness



Healthcare

Keywords: Consciousness attacks, convulsions, paroxysmal attacks.

Armend Vuçitërna	Pediatric Clinic, University Clinical Center of Kosovo, Prishtina, Republic of Kosovo Pharmaceutical company "SANTEFARM".
Ramush Bejiqi	Pediatric Clinic, University Clinical Center of Kosovo, Prishtina, Republic of Kosovo Pharmaceutical company "SANTEFARM".
Naim Zeka	Pediatric Clinic, University Clinical Center of Kosovo, Prishtina, Republic of Kosovo Pharmaceutical company "SANTEFARM".
Abdurrahim Gërguri	Pediatric Clinic, University Clinical Center of Kosovo, Prishtina, Republic of Kosovo Pharmaceutical company "SANTEFARM".
Osman Vuçitërna	Pediatric Clinic, University Clinical Center of Kosovo, Prishtina, Republic of Kosovo Pharmaceutical company "SANTEFARM".
Salih Dvorani	Pediatric Clinic, University Clinical Center of Kosovo, Prishtina, Republic of Kosovo Pharmaceutical company "SANTEFARM".
Fatlum Aliu	Pediatric Clinic, University Clinical Center of Kosovo, Prishtina, Republic of Kosovo Pharmaceutical company "SANTEFARM".
Milaim Abdullahu	Pediatric Clinic, University Clinical Center of Kosovo, Prishtina, Republic of Kosovo Pharmaceutical company "SANTEFARM".

Abstract

Every disease that affects the child's health, especially those with negative prognosis has a detrimental affect on the parents and extended family. Children consciousness crises have particular impact considering on the one hand the nature of children and variety of the disease and on the other hand the actual attitude that exist in our society.

Aim of presentation

Here it is analyzed the impact of the crisis of consciousness among parents and close relatives of children with the crisis of consciousness.

Methodology

In questionnaire form and survey we analyzed the influence and attitude of parents with children afficted by crisis of consciousness.

Results

During 2014, we made an analysis in questionnaire form and survey to 69 parents where all parents are divided into three groups depending on the type of diagnosis-types of consciousness crisis. Group 1 are parents of children with febrile convulsions (17 parents, 9 mothers and 8 fathers), group 2 are parents of children with atypical convulsions (21 parents, 10 mothers and 11 fathers), and group 3, parents of children with other paroxysmal attacks (31 parents, 17 mothers and 14 fathers). The data from the questionnaire to all parents, regardless of the type of crisis of conscience have enough information from the doctor for the way, the type and progression of the possible disease. From the first group of 12 parents (7 mothers and 5 fathers) we found considerable concern for the child's illness and the possibility of recurrence. In the second group of all 16 parents (all with continual therapy to prevent possible heart attack) have high degree of concern. The same are also constraints at work and in daily activities. 4 parents (mothers) left the job in order to care for their child. In group 3 we have the highest degree of concern to all parents especially mothers, where 4 children were stopped in the collective stance (kindergarten) aiming greater care for the child.






Table 1. (The structure of the parents of the children with consciousness crisis




Table 2. (The structure of affected children by parents number)

Conclusion

From the results obtained in our survey there is a great influence crisis awareness among parents. This effect increases with the importance of the disease, receiving or not the therapy and diversity of therapy and repetition of the crisis of consciousness attacks.

References

- 1. Statistical data on the crisis of consciousness, Comfield-PR 2010 Neurological diseases in children, pages 105-110.
- 2. Management and treatment of the parents to the child with the crisis of consciousness, Consted C, 2011 General Psychology, pages 339-343.
- 3. The reaction of parents to the children with the crisis of consciousness Fevers-E, 2009 In family psychology, pages 312-315.
- 4. Parents mood of crisis awareness Nushi P, 2003 Psychology, pages 178-180.
- 5. Diseases of the nervous system in children and adolescents Ford FR 2001 Pediatric Neurology, page 234-251.
- 6. The crisis of conscience and their contemporary treatment M Azzam 2010 General Pediatrics, page 178-181.
- 7. Diagnosis of the crisis of consciousness Lewis Z, 2012 scientific papers, pages 57-60.
- 8. Consciousness crisis of children Marianovic B / Z Cevic 2014 Neurological Practicum, page 15-18.
- 9. The study of consciousness crisis of children Milecep J, 1999 Neurology in children and adolescents, pages 76-81.
- 10. Frequency of conscience crisis among children Shala M 2010 General Pediatrics, page 107-111.
- 11. Conscience crisis among children and their combination with epilepsy N Barisic 2009 Pediatric Neurology, page 173-176.
- 12. The role of EEG in children with conscience crisis L Cwitanovic 2007 Scientific paper, page 81-95.
- 13. Administration of anti-epileptic drugs to children with conscience crisis D Novak, 2007 General Pediatrics, page 207-211.
- 14. EEG after the first week in children with the conscience crisis Rino P, 1995 Scientific paper, pages 27-31.