

Henry Ford Health

Henry Ford Health Scholarly Commons

Orthopedics Articles

Orthopedics / Bone and Joint Center

11-12-2022

The Impact of the COVID-19 Pandemic on Racial Disparities in Patients Undergoing Total Shoulder Arthroplasty in the United States

Matthew J. Best

Catherine J. Fedorka

Robert M. Belniak

Derek A. Haas

Xiaoran Zhang

See next page for additional authors

Follow this and additional works at: https://scholarlycommons.henryford.com/orthopaedics_articles

Authors

Matthew J. Best, Catherine J. Fedorka, Robert M. Belniak, Derek A. Haas, Xiaoran Zhang, April D. Armstrong, Joseph A. Abboud, Andrew Jawa, Evan A. O'Donnell, Jason E. Simon, Eric R. Wagner, Momin Malik, Michael B. Gottschalk, Adam Z. Khan, Gary F. Updegrave, Eric C. Makhni, Jon Jp Warner, and Uma Srikumaran

Journal Pre-proof



The Impact of the COVID-19 Pandemic on Racial Disparities in Patients Undergoing Total Shoulder Arthroplasty in the United States

The Avant-garde Health and Codman Shoulder Society Value Based Care Group, Matthew J. Best, MD, Catherine J. Fedorka, MD, Robert M. Belniak, MD, Derek A. Haas, MBA, Xiaoran Zhang, MA, April D. Armstrong, MD, Joseph A. Abboud, MD, Andrew Jawa, MD, Evan A. O'Donnell, MD, Jason E. Simon, MD, Eric R. Wagner, MD, Momin Malik, PhD, Michael B. Gottschalk, MD, Adam Z. Khan, MD, Gary F. Updegrave, MD, Eric C. Makhni, MD, Jon JP. Warner, MD, Uma Srikumaran, MD, MBA, MPH

PII: S2666-6383(22)00231-6

DOI: <https://doi.org/10.1016/j.jseint.2022.10.014>

Reference: JSEINT 698

To appear in: *JSES International*

Received Date: 20 October 2022

Accepted Date: 23 October 2022

Please cite this article as: The Avant-garde Health and Codman Shoulder Society Value Based Care Group, Best MJ, Fedorka CJ, Belniak RM, Haas DA, Zhang X, Armstrong AD, Abboud JA, Jawa A, O'Donnell EA, Simon JE, Wagner ER, Malik M, Gottschalk MB, Khan AZ, Updegrave GF, Makhni EC, Warner JJ, Srikumaran U, The Impact of the COVID-19 Pandemic on Racial Disparities in Patients Undergoing Total Shoulder Arthroplasty in the United States, *JSES International* (2022), doi: <https://doi.org/10.1016/j.jseint.2022.10.014>.

This is a PDF file of an article that has undergone enhancements after acceptance, such as the addition of a cover page and metadata, and formatting for readability, but it is not yet the definitive version of record. This version will undergo additional copyediting, typesetting and review before it is published in its final form, but we are providing this version to give early visibility of the article. Please note that, during the production process, errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

© 2022 The Author(s). Published by Elsevier Inc. on behalf of American Shoulder and Elbow Surgeons.

The Impact of the COVID-19 Pandemic on Racial Disparities in Patients Undergoing Total Shoulder Arthroplasty in the United States

The Avant-garde Health and Codman Shoulder Society Value Based Care Group:

Matthew J. Best, MD¹, Catherine J. Fedorka, MD², Robert M. Belniak, MD³, Derek A. Haas, MBA⁴, Xiaoran Zhang, MA⁴, April D. Armstrong, MD⁵, Joseph A. Abboud, MD⁶, Andrew Jawa, MD⁷, Evan A. O'Donnell, MD⁸, Jason E. Simon, MD⁹, Eric R. Wagner, MD¹⁰, Momin Malik, PhD⁴, Michael B. Gottschalk, MD¹⁰, Adam Z Khan, MD¹¹, Gary F. Updegrave, MD⁵, Eric C. Makhni, MD¹², Jon JP Warner, MD⁸, Uma Srikumaran, MD, MBA, MPH¹

1. Department of Orthopaedic Surgery, Johns Hopkins University School of Medicine, Johns Hopkins Hospital, Baltimore, MD, USA.
2. Cooper Bone and Joint Institute, Camden, NJ, USA.
3. Department of Orthopaedic Surgery and Sports Medicine, Starling Physicians Group, New Britain, CT, USA.
4. Avant-garde Health, Boston, MA, USA
5. Department of Orthopaedics and Rehabilitation, Bone and Joint Institute, Penn State Milton S. Hershey Medical Center, Hershey, PA, USA.
6. Rothman Institute, Thomas Jefferson University Hospital, Philadelphia, PA, USA.
7. Department of Orthopaedic Surgery, New England Baptist Hospital, Tufts University School of Medicine, Boston, MA, USA; Boston Sports and Shoulder Center, Waltham, MA, USA.
8. Department of Orthopaedic Surgery, Harvard Medical School, Massachusetts General Hospital, Boston Shoulder Institute, Boston, MA, USA.

9. Department of Orthopaedic Surgery, Harvard Medical School, Newton-Wellesley Hospital, Boston, MA, USA.
10. Department of Orthopaedic Surgery, Emory University, Atlanta, GA, USA.
11. Department of Orthopaedic Surgery, Washington University in St. Louis, St. Louis, MO, USA.
12. Department of Orthopaedic Surgery, Sports Medicine, Henry Ford Health, Detroit, MI, USA.

Please address all correspondence to Uma Srikumaran, MD, Department of Orthopaedic Surgery, The Johns Hopkins University, 601 North Caroline Street, Baltimore, MD 21287, USA (Telephone: 443-546-1550; fax: 443-546-1551; E-mail: us@jhmi.edu).

Disclaimers:

Funding: No financial support was used for this manuscript.

Conflicts of interest

Matthew J. Best: Reports other financial or material support from Arthrex, Inc and Smith & Nephew.

Catherine J. Fedorka, MD: Reports personal fees from Stryker.

Robert M. Belniak, MD: Reports presenter fees from Pacira and ownership of stock in Stryker.

Derek A. Haas, MBA: Reports ownership of stock in Avant-gard Health and personal fees from Medacta.

April D. Armstrong, MD: Reports personal fees from Globus Medical, IP royalties from Zimmer and membership on the editorial or governing board of Journal of Shoulder and Elbow Surgery.

Joseph A. Abboud, MD: ownership of stock in Aevumed, research support from Arthrex, personal fees from Bioventus, research support from the Department of Defense, IP royalties and

personal fees from DJ Orthopaedics, IP royalties and personal fees Globus Medical, membership on the editorial or governing board of Journal of Shoulder and Elbow Surgery, membership on the editorial or governing board of research support from Lima, ownership of stock in Marlin Medical Alliance, ownership of stock in OBERD, research support from OREF, research support from Orthofix, IP royalties from OsteoCentric Technologies. ownership of stock in OTS Medical, ownership of stock in Shoulder JAM, financial or material support from SLACK Incorporated, IP royalties from Smith and Nephew, IP royalties and personal fees from Stryker, publishing royalties and financial or material support from Wolters Kluwer Health – Lippincott Williams & Wilkins, IP royalties, personal fees and research support from Zimmer.

Andrew Jawa, MD: Reports other financial or material support from Boston Outpatient Surgical Suites, other financial or material support from DePuy, A Johnson & Johnson Company, personal fees and research support from DJ Orthopaedics, IP royalties and ownership of stock from Ignite Orthopaedics, membership on the editorial or governing board of Journal of Shoulder and Elbow Surgery, publishing royalties and other financial or material support from Oberd.

Jason E. Simon, MD: This author, their immediate family, and any research foundation with which they are affiliated did not receive any financial payments or other benefits from any commercial entity related to the subject of this article.

Eric R. Wagner, MD: Reports personal fees from Acumed, personal fees from Biomet, research support from Konica Minolta, personal fees from Osteoremedies, and personal fees from Stryker.

Michael B. Gottschalk, MD: Reports research support from Konica Minolta and research support from Stryker.

Eric C. Makhni, MD: Reports ownership of stock in OutcomeMD, ownership of stock in Proterea Health, personal fees from Smith & Nephew and publishing royalties and financial or material support from Springer.

Jon JP Warner, MD: Reports membership on the editorial or governing board of Journal of Shoulder and Elbow Surgery, other financial or material support from Smith & Nephew, personal fees from Stryker and IP royalties and personal fees from Wright Medical Technology.

Uma Srikumaran, MD, MBA, MPH: Reports grants and personal fees from Arthrex, grants and personal fees from Depuy, personal fees from Fx Shoulder, personal fees from Orthofix, other from Quantum OPS, other from ROM3, grants from Smith and Nephew, other from Sonogen, personal fees from Stryker, personal fees from Thieme, personal fees and other from Tigon Medical, grants and personal fees from Wright Medical Technology, outside the submitted work; In addition, Dr. Srikumaran has a patent Conventus pending, a patent Fx Shoulder pending, and a patent Tigon Medical issued

The other authors, their immediate families, and any research foundation with which they are affiliated have not received any financial payments or other benefits from any commercial entity related to the subject of this article.

Institutional review board approval was not required for this study.

1 **The Impact of the COVID-19 Pandemic on Racial Disparities in Patients Undergoing Total**
2 **Shoulder Arthroplasty in the United States**

3 **Abstract**

4 **Introduction:** The purpose of this study was to assess racial disparities in total shoulder
5 arthroplasty (TSA) in the US and to determine whether these disparities were affected by the
6 COVID-19 pandemic.

7 **Methods:** Centers for Medicare and Medicaid Services (CMS) 100% sample was used to
8 examine primary TSA volume from April-December from 2019-2020. Utilization was assessed
9 for White/Black/Hispanic/Asian populations to determine if COVID-19 affected these groups
10 differently. A regression model adjusted for age/sex/CMS-Hierarchical Condition Categories
11 (HCC) score, dual enrollment (proxy for socioeconomic status), time fixed effects, and Core-
12 based Statistical Area (CBSA) fixed effects was used to study difference across groups.

13 **Results:** In 2019, TSA volume/1000 beneficiaries was 1.51 for White and 0.57 for non-White, a
14 2.6-fold difference. In 2020, the rate of TSA in White patients (1.30/1000) was 2.9 times higher
15 than non-White (0.45/1000) during the COVID-19 pandemic ($P < 0.01$). There was an overall
16 14% decrease in TSA volume/1000 Medicare beneficiaries in 2020; non-White patients had a
17 larger percentage decrease in TSA volume than White (21% vs. 14%, estimated
18 difference; 8.7%, $p = 0.02$). Black patients experienced the most pronounced disparity with
19 estimated difference of 10.1%, $p = 0.05$, compared with White patients. Similar disparities were
20 observed when categorizing procedures into anatomic and reverse TSA, but not proximal
21 humerus fracture.

22 **Conclusions:** During the COVID-19 pandemic, overall TSA utilization decreased by 14% with
23 White patients experiencing a decrease of 14%, and non-White patients experiencing a decrease

24 of 21%. This trend was observed for elective TSA while disparities were less apparent for
25 proximal humerus fracture.

26 **Level of Evidence:** Level III; Retrospective Cohort Comparison; Descriptive Epidemiology
27 Study

28 **Keywords:** Racial disparities; COVID-19; coronavirus pandemic; total shoulder arthroplasty;
29 TSA; Shoulder

30 Racial disparities have been shown in many areas of medicine and have persisted through
31 the past decade.^{9, 12, 15, 24, 25} Achieving health equity and improving access to quality medical care
32 for underrepresented minorities has been a focus for medical societies, patient advocacy groups,
33 and various areas of government, prompting the development of federal programs and policies
34 aimed at reducing health inequality.^{3-6, 20} Despite knowledge of racial disparities and the
35 implementation of various policies and methods to reduce them, racial disparities have persisted
36 in the US for a myriad of surgical procedures including shoulder arthroplasty.^{1, 8}

37 The onset of the coronavirus-19 (COVID) pandemic has led to widespread economic and
38 healthcare crises affecting patients, providers, and the healthcare system overall.¹⁰ Several
39 reports have demonstrated that the Black community has been disproportionately affected by
40 COVID-19 both in rates of hospitalization and risk of death.^{14, 21, 22, 28} Price-Haygood et al
41 showed that Black patients with COVID-19 had a significantly higher mortality rate than White
42 patients within a large, tertiary care network.²² This finding was particularly problematic given
43 that Black patients made up less than one-third of the population studied. Worsening racial
44 disparities during the COVID-19 pandemic have also been shown for Medicare patients
45 undergoing hip and knee replacement surgery, with a 12.9% decreased likelihood of undergoing
46 hip or knee replacement for non-White patients.²⁶

47 The purpose of this study was to assess the impact that the COVID-19 pandemic has had
48 on racial disparities in patients undergoing total shoulder arthroplasty (TSA). We also aim to
49 evaluate these disparities in the context of indication for shoulder arthroplasty, comparing those
50 treated for proximal humerus fracture with non-fracture cases. We hypothesize that shoulder
51 arthroplasty utilization for all races decreased during the COVID pandemic but that a greater
52 decrease occurred in Black, Hispanic, and Asian patients, compared with White patients.

53 **Methods**

54 *Data Source*

55 The Center for Medicare and Medicaid Services (CMS) fee-for-service (FFS) inpatient
56 and outpatient claims data 100% sample, and Medicare enrollment data spanning 2019 through
57 2020 was used for this analysis. We identified April 2020 as the first full month after the onset of
58 the COVID-19 pandemic, and therefore set April 1, 2020 as the start date for the COVID-19
59 period. Since at the time of our analysis, the claims data extended through December 31, 2020,
60 we examined cases admitted by December 18th to ensure we could capture the full length of stay.
61 We examined the same time period of cases (April 1st to December 18th admissions) in 2019 as
62 in 2020 to ensure comparability between the years. The study included primary total shoulder
63 arthroplasties (TSAs) that were coded as inpatient using diagnosis-related group (DRG) 483, and
64 outpatient using primary current procedural terminology (CPT) 23472. Outpatient TSAs only
65 made up only a small fraction of total TSAs cases as CMS only removed TSAs from the
66 inpatient-only list in 2021. We further divided TSAs into non-fracture anatomic arthroplasties,
67 non-fracture reverse arthroplasties, and fracture TSAs (anatomic and reverse combined) based on
68 each case's primary international classification of diseases 10th revision diagnosis (ICD-10-CM)
69 and procedure (ICD-10-PCS) codes. CMS previously expanded their variables for non-white and

70 non-black race and ethnicity groups to allow for more granular data collection. Therefore, we
71 analyzed racial and ethnic groups individually (White, Black, Hispanic, Asian) as well as in
72 larger groups (White and non-White)

73 *Race/Ethnicity*

74 We defined race and ethnicity using the race variable from the Medicare beneficiary
75 enrollment data. Race and ethnicities include White, Black, Hispanic, Asian, other, and
76 unknown. We grouped minorities including Black, Hispanic, Asian, and other into the non-White
77 racial group to compare with the White racial group. We also compared Black, Asian, Hispanic,
78 and other minority groups with White separately.

79 *Statistical Analysis*

80 We calculated the total TSA volume per 1000 Medicare beneficiaries by different racial
81 groups. We then compared the total TSA rate between April 1st and December 18th in 2019 and
82 2020. The percentage change in TSA rate during-COVID was then calculated. A generalized
83 linear model assuming a binomial distribution at beneficiary-year level was fitted with the
84 dependent variable being if a beneficiary received a TSA between April and December during
85 the given year. We adjusted for the minority indicator interacted with during-COVID, age, sex,
86 CMS-hierarchical condition categories (HCC) risk score, Medicare-Medicaid dual enrollment
87 status, and year fixed effects to study the differential effect of COVID-19 on operation rate
88 changes across different racial populations. Bonferroni corrections were applied to p-values. We
89 controlled for the CMS-HCC risk score because it is a measure reflecting the expected future
90 health costs for each patient based on the patient demographics and chronic illnesses. Medicare-
91 Medicaid dual enrollment, i.e. if a patient is enrolled in both Medicare and Medicaid, was
92 controlled for as a proxy for economic status of the beneficiary since eligibility is income based

93 The coefficient of the interaction term between minority and during-COVID is our estimate of
94 the impact of the COVID-19 pandemic on racial disparities between White and the minority
95 racial population, meaning that compared to the White racial group, how much did the TSA
96 operation rate change due to COVID-19 in the minority racial population.

97 **Results**

98 A total of 49,412 and 41,554 cases were observed in 2019 and 2020 between April and
99 December, respectively. There has been an overall 14% decrease in TSA volume per 1000
100 Medicare beneficiaries between 2019 and 2020 (1.51 vs. 1.30). Racial disparities existed for
101 TSA nationally prior to the COVID-19 pandemic. In 2019, the TSA hospitalization volume per
102 1000 Medicare beneficiaries was 1.69 for the White population and 0.57 for non-White, a 2.6-
103 fold difference. In 2020, the White TSA hospitalization rate (0.45 per 1000 beneficiaries) was
104 2.9 times higher than that of the non-White patients (0.45 per 1000 beneficiaries) during the
105 COVID-19 pandemic. The percentage decrease between 2019 and 2020 for White and non-
106 White was 14% and 21%, respectively (**Table 1**).

107 Similar trends were observed when breaking the arthroplasties into anatomic and reverse
108 TSAs. For anatomic TSAs, the overall decrease was 19% between 2019 and 2020, with the
109 White population decreasing by 19%, and the non-White population decreasing by 29%. For
110 reverse TSAs, a 13% decrease was observed across populations between 2019 and 2020, with a
111 13% decrease for White and 19% decrease for non-White. Disparities were less apparent when
112 analyzing non-elective cases, with a 3% decrease overall, a 3% decrease among White patients
113 compared with a 4% decrease for non-White patients undergoing shoulder arthroplasty for
114 proximal humerus fracture (**Table 1**).

115 By fitting a logistic regression at beneficiary-year level with receiving a TSA as
116 dependent variable, we were able to quantify the impact of COVID-19 and race combined. **Table**
117 **2** shows the estimate of the interaction term between COVID-19 and minorities, quantifying the
118 exacerbation of preexisting racial disparities due to COVID-19. When pooling all non-White
119 patients, the estimated difference in TSA utilization compared with White was -8.7% (95% CI [-
120 14.0%, -3.1%], $p = 0.02$), meaning that with TSA utilization decreasing for both White and non-
121 White, there was an 8.7% more decrease for the non-White population. This effect was
122 especially pronounced for the Black population, with a -10.1% (95% CI [-16.8%, -2.9%], $p =$
123 0.05) estimated difference compared with White. For other minorities, however, we did not
124 observe significant differences according to the regression.

125 **Discussion**

126 This study showed that after the onset of the COVID-19 pandemic, preexisting racial
127 disparities in patients undergoing TSA worsened. The overall rate of TSA hospitalization
128 decreased by 14% across racial groups during the COVID-19 pandemic. However, the White
129 population experienced a decrease of 14%, compared with a decrease of 21% in the non-White
130 population. When analyzing disparities by indication for surgery, disparities were less
131 pronounced in patients undergoing arthroplasty for proximal humerus fracture, with a decrease in
132 rate of 3% and 4% for White and non-White patients respectively. After controlling for age, sex,
133 comorbidities, and dual enrollment status (a proxy for economic status), the estimated difference
134 in percent decrease between White and non-White patients was 8.7%, indicating that the non-
135 White population had an 8.7% larger decrease in rate of hospitalization than White patients. The
136 estimate was 10.1% for the Black patients.

137 Racial disparities have been shown in many studies throughout the orthopedic and
138 general medical literature.^{1, 8, 9, 12, 15, 24, 25} This is particularly concerning in the arthroplasty
139 literature since Black patients develop osteoarthritis at a prevalence equal to or greater than
140 White patients.^{16, 27} In addition, various initiatives and programs have been implemented by the
141 American Academy of Orthopedic Surgeons and other advocacy groups to reduce or eliminate
142 differences in musculoskeletal care based on race.^{3, 20} The Musculoskeletal Healthcare
143 Disparities Research Symposium addressed this issue and called for increased access to
144 arthroplasty procedures for under-represented minority patients.²⁰ Despite these initiatives and
145 what seems to be widespread knowledge that these disparities exist, several studies show that
146 racial disparities have persisted through 2017 for many orthopedic procedures and have
147 worsened for some surgeries such as TSA, total hip arthroplasty (THA) and total knee
148 arthroplasty (TKA).^{1, 2, 8, 9, 19, 23} In a national study assessing all-payer data from 2006 to 2015,
149 Amen et al showed that there were persistent disparities in utilization between White and Black
150 patients undergoing TKA and worsening racial disparities in complications following TKA.¹ In a
151 study evaluating racial disparities in patients undergoing TSA, Black patients had lower rates of
152 utilization, higher rates of complications, and increased odds of mortality following surgery
153 compared with White patients.⁸ This lower rate of TSA utilization by Black patients worsened
154 over the study period from 2012-2017.⁸

155 Racial differences were less apparent in patients undergoing arthroplasty for proximal
156 humerus fracture with a decrease of 3% in White patients and 4% in non-White patients during
157 the pandemic. Many shoulder arthroplasty cases performed for proximal humerus fracture are
158 not elective surgeries and the difficulty in access to subspecialty orthopedic care may not be as
159 marked in the trauma setting. However, racial disparities have been shown in multiple studies for

160 patients undergoing fracture care.^{2, 19, 23} In a study of over 40,000 patients admitted to US
161 hospitals with a proximal humerus fracture, Hispanic and Black patients were more likely to be
162 uninsured and less likely to use post-discharge support services than White patients.¹⁸ Two
163 national studies assessed racial disparities in hip fracture care and showed longer time to surgery
164 and higher rates of complications in under-represented minority patients compared with White
165 patients.^{2, 19}

166 Several reports and major news outlets have highlighted the glaring racial disparities
167 exacerbated by the COVID-19 pandemic.^{14, 21, 22, 26, 28} In a large cohort of patients within an
168 integrated-delivery healthcare system, 77% of patients hospitalized with Covid-19 and 71% of
169 those who died were Black despite the fact that Black patients comprised only 31% of the health-
170 system population in the study.²² These findings were corroborated in another study which
171 showed that 34% of Covid deaths were among Black patients despite this group accounting for
172 only 12% of the population in the United States.¹⁴ These studies highlight that the Covid-19
173 pandemic has magnified another pandemic in the US, which is racial and ethnic disparities in
174 healthcare.²⁹

175 There are several explanations for the findings of this study which have been posited as
176 reasons for healthcare disparities throughout the pandemic. Access to primary care and specialty
177 care has been shown to be more difficult for under-represented minorities.^{21, 29} Implicit bias is
178 associated with worse quality of care and poorer communication between patients and
179 physicians.^{13, 17, 29} Bias in behavioral attitudes can be worsened under conditions of stress such as
180 providing medical care during the Covid-19 pandemic.²⁹ This may be reflected in data from
181 various regions in the US which showed that African American patients with cough or fever
182 were less likely than White patients to be offered a Covid test.⁷ Another factor contributing to

183 racial disparities which may be exacerbated during the Covid-19 pandemic is pathogenic effects
184 of adverse living and working conditions.²¹ Data from New York City showed that the Bronx
185 had the lowest income and education levels, the highest population of under-represented
186 minorities, and the highest rate of Covid-19 hospitalizations and deaths, despite a lower
187 population density than Manhattan.²⁸ Finally, distrust in the medical system has been shown as a
188 factor contributing to racial disparities in patients contemplating total knee replacement and may
189 influence decisions for patients considering total shoulder replacement as well.¹¹

190 Although the results of the present study do not provide reasons for the worsening racial
191 disparities in patients undergoing TSA during the Covid pandemic, they do highlight and raise
192 awareness of this important issue. A recent viewpoint by Yancy recommends three strategies for
193 helping to reduce racial disparities in healthcare, the first of which is to raise awareness of the
194 problem.³⁰ Another strength of this study is that many factors such as age, sex, and economic
195 status, or dual-enrollment status, were controlled for in our regression analysis. Although we do
196 not have specific socioeconomic variables such as household income, dual enrollment status is
197 based on income and can be used to as an indicator of socioeconomic status.

198 Despite these strengths this study has several limitations. One, we were not able to study
199 these racial trends across different geographic regions or census divisions. Since the overall
200 incidence of TSA in the Medicare population is < 2 per 1000 beneficiaries, this did not provide
201 sufficient sample size for accurate census division analysis. In addition, the patient population
202 studied included Medicare beneficiaries but not private payers. This may have been beneficial in
203 this study since a larger proportion of patients with private insurance may have undergone
204 outpatient TSA. Among Medicare beneficiaries in our study period from 2019-2020, the
205 percentage of outpatient TSA was just 1.4%, indicating a large catchment of our study sample.

206 Conclusion

207 COVID-19 exacerbated the preexisting racial disparities for TSA utilization among
208 Medicare beneficiaries in the US. During the COVID-19 pandemic, the overall TSA
209 hospitalization rate dropped by 14% across racial groups. However, COVID-19 impacted racial
210 groups differently, with the White population experiencing a decrease of 14%, and the non-
211 White population experiencing a decrease of 21%. This trend was observed for elective shoulder
212 arthroplasty cases while disparities were less apparent in patients undergoing arthroplasty for
213 proximal humerus fractures.

214 References

- 215 1. Amen TB, Varady NH, Rajae S, Chen AF. Persistent Racial Disparities in Utilization Rates
216 and Perioperative Metrics in Total Joint Arthroplasty in the U.S.: A Comprehensive Analysis of
217 Trends from 2006 to 2015. *J Bone Joint Surg Am.* 2020;102:811-820. doi:
218 10.2106/JBJS.19.01194
- 219 2. Amen TB, Varady NH, Shannon EM, Chopra A, Rajae S, Chen AF. Racial and Ethnic
220 Disparities in Hip Fracture Surgery Care in the United States From 2006 to 2015: A Nationwide
221 Trends Study. *J Am Acad Orthop Surg.* 2022;30:e182-e190. doi: 10.5435/JAAOS-D-21-00137.
- 222 3. Anon. Movement Is Life caucus. Movement Is Life: a catalyst for change. Addressing
223 musculoskeletal health disparities. 2011. 2019.
- 224 4. Anon. NIAMS National Institute of Arthritis Musculoskeletal and Skin Diseases. Department
225 of Health and Human Services Strategic Plan for Reducing Racial Disparities. 2006.
- 226 5. Anon. U.S. Department of Health and Human Services. HHS action plan to reduce racial and
227 ethnic disparities: a nation free of disparities in health and health care.

- 228 http://www.minorityhealth.hhs.gov/npa/files/Plans/HHS/HHS_Plan_complete.pdf. Published
229 April 2011. Accessed June 15, 2020.
- 230 6. Anon. Wyatt R, Laderman M, Botwinick L, Mate K, Whittington J. Achieving Health Equity:
231 A Guide for Health Care Organizations. IHI White Paper. Cambridge, Massachusetts: Institute
232 for Healthcare Improvement; 2016. (Available at ihi.org).
- 233 7. Anon. Farmer B. The coronavirus doesn't discriminate, but U.S. health care showing familiar
234 biases. NPR. Published April 2, 2020. Accessed October 1, 2021.
235 [https://www.npr.org/sections/health-shots/2020/04/02/825730141/the-coronavirus-](https://www.npr.org/sections/health-shots/2020/04/02/825730141/the-coronavirus-doesntdiscriminate-but-u-s)
236 [doesntdiscriminate-but-u-s.](https://www.npr.org/sections/health-shots/2020/04/02/825730141/the-coronavirus-doesntdiscriminate-but-u-s)
- 237 8. Best MJ, Aziz KT, McFarland EG, Martin SD, Rue JPH, Srikumaran U. Worsening racial
238 disparities in patients undergoing anatomic and reverse total shoulder arthroplasty in the United
239 States. *J Shoulder Elbow Surg.* 2021;30:1844-1850. doi: 10.1016/j.jse.2020.10.023.
- 240 9. Best MJ, McFarland EG, Thakkar SC, Srikumaran U. Racial Disparities in the Use of Surgical
241 Procedures in the US. *JAMA Surg.* 2021;156:274-281. doi: 10.1001/jamasurg.2020.6257.
- 242 10. Blumenthal D, Fowler EJ, Abrams M, Collins SR. Covid-19 - Implications for the Health
243 Care System. *N Engl J Med.* 2020;383:1483-1488. doi: 10.1056/NEJMsb2021088.
- 244 11. Chang HJ, Mehta PS, Rosenberg A, Scrimshaw SC. Concerns of patients actively
245 contemplating total knee replacement: differences by race and gender. *Arthritis Rheum.*
246 2004;51:117-123. doi: 10.1002/art.20073.
- 247 12. Goodman SM, Parks ML, McHugh K, Fields K, Smethurst R, Figgie MP, Bass AR.
248 Disparities in Outcomes for African Americans and Whites Undergoing Total Knee
249 Arthroplasty: A Systematic Literature Review. *J Rheumatol.* 2016;43:765-770. doi:
250 10.3899/jrheum.150950.

- 251 13. Hall WJ, Chapman M v., Lee KM, Merino YM, Thomas TW, Payne BK, Eng E, Day SH,
252 Coyne-Beasley T. Implicit Racial/Ethnic Bias Among Health Care Professionals and Its
253 Influence on Health Care Outcomes: A Systematic Review. *Am J Public Health*. 2015;105:e60-
254 e76. doi: 10.2105/AJPH.2015.302903.
- 255 14. Holmes L, Enwere M, Williams J, Ogundele B, Chavan P, Piccoli T, Chinaka C, Comeaux
256 C, Pelaez L, Okundaye O, Stalnaker L, Kalle F, Deepika K, Philipicien G, Poleon M, Ogungbade
257 G, Elmi H, John V, Dabney KW. Black-White Risk Differentials in COVID-19 (SARS-COV2)
258 Transmission, Mortality and Case Fatality in the United States: Translational Epidemiologic
259 Perspective and Challenges. *Int J Environ Res Public Health*. 2020;17:1-18. doi:
260 10.3390/ijerph17124322.
- 261 15. Jha AK, Fisher ES, Li Z, Orav EJ, Epstein AM. Racial trends in the use of major procedures
262 among the elderly. *N Engl J Med*. 2005;353:683-691. doi: 10.1056/NEJMsa050672.
- 263 16. Jordan JM, Helmick CG, Renner JB, Luta G, Dragomir AD, Woodard J, Fang F, Schwartz
264 TA, Abbate LM, Callahan LF, Kalsbeek WD, Hochberg MC. Prevalence of knee symptoms and
265 radiographic and symptomatic knee osteoarthritis in African Americans and Caucasians: the
266 Johnston County Osteoarthritis Project. *J Rheumatol*. 2007;34:172-180. No doi
- 267 17. Maina IW, Belton TD, Ginzberg S, Singh A, Johnson TJ. A decade of studying implicit
268 racial/ethnic bias in healthcare providers using the implicit association test. *Soc Sci Med*.
269 2018;199:219-229. doi: 10.1016/j.socscimed.2017.05.009
- 270 18. Menendez ME, Ring D. Racial and insurance disparities in the utilization of supportive care
271 after inpatient admission for proximal humerus fracture. *Shoulder Elbow*. 2014;6:283-290. doi:
272 10.1177/1758573214536702.

- 273 19. Nayar SK, Marrache M, Ali I, Bressner J, Raad M, Shafiq B, Srikumaran U. Racial Disparity
274 in Time to Surgery and Complications for Hip Fracture Patients. *Clin Orthop Surg*. 2020;12:430-
275 434. doi: 10.4055/cios20019.
- 276 20. O'Connor MI, Lavernia CJ, Nelson CL. AAOS/ORS/ABJS Musculoskeletal Healthcare
277 Disparities Research Symposium: Editorial comment: A call to arms: eliminating
278 musculoskeletal healthcare disparities. *Clin Orthop Relat Res*. 2011;469:1805-1808. doi:
279 10.1007/s11999-011-1884-0.
- 280 21. Owen WF, Carmona R, Pomeroy C. Failing Another National Stress Test on Health
281 Disparities. *JAMA*. 2020;323:1905-1906. doi: 10.1001/jama.2020.6547.
- 282 22. Price-Haywood EG, Burton J, Fort D, Seoane L. Hospitalization and Mortality among Black
283 Patients and White Patients with Covid-19. *N Engl J Med*. 2020;382:2534-2543. doi:
284 10.1056/NEJMsa2011686.
- 285 23. Raad M, Puvanesarajah V, Wang KY, McDaniel CM, Srikumaran U, Levin AS, Morris CD.
286 Do Disparities in Wait Times to Operative Fixation for Pathologic Fractures of the Long Bones
287 and 30-day Complications Exist Between Black and White Patients? A Study Using the NSQIP
288 Database. *Clin Orthop Relat Res*. 2022;480:57-63 doi: 10.1097/CORR.0000000000001908.
- 289 24. Schoenfeld AJ, Tipirneni R, Nelson JH, Carpenter JE, Iwashyna TJ. The influence of race
290 and ethnicity on complications and mortality after orthopedic surgery: a systematic review of the
291 literature. *Med Care*. 2014;52:842-851. doi: 10.1097/MLR.000000000000177.
- 292 25. Singh JA, Lu X, Rosenthal GE, Ibrahim S, Cram P. Racial disparities in knee and hip total
293 joint arthroplasty: an 18-year analysis of national Medicare data. *Ann Rheum Dis*. 2014;73:2107-
294 2115. doi: 10.1136/annrheumdis-2013-203494.

- 295 26. Stronach BM, Zhang X, Haas D, Iorio R, Anoushiravani A, Barnes CL. Worsening
296 Arthroplasty Utilization With Widening Racial Variance During the COVID-19 Pandemic. *J*
297 *Arthroplasty*. 2022;37:1227-1232 doi: 10.1016/j.arth.2022.03.001.
- 298 27. Vaughn IA, Terry EL, Bartley EJ, Schaefer N, Fillingim RB. Racial-Ethnic Differences in
299 Osteoarthritis Pain and Disability: A Meta-Analysis. *J Pain*. 2019;20:629-644. doi:
300 10.1016/j.jpain.2018.11.012.
- 301 28. Wadhera RK, Wadhera P, Gaba P, Figueroa JF, Joynt Maddox KE, Yeh RW, Shen C.
302 Variation in COVID-19 Hospitalizations and Deaths Across New York City Boroughs. *JAMA*.
303 2020;323:2192-2195. doi: 10.1001/jama.2020.7197
- 304 29. Williams DR, Cooper LA. COVID-19 and Health Equity-A New Kind of “Herd Immunity.”
305 *JAMA*. 2020;323:2478-2480. doi: 10.1001/jama.2020.8051.
- 306 30. Yancy CW. COVID-19 and African Americans. *JAMA*. 2020;323:1891-1892. doi:
307 10.1001/jama.2020.6548.
- 308 Legend
- 309 Table 1. Changes in Rates of TSAs per 1000 Medicare Beneficiaries by Racial Group During the
310 COVID-19 Pandemic
- 311 Table 2. Estimated Between-group Differences of TSA Rates for All Types of TSAs For Each
312 Minority Group Compared with the White Population¹

Table 1. Changes in Rates of TSAs per 1000 Medicare Beneficiaries by Racial Group During the COVID-19 Pandemic			
	2019 Apr-Dec	2020 Apr-Dec	Change (%)
All TSA (Sum of Types Below)	1.51	1.30	-14%
White	1.69	1.46	-14%
Non-white	0.57	0.45	-21%
Black	0.58	0.45	-22%
Hispanic	0.50	0.42	-16%
Asian	0.29	0.22	-25%
Other Minorities	0.82	0.68	-17%
Unknown	1.31	1.16	-11%
Types of Hospitalizations			
Anatomic TSA Non-fracture	0.45	0.36	-19%
White	0.50	0.40	-19%
Non-white	0.16	0.11	-29%
Black	0.18	0.12	-29%
Hispanic	0.11	0.08	-31%
Asian	0.07	0.05	-35%
Other Minorities	0.21	0.16	-23%
Unknown	0.51	0.45	-11%
Reverse TSA Non-fracture	0.91	0.80	-13%
White	1.02	0.89	-13%
Non-white	0.36	0.29	-19%
Black	0.38	0.30	-20%
Hispanic	0.32	0.28	-12%
Asian	0.17	0.12	-30%
Other Minorities	0.53	0.44	-17%
Unknown	0.72	0.64	-12%
Anatomic + Fracture TSA Fracture	0.15	0.15	-3%
White	0.17	0.17	-3%
Non-white	0.04	0.04	-4%
Black	0.03	0.03	-5%
Hispanic	0.06	0.06	-11%
Asian	0.05	0.05	9%
Other Minorities	0.08	0.08	-6%
Unknown	0.07	0.07	-4%

Table 2. Estimated Between-group Differences of TSA Rates for All Types of TSAs For Each Minority Group Compared with the White Population¹

	Estimate	95% CI	P-value
Non-white vs. White	-8.7%	(-14.0%, -3.1%)	0.02
Black vs. White	-10.1%	(-16.8%, -2.9%)	0.05
Hispanic vs. White	-2.6%	(-17.3%, 14.8%)	1.00
Asian vs. White	-18.2%	(-34.7%, 2.4%)	0.64
Other Minorities vs. White	-4.5%	(-15.7%, 8.3%)	1.00

1. Estimated between-group differences for operation rate were made from the logistic regression model at beneficiary-year level, adjusted for age, sex, CMS-HCC risk score, and Medicare-Medicaid dual enrollment status. Bonferroni corrections were applied to p-values. Coefficients were converted as the percentage differences in probability of receiving a TSA for minorities compared to White. The comparisons were made based on April through December data for 2020 and 2019.