# **Communications of the IIMA**

Volume 11 | Issue 4

Article 2

2011

# Enhancing Excel Skills in Teaching Undergraduates in Busin

Xin James He Fairfield University

Follow this and additional works at: http://scholarworks.lib.csusb.edu/ciima

#### **Recommended** Citation

He, Xin James (2011) "Enhancing Excel Skills in Teaching Undergraduates in Busin," *Communications of the IIMA*: Vol. 11: Iss. 4, Article 2. Available at: http://scholarworks.lib.csusb.edu/ciima/vol11/iss4/2

This Article is brought to you for free and open access by CSUSB ScholarWorks. It has been accepted for inclusion in Communications of the IIMA by an authorized administrator of CSUSB ScholarWorks. For more information, please contact scholarworks@csusb.edu.

### **Enhancing Excel Skills in Teaching Undergraduates in Business**

Xin James He Fairfield University, USA <u>xhe@fairfield.edu</u>

#### ABSTRACT

This paper tries to enhance Excel skills in teaching an undergraduate operations management course since improving basic Excel skills is one of the key areas necessary to close the feedback loop. As a required core business course, OM101 Operations Management is a natural starting point to enhance basic Excel skills along with quantitative analysis and modeling skills. In light of overwhelming topics to be covered in the course, we believe it is best to enhance basic Excel skills by means of homework assignments with specific Excel instructions, instead of overburdening the students with extra Excel lectures or general-purpose Excel instructions.

Keywords: Enhancing Excel skills, teaching business undergraduate, technology

#### **INTRODUCTION**

The Dolan School of Business at Fairfield University (DSB), like many other universities, does not require incoming freshmen to take a proficiency test or an introduction class of basic Excel skills under the assumption that their basic skills are already adequate from high school and will be further improved by the time when they graduate from college. However, feedbacks from the Continuous Improvement Assessment Committee (CIAC) of the DSB and from the DSB Advisory Board indicate that improving basic Excel skills is one of the key areas necessary to close the feedback loop. In other words, efforts have to be made to enhance their basic Excel skills (e.g., spreadsheet organization, formulas & functions, cell relationships, graphics, and advanced functions) during their early years in college so that they can be better prepared for more advanced business courses and become more competitive in real business world after graduation. OM101 Operations Management as a required undergraduate business core course is a natural starting point to enhance basic Excel skills. While we encourage students to use Excel for homework assignments along with other business applications in the subject area, we often encounter technical difficulties due to uneven Excel skill levels and overwhelming subject topics to be covered in the operations management class. Moreover, most textbooks currently available in operations management (e.g., Collier & Evans, 2011-2012; Jacobs & Chase, 2011;) do not provide detailed Excel related instructions for homework problems, and most commercially available Excel instructions (e.g., Walkenbach, 2010) are too general to attract student attention. In this paper, we try to enhance basic Excel skills in teaching OM101 class by selecting appropriate homework problems that are relevant to basic Excel skills and by providing problemspecific Excel instructions to facilitate student learning.

This paper is organized as follows. Section 2 discusses problem selection. Section 3 illustrates problem-specific Excel instructions. Section 4 depicts implementation and learning outcomes. Section 5 summarizes the paper.

#### **PROBLEM SELECTION**

In light of overwhelming required subject topics to be covered in OM101 and lack of Excel related instructions with the currently available operations management textbooks, we believe the best way to enhance basic Excel skills in this teaching innovation project is to develop problem-specific Excel instructions for selected homework problems, instead of using general purpose Excel instructions.

Appropriate subject topics within the current textbook (Jacobs & Chase, 2011) are carefully selected so that a variety of basic Excel skills in the OM101 class will be included. Such topics as break-even analysis, forecasting, and inventory management are good candidates for initial experiment and implementation. More advance topics are to be included later on.

Homework problems relevant to such basic Excel skills as data input, analysis, calculation (formulas & functions), and simulation are potential candidates here. Specifically we focus our initial attention on data input (spreadsheet organization), formatting, basic formulas and functions, self-defined functions (cell relationships), chart building, and data analysis (advanced functions) skills that are essential to business students or specified by the CIAC as core technological competencies.

#### **EXCEL INSTRUCTIONS**

Sample problem-specific Excel instructions are illustrated in this section. With a variety of different problems associated with carefully selected subject topics in OM101, we try to develop user-friendly problem-specific instructions, which are designed for students with different Excel background. A forecasting problem from Chapter 15 (Jacobs & Chase, 2011), for example, is to demonstrate how we enhance basic Excel skills via problem-specific Excel instructions.

#### Sample Problem

Problem 2 (Ch. 15) Historical demand for a product is (Jacobs & Chase, 2011, p.518)

- a. Using a simple three-month moving average, find the July forecast
- b. Using simple exponential smoothing with  $\alpha = 0.2$  and a June forecast = 13, find the July forecast.
- c. Using simple linear regression analysis, calculate the regression equation for the preceding demand data and then calculate the forecast for July.

Month	Demand (A <sub>t</sub> )
January	12
February	11
March	15
April	12
May	16
June	15

Table 1. Sample Data Set.

Part a is to find the forecast for the month of July using a simple 3-month moving average,  $F_{July} = (A_{April} + A_{May} + A_{June})/3$ , where  $F_{July}$  is the forecast for the month of July,  $A_{April}$  is the actual demand for the month of April,  $A_{May}$  is the actual demand for the month of May, and  $A_{June}$  is the actual demand for the month of June.

Part b is to calculate the forecast for the month of July using a different forecasting technique - simple exponential smoothing, given  $\alpha = 0.2$  and  $F_{June} = 13$ ,  $F_{July} = F_{June} + \alpha (A_{June} - F_{June})$ , where  $\alpha$  is the smoothing constant.

Part c is to compute the slope, b, and the y intercept, a, of a simple linear regression model, and then to forecast the demand for the month of July (x=7):

$$y = a + bx$$
$$b = \frac{\sum xy - n\overline{xy}}{\sum x^2 - n\overline{x}^2}$$
$$a = \overline{y} - b\overline{x}$$

where n = 6 is the number of observations, and  $\bar{x}$ ,  $\bar{y}$ ,  $\overset{\circ}{\partial} xy$ , and  $\overset{\circ}{\partial} x^2$  are shown in Table 2.

Month (X)	Demand (Y)	XY	$\mathbf{X}^2$
1	12	12	1
2	11	22	4
3	15	45	9
4	12	48	16
5	16	80	25
6	15	90	36
$\overline{x} = 21/6 = 3.5$	$\overline{y} = 81/6 = 13.5$	å xy = 297	$a^2 = 91$

 Table 2. Sample Data Set for Linear Regression Analysis Sample.

**Sample Instructions:** There are a total of 12 basic Excel skills related to this sample problem, with four steps.

**Step 1:** Create the Sample Data Set as in Table 1.

 <u>Basic Skill 1—Cell Merge and Underline Table Title</u> Type the table title *Data* in cell A1 Highlight cells A1 through F1 Click the Merge & Center in the top toolbar (pictured below)



Paste 3 Clipbcard 13	Calibri - 11 - = = = P U U · A A T ≡ ≡ ≡ H · (A A A ≣ ≡ ≡ H · (A A A E E ≅ ■ Borders	Cieneral → S → % → → 38 +33 E Number E	A     Image: Styles       Styles     Image: Styles       ▼     Image: Styles       Cells	Σ - Σ - Σ - Sort & Lind C2 × Sort & Lind Filter * Selec Editing	8
A1	Eottom Border				¥.
A	Top Border	F G	11 I	I K	I M
2	🔠 Left Border				
3	Right Border				
4	🚟 No Border				
5	H All Borders				
7	···· Outgide Borders				
8	Thick Box Border	1			
9					
11	Eottom Double Border				=
12	Thick Bottom Border				
13	😳 Top an <u>d</u> Bottom Border				
15	Top and Thick Bottom Border				
16	Top and Double Bottom Border				
17	Draw Borders				
10	Draw Border				
20	🚽 🔄 🖉				
21	Lrase Border				
22 	-	Sheet1		111	▶ []
Ready	🚅 Line Color 🕨	SHOCL ( NP)		 III III 80% (=)	
riculy	Tine Style		HT		

Click cell A1 and create border underline using the icon shown below:

2) Basic Skill 2 – Underline Column Titles

Type the column title "Month" in cell B3 Type the column title "Demand" in cell C3 To underline column titles, highlight cells A3 through C3 and click icon shown below:



#### 3) Basic Skill 3 – Auto-fill the Months

Type the first month "January" in cell B4

Click cell B4 and hover mouse over the bottom right corner until a bold cross appears

Click and drag down from cell B4 to cell B9 to auto-fill the months "February – June"

Type the demand data in column B from cells C4 – C9 shown below:

X	🚽 🤊 -	(e - 🗋	🚨 🞽 🔻	i
	File	Home	insert Pag	ge
	nste ▼	Calibri <b>B</b>	۲ × <u>۳</u>	.1
Clip	board 5	i	Font	
	C7	,	•	
	А	В	С	
1		Da	ata	
2				
3		Month	Demand	
4		January	12	
5		February	11	
6		March	15	
7		April	12	
8		May	16	
9		June	15	
10				

Step 2: Solve Part a of the forecast for the month of July using a 3-month moving average4) <u>Basic Skill 4—Use the "Average" Function</u>

In cell A13, type "Moving average for July = Average for April, May and June" In cell A15, type " $F_{July}$  =" In cell B15, type "=AVERAGE (C7:C9)" to calculate the moving average (The equal sign "=" in front of a function is necessary)

Step 3: Solve Part b of the forecast for the month of July using a simple exponential smoothing
5) <u>Basic Skill 5—Insert Greek Symbol "α"</u>

In cell A17, type " $F_{July} = F_{June} + \alpha (A_{June} - F_{June})$ " To insert the Greek Symbol " $\alpha$ ", go to the Insert Tab and click the Symbol box shown below:

🗶 🖬 🤊 - C	- 🗋 🖪 🛛	<u></u> ∦∓						Microso	oft Exce	l non-c	ommercia	al use							$\mathbf{X}$
File Home	e Insert	Page Layo	out Formu	ulas Dat	a Rev	iew	View	Add-Ins											۵ ()
				0							-	₩ Line			А		세 WordArt -	π Equation - Ω Symbol	1
PivotTable Table		Clip Shape Art *	s SmartArt S	creenshot ~	Column	Line	Pie	Bar	Area	Scatter	Other Charts *	🕮 Win/Loss	Slicer	Hyperlink	Text Box	Header & Footer	🕍 Object		•
Tables		Illustra	ations					Charts			G.	Sparklines	Filter	Links			Text	Symbols	

To find the proper character, go to the character code box, type "03B1" (shown below), and press Insert

Symbo	I																٩ ٩	)	X
<u>S</u> ym	bols	Sge	ecial C	Chara	cters														
<u>F</u> ont	: (nor	mal t	ext)					•	S <u>u</u> b	set:	Gree	k and	Copt	ic					•
Ω	Ï	Ÿ	ά	έ	ή	ί	ΰ	α	β	γ	δ	ε	ζ	η	θ	ι	к	λ	*
μ	v	ξ	ο	π	ρ	ς	σ	τ	υ	ф	χ	ψ	ω	ï	Ü	ó	ύ	ώ	
6	<u>Ψ</u> Ι Ι Ι Φ ϖ ϟ Ψ Ϙ Ϛ Ϛ Γ Γ <del>7</del>												H						
щ	Ч	q	ի	ສ	З	٤	χ	X	б	б	1	t	и	6	С	j	θ	e	
Э	Þ	þ	С	Μ	Μ	ρ	С	c	Э	È	Ë	Ъ	ŕ	ε	S	Ι	Ï	J	-
Rece	ntly u	sed s	ymbo	s:															
≤	α	C	Δ	•	٧	~	€	£	¥	®	тм	±	≠	≥	÷	×	~	μ	
Gree	k Sma	all Let	ter Al	pha			<u>C</u> h	arac	ter co	de: (	)3B1			fro <u>r</u>	<u>n</u> : U	nicod	e (he	x)	•
														Inse	ert			Cano	el

6) Basic Skill 6 – Use Self-defined Formula (Other self-defined formulas can also be developed by typing appropriate mathematic expression after the equal sign "=").

```
In cell A19, type "F_{June}"
In cell C19, type "13"
In cell A20, insert Greek Symbol "\alpha =" using the steps described above
In cell C20, type "0.2"
In cell A22, type "F_{July} ="
In cell B22, type the self-defined formula "= C19 + C20*(C9 - C19)" (The equal
sign "=" in front of any self-defined function is necessary)
```

Step 4: Solve Part c of simple linear regression and forecast for the month July

7) Basic Skill 7 – Use Auto-fill for Sequential Numbers

In cell A24, type "Linear Regression: y = a - bx" In cell B26, type "x" In cell C26, type "y" In cell D26, type "xy" In cell E26, type "x<sup>2"</sup> Type the first number "1" in cell B27 and the second number "2" in cell B28 Click cells B27-B28 and hover mouse over the bottom right corner until a bold cross appears

Click and drag from cells B27-B28 to B32 to auto-fill the sequential numbers "3 - 6":

2	🗉 🗊 🗐 🚍	l 📈 🗈 🛍	💰 🖾 • 🕅		🍸 • 🕼 🛅	150% -
<b>A</b>	Home Layout	t Tables	Charts Smar	rtArt Formula	is Data	Review
		Insert Chart		Insert	Sparklines	Data
	• 🛝•• 🔵	)• 📥• 🔺	💌 🟥 🕻 🕻	)- 📈 🛙		
Colur	nn Line Pie	e Bar Are		her Line Co		Select Switch Pl
	B27 ‡	🛞 💿 (• fx	1			
	Α	В	С	D	E	F
19	F <sub>june</sub> =		13			
20	α=		0.2			
21						
22	F <sub>july</sub> =	13.4				
23	5-0					
24	Linear Regre	ssion: y = a +b	x			
25						
26		x	y	ху	x <sup>2</sup>	
27		1	12	. 12	1	
28		2	11	22	4	
29		3	15	45	9	
30		4	12	48	16	
31		5	16	80	25	
32		6	15	90	36	
33	Total	21	81	297	91	
24						

8) Basic Skill 8 - Copy a Value from One Cell to Another

In cell C27, type "=C4" to copy the value in C4 into C27 Click on cell C27 and hover mouse over the bottom right corner until a bold cross appears.

Click and drag down to cell C32 (values in C5-C9 will be copied to C28-C32)

9) <u>Basic Skill 9 – Use Excel as a Spreadsheet for Regression (as opposed to built-in</u> <u>Regression function as shown in Basic Skills 11 and 12)</u>

In cell D27, type the  $x^*y$  as "= B27\*C27" Copy the formula in D27 into D28-D32 using steps described above In cell E27, type  $x^2$  as "= B27^2" Copy the formula in E27 into E28-E32 In cell B33, type the total in column "= SUM (B27:B32)" to calculate the sum of x Copy formula from cell B33 to cells C33-E33 In cell A35, type "Mean" In cell B35, type "= AVERAGE (B27:B32)" to calculate the mean of x In cell C35, type "= AVERAGE (C27:C32)" to calculate the average of y \*\*Now we have  $\overline{x}$  in cell B35,  $\overline{y}$  in C35, axy in D33, and  $ax^2$  in E33 In cell A37, type "b =" Type the formula for slope b in cell D37 as "= (D33 - 6\*B35\*C35)/(E33 - 6\*B35)/(E33 - 6\*B35/(E33 - 6\*B35)/(E33 - 6\*B35)/(E33 - 6\*B35)/(E35)/6\*B35^2)" In cell D39, type "a =" Type the formula for y-intercept a in cell D39 as "= C35 - D37\*B35" Type "The regression model is y = 10.8 + .77 x" in cell A41

In cell A43, type "y(7)=" To forecast for July, type the formula in cell D43, "= D39+ (D39\*7)" in D43":

	Α	В	С	D	E	F
24	Linear Regr	ession: y = a	i - bx			
25						
26		x	у	ху	<b>x</b> <sup>2</sup>	
27		1	12	12	1	
28		2	11	22	4	
29		3	15	45	9	
30		4	12	48	16	
31		5	16	80	25	
32		6	15	90	36	
33		21	81	297	91	
34						
35	Mean	3.5	13.5			
36						
37	b =			0.771429		
38						
39	a =			10.8		
40						
41	The regress	sion model is	s y = 10.8 + .	77 x		
42						
43	y(7) =			16.2		
44						


#### 10) Basic Skill 10 - Build Scatter Diagram with Trend Line and Regression Equation

Re-create the Sample Data Set of Table 1 in cells A57 through B65:

50													
57		Alternate Method											
58													
59	x	у											
60	1	12											
61	2	11											
62	3	15											
63	4	12											
64	5	16											
65	6	15											
66													
67													

Highlight cells A60-B65 Select the "Insert" tab shown below: He

X 🖬 🤊	• @ -	1 4 2			_	-	OM 101 problems -	M
File	Home	Insert	Page La	yout Forr	nulas I	Data Revie	w View Add-Ins	
<b>R</b> *	Calib	ri	- 11	т А` А`	= =	≡ ≫	🖥 Wrap Text	G
Paste		ι <u>υ</u> .		🕭 - 🛕 -	E E		📑 Merge & Center 👻	1
Clipboard	15	F	ont	15		Alignm	ient la	



K 🖬	<mark>⊌) →</mark> (> Hon	re Inser	t Pa	age Layout	Form	ulas Da	ita Rev		View	problem Add-In		rosoft Exc	el non-	commercial u	se		100 22.4	2.860	-	C 100 - 1		
ivotTable	e Table	Picture	E S Clip	Shapes s	SmartArt S	icreenshot	Column	k Line	e Pie	Bar	📥 Area		0ther	Line 교 Column 프 Win/Loss	Slicer	Q Hyperlink	A Text	Header	세 WordAi 🏂 Signatu 😼 Object		π Equation Ω Symbol	
*			Art	*		*	*	÷	*	*	, in the second		harts •				Box	di l'oottel				
Tab				Illustratio	_					Charts	_	Scatter		hes	Filter	Links		1	ext		Symbols	5
	A60	•	(=	$f_{x}$	1							0.0	20	8								
A		В	С	D	E	F	G	Н		1.1	J.	· · ·	X	<u>1</u>	N	0	Р	Q	R	S	Т	U
6								_						_								
7			Alter	rnate Met	hod							NA	٩.	8								
o 9 x		v											1	8								
		12																				
1 2		11																				
2 3		15										$ \mathcal{M} $										
3 4		12																				
4 5		16											Chart Ty	Des								
5 6		15										100 12"										
6																						
7 8	a =	0.77																				
	a – b =	10.8																				
0	~	2010																				
1 Y = a +	+bx —	→ Y=	10.8 + .7	77x																		
2																						
	recast Ju																					
4 F <sub>july</sub> =		16.2																				
5																						
6																						
7 8																						
9 ( <b>↓</b> ▶ )	H C	hapter 15	#2	Chapter	15 # 3	/2						1			1				1			
Ready		,	- 1			<u> </u>								Average:	8.5	Count:	12 Sum:	102	ош в	30% —		
	1			X	6				R			k.	<u>,</u>					- 100			10:	01 PM 2/2011


Select the "Layout" tab shown below:

X 🖬 🤊 • 🕅 •	1 2 2 7		-	Chart 100 5	OM 101 problems - Microsoft Excel non-commercial
File Home	Insert Page Layou	t Formulas Data Review <sup>1</sup>	View Add-Ins	Design Layout Format	
Change Save As Chart Type Template			- And		· · · · · · · · · · · · · · · · · · ·
Туре	Data	Chart Layouts			Chart Styles


Select the "Linear Trendline" tab shown below:

X	al ") •	6 • J	À 💆	7	_		-	_	_	-6			(	Chart Too	ols		OM 101 p	oroblems	- Micro	soft Exc	el non-c	ommercial		X
Fil	e i	Home :	Insert	Page Lay	out F	ormulas	Data	Revi	iew \	/iew	Add-In	s Des	ign	Layout	Fo	rmat							_ △ 🕜	- # D
Chart	Area	-		F)	A		0 dn	da 🗄	dia:	da	11		1	da	allaa	allaa		J.		1000	$z^L \bar{z}_L$	Chart Name:		
🧞 F	ormat Se	lection		Ur							<b>4</b>		E.,		0000	0000					In LINA	Chart 13		
 П	eset to N	Aatch Style	Picture	Shapes	Text Box	Chart Title ▼	Axis Titles *	Legend	Data Labels	Data Table 1	Ax	es Gridli	nes	Plot Area *	Chart Wall -	Chart Floor	3-D Rotation	Trendline	Lines	Up/Dow Bars *	n Error Bars ≠			
_	urrent Se			Insert	BOX	Thue *	nues -	Labels	Lapers	Table		Axes		Area *		ground	Rotation		None					
	Chart		<b>v</b> (e)		f.sc											9.00.00	_	- /~	Remov			ndline or all		
2	A	в	C		/.u.	-	F	6	Н		1	1	K	,	1		N			nes if non		ected	т	
56	A	в	L	D	t	-	F	G	н			1	K		L	M	IN	1		Trendlin		ine for the		
57			A	ternate N	/lethod															ets a Line d chart se		ine for the		
58																				entiar rre			<b></b>	
59	×	У																				Trendline for		
60 61	1 2	12						ÎP.	18				333							ected chai				
62	3	11															_	×		Forecast		e ine with 2 period		
63	4	12							L6			•		+		•	_					hart series		
64	5	16							14			•				•	_			eriod Mo				
65	6	15							12	•			-					5				ing Average		
66									LO		+											chart series		
67																	_	м	ore Tren	dline Opti	ons			
68 69	a = b =								8								♦ Seri							
69 70	D =	10.8						_	6								_							
	=a+bx	$\rightarrow$	Y = 10.8 ·	+ 77x					4								_							
72	- 4 - 54	-	1 - 10.0																					
	Forecas	st July							2								_							
74 Fj	uly =	16.2							0 +							_	_							
75									0	1	2	3	4	5		6	7							
76								62					111					73)						
77																								
78																								
79	Image: A test of te	Chapte	.15 # 7	Char	tor 1E	# <b>7</b> /8	-																_	
		Cnapte	r 15 # 2		ner 15 -	+ 3 / 7	æ/		_	_	_	_			_	<u> </u>								<u> </u>
Read	У				1.		_		T		_	_	_	_	_	Averag	ge: 8.5	Co	int: 12	Sum: 102		] 🖽 80% 🖵		
7			W	X		2		1		No.		) 1	\$	- 🍇		-						- 🔁 🕅		0:04 PM /12/2011

Now we have the Scatter Diagram with a trend line:



To display the regression equation on the chart, right click on **any** of the dots on the Scatter Diagram:




Select "Add Trendline" in the dialogue box below:

File	Home In	sert P	age Layout	Form	iulas Da	ita Re	view Vi	ew Add-In	ns Dr	esign La	iyout Fo	rmat							ه 🕜 ه	- @
Daste	A B Z	• U -   U		A A -	= = ;	=   & ·		rap Text erge & Cente		neral	• ◆.8 .09	Condition	nal Format a	s Cell	Insert	Delete		Σ AutoSum	Sort &	Find 8
	1							erge or eente					g = Table =	Styles -	¥		*	2 Clear *	Filter -	Select
lipboard		Font		13			Inment		G.	Number	- F2		Styles			Cells			Editing	
C	hart 1	<b>▼</b> (°	$f_{x}$	=SERI	ES(,Sheet	1!\$A\$60	):\$A\$65,S	hee <mark>t1!\$</mark> B\$6	50:\$B\$	65,1)										
A		С	D	E	F	G	н	1	J	К	L	M	N	0	Р	Q	R	S	Т	U
Y =	16.2																			
Alterr	ate Method																			
Alten	are method																			
x	y																			
	1 12					(12				3333										
	2 11						18							1						
	3 15						16			-	* A .	Series 1	Ψ							
	4 12					-		<b>3</b>	έ Β	I =	≣ ≣ A	- 3 - [	2-3	-						
	5 16						14	_		1.0001										
-	6 15					-	12 - 8	2	0	Delete				-						
							10	6940	_	-										
						20	8			Reset to	Match Style	2	s1	1111						
						1				Change	Series Char	t Type	ir (Series1)							
							6			S . S .		41								
							4		- 4	The second s										
							2			3-D <u>R</u> ot	ation									
						-	0			Add Dat	ta Labels									
							0	2		Add Tre				-						
						10	-		- C	20 C				4						
										<u>F</u> ormat	Data Series.									
4 1	Sheet1	Sheet4	/🔁 /													10				•
ady																		80% -		
-						10		) 👃				-	and the second second							3 PM

Check the box that says "Display Equation on chart" box:

Format Trendline	J
Trendline Options	
Line Color Trend/Regression Type	
Line Style 💮 Exponential	
Shadow Glow and Soft Edges	
Logarithmic	
Polynomial Order: 2	
Power	
Moving Average Period: 2	
Trendline Name	
<u>A</u> utomatic : Linear (Series1)	
Custom:	
Forecast	
Eorward: 0.0 periods	
Backward: 0.0 periods	
Set Intercept = 0.0	
Display Equation on chart	
Display <u>R</u> -squared value on chart	
Close	

Now we have the Scatter Diagram with regression equation:



## 11) Basic Skill 11 - Install "Data Analysis add-in" for Regression

To install "Data Analysis add-in," click on the icon "File" (shown below):

X 🛃 🤊	· 6 ·	L) 🙆 🛛	5   ₹		_	-	-	OM 101 p	oroblems -	M
File	Home	Insert	Page L	ayout For	mulas	Data	Review	View	Add-Ins	
A	Calibr	ri	- 11	• A • •	= =	-	\$7 -	📑 Wrap T	ext	G
Paste	B	ι <u>υ</u> .	•	👌 - 🛕 -	E I	F 3	情情	📑 Merge	& Center 🝷	3
Clipboard r	2	F	Font	F2			Alignme	nt	G.	

Click on "Options" shown below:

X 😖 🗧	) - (× - 🖬
File	Home In
🛃 Sav	e
Sav	e As
😂 Ope	en
Clos	se
Info	
Recent	t
New	
Print	
Save 8	k Send
Help	
Ba Ado	i-Ins 👻
Dopt	ions
Exit	

Click on "Add-Ins" shown below:

Excel Options	
General Formulas	General options for working with Excel.
Proofing Save Language Advanced Customize Ribbon	User Interface options         Image: Show Mini Toolbar on selection (1)         Image: Enable Live Preview (1)         Color scheme:       Silver (1)         ScreenTip style:       Show feature descriptions in ScreenTips (1)
Quick Access Toolbar Add-Ins Trust Center	When creating new workbooks         Use this font:       Body Font         Font size:       11         Default view for new sheets:       Normal View         Include this many sheets:       3
	Personalize your copy of Microsoft Office         User name:       James Aug 2010
	ОК Сапсеі

Select "Excel Add-ins" and click Go

Formulas			
Proofing	Add-ins		
Save	Name 🔺	Location	Туре
	Active Application Add-ins		
anguage	Analysis ToolPak	C:\oft Office\Office14\Library\Analysis\ANALYS32.XLL	Excel Add-in
dvanced	Send to Bluetooth	C:\\Bluetooth Software\syswow64\btsendto_office.dll	COM Add-in
Customize Ribbon	Inactive Application Add-ins		=
	Analysis ToolPak - VBA	C:\ Office\Office14\Library\Analysis\ATPVBAEN.XLAM	Excel Add-in
Quick Access Toolbar	Custom XML Data	C:\ Files (x86)\Microsoft Office\Office14\OFFRHD.DLL	Document Inspector
	Date (XML)	C:\mon Files\microsoft shared\Smart Tag\MOFL.DLL	Action
Add-Ins	Euro Currency Tools	C:\icrosoft Office\Office14\Library\EUROTOOL.XLAM	Excel Add-in
Frust Center	Financial Symbol (XML)	C:\mon Files\microsoft shared\Smart Tag\MOFL.DLL	Action
rust Center	Headers and Footers	C:\ Files (x86)\Microsoft Office\Office14\OFFRHD.DLL	Document Inspector
	Hidden Rows and Columns	C:\ Files (x86)\Microsoft Office\Office14\OFFRHD.DLL	Document Inspector
	Hidden Worksheets	C:\ Files (x86)\Microsoft Office\Office14\OFFRHD.DLL	Document Inspector
	Invisible Content	C:\ Files (x86)\Microsoft Office\Office14\OFFRHD.DLL	Document Inspector
	Microsoft Actions Pane 3		XML Expansion Pack 👻
	Add-in: Analysis ToolPak		
	Publisher: Microsoft Corporation		
	Compatibility: No compatibility information availab	le le	
		ice\Office14\Library\Analysis\ANALYS32.XLL	
	Eddation. C.(Program riles (xoo)(with osoit on	Celonce14 (Library (Analysis (ANAL1352.ALL	
	Description: Provides data analysis tools for stati	stical and engineering analysis	
_			

Add-Ins	2 X
Add-Ins available:	
Analysis ToolPak	ОК
Euro Currency Tools	Cancel
	<u>B</u> rowse
-	Automation
-	
Analysis ToolPak	
Provides data analysis tools for st engineering analysis	
-	

12) Basic Skill 12 – Use Data Analysis for Regression

Click the "Data" tab on the ribbon:

X	6	🗋 🙆 🔼	2   ₹		_	-	_	OM 101 p	roblems -	М
File	Home	Insert	Page L	ayout Forr	mulas	Data	Review	View	Add-Ins	
<b>*</b>	Calibr	i	* 11	• A A	= =	=	\$7 -	Wrap T	ext	G
Paste	B	ι <u>υ</u> .	•	<u>ð</u> - <u>A</u> -	E B			Merge	& Center 🝷	3
Clipboard	2	F	ont	15			Alignme	ent	5	

Select "Data Analysis":

ew regre	ssion.xlsx	- Mici	rosof	t Excel r	non-co	G	hart Tools	5	-	1	ĥ	ž	1	l		_ 🗆 X
ormulas	Data	Revie	ew	View	Add-Ins	Design	Layout	Format								
Refresh	📴 Conne 🚰 Prope 🖙 Edit L	erties	∆↓ Z↓	A Z A	Filter	K Clear Reapply Advanced	Text to	Remove	Data	Consolidate		Group	Ungroup	Subtotal	tala and	💾 Data Analysis
	onnections				Sort & Filt		Columns	Duplicates	Data Too		Analysis *	*	Outline		15	Analysis

Select "Regression" and click OK:

Data Analysis	8 X
Analysis Tools	ОК
Histogram	
Moving Average	Cancel
Random Number Generation	
Rank and Percentile	
Regression	<u>H</u> elp
Sampling	
t-Test: Paired Two Sample for Means	
t-Test: Two-Sample Assuming Equal Variances	
t-Test: Two-Sample Assuming Unequal Variances	
z-Test: Two Sample for Means	

Fill the Regression dialogue box as shown below:

	Regression	2 X
Don't forget to check the Labels Box!	Input Input Y Range: \$8\$59:\$8\$65 Input X Range: \$A\$59:\$A\$65 ✓ Labels Constant is Zero 95 %	OK Cancel <u>H</u> elp
	Output options         Qutput Range:         Qutput Range:         New Worksheet Ply:         New Workbook         Residuals         Residuals         Residuals         Standardized Residuals         Normal Probability         Normal Probability Plots	

Please note that the checked dialogue box "Labels" in red is to tell Excel that the data set contains a row of labels (e.g., the cell B59 contains the label "y" and cell A59 the label "x". However, in case there are no labels included in the data set, the "Labels" dialogue box should not be checked. If the "Labels" box is incorrectly checked, the entire analysis will be invalid!

This will create the following regress analysis table:

	А	В	С	D	E	F	G	Н	I
1	SUMMARY OUTPUT								
2									
3	Regression St	atistics							
4	Multiple R	0.695978							
5	R Square	0.48438538							
6	Adjusted R Square	0.35548173							
7	Standard Error	1.66476082							
8	Observations	6							
9									
10	ANOVA								
11		df	SS	MS	F	Significance F			
12	Regression	1	10.41428571	10.4142857	3.75773196	0.12459378			
13	Residual	4	11.08571429	2.77142857					
14	Total	5	21.5						
15									
16		Coefficients	Standard Error	t Stat	P-value	Lower 95%	Upper 95%	Lower 95.0%	Upper 95.0%
17	Intercept	10.8	1.549807976	6.96860525	0.00222936	6.49704323	15.1029568	6.49704323	15.1029568
18	x	0.77142857	0.397953951	1.93848703	0.12459378	-0.33346873	1.87632587	-0.33346873	1.87632587

#### IMPLEMENTATION AND LEARNING OUTCOMES

We implemented problem-specific Excel instructions for selective homework problems for OM101 in Fall 2011, with partial implementation in Spring 2011. For the purpose of comparison, we tried three different ways, as shown in Table 3: i) Excel was required to do certain homework problems—students were instructed to use commercially available Excel instructions or built-in help menus, but no problem-specific Excel instructions were available; ii) Excel was optional to do certain homework problems—students were instructed to use problem-specific instructions; and iii) Excel was required to do certain homework problems—students were instructed to use problem-students were instructe

Methods	Learning Outcome			
i) Excel required without problem- specific instructions	A couple of students completed the work using Excel and the majority complained about lack of Excel knowledge			
ii) Excel optional with problem- specific instructions	Again, two students tried to use Excel, even though problem-specific instructions were available.			
iii) Excel required with problem- specific instructions	Ninety percent of the students use Excel and they follow problem- specific instructions very carefully, or even step by step.			

Source: i) and ii) were based on a class in Spring 2011; i) was based on a class in Fall 2011.

#### Table 3. Implementation Comparison.

The learning outcomes between items i) and iii) in Table 3 indicate that problem-specific instructions encourage students to use Excel for homework problems. Item ii) shows that making Excel optional for homework problems is not an effective way to enhance basic Excel skills, which means we have to make Excel required for as many classes as possible in order to motivate student learning.

He

We find that the combination of making Excel required for homework problems and providing problem-specific Excel instructions helps student learning in the following three ways. First, we are able to require students to use Excel for homework problems with Excel instructions. In the past (before Excel instructions were developed), students were reluctant to use Excel for selected homework problems even though commercially Excel books or built-in help menus were readily available. Second, while it takes time to develop problem-specific Excel instructions, we feel it is an effective way to enhance basic Excel skills without compromising the required subject contents. As a result, we are able to cover all the required subject topics and at the same time make Excel a required tool in OM101 class. Third, when the list of basic Excel skills expends, students are able to accumulate essential Excel related skills necessary for more advanced business courses and for real world applications.

On a technical aspect, we find that detailed syntax instructions, along with screen snapshots, are as important as the semantics because some students feel that it is easier to follow step-by-step instructions and screen snapshots for the first time with some of the Excel features.

#### SUMMARY

This research tries to enhance basic Excel skills in an undergraduate operations management class in Dolan School of Business at Fairfield University, which helps close the feedback loop identified by the DSB Continuous Improvement Assessment Committee and the DSB Advisory Board. This project serves as a pilot study to explore the feasibility and identify potential obstacles of enhancing basic Excel skills within an existing course without compromising the required subject contents. The experience obtained from this teaching project would be valuable for other business core courses in the Dolan School of Business at Fairfield University.

#### REFERENCES

- Collier, D. A., & Evans, J. R. (2012). *OM3: Operations Management (3<sup>rd</sup> ed.)*. Mason, OH: South-Western.
- Jacobs, F. R., & Chase, R. B. (2011). Operations and supply chain management, (13<sup>th</sup> ed.). New York, NY: McGraw-Hill/Irwin.

Walkenbach, J. (2010). Microsoft Excel 2010 bible. Indianapolis, IN: Wiley Publishing.