

Spectral observations at the CILBO observatory: calibration and data sets

Zender, J.; Koschny, D.; Rudawska, R.; Vicinanza, S.; Loehle, S.; Eberhardt, M.; ... ; Stams, D.

Citation

Zender, J., Koschny, D., Rudawska, R., Vicinanza, S., Loehle, S., Eberhardt, M., ... Stams, D. (2022). Spectral observations at the CILBO observatory: calibration and data sets. *Epsc Abstracts*, (16). doi:10.5194/epsc2022-99

Version:Publisher's VersionLicense:Creative Commons CC BY 4.0 licenseDownloaded from:https://hdl.handle.net/1887/3562765

Note: To cite this publication please use the final published version (if applicable).



EPSC Abstracts Vol. 16, EPSC2022-99, 2022 https://doi.org/10.5194/epsc2022-99 Europlanet Science Congress 2022 © Author(s) 2023. This work is distributed under the Creative Commons Attribution 4.0 License.



Spectral Observations at the CILBO Observatory: Calibration and Data Sets

Joe Zender¹, Detlef Koschny^{1,6}, Regina Rudawska², Salvatore Vicinanza³, Stefan Loehle⁴, Martin Eberhardt⁴, Arne Meindl⁴, Hans Smit¹, Lionel Marraffa¹, Rico Landman⁵, and Daphne Stams³

¹ESA/ESTEC, SCI-S, Noordwijk, Netherlands (joe.zender@esa.int)

²RHEA group/ESA ESTEC, 2200 AG Noordwijk, The Netherlands

³Faculty of Aerospace Engineering, Delft University of Technology, Delft, The Netherlands

⁴IRS, University of Stuttgart, Germany

⁵Leiden Observatory, Leiden University, Postbus 9513, 2300 RA, Leiden, The Netherlands

⁶Chair of Astronautics, TU Munich, 85748 Garching, Germany

This talk will introduce the The Canary Island Long-Baseline Observatory (CILBO), a double station meteor camera setup located on the Canary Islands and operated by ESA's Meteor Research Group since 2010.

Our observations of meteors are obtained in the visual wavelength band by intensified video cameras from both stations, supplemented by an intensified video camera mounted with a spectral grating at one of the locations. The cameras observe during cloudless and precipitation-free nights and data are transferred to a main computer located at ESA/ESTEC once a day. The image frames that contain spectral information are calibrated, corrected, and finally processed into line intensity profiles. An ablation simulation, based on Bayesian statistics using a Markov-Chain Monte-Carlo method, allows to determine a parameter space, including the ablation temperatures, chemical elements and their corresponding line intensities, to fit against the line intensity profiles of the observed meteor spectra. The algorithm is presented in this talk. Several hundred spectra have been processed and will be made available through the Guest Archive Facility of the Planetary Science Archive of ESA.