

# Tekstilna industrija




1868 - 2022  
SAVEZ INŽENJERA I TEHNIČARA TEKSTILACA SRBIJE  
UNION OF TEXTILE ENGINEERS AND TECHNICIANS  
OF SERBIA

TAILOR'S RULER

CHALK

NEEDLE

THIMBLE



Naučni i stručni časopis tekstilne i odevne industrije  
Scientific and professional journal of the Union of textile engineers and technicians of Serbia



TAILOR'S DUMMY



SPOOL



IRON



CROCHET



LEATHER



JACKET



SEWING PATTERN



CROSS-STITCH



BOBBIN



TAILOR'S SHEARS



KNITWEAR



BUTTONS



SAFETY PIN




KNITTING



BOWKNOT



CLOTHING



MEASURING TAPE



DRESS SHIRT



SPOOL




IRON




BLOUSE



BOBBIN CASE



CLOTH



SEWING MACH

*Tubiley 70. godina neprekidnog publikovanja*



Универзитет у Београду

# ТЕХНИЧКИ ФАКУЛТЕТ У БОРУ

[www.tfbor.bg.ac.rs](http://www.tfbor.bg.ac.rs)

## УПИС У ПРВУ ГОДИНУ ОСНОВНИХ АКАДЕМСКИХ СТУДИЈА У ШКОЛСКОЈ 2022/2023. ГОДИНИ



[upis.tfbor.bg.ac.rs](http://upis.tfbor.bg.ac.rs)



Телефон: 030/424-555 (деканат) и 030/422-375 (студентска служба)



1868 - 2022

# tekstilna industrija

Naučni i stručni časopis tekstilne industrije UDK 677+687 ISSN 0040-2389 eISSN 2683-5665  
Scientific and professional journal of the Union of textile engineers and technicians of Serbia

Godina LXX • Broj 4 • Beograd 2022 • Strana 1-84 • Tiraž 100

Izdavač: SAVEZ INŽENJERA I TEHNIČARA TEKSTILACA SRBIJE

11000 Beograd, Kneza Miloša 7a/II, tel: 060 715 0305

e-mail: casopistekstilnaindustrija@gmail.com

Tekući račun: 295-1201292-77 Srpska banka

Štampa: M studio, Stara Pazova

Za izdavača: Prof. dr Snežana Urošević

Predsednik Izdavačkog saveta: Stanko Kiš, dipl. ing.

Redakcioni savet: Prof. dr Snežana Urošević, dr Ana Jelić-Aksentijević, dr Danijela Paunović, dr Gordana Čolović

Glavni i odgovorni urednik: Prof. dr Snežana Urošević

Lektor: Bojana Pejčić, M.Sc.

Tehnički urednik: ing. Aleksandar Sokolović

Dizajn korica: ing. Aleksandar Sokolović

## REDAKCIONI ODBOR:

Dr Ana Jelić-Aksentijević	Akademija tehničko-umetničkih strukovnih studija Beograd, odsek Visoka tekstilna škola za DTM, Beograd
Dr Biljana Pejić	Akademija tehničko-umetničkih strukovnih studija Beograd, odsek Visoka tekstilna škola za DTM, Beograd
Dr Danijela Paunović	Akademija tehničko-umetničkih strukovnih studija Beograd, odsek Visoka tekstilna škola za DTM, Beograd
Mr Dragana Frfulanović	Akademija strukovnih studija Južna Srbija, Odsek za tehnološke i umetničke studije, Leskovac
Dr Dušan Trajković	Tehnološki fakultet, Leskovac
Dr Gordana Čolović	Akademija tehničko-umetničkih strukovnih studija Beograd, odsek Visoka tekstilna škola za DTM, Beograd
Dr Gordana Kokeza	Tehnološko-metalurški fakultet, Beograd
Dr Ineta Nemeša	TF "Mihajlo Pupin" Zrenjanin
Dr Jovan Stepanović	Tehnološki fakultet, Leskovac
Dr Koviljka Asanović	Tehnološko-metalurški fakultet, Beograd
Dr Nemanja Kašiković	Fakultet tehničkih nauka, Novi Sad
Dr Mirjana Kostić	Tehnološko-metalurški fakultet, Beograd
Dr Snežana Urošević	Tehnički fakultet u Boru, Bor
Dr Tatjana Šarac	Tehnološki fakultet, Leskovac
Herbert Kranjc	Pančevo
Dr Marina Kocareva	Akademija tehničko-umetničkih strukovnih studija Beograd, odsek Visoka tekstilna škola za DTM, Beograd
Ranisavljev	
Dr Mirjana Reljić	Institut CIS Srbije, Beograd
Dr Nenad Ćirković	Tehnološki fakultet, Leskovac
Dr Nebojša Ristić,	Akademija strukovnih studija Južna Srbija, Odsek za tehnološke i umetničke studije, Leskovac
Dr Milovan Vuković	Tehnički fakultet u Boru, Bor
Dr Bruno Završnik	Ekonomsko poslovna fakulteta, Maribor
Dr Gizem Karakan Günaydin	Pamukkale University, Buldan Vocational School, Fashion & Design Programme, Buldan Denizli, Turkey
Dr Goran Demboski	Tehnološko-metalurški fakultet, Skopje
Dr Isak Karabegović	Akademija nauka i umetnosti Bosne i Hercegovine
Dr Svjetlana Janjić	Tehnološki fakultet u Banjoj Luci, Bosna i Hercegovina
Dr Damjana Celcar	Fakultet za dizajn, Ljubljana, Slovenija
Dr Zoran Stjepanović	Fakulteta za strojništvo, Maribor
Dr Liliana Indrie	Faculty of Energy Engineering and Industrial Management, University of Oradea, Romania
Dr Zlatina Kazlacheva	Faculty of Technics and Technologies, Trakia University, Bulgaria
Dr Sanja Risteski	Tehnološko-tehnički fakultet, Štip, Severna Makedonija
Dr Elsayed Elnashar	Faculty of Specific Education, Kafrelsheikh University, Egypt
Dr Panagiotis Kyratsis	University of Western Macedonia, Greece
Dr Nuno Belino	University of Beira Interior, Faculty of Engineering, Covilhã, Portugal
Dr Boris Mahltig	Hochschule Niederrhein, Faculty of Textile and Clothing Technology Monchengladbach, Germany
Dr Victoria Vlasenko	Kyiv National University of Technologies and Design, Kyiv, Ukraine
Dr Emilia Visileanu	National Research and Development Institute for Textiles and leather, Bucharest, Romania
Dr Vineta Srebrenkoska	Tehnološko-tehnički fakultet, Štip, Severna Makedonija
Dr Tuba Alpyildiz	Dokuz Eylul University Textile Engineering Department, Buca Izmir, Turkey

## SADRŽAJ

Reč urednika .....	3
Boris Mahltig, Giulia Leuchtges, Pauline Holstein	
<b>T-SHIRTS – AN OVERVIEW AND COMMENTS ON PRICE RANGE, FUNCTIONAL MATERIALS AND EUROPEAN PRODUCTION</b> .....	4
Emine Kanberoğlu, Ayçin Asma, Naz Kadinkız, Ertuğrul Polat, Muhammet Uzun	
<b>DESIGN AND CHARACTERIZATION OF TENCEL-BASED SEERSUCKER FABRICS</b> .....	14
Sara Srebrenkoska, Vladimir Dukovski	
<b>DEFECTS FORMATION IN AUTOMATED FIBER PLACEMENT TECHNOLOGY</b> .....	22
Dušan Nešić, Dragan Tanasković, Miloš Vorkapić	
<b>APPLICATION OF SELF-ADHESIVE CONDUCTIVE MATERIAL ON TEXTILES</b> .....	28
Emilija Toshić, Bojan Prangoski	
<b>IGRE LEVEL CO-OCCURRENCE MATRIX (GLCM) FOR TEXTILE PRINT ANALYSIS</b> .....	34
Sanja Risteski, Vineta Srebrenkoska, Cvetanka Garevska	
<b>HANDMADE CRAFTS THROUGHOUT HISTORY AND ITS REDESIGN INTO A MODERN FEMALE MODEL</b> .....	41
Jordan Efremov, Marija Kertakova, Vangja Dimitrijeva Kuzmanovska	
<b>DIFFERENT ASPECTS OF FASHION</b> .....	48
Violeta Stefanović, Ivana Mladenović-Ranisavljević	
<b>LEGAL FRAMEWORK AND APPLICATION OF STANDARDS AS INFLUENTIAL FACTORS OF MANAGEMENT OF THE OCCUPATIONAL SAFETY AND HEALTH SYSTEM IN TEXTILE ORGANIZATIONS</b> .....	55
Marina Jovanović	
<b>OVERCOMING THE DIFFICULTIES CAUSED BY THE COVID-19 PANDEMIC BY USING ADAPTED MARKETING LOGISTICS IN THE "ZARA" COMPANY</b> .....	63
Vesti i informacije .....	72
Tržište tekstila .....	75
Uputstva autorima .....	81





1868 - 2022

# tekstilna industrija

Naučni i stručni časopis tekstilne industrije UDK 677+687 ISSN 0040-2389 eISSN 2683-5665  
Scientific and professional journal of the Union of textile engineers and technicians of Serbia

Volume LXX • Number 4 • Beograd 2022 • Page 1-84 • Printing 100  
Publisher: Textile Engineers and Technicians Union of the Republic Serbia  
Editorial offices: Serbia, 11000 Beograd, Kneza Miloša 7a/II, tel: 060 715 0305  
e-mail: casopistekstilnaindustrija@gmail.com

**For publisher:** Snežana Urošević, Ph.D.

**President of the Publishing Council:** Stanko Kiš, dip.ing.

**Editorial Council:** Snežana Urošević, Ph.D., Ana Jelić-Aksentijević, Ph.D., Danijela Paunović, Gordana Čolović, Ph.D.

**Editor in Chief:** Snežana Urošević, Ph.D.

**Translation:** Bojana Pejčić M.Sc.

**Technical Editor:** Aleksandar Sokolović, ing.

**Cover design:** Aleksandar Sokolović, ing.

## EDITORIAL BOARD:

Ana Jelić-Aksentijević Ph.D.	Academy of Technical and Artistic Vocational Studies Belgrade, Department of High Textile School for DTM
Biljana Pejić, Ph.D.	Academy of Technical and Artistic Vocational Studies Belgrade, Department of High Textile School for DTM
Danijela Paunović Ph.D.	Academy of Technical and Artistic Vocational Studies Belgrade, Department of High Textile School for DTM
Dragana Frfulanović, Mr	Academy of Vocational Studies South Serbia, Department of Technological and Artistic Studies, Leskovac
Dušan Trajković Ph.D.	Faculty of Technology, Leskovac
Gordana Čolović Ph.D.	Academy of Technical and Artistic Vocational Studies Belgrade, Department of High Textile School for DTM
Gordana Kokeza Ph.D.	Faculty of Technology and Metallurgy, Belgrade
Ineta Nemeša Ph.D.	Technical Faculty "Mihajlo Pupin", Zrenjanin
Jovan Stepanović Ph.D.	Faculty of Technology, Leskovac
Koviljka Asanović Ph.D.	Faculty of Technology and Metallurgy, Belgrade
Nemanja Kašiković Ph.D.	Faculty of Technical Sciences, Novi Sad
Mirjana Kostić Ph.D.	Faculty of Technology and Metallurgy, Belgrade
Snežana Urošević Ph.D.	Technical Faculty, Bor
Tatjana Šarac, Ph.D.	Faculty of Technology, Leskovac
Herbert Kranjc	Pančevo
Marina Kocareva	Academy of Technical and Artistic Vocational Studies Belgrade, Department of High Textile School for DTM
Ranisavljev Ph.D.	Institut CIS Srbije, Belgrade
Mirjana Reljić Ph.D.	Faculty of Technology, Leskovac
Nenad Čirković Ph.D.	Academy of Vocational Studies South Serbia, Department of Technological and Artistic Studies, Leskovac
Nebojša Ristić Ph.D.	Technical Faculty, Bor
Milovan Vuković Ph.D.	Faculty of Economics and Business, Maribor
Bruno Završnik Ph.D.	Faculty of Technology and Metallurgy, Skoplje
Goran Demboski Ph.D.	Pamukkale University, Buldan Vocational School, Fashion & Design Programme, Buldan Denizli, Turkey
Gizem Karakan Günaydin Ph.D.	Academy of Sciences and Arts of Bosnia and Herzegovina
Isak Karabegović Ph.D.	Faculty of Technology, Banja Luka, Bosna i Hercegovina
Svjetlana Janjić Ph.D.	University „Goce Delchev”, Faculty of technology, Shtip, North Macedonia
Sanja Risteski, Ph.D.	Faculty of Design, Ljubljana, Slovenia
Damjana Celcar Ph.D.	Faculty of Mechanical Engineering, Maribor
Zoran Stjepanović Ph.D.	Faculty of Energy Engineering and Industrial Management, University of Oradea, Romania
Liliana Indrie Ph.D.	Faculty of Technics and Technologies, Trakia University, Bulgaria
Zlatina Kazlacheva Ph.D.	Faculty of Specific Education, Kafrelsheikh University, Egypt
Elsayed Elnashar Ph.D.	University of Western Macedonia, Greece
Panagiotis Kyratsis, Ph.D.	University of Beira Interior, Faculty of Engineering, Covilhã, Portugal
Nuno Belino Ph.D.	Hochschule Niederrhein, Faculty of Textile and Clothing Technology Monchengladbach, Germany
Boris Mahltig Ph.D.	Kyiv National University of Technologies and Design, Kyiv, Ukraine
Victoria Vlasenko Ph.D.	Nacional Research and Development Insitute for Textiles and leather, Bucharest, Romania
Emilia Visileanu Ph.D.	University „Goce Delchev”, Faculty of technology, Shtip, North Macedonia
Vineta Srebrenkoska Ph.D.	Dokuz Eylül University Textile Engineering Department, Buca Izmir, Turkey
Tuba Alpyıldız Ph.D.	

## CONTENT

Editorial Council .....	3
Boris Mahltig, Giulia Leuchtges, Pauline Holstein <b>T-SHIRTS – AN OVERVIEW AND COMMENTS ON PRICE RANGE, FUNCTIONAL MATERIALS AND EUROPEAN PRODUCTION</b> .....	4
Emine Kanberoğlu, Ayçin Asma, Naz Kadıncık, Ertuğrul Polat, Muhammet Uzun <b>IDESIGN AND CHARACTERIZATION OF TENCEL-BASED SEERSUCKER FABRICS</b> .....	14
Sara Srebrenkoska, Vladimir Dukovski <b>INTEGRATION OF CSR AND SDG IN CREATING ADDED VALUE OF THE TEXTILE INDUSTRY</b> .....	22
Dušan Nešić, Dragan Tanasković, Miloš Vorkapić <b>APPLICATION OF SELF-ADHESIVE CONDUCTIVE MATERIAL ON TEXTILES</b> .....	28
Emilija Toshikj, Bojan Prangoski <b>GREY LEVEL CO-OCCURRENCE MATRIX (GLCM) FOR TEXTILE PRINT ANALYSIS</b> .....	34
Sanja Risteski, Vineta Srebrenkoska, Cvetanka Garevska <b>HANDMADE CRAFTS THROUGHOUT HISTORY AND ITS REDESIGN INTO A MODERN FEMALE MODEL</b> ....	41
Jordan Efreinov, Marija Kertakova, Vangja Dimitrijeva Kuzmanovska <b>DIFFERENT ASPECTS OF FASHION</b> .....	48
Violeta Stefanović, Ivana Mladenović-Ranisavljević <b>LEGAL FRAMEWORK AND APPLICATION OF STANDARDS AS INFLUENTIAL FACTORS OF MANAGEMENT OF THE OCCUPATIONAL SAFETY AND HEALTH SYSTEM IN TEXTILE ORGANIZATIONS</b> .....	55
Marina Jovanović <b>OVERCOMING THE DIFFICULTIES CAUSED BY THE COVID-19 PANDEMIC BY USING ADAPTED MARKETING LOGISTICS IN THE “ZARA” COMPANY</b> .....	63
New and information .....	72
Textile market .....	75
Instruction to autors .....	81



THE MINISTRY OF EDUCATION, SCIENCE AND TECHNOLOGICAL DEVELOPMENT PARTICIPATED IN FINANCING OF THE JOURNAL

## REČ UREDNIKA

Završava se još jedna godina uspešnog rada Saveza inženjera i tehničara tekstilaca Srbije, i dalje pod otežanim okolnostima zbog nastale situacije izazvane pandemijom virusa Covid 19. U ovim još uvek vanrednim okolnostima uspeli smo da prevađimo sve poteškoće i publikujemo sva četiri broja časopisa "Tekstilna industrija" u predviđenim rokovima sa tiražom od 100 komada. Time je ispunjen plan o redovnosti izlaženja časopisa u 2022. godini.

Redakcioni odbor sa glavnim i odgovornim urednikom potrudio se da poboljša kvalitet časopisa sa boljim sadržajem, kvalitetnim radovima, savremenim tematikama i aktuelnim informacijama, kao i većim brojem radova te je u ovoj jubilarnoj godini publikovano ukupno 30 radova, a od toga je 14 radova autora iz inostranstva (Turske, Nemačke, Indije, Bangladeša i Makedonije) i ukupno 22 rada na engleskom jeziku. Svi radovi imaju UDC brojeve i karakter rada, DOI oznaku, imaju apstrakt i ključne reči na srpskom i engleskom jeziku.

„Tekstilna industrija“ je časopis otvorenog pristupa (OA). Objavljeni članci distribuiraju se u skladu sa licencom Creative Commons Attribution 4.0 International (CC BY). Visoka vidljivost radova objavljenih u časopisu "Tekstilna industrija" je trajno obezbeđena posredstvom SCIndeksa i dodatno uvećana automatskim reindexiranjem metapodataka u DOAJ i punog teksta u Google Scholar-u.

Časopis "Tekstilna industrija" je časopis sa dugogodišnjom tradicijom, te je ove godine obeležio svoj Jubilej, 70 godina neprekidnog publikovanja. Nadamo se da ćemo i u narednoj godini, opravdati dato poverenje i nastaviti publikovanje časopisa "Tekstilna industrija" sa još više uspeha.

Glavni i odgovorni urednik  
Prof. dr Snežana Urošević

# DEFECTS FORMATION IN AUTOMATED FIBER PLACEMENT TECHNOLOGY

Sara Srebrenkoska<sup>1\*</sup>, Vladimir Dukovski<sup>2</sup>

<sup>1</sup> Faculty of Mechanical Engineering,  
University Goce Delcev Stip, North Macedonia

<sup>2</sup> Faculty of Mechanical Engineering, Ss Cyril and Methodius,  
Skopje, North Macedonia

\* e-mail: sara.srebrenkoska@ugd.edu.mk

Scientific paper

UDC: 677.1/.5+621.7

DOI: 10.5937/tekstind2204022S



**Abstract:** *In the frame of this work, a robotic Automated fiber placement - AFP in situ process was applied to obtain high quality thermoplastic composite structures. Automated fiber placement (AFP) with laser assisted heating (LAFP) is an attractive manufacturing technology for the development of lightweight and high performance components, primarily for the aerospace, automotive, military and many other dominant industries worldwide. For the samples laminate plates produced with the AFP procedure, the flexural strength was investigated, and optical images were analyzed for irregularities such as pore content and weaker interlaminar bonding between the layers.*

**Keywords:** automated fiber placement, thermoplastic, laser, flexural strength, irregularities.

## FORMIRANJE DEFEKATA U TEHNOLOGIJI AUTOMATSKOG POSTAVLJANJA VLAKANA

**Apstrakt:** *U okviru ovog rada primenjen je robotizovani proces automatizovanog postavljanja vlakana - AFP in situ za dobijanje visokokvalitetnih termoplastičnih kompozitnih struktura. Automatsko postavljanje vlakana (AFP) sa laserskim grejanjem (LAFP) je atraktivna proizvodna tehnologija za razvoj lakih komponenti visokih performansi, prvenstveno za vazduhoplovnu, automobilsku, vojnu i mnoge druge dominantne industrije širom sveta. Za uzorke laminatnih ploča proizvedenih AFP postupkom, ispitivana je čvrstoća na savijanje, a optičke slike su analizirane na nepravilnosti kao što su sadržaj pora i slabija interlaminarna veza između slojeva.*

**Ključne reči:** automatizovano postavljanje vlakana, termoplast, laser, čvrstoća na savijanje, nepravilnosti.

### 1. INTRODUCTION

Current trends in composite manufacturing technologies for the aerospace industry are focussed on the automatic deposition of composite tapes and new multi-component materials systems, such as toughened prepregs, for improved component performance, damage tolerance or added functionality. The automation and material technologies enabling these advances have progressed much further than the capability to understand, predict, and optimise the manufacturing processes [1], [2]. Two of the main technologies for automated deposition of pre-preg material are Automated Tape Laying (ATL) and Au-

tomated Fibre Placement (AFP) [3], [4], [5]. In recent years there have been a number of experimental and numerical studies carried out to predict and characterise the knockdown effect of gaps and overlaps on final mechanical properties of components manufactured by AFP.

### 2. AUTOMATED FIBER PLACEMENT (AFP)


Automated Fibre Placement (AFP) is a fiber/tape laying processes for production of high performance composite laminates from unidirectional prepreg materials. AFP is a main technology used today to produce complex composite parts [6].

The term fiber placement is used to describe the process of laying a group of multiple narrow prepreg strips on more complex surfaces. The production process with automated laying of thin prepreg strips with an accurate width of up to 12.7 mm or using single fibers or multiple fibers forming narrow strips (tow) with widths of 3.175 mm, 6.35 mm or 12, 7 mm (0.125 inch, 0.250 inch or 0.50 inch) is known as AFP technology. With the AFP technology, fibers can be lay up in different orientations. AFP machines are usually equipped with a head that can carry up to 32 spools of material to be laid (Fig.1) .

During the process, each prepreg strip is pulled from a separate spool which is housed in a tensioning system. Each individual strip is then pulled to the lay-up head via a conveyor system. At the end of the head, through which the composite material is laid, each individual strip is grouped into an output wide strip, the so called course, whose width can vary during the process. During application, each individual prepreg tape moves at a certain speed, which allows the tape to be laid freely on a complex shaped surface [7-9].

For the AFP process, the thermoplastic fibers/tapes that are lay up should be heated, and the heat source can be an infrared heater, hot air or a laser. So, through their heating, the layers that are being laid stick together and to achieve consolidation, a compaction roller is used. In this procedure, a robot is most often used to lay the strips along predefined paths which allows a high degree of freedom in the design of the final product [10-12].

The research that has been done on the application of the robot in the automation of the processes for the production of composite products is aimed at improving the existing production processes [13,14].



**Figure 1.** Automated fibre placement head, redrawn from [10]

Most of the research on automated production is oriented towards the application of thermoplastic prepreg materials, although many responsive and load-bearing composite parts obtained with thermoset materials are in use today [15-18]. The reason for such research is that during the processing of thermoplastic prepreg, the material can be combined in situ directly during laying. However, when processing thermoplastic prepreg as well as when processing thermoset prepreg, many challenging problems appear such as: the appearance of gaps (gaps) and overlaps (overlap) between the strips, which affects the final characteristics of the material, which requires in-depth research. From the research that is being done on the application of robotic processes for the automatic laying of fibers/strips, it is expected to ensure better obtaining of high quality structures from composite materials with a new process called in situ consolidation [19-21].

### 3. EXPERIMENTAL


In the frame of this investigation, thermoplastic unidirectional prepregs (UD) were used for the production of samples - laminate plates from thermoplastic composite materials.

The UD prepreg material (Toho Tenax, Germany) is based on carbon fiber (Tenax®-E HTS45 12K) and polyether ether ketone PEEK. The PEEK thermoplastic polymer matrix offers excellent chemical and solvent resistance. The carbon fibers Tenax®-E HTS45 have high tensile strength and they are prepared with surface treatment for thermoplastic applications. Their combination with PEEK result in a prepreg material that is good for obtaining superior composite materials. characteristics.

UD prepreg tape with 304.8 mm wide is slitted into 6.35 mm wide strips on a slitting and rewinding machine manufactured by Microsam (Prilep, Nort Macedonia). In figure 2 the machine for slitting the prepreg is given, where 48 strips of prepreg are obtained from its width. The laying of the tapes was done using an AFP head for laying prepreg tape, manufactured by Microsam (Prilep, Nort Macedonia), which is mounted on a robotic arm.

The robotic arm with the AFP head which was applied for the lay up of the UD prepreg tapes is presented on figure 3. The AFP head has 4 spools of 6.35 mm wide prepreg strips and during the lay up these 4 prepreg strips are forming one course with 25.4 mm wide. Six courses like that create one layer or one lamina. The laminate samples were produced with 16 layers laid at an angle of 0°, so that the thickness of

the resulting laminate plates is ~ 2 mm. The obtained laminate plates have dimensions: (300 x 150) mm. So, for one layer 6 courses or 24 strips of prepreg are applied. The construction of one lamina or one layer is shown in figure 4.



©Mikrosam


**Figure 2.** Prepreg slitting and rewinding machine, manufactured by Mikrosam



©Mikrosam

**Figure 3.** Robotic arm with AFP head with 4 spools at the Institute for Advanced Composites and Robotics (manufactured by Mikrosam – Prilep)

Table 1 shows the conditions under which the prepreg strips were lay up using the AFP procedure.



**Figure 4.** Construction of one lamina laid by AFP procedure

### 3. RESULT AND DISCUSSION

In the frame of this investigation, four samples - laminate plates were produced from UD prepreg with the AFP procedure. When multiple prepreg are lay up simultaneously forming a course there is a possibility of irregularities such as gaps and overlaps and there is no continuity in the width of the course [18,19]. It results in defects in the microstructure and in obtaining lower values for stress during bending of the samples [20-22].

Namely, applying a higher processing temperature and higher pressure when the laser beams fall at a smaller or larger angle results in formation of a good bond between the layers. Samples obtained at lower pressure and higher processing temperature as well as those obtained at lower temperature and higher pressure showed lower values for bending stress (table 2). Those samples also have a higher percentage of pores, which is clearly visible from the obtained metallographic images from the optical microscope.

The metallographic images of the cross-sections of samples 1 and 4 are given on figure 5. From the optical microscope images and the calculated

**Table 1.** Conditions for lay up using the AFP procedure

LAFP-UD	Processing temperature, °C	Laser angle, °	Roller pressure, N
1	480	25	530
2	480	22	530
3	480	25	385
4	420	22	530




**Table 2.** Results obtained for bending stress for LAFP-UD specimens

Marking of samples LAFP-UD		Width $b$ (mm)	Thickness $d$ (mm)	$F$ (N)	$\sigma$ (MPa)	$\sigma_{sr}$ (MPa)
<b>1</b>  <b>T= 480°C</b>  <b>P=530N</b>  $\alpha = 25^\circ$	1-1	15,20	1,95	1267,1	1150,95	1016,53
	1-2	15,91	1,93	1058,5	938,29	
	1-3	16,01	2,07	1219,8	934,09	
	1-4	15,80	2,00	1200,4	997,17	
	1-5	15,94	1,99	1277,1	1062,16	
<b>2</b>  <b>T= 480°C</b>  <b>P=530N</b>  $\alpha = 22^\circ$	2-1	15,75	2,11	1238,8	927,50	905,45
	2-2	15,80	2,08	1037,3	796,67	
	2-3	16,01	2,05	1097,9	856,69	
	2-4	16,05	2,08	1331,1	1006,39	
	2-5	15,75	2,11	1255,5	940,01	
<b>3</b>  <b>T= 48°C</b>  <b>P=385N</b>  $\alpha = 25^\circ$	3-1	15,49	1,60	713,9	945,16	864,93
	3-2	16,40	1,49	655,5	945,18	
	3-3	15,49	1,60	631,2	835,67	
	3-4	15,10	1,53	574,3	858,67	
	3-5	15,60	1,66	605,9	739,98	
<b>4</b>  <b>T= 420°C</b>  <b>P=530N</b>  $\alpha = 22^\circ$	4-1	15,15	1,87	893,9	885,83	807,27
	4-2	15,50	1,79	739,1	781,31	
	4-3	15,20	1,89	932,8	901,95	
	4-4	15,15	1,70	690,5	827,97	
	4-5	14,89	1,70	524,0	639,29	

percentage of pores, it can be noticed that the laminate samples obtained with the AFP procedure have a high percentage of pores. Samples obtained at a higher processing temperature and higher roller pres-

sure showed a pore content of about 8%, while samples obtained at a lower processing temperature and higher roller pressure and opposite showed a pore content of about 10%.



**Figure 5.** Metallographic images of a cross-section of samples of laminate plates with the label LAFP-UD a) sample 2; b) sample 4

It clearly shows that the AFP process results in laminate plates with weaker characteristics due to the appearance of irregularities during the formation of the courses of the four narrow prepreg that laying up simultaneously on a flat surface.

#### 4. CONCLUSION

The AFP process can be successfully used for lay up of thin prepreg strips on surfaces that can be curved, namely, to obtain asymmetric laminates. When applying this process for laying prepreg tapes on such asymmetric surfaces, it is possible to change the physical orientation of the tapes locally, which results the overlapping of gaps and the reduction of defects inside the structure. Therefore, this process is mostly applied to obtain smaller and curved parts, and when laying on flat surfaces, the accuracy of the robot becomes a key issue when applied to laying prepreg tapes.

In this research the pore content is from 8% to 10% which clearly shows that the accuracy of the robot has an important role. On the other hand the AFP process is a technology that is applied to lay up prepreg tapes

on surfaces that can be curved and which can rotate, as well as for obtaining smaller composite parts.

#### REFERENCES

- [1] Zobeiry N., Forghani A., Li, C., Gordnian K., Thorpe R., Vaziri R., et al. (2016). *Multiscale characterization and representation of composite materials during processing* Philosophical Transact Royal Soc London A: Mathemat, Phys Eng Sci, 374, 2071.
- [2] Baran I., Cinar K., Ersoy N., Akkerman R., Hattel.J. (2017). Hattel. *A review on the mechanical modeling of composite manufacturing processes*, Archiv Computat Methods Eng 24, 365–395, <https://doi.org/10.1007/s11831-016-9167-2>
- [3] Lukaszewicz, D. H. J. A., Ward, C., Potter, K. D. (2012). The engineering aspects of automated prepreg layup: History, present and future. *Composites Part B: Engineering*, 43(3), 997-1009. <https://doi.org/10.1016/j.compositesb.2011.12.003>
- [4] Grimshaw M.N., Grant C.G., Luna Diaz JM. (2001). *Advanced Technology Tape Laying for Affordable Manufacturing of Large Composite Structures*.

- [5] Marsh, G. (2011). *Automating aerospace composites production with fibre placement*, Reinf Plast, 55 (3) 32-37.
- [6] Lukaszewicz, D. H. J. A., Ward, C., Potter, K. D. (2012). The engineering aspects of automated prepreg lay-up: History, present and future. *Composites Part B: Engineering*, 43(3), 997-1009.  
<https://doi.org/10.1016/j.compositesb.2011.12.003>
- [7] Comer A.J., Ray, D., Obande, W.O., Jones D., Lyons, J., Rosca I., et al. (2015). *Mechanical characterisation of carbon fibre-PEEK manufactured by laser- assisted automated-tape-placement and autoclave*, *Compos Part A Appl Sci Manuf*, 69, 10-20, 10.1016/j.compositesa.2014.10.003.
- [8] Di Francesco M., Veldenz, L., Koutsomitopoulou, A., Dell'Anno, G., Potter K. (2015). *On the development of multi-material automated fibre placement technology*. Int. Conf. Manuf. Adv. Compos., Bristol, UK.
- [9] Lukaszewicz, D.H.J.A., Potter K.D., Eales J. (2013). *A concept for the in situ consolidation of thermoset matrix prepreg during automated lay-up*, *Compos Part B Eng*, 45, 538-543, 10.1016/j.compositesb.2012.09.008.
- [10] Debout P., Chanal, H., Duc, E. (2011). *Tool path smoothing of a redundant machine: application to automated fiber placement*, *CAD Comput Aided Design*, 43 (2),122-132.
- [11] Veldenz L., Di Francesco, M., Astwood, S., Dell'Anno, G., Kim, B.C., Potter K. (2016). *Characteristics and processability of bindered dry fibre material for automated fibre placement*, 17th Eur. Conf. Compos. Mater., Munich, DE.
- [12] Groupe, W.J.B., Warnet, L.L., Rietman, B., Akkerman, R. (2012). *On the weld strength of in situ tape placed reinforcements on weave reinforced structures*, *Compos Part A Appl Sci Manuf*, 43 (9), 1530-1536, 10.1016/j.compositesa.2012.04.010.
- [13] Comer A.J., Ray D., Hammond P., Lyons J., Obande W.O., Jones D. (2014). *Wedge Peel interlaminar toughness of carbon-fibre/PEEK thermoplastic laminates manufactured by Laser Assisted Automated Tape Placement (LATP)* SAMPE Eur. - SETEC, Tampere, FI.
- [14] Matveev M.Y., Schubel P.J., Long A.C., Jones I. A (2016). *Understanding the buckling behaviour of steered tows in Automated Dry Fibre Placement (ADFP)* *Compos Part A Appl Sci Manuf*, 90, 451-456, 10.1016/j.compositesa.2016.08.014.
- [15] Khan M.A., Mitschang P., Schledjewski R. (2013). *Parametric study on processing parameters and resulting part quality through thermoplastic tape placement process*, *J. Compos. Mater.*, 47 (4), 485-499, 10.1177/0021998312441810Feb.
- [16] Nagelsmith, M., Guerrits, W. (2013). Influence of steering radius on the mechanical properties of fiber placed composite laminates. In ICCS17-17th International Conference on Composite Structures Porto, Portugal.
- [17] Oromiehie E., Prusty B.G., Compston P., Rajan G. (2017). *The influence of consolidation force on the performance of AFP manufactured laminates*, Proceedings of the ICCM International Conferences on Composite Materials, Faculty of Engineering and Information Sciences - Papers: Part B. 1810. [Online]. Available:<https://ro.uow.edu.au/eispapers1/1810>
- [18] Croft K., Lessard L., Pasini D., Hojjati M., Chen, A.J. (2011). Yousefpour. *Experimental study of the effect of automated fiber placement induced defects on performance of composite laminates* *Compos, Part A Appl. Sci. Manuf.*, 42 (5),484-491, 10.1016/j.compositesa.2011.01.007 May.
- [19] Rafal A., et al. (2019). *An experimental investigation concerning the effects of AFP defects on progressive failure of tensile coupons*, AIAA SciTech Forum 1-9, 10.2514/6.2019-1547.
- [20] Harik R., Gurdal Z., Saïdy C., Williams S.J., and Grimsley B. (2018). *Automated fiber placement defect identity cards: cause, anticipation, existence, significance, and progression*, Accessed: Mar. 25, 2020. [Online]. Available: <https://www.researchgate.net/publication/326464139>
- [21] Denkena, B., Schmidt, K., Völtzer, K., Hocke, T. (2016). *Thermographic online monitoring system for automated fiber placement processes*, *Compos. Part B Eng.*, 97, 239-243, 10.1016/j.compositesb.2016.04.076 Jul.
- [22] Shirinzadeh B., Foong C.W., Tan B.H. (2000). *Robotic fibre placement process planning and control*, *Assembly Autom* 20, 313-320.

Primljeno/Received on: 25.10.2022.

Revidirano/ Revised on: 27.11.2022.

Prihvaćeno/Accepted on: 29.11.2022.

© 2021 Authors. Published by Union of Textile Engineers and Technicians of Serbia. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution 4.0 International license (CC BY) (<https://creativecommons.org/licenses/by/4.0/>)



Časopis "Tekstilna industrija" već punih 70 godine objavljuje naučne i stručne radove iz oblasti tekstilne i odevne tehnologije, modnog dizajna i menadžmenta. Specijalizovane stranice posvećene su tekstilnom tržištu, novim knjigama, raznim komentarima i intervjuima, domaćim vestima i vestima iz inostranstva.

Koristimo priliku da Vas pozovemo da svoje poverenje poklonite našem časopisu i da sa nama nastavite ili tek započnete uspešnu saradnju.

## POSTUPAK ZA RECENZIJU RADOVA

Poslati radovi moraju da prođu kroz profesionalnu, jezičku i uredničku recenziju, koje su u skladu sa opštim profesionalnim standardima za objavljivanje u časopisu.

Radovi se objavljuju na srpskom ili engleskom jeziku.

Svi poslati radovi za publikovanje u časopisu podležu proveru na plagijat programom iThenticate.

## ZAKONSKI USLOVI I ETIČKA PITANJA

Autori imaju obavezu da osiguraju da je rad koji su napisali u potpunosti originalan rad, te ukoliko su koristili rad ili deo rada drugih autora, takvo korišćenje moraju na adekvatan način citirati u referencama. Plagijarizam u svim svojim oblicima moralno je neprihvatljiv i povreda autorskih prava po zakonu je kažnjiva.

Dostavljanje istog rada u više časopisa ili svog preveđenog rada drugom časopisu (ukoliko ne sadrži referencu na primarni rad) predstavlja neetičko ponašanje i nije prihvatljivo. Autori garantuju da rukopis nije i neće biti objavljen u drugoj publikaciji na bilo kom jeziku bez saglasnosti vlasnika autorskih prava, da prava trećih lica neće biti prekršena i da izdavač neće snositi nikakvu odgovornost ako se pojave bilo kakvi zahtevi za naknadu štete.

## UPUTSTVA ZA PRIPREMU RUKOPISA

- Rukopisi treba da budu sastavljeni sledećim redosledom: naslov rada na srpskom i engleskom jeziku; apstrakt na srpskom i engleskom jeziku; ključne reči na srpskom i engleskom jeziku; tekst; literatura.

- Ispod naslova rada imena autora, adrese i e-mail adrese.
- Apstrakt od 100-150 reči.
- Svaki rad treba da ima četiri do šest ključnih reči na srpskom i engleskom jeziku.
- Radovi se pišu fontom Ariel, veličina 10pt na A4 formatu. Margine 2, 5 cm.
- Rukopisi treba da budu maksimalno 10 stranica dugački.
- Poglavlja treba da budu koncizna i numerisana po redu.
- Oznake u radovima moraju biti u skladu sa Međunarodnom sistemom mernih jedinica (SI).
- Literatura treba da je prema redosledu citiranja.

## NASLOV RADA

(12 pt, font Ariel Bold, velika slova, centrirano)

Prvi autor<sup>1</sup>, Drugi autor<sup>2</sup>

(10 pt, font Ariel, velika i mala slova Bold)

<sup>1</sup>(Naziv organizacije, adresa, meil adresa, font 10 pt)

<sup>2</sup>(Naziv organizacije, adresa)

Apstrakt: (10 pt, font Ariel, Bold)

Tekst-10 pt, *Italic*, font Ariel

Ključne reči: 4-6 reči (10pt, font Ariel Bold)

Tekst-10 pt, font Ariel

## NASLOV RADA NA ENGLISKOM JEZIKU

(12 pt, font Ariel, Bold, Centrirano)

Abstract: (10 pt, font Ariel Bold)

Tekst:10 pt. *Italic*, font Ariel

Keywords: 4-5 words (10 pt, font Ariel, Bold),

Tekst-10 pt, font Ariel

**1. UVOD**  
**(10 pt, font Ariel Bold)**

Tekst: 10 pt, font Ariel

**2. OSTALA POGLAVLJA**  
**(10 pt, font Ariel Bold)**

Tekst: 10 pt, Ariel

**2.1. Naslovi podpoglavlja**  
**(10 pt, font Ariel, bold)**

Tekst: 10 pt, font Ariel



**Slika 1:** Naziv slike (10 pt, font Ariel)

**Figure 1:** Naziv slike na engleskom jeziku  
(10 pt, font Ariel)

**Tabela 1:** Naziv tabele (10 pt, font Ariel)

**Table 1:** Naziv tabele na engleskom jeziku  
(10 pt, font Ariel)

X	X	Z

Formule (10 pt, font Ariel)

$$x_{1,2} = \frac{-b \pm \sqrt{b^2 - 4a}}{2a} \quad (1)$$

**3. ZAKLJUČAK**  
**(10 pt, font Ariel Bold)**

Tekst (10 pt, font Ariel)

**REFERENCE**  
**(10 pt, font Ariel bold)**

**Reference:** Tekst, 10pt, font Ariel

**Citiranje časopisa:**

- [1] Sorak, M., Urošević, S., Dragić, M., Sorak, Lj. (2015). Improvement methodology of important clothing characteristics, by applying quality tools, *Industria Textila*, 66(5), 283-288.

**Knjige:**

- [2] Vilumsone-Nemes I. (2012). *Industrial cutting of textile materials*, Woodhead Publishing, Elsevier, Cambridge.

**Naučni skup:**

- [3] Karabegović, I., Ujević, D., Hodžić, D. (2008). Intelligent system for manufacturing of clotehs on distance, *86 th Textile Institute World Conference, Fashion and Textiles: Heading Towards New Horizons*, Hong Kong 18-21 November 2008, pp. 928-934.

**Internet strana:**

- [4] Maximize the power of 3D (<http://optitex.com/solutions/odev/3d-production-suite/>), dostupno: 18.02.2017)



Editorial office: Kneza Miloša 7a / II, 11000 Belgrade, Serbia,  
casopistekstilnaindustrija@gmail.com

The journal "Tekstilna industrija" has been publishing scientific and professional papers in the field of textile and clothing technology, fashion design and management for 70 years. Specialized pages are dedicated to the textile market, new books, various comments and interviews, domestic news and foreign news.

We use the opportunity to invite you to give your trust to our magazine and to continue with us or to start a successful cooperation.

## PROCEDURE FOR REVIEW OF PAPERS

Post works must go through a professional, language and editorial review, which is in line with general professional standards for publication in the journal.

Papers are published in Serbian or English.

All submitted papers for publication in the journal are subject to plagiarism by iThenticate.

## LEGAL CONDITIONS AND ETHICAL ISSUES

Authors have an obligation to ensure that the work that was written entirely original work, and if they used the work or part of other authors' works, such use must be cited quoted in the references. Plagiarism in all its forms is morally unacceptable and copyright infringement by law is punishable.

Delivery of the same work to several journals or their translated works in another journal (if it does not include the entry to primary work) represents unethical behavior and is not acceptable. Authors guarantee that the manuscript is not and will not be published in another publication in any language without the consent of the copyright owner, that the rights of third parties will not be violated and that the publisher will not bear any liability if any claim for damages arises.

## INSTRUCTIONS FOR MANUSCRIPT PREPARATION

- Manuscripts should be compiled in the following order: the title of work in Serbian and English; abstract in Serbian and English; key words in Serbian and English; text; literature.

- Below the title of the author's work, address and e-mail address.
- Abstract of 100-150 words.
- Every work should have four to six key words in Serbian and English.
- The works are written with Ariel font, size 10pt in A4 format. Margin 2, 5 cm.
- Manuscripts should be a maximum of 10 pages long.
- Headings should be concise and numbered in order.
- The labels in the works must be in accordance with the International Measuring Units System (SI).
- The literature should be in the order of citation.

## TITLE OF PAPER

(12 pt, font Ariel Bold, capital letters, centered)

First author<sup>1</sup>, Other author<sup>2</sup>

(10 pt, font Ariel, uppercase and lowercase Bold)

<sup>1</sup> (Organization name, address, email address, font 10 pt)

<sup>2</sup> (Name of organization, address)

**Abstract: (10 pt, font Areil, Bold)**

*Text-10 pt, italic, font Ariel*

**Keywords: 4- 6 words (10 pt, font Ariel)**

Tekst-10 pt, font Ariel

## TITLE OF PAPER IN SERBIAN LANGUAGE

(12 pt, font Ariel, Bold, Centrated)

**Apstrakt: (10 pt, font Ariel Bold)**

*Text: 10 pt, Italic, font Ariel, in Serbian language*

**Ključne reči: 4-5 words (10 pt, font Ariel, Bold),**

Tekst-10 pt, font Ariel, in Serbian language

**1. INTRODUCTION**  
(10 pt, font Ariel Bold)

Text: 10 pt, font Ariel

**2. OTHER CHAPTERS**  
(10 pt, font Ariel Bold)

Text: 10 pt, Ariel

**2.1. Headings subheading**  
(10 pt, font Ariel, bold)

Text: 10 pt, font Ariel



**Figure 1:** Figure name (10 pt, font Ariel)

**Slika 1:** Naziv slike na srpskom jeziku-

The name of the figure in Serbian (10 pt, font Ariel)

**Table 1:** Name table (10 pt, font Ariel)

**Tabela 1:** Naziv tabele na srpskom jeziku-

Name of the table in Serbian (10 pt, font Ariel)

X	X	Z

Formula (10 pt, font Ariel)

$$x_{1,2} = \frac{-b \pm \sqrt{b^2 - 4a}}{2a} \quad (1)$$

**3. CONCLUSION**  
(10 pt, font Ariel Bold)

Text (10 pt, font Ariel)

**REFERENCES**  
(10 pt, font Ariel Bold)

**Reference:** Text, 10 pt, font Ariel

**Quoting the journal:**

- [1] Sorak, M., Urosevic, S., Dragic, M., Sorak, Lj. (2015). *Methodology for improving the important characteristics of clothing, using quality tools*, *Industria Textila*, 66(5),283-288.

**Books:**

- [2] Vilumsone-Nemes I. (2012). *Industrial cutting of textile materials*, Woodhead Publishing, Elsevier, Cambridge.

**Scientific Conference:**

- [3] Karabegović, I., Ujević, D., Hodžić, D. (2008). *Intelligent system for manufacturing of clotechs on distance*, *86 th Textile Institute World Conference, Fashion and Textiles: Heading Towards New Horizons*, Hong Kong 18-21 November 2008, pp. 928-934.

**Website:**

- [4] Increase the power of 3D (<http://optitek.com/solutions/odev/3d-production-suite/>), available: 02/18/2017)

CIP - Каталогизacija u publikaciji  
Народна библиотека Србије, Београд

677+678

TEKSTILNA industrija : naučni i stručni časopis tekstilne i odevne industrije = scientific and professional journal of the Union of textile engineers and technicians of Serbia / glavni i odgovorni urednik Snežana Urošević. - God. 1, br. 1 (1953)- . - Beograd : Savez inženjera i tehničara tekstilaca Srbije, 1953- (Stara Pazova : M studio). - 29 cm

Tromesečno. - Tekst na srp. i engl. jeziku.

ISSN 0040-2389 = Tekstilna industrija

COBISS.SR-ID 5524482 2

# Univerzitet u Nišu

## Tehnološki fakultet u Leskovcu

Akreditovani studijski programi na tri nivoa akademskih studija:

Osnovne i master akademske studije studijskog programa  
Tehnološko inženjerstvo na šest modula:

FARMACEUTSKO-KOZMETIČKE TEHNOLOGIJE ◆ MATERIJALI I HEMIJSKE TEHNOLOGIJE

EKOLOŠKO INŽENJERSTVO ◆ PREHRAMBENA TEHNOLOGIJA I BEZBEDNOST HRANE

INDUSTRIJSKI DIZAJN TEKSTILA I ODEĆE ◆ INFORMACIONI SISTEMI  
U TEHNOLOŠKIM PROCESIMA

Doktorske akademske studije  
Studijski program: **Tehnološko inženjerstvo.**

Tehnološki fakultet u Leskovcu je akreditovan, kao državni fakultet, u oblasti tehničko-tehnoloških nauka - materijali i hemijske tehnologije za obavljanje naučnoistraživačke delatnosti.

# ТЕХНОЛОШКИ

ФАКУЛТЕТ У ЛЕСКОВЦУ

[www.tf.ni.ac.rs](http://www.tf.ni.ac.rs)

ТЕХНОЛОШКИ ФАКУЛТЕТ

## ADVANCED TECHNOLOGIES

»Časopis za naučne i stručne radove iz oblasti tehnološkog inženjerstva«



# Laboratorijska oprema za ispitivanje tekstila

Najkvalitetniji instrumenti dizajnirani posebno za profesionalce koji se bave tekstilom



## Referentni materijali

Potrošni materijali vrhunskog i kontrolisanog kvaliteta svake proizvodne serije obezbeđuju tačnost rezultata ispitivanja



## Servis i tehnička podrška

Za sva pitanja u vezi upotrebe aparata, softvera, servisa i kalibracije opreme, James Heal je na raspolaganju

**Pozovite nas**

Inelas Eresco d.o.o. Tošin bunar 274, 11070 Novi Beograd,  
tel. +381 11 2284 574, email: [info@inelasereco.rs](mailto:info@inelasereco.rs)  
[www.james-heal.co.uk](http://www.james-heal.co.uk)