



UvA-DARE (Digital Academic Repository)

Regelmatig en zorgvuldig tandenpoetsen met fluoridetandpasta is de basis van preventie

van Loveren, C.; van Palenstein Helderma, W.H.

Publication date

2009

Document Version

Final published version

Published in

Quality Practice. Nascholingstijdschrift voor Mondhygiënisten

[Link to publication](#)

Citation for published version (APA):

van Loveren, C., & van Palenstein Helderma, W. H. (2009). Regelmatig en zorgvuldig tandenpoetsen met fluoridetandpasta is de basis van preventie. *Quality Practice. Nascholingstijdschrift voor Mondhygiënisten*, 2(2), 13-18.

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

Literatuur Regelmatig en zorgvuldig tandenpoetsen met fluoridetandpasta is de basis van preventie

Ahovuo-Saloranta A, Hiiri A, Nordblad A, Mäkelä M, Worthington HV. Pit and fissure sealants for preventing dental decay in the permanent teeth of children and adolescents. *Cochrane Database Syst Rev.* 2008; 4: CD001830.

Ammari AB, Bloch-Zupan A, Ashley PF. Systematic review of studies comparing the anti-caries efficacy of children's toothpaste containing 600 ppm of fluoride or less with high fluoride toothpaste of 1000 ppm or above. *Caries Res* 2003; 37: 85-92.

Astrøm AN. Stability of oral health-related behaviour in a Norwegian cohort between the ages of 15 and 23 years. *Community Dent Oral Epidemiol* 2004; 32: 354-362.

Axelsson P, Lindhe J. Effect of oral hygiene instruction and professional toothcleaning on caries and gingivitis in schoolchildren. *Community Dent Oral Epidemiol.* 1981; 9: 251-255.

Biesbrock AR, Bartizek RD, Gerlach RW, Jacobs SA, Archila L. Effect of three concentrations of sodium fluoride dentifrices on clinical caries. *Am J Dent* 2003; 16 :99-104.

Chesters RK, Huntington E, Burchell CK, Stephen KW. Effect of oral care habits on caries in adolescents. *Caries Res* 1992; 26: 299-304.

Chu CH, Lo ECM. Promoting caries arrest in children with silver diamine fluoride; A review. *Oral Health Prev Dent* 2008; 6: 315-321.

Do LG, Spencer AJ. Risk-benefit balance in the use of fluoride among young children. *J Dent Res* 2007; 86: 723-728.

Gisselsson H, Emilson CG, Birkhed D, Björn AL. Approximal caries increment in two cohorts of schoolchildren after discontinuation of a professional flossing program with chlorhexidine gel. *Caries Res* 2005; 39 : 350-356.

Gruythuysen RJM. Gevaviteerde cariëslaesies: maskeren of beteuigen? *Ned Tijdschr Tandhheelkd* 2010; 117:

Hausen H, Kärkkäinen S, Seppä L. Application of the high-risk strategy to control dental caries. *Community Dent Oral Epidemiol.* 2000;28:26-34.

Hausen H, Seppä L, Poutanen R, Niinimaa A, Lahti S, Kärkkäinen S, Pietilä I. Noninvasive control of dental caries in children with active initial lesions. A randomized clinical trial. *Caries Res.* 2007; 41: 384-391.

Heyduck C, Meller C, Schwahn C, Splieth CH. Effectiveness of sealants in adolescents with high and low caries experience. *Caries Res* 2006; 40: 375-381.

Kasila K, Poskiparta M, Kettunen T, Pietilä I. Oral health counselling in changing schoolchildren's oral hygiene habits: a qualitative study. *Community Dent Oral Epidemiol.* 2006; 34: 419-428.

Köhler B, Andréén I, Jonsson B. The effect of caries-preventive measures in mothers on dental caries and the oral presence of the bacteria *Streptococcus mutans* and *lactobacilli* in their children. *Arch Oral Biol.* 1984; 29: 879-883.

Köhler B, Andréén I. Influence of caries-preventive measures in mothers on cariogenic bacteria and caries experience in their children. *Arch Oral Biol.* 1994; 39: 907-911.

Koulourides T, Keller SE, Manson-Hing L, Lilley V. Enhancement of fluoride effectiveness by experimental cariogenic priming of human enamel. *Caries Res.* 1980; 14: 32-39.

Kuusela S, Honkala E, Rimpelä A, Karvonen S, Rimpelä M. Trends in toothbrushing frequency among Finnish adolescents between 1977 and 1995. *Community Dent Health* 1997; 14: 84-88.

Lima TJ, Ribeiro CCC, Tenuta LMA, Cury JA. Low-fluoride dentifrice and caries lesion control in children with different caries experience: a randomized clinical trial. *Caries Res* 2008; 42: 46-50.

Lindquist B, Edward S, Torell P, Krasse B. Effect of different caries preventive measures in children highly infected with *mutans streptococci*. *Scand J Dent Res* 1989; 97 :330-337.

Marinho VCC, Higgins JPT, Logan S, Sheiham A. Fluoride gels for preventing dental caries in children and adolescents. *Cochrane Database Syst Rev* 2002(a), Issue 1. Art. No: CD 002280. DOI: 10.1002/14651858.CD002280

Marinho VCC, Higgins JPT, Logan S, Sheiham A. Fluoride varnishes for preventing dental caries in children and adolescents. *Cochrane Database Syst Rev* 2002(b), Issue 1. Art. No: CD 002279. DOI: 10.1002/14651858.CD002279

Marinho VCC, Higgins JPT, Logan S, Sheiham A. Fluoride toothpastes for preventing dental caries in children and adolescents. *Cochrane Database Syst Rev* 2003, Issue 1. Art. No: CD 002278. DOI: 10.1002/14651858.CD002278

Mejàre I, Lingström P, Petersson LG, Holm AK, Twetman S, Källestål C, Nordenram G, Lagerlöf F, Söder B, Norlund A, Axelsson S, Dahlgren H. Caries-preventive effect of fissure sealants: a systematic review. *Acta Odontol Scand.* 2003; 61: 321-330.

Reed MW. Clinical evaluation of three concentrations of sodium fluoride in dentifrices. *J Am Dent Assoc* 1973; 80: 1401-1403.

Rølla G, Øgaard B: Studies on the solubility of calcium fluoride in human saliva; in Leach SA (eds): *Factors relating to demineralisation and remineralisation of the teeth.* Oxford, IRL Press, 1985, pp 45-50.

Rosenblatt A, Stamford TC, Niederman R. Silver diamine fluoride: a caries "silver-fluoride bullet". *J Dent Res.* 2009; 88: 116-125.

Schuller AA, Kalsbeek H. Effect of the routine professional application of topical fluoride on caries and treatment experience in adolescents of low socio-economic status in the Netherlands. *Caries Res* 2003; 37: 172-177.

Sjögren K, Birkhed D, Rangmar B. Effect of a modified toothpaste technique on approximal caries in preschool children. *Caries Res* 1995; 29: 435-441.

Stookey GK, Mau MS, Isaacs RL, Gonzalez-Gierbolini C, Bartizek RD, Biesbrock AR. The relative anticaries effectiveness of three fluoride-containing dentifrices in Puerto Rico. *Caries Res* 2004; 38: 542-550.

Takeshita EM, Castro LP, Sasaki KT, Delbem AC. In vitro evaluation of dentifrice with low fluoride content supplemented with trimetaphosphate. *Caries Res*. 2009; 43: 50-56.

Tenovuo J, Häkkinen P, Paunio P, Emilson CG. Effects of chlorhexidine-fluoride gel treatments in mothers on the establishment of mutans streptococci in primary teeth and the development of dental caries in children. *Caries Res*. 1992; 26: 275-280.

Van Loveren C. Na spoelen of niet. *QP Mondhygiene* 2009

Van Palenstein Helderma WH, van't Hof MA, van Loveren C. Prognosis of caries increment with past caries experience variables. *Caries Res* 2001; 35: 186-192.

Van Strijp AJP, Buijs MJ, Ten Cate JM. In situ fluoride retention in enamel and dentine after the use of an amine fluoride dentifrice and amine fluoride/sodium fluoride mouthrinse. *Caries Res* 1999; 33: 61-65.

Van 't Hof MA, Frencken JE, van Palenstein Helderma WH. The atraumatic restorative treatment (ART) approach for managing dental caries: a meta-analysis. *Ont Dent J* 2006; 56: 345-351.

Weatherell JA, Naylor G, Hallsworth AS. Measurement of topical fluoride acquired by sound human enamel. *Caries Res*. 1977; 11: 231-236.

Winter GB, Holt RD, Williams BF. Clinical trial of a low-fluoride toothpaste for young children. *Int Dent J* 1989; 39 :227-235.

Zeedyk MS, Longbottom C, Pitts NB. Tooth-brushing practices of parents and toddlers: a study of home-based videotaped sessions. *Caries Res* 2005; 39: 27-33.

Zhang Q, van Palenstein helderman WH, van 't Hof MA, Truin GJ. Chlorhexidine varnish for preventing dental caries in children, adolescents and young adults: a systematic review. *Eur J Oral Sci* 2006; 114: 449-455.