



UvA-DARE (Digital Academic Repository)

Errata: Initial results of imaging melanoma metastasis in resected human lymph nodes using photoacoustic computed tomography

Jose, J.; Grootendorst, D.J.; Vijn, T.W.; Wouters, M.W.; van Boven, H.; van Leeuwen, T.G.; van Steenbergen, W.; Ruers, T.J.M.; Manohar, S.

DOI

[10.1117/1.3660231](https://doi.org/10.1117/1.3660231)

Publication date

2011

Document Version

Final published version

Published in

Journal of Biomedical Optics

[Link to publication](#)

Citation for published version (APA):

Jose, J., Grootendorst, D. J., Vijn, T. W., Wouters, M. W., van Boven, H., van Leeuwen, T. G., van Steenbergen, W., Ruers, T. J. M., & Manohar, S. (2011). Errata: Initial results of imaging melanoma metastasis in resected human lymph nodes using photoacoustic computed tomography. *Journal of Biomedical Optics*, 16(11), 119801. <https://doi.org/10.1117/1.3660231>

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

UvA-DARE is a service provided by the library of the University of Amsterdam (<https://dare.uva.nl>)

Errata: Initial results of imaging melanoma metastasis in resected human lymph nodes using photoacoustic computed tomography

Jithin Jose,^a Diederik J. Grootendorst,^a Thomas W. Vijn,^a Michel W. Wouters,^b Hester van Boven,^c Ton G. van Leeuwen,^{a,d} Wiendelt Steenbergen,^a Theo J. M. Ruers,^{b,e} and Srirang Manohar^a

^aUniversity of Twente, MIRA—Institute for Biomedical Technology and Technical Medicine, Biomedical Photonic Imaging Group, P.O. Box 217, AE Enschede, 7500 The Netherlands

^bNetherlands Cancer Institute—Antoni van Leeuwenhoek Hospital (NKI-AVL), Department of Surgical Oncology, P.O. Box 90203, BE Amsterdam, 1006 The Netherlands

^cNetherlands Cancer Institute—Antoni van Leeuwenhoek Hospital (NKI-AVL), Department of Pathology, P.O. Box 90203, BE Amsterdam, 1006 The Netherlands

^dUniversity of Amsterdam, Academic Medical Center, Biomedical Engineering and Physics, P.O. Box 22700, DE, Amsterdam, 1100 The Netherlands

^eUniversity of Twente, MIRA—Institute for Biomedical Technology and Technical Medicine, P.O. Box 217, AE Enschede, 7500 The Netherlands

[DOI: 10.1117/1.3660231]

This article [*J. Biomed. Opt.* **16**, 096021 (2011)] was originally published online on 23 September 2011 an error in the author list. A middle initial has been added to the author Michel W. Wouters, as it appears above. The article was corrected on 27 October 2011.