



UvA-DARE (Digital Academic Repository)

Rethinking Overspecification in Terms of Incremental Processing

Fernández, R.

Publication date

2013

Document Version

Final published version

Published in

PRE-CogSci 2013

[Link to publication](#)

Citation for published version (APA):

Fernández, R. (2013). Rethinking Overspecification in Terms of Incremental Processing. In *PRE-CogSci 2013: Production of Referring Expressions: Bridging the Gap between Cognitive and Computational Approaches to Reference : 31 July 2013, Berlin, Germany : workshop program & proceedings* Tilburg centre for Cognition and Communication, Tilburg University.

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

Rethinking Overspecification in Terms of Incremental Processing

Raquel Fernández

Institute for Logic, Language and Computation

University of Amsterdam

raquel.fernandez@uva.nl

Abstract

Speakers often overspecify their referring descriptions by including more information than what is required to uniquely distinguish a referent. Although overspecification has received a substantial amount of attention, the factors that play a role in determining this behaviour are not yet well understood. Given evidence of cross-linguistic difference between English and Spanish regarding overspecification with colour adjectives, we argue that a factor that contributes to the inclusion of arguably redundant properties in a description is their *incremental informativity* in comprehension. We sketch a generation model that can account for this phenomenon by allowing for incremental interaction between content selection and linguistic realisation and for interdependencies between generation and processing.

Keywords: Referring expressions; overspecification; incrementality; production; comprehension.

Introduction

Contrary to what adherence to the Gricean Maxim of Quantity would predict (Grice, 1975), speakers often overspecify their referring descriptions by including more information than what is required to uniquely distinguish a referent—a fact that has been attested by a large body of psycholinguistic and corpus-based research (amongst others, Pechmann, 1989; Engelhardt, Bailey, & Ferreira, 2006; Viethen, Dale, Krahmer, Theune, & Touse, 2008; Koolen, Gatt, Goudbeek, & Krahmer, 2011). Despite the growing amount of attention paid to overspecification, the reasons behind this phenomenon are not yet well understood. In this paper, we argue that the overspecification behaviour of a speaker who produces a description can partially be explained and modelled by considering the online processes involved in comprehending that description. From the point of view of comprehension, the description is incrementally processed from left to right as it is being produced. This means that properties that could count as redundant when considering the full description as a unit may in fact be informative during incremental processing. For instance, given the scenario in Figure 1, the description *the red lamp* may be considered overspecified, with the property *red* being redundant, i.e. not strictly needed to distinguish the target uniquely. From a comprehension perspective, however, *red* is *incrementally informative*: i.e. it allows the hearer to rule out possible referents *at the point in time when the adjective is processed*.

Taking incremental informativity into account allows us to make some interesting predictions regarding overspecification. Most importantly perhaps, it predicts that in languages where adjectives typically appear post-nominally—such as most Roman languages—rather than pre-nominally—as in English—, properties realised by adjectives will be used redundantly less often since whenever the head noun suffices

to uniquely distinguish the referent they will not be incrementally informative. For example, given the visual scenario in Figure 1, both the English description *the red lamp* and the equivalent Spanish description *la lámpara roja* may be argued to be overspecified (*the lamp/la lámpara* would suffice in each respective case). In the English description, however, *red* is incrementally informative, while in the Spanish one *roja* is not. If speakers take into account the incremental informativity of the surface realisation of a property when planning their referring expressions, then we would expect Spanish speakers to produce fewer overspecified descriptions than English ones. And this is precisely what recent psycholinguistic data has shown. A set of experiments run by Fernández-Rubio and colleagues indicates that there are indeed cross-linguistic differences regarding overspecification, with English speakers producing a significantly larger proportion of redundant colour adjectives than Spanish speakers (Rubio-Fernández, 2011).

We argue that the sketched view of overspecification and the aforementioned psycholinguistic results call for a computational model of the generation of referring expressions where content determination and linguistic realisation take place incrementally and where there is interdependence between generation and processing. The need for these requirements has to some extent been acknowledged by the NLG community, but very seldom have they been incorporated into actual generation systems and algorithms (Krahmer & Deemter, 2012). We proceed by first giving an overview on how overspecification is most often modelled in current systems. After this we present the main features of our proposed model and go over an example in detail. We then discuss the implications of the approach and its connections to related research, before closing with some conclusions and suggestions for future work.



Figure 1: Sample visual scene

Overspecification in Current Systems

Systems for the generation of referring expressions that aim at emulating human behaviour typically incorporate mech-

anisms that enable the generation of overspecified descriptions. The Incremental Algorithm proposed by Dale and Reiter (1995)—which is considered a standard in the field—as well as most of its variants (e.g., Kraahmer, Erk, & Verleg, 2003) employ property preference orders or cost functions, which are taken to reflect the relative salience of different types of properties in particular domains. This allows for salient properties to be included in the conceptual plan of a description as long as they have discriminatory power, regardless of whether they end up being redundant once all the properties are selected. For instance, a context model for the visual scene in Figure 1 may include the preference order $\langle \text{colour}, \text{type}, \text{position} \rangle$ indicating the relative salience of different attributes in this context: colour being the most salient property, followed by object type, followed by position (relative to e.g. the focal middle point of the scene). The Incremental Algorithm would go over each property in turn, incorporating it to the description plan if it has discriminatory power at the point in the order where the property is considered, and it would stop once the planned description uniquely identifies the target referent. In our context, the fact that colour (which rules out some possible referents but does not uniquely distinguish the target) is more salient than type (which does uniquely distinguish the target) would explain the “redundant” inclusion of *red* in the description *the red lamp*.

Algorithms such as Dale and Reiter’s (1995) deal exclusively with the generation sub-problem of content selection, namely, deciding which properties of the target referent are to be included in the referring expression to be produced, independently of how such properties will end up being linguistically realised. They operate at the conceptual level, which presumably is invariant across languages, and thus are not able to account for cross-linguistic differences in overspecification behaviour. Besides salience, other factors have been identified as influencing the amount of information speakers include in referring description (Koolen et al., 2011), such as the complexity of the domain (the amount of properties available to describe a referent) and the cardinality of the target (with plural targets being more often overspecified). Again, however, these are factors that concern the conceptual level (the situation model) and cannot straightforwardly explain cross-linguistic differences.

It is worth pointing out that there have been a couple of cross-linguistic studies conducted by Kraahmer and colleagues, who have looked into the possible differences in referential behaviour between English and Dutch speakers. However, the similarity between these two languages (especially regarding definite referring expressions) has not uncovered any substantial language-dependent factors (Theune, Koolen, & Kraahmer, 2010; Koolen, Kraahmer, & Theune, 2012). The cross-linguistic differences regarding overspecification between English and Spanish that we have mentioned in the Introduction are particularly interesting because they offer support for designing models of the generation of refer-

ring expressions and of production more generally that meet certain requirements. On the one hand, they indicate that the information included in a referring description does not only hinge on language independent factors related to content selection, but rather that language specific aspects may play a role as well and, hence, that content selection is interleaved with linguistic encoding. On the other hand, since the cross-linguistic differences observed involve what we have referred to as *incremental informativity* stemming from surface word order, we argue that they support close coupling between production and comprehension. The first of these requirements has often been emphasised in the psycholinguistics and the NLG literature (e.g., Levelt, 1989; Kilger & Finkler, 1995; Stone & Webber, 1998). The second one may be a bit less obvious, although it has recently been gaining importance in research on interactive dialogue settings. We shall go back to this issue in the discussion section, after sketching our model.

A Model Sketch

In a nutshell, in our model the generator operates in an incremental manner, interleaving semantics and syntactic realisation and imposing constraints on linguistic linearisation that take into account the left-to-right processing of the description from the comprehension side. Figure 2 sketches the architecture we proposed. In what follows we specify in more detail its components and the way they operate.




Figure 2: Basic model architecture

The model distinguishes between two types of resources: a *language-independent* situation model and a *language-dependent* grammar. The situation model includes a target referent representing the speaker’s communicative goal (the goal being to distinguish the target from other objects in the scene) and a representation of the context. We may want to encode several aspects of the context here, from a model

of salience to a representation of the common ground between the interlocutors. For simplicity, we assume a model of salience in the form of a property preference order. As for the grammar, the key feature we require of it is full (i.e. word-by-word) incrementality as we want to be able to monitor at each derivation step whether the communicative goal is fulfilled (Levelt, 1989). Dynamic Syntax (Kempson, Meyer-Viol, & Gabbay, 2001), which seems to be fully incremental and has previously been applied to generation (Purver & Otsuka, 2003; Purver & Kempson, 2004), could be a candidate grammatical framework. Another option could be Lexicalised Tree Adjoining Grammar (LTAG), which has often been used to model incremental generation (e.g., Stone, Doran, Webber, Bleam, & Palmer, 2003). However, standard versions of LTAG are head-driven and thus not fully incremental (Ferreira, 2000). Here, to illustrate the main points in our example, we will assume a word-by-word incremental version of LTAG (although we note that specifying a wide-coverage incremental LTAG is provably not trivial). Importantly, we assume that incremental syntactic construction comes with an incremental semantics (Dynamic Syntax would again be an appropriate framework here).

These two resources (the situation model and the grammar) are leveraged by three processes—content selection, lexical choice, and syntactic-semantic construction—that are organised sequentially but operate incrementally: as soon as a process produces some output, this is acted upon by the next process. The content selection process is a version of Dale and Reiter’s (1995) Incremental Algorithm that outputs properties on the basis of their salience and their discriminatory power (and possibly other parameters in the situation model). The lexical choice process takes as input the properties generated by content selection as they become available and progressively outputs LTAG elementary trees. The syntactic-semantic construction process attempts to build derived trees given the available elementary trees at each incremental step. It does so following standard LTAG principles (adapted to full incrementality) but, crucially, it disprefers trees with lexical gaps on the fringe, i.e. prefixes of the in-progress description that contain non-terminal symbols. This favours surface, left-to-right incrementality and brings into the picture the comprehension side: even if some properties and corresponding lexical elementary trees are available from the production side, if they cannot be smoothly integrated into the surface form of the ongoing description they will be put on hold. Upon carrying out each incremental step, each process checks whether the communicative goal has been achieved. For instance, upon selecting a property that has discriminatory power, content selection will check whether the properties selected so far already single out the target and if they do it will stop; similarly syntactic-semantic construction will monitor whether the communicative goal has been achieved after each derivation step. If the description constructed so far is syntactically well formed and semantically distinguishing, the process will stop.




Figure 3: Elementary trees




Figure 4: Derived trees in English adhering to surface incrementality.

An Example

Let us go over our example from the Introduction to illustrate how the model would generate descriptions in English and Spanish that differ in their degree of overspecification. For the case at hand, let us assume that the situation model includes a representation of the scene in Figure 1, the lamp in that scene as the target referent, and the property preference order $\langle \text{colour}, \text{type}, \dots \rangle$ which takes colour to be the most salient property. We assume furthermore that the context initially triggers the plan to produce a definite description, which results in the initial elementary tree in Figure 3(a). This tree is now available to the syntactic-semantic construction process. Content selection then computes whether the most salient property (colour) of the target (red) has discriminatory power and since it does (it eliminates three distractors) it outputs red. Lexical choice can now act on this property to generate an appropriate elementary tree, 3(b) in the case of English and 3(c) in the case of Spanish. This tree now becomes available to the syntactic-semantic construction process, which may adjoin it to the initial tree.¹ However the resulting derived tree would have different properties across languages: while the English tree respects surface incrementality (Figure 4), the Spanish one doesn’t since there is a lexical gap within the prefix derived so far (Figure 5). In our model derived trees that do not adhere to surface incrementality are not licensed.

Now, as soon as content selection outputs the value lamp for the property type, lexical choice can generate the elementary tree in Figure 3(d). In English this tree can be sub-

¹Note that here we deviate from standard version of LTAG where auxiliary trees are typically adjoined to phrasal heads. For the sake of incrementality, we allow adjunction to a node that “is expecting” a head.




Figure 5: Derived trees in Spanish: (a) violates surface incrementality, (b) doesn't.

stituted into the first derived tree leading to the syntactically complete tree in Figure 4(b). In Spanish the new tree can be substituted into the initial elementary tree (Figure 5(b)), this time without violating surface incrementality. At this stage, we have constructed a syntactically complete description that is also semantically distinguishing and therefore the process may stop without need to further adjoin the adjectival tree.

Thus, even though a property such as colour can be particularly salient to speakers regardless of the linguistic resources they use, we predict that Spanish speakers will be less inclined to overspecify their descriptions with colour adjectives due to the syntactic properties of their language, which critically, we argue, cancel out the incremental informativity that these adjectives have (from the comprehension side) when they appear in pre-nominal position.

Besides being able to account for the cross-linguistic differences described above, we believe that our model also has the potential to account for other aspects that influence overspecification. For instance, Viethen, Goudbeek, and Krahmer (2012) found that in English colours are less often used redundantly when they do not correspond to easy-to-name basic colours. We can attribute this effect to a delay in the lexical choice process caused by difficulty with the lexical retrieval of a property generated by the content selection process. In our incremental model, upon encountering difficulty with the retrieval of an adequate word, the lexical choice process may be able to operate on other properties that may have become available in subsequent incremental steps by the content selection process; and the syntactic-semantic construction process, in turn, may be able to construct a well-formed distinguishing description before ever receiving as input a lexical tree with a suitable colour word. This would explain why colour ends up not being used in such cases, without need to assume it is less salient in the situation model.

Discussion

The model we have proposed is similar to earlier models in several respects. Strong incrementality in production is of course one of the main features of Levelt's seminal work (Levelt, 1989). Furthermore, the incremental interleaving of content selection and linguistic realisation has often been advocated within the NLG community. A prominent example of this is the work of Stone and colleagues (Stone & Doran, 1997; Stone & Webber, 1998; Stone et al., 2003), who also make use of Tree Adjoining Grammar. Besides

building on this body of work, our model is also inspired by research on incremental architectures for dialogue systems (see a.o. Kilger & Finkler, 1995; Stoness, Tetreault, & Allen, 2004; Skantze & Hjalmarsson, 2010; Buschmeier, Baumann, Dosch, Schlangen, & Kopp, 2012). Since our goal here has been to focus on cross-linguistic differences, we have only looked into simple first-mention definite descriptions abstracting away from the communicative interaction where these descriptions would typically take place. However, our approach is in accordance with models of dialogue that emphasise the close connection between speaking and understanding in communication. Such connection is apparent, for instance, in collaborative completions—a phenomenon common in interactive conversation where a dialogue participant continues an utterance initiated by another participant (Lerner, 1996; Clark, 1996; Purver, Howes, Gregoromichelaki, & Healey, 2009). Such shared utterances involve quick and smooth transitions between processing and generation and thus require incrementality and interdependence between these two processes—two features that we have adopted in our model for independent reasons.

It is an open question whether (or how much) the proposed interdependence between production and comprehension actively involves taking the perspective of the addressee. A strand of work has argued that dialogue participants take into account their common ground with their addressees when designing their utterances (e.g., Clark, 1996; Brennan & Hanna, 2009), while experiments by Keysar, Barr, and others have offered evidence that speakers often behave egocentrically (e.g., Keysar, Barr, Balin, & Brauner, 2000; Keysar & Henly, 2002). We see the close coupling of production and comprehension we have proposed in our model as being closer to Levelt's (1989) parsing feedback loop for self-monitoring during generation than to an intentional process of audience design. This view also seems related to the approach put forward by Pickering and Garrod (2013) according to which the comprehension system plays a role during production (and vice-versa). Arguably this benefits joint action, since the output of the speaker's own comprehension system is a good predictor of the partner's comprehension.

Conclusions

With this paper, we hope to have drawn attention to the need for cross-linguistic studies of linguistic production in order to get a broader view of requirements for NLG models. Initiatives such as the Dutch Tuna Corpus (Koolen & Krahmer, 2010) are a step in the right direction, although comparisons between languages that are less similar than English and Dutch would potentially bring in more insights. We have sketched a model that operates incrementally from content selection to syntactic construction, interleaving generation with processing. These key features, which we have adopted to account for cross-linguistic differences regarding overspecification, seem to be required by any model of generation in interactive dialogue settings.

References

- Brennan, S. E., & Hanna, J. E. (2009). Partner-specific adaptation in dialog. *Topics in Cognitive Science*, 1(2), 274–291.
- Buschmeier, H., Baumann, T., Dosch, B., Schlangen, D., & Kopp, S. (2012). Combining incremental language generation and incremental speech synthesis for adaptive information presentation. In *Proceedings of SIGdial* (pp. 295–303).
- Clark, H. H. (1996). *Using language*. Cambridge University Press.
- Dale, R., & Reiter, E. (1995). Computational interpretations of the Gricean Maxims in the Generation of Referring Expressions. *Cognitive Science*, 18, 233–266.
- Engelhardt, P. E., Bailey, K. D., & Ferreira, F. (2006). Do speakers and listeners observe the Gricean maxim of quantity? *Journal of Memory and Language*, 54, 554–573.
- Ferreira, F. (2000). Syntax in language production: An approach using tree-adjoining grammars. In L. Wheeldon (Ed.), *Aspects of language production* (pp. 291–330). Psychology Press.
- Grice, H. P. (1975). Logic and conversation. In D. Davidson & G. Harman (Eds.), *The logic of grammar* (pp. 64–75). Encino, California: Dickenson.
- Kempson, R. M., Meyer-Viol, W., & Gabbay, D. M. (2001). *Dynamic syntax: the flow of language understanding*. Blackwell Malden.
- Keysar, B., Barr, D. J., Balin, J. A., & Brauner, J. S. (2000). Taking perspective in conversation: The role of mutual knowledge in comprehension. *Psychological Science*, 11(1), 32–38.
- Keysar, B., & Henly, A. S. (2002). Speakers' overestimation of their effectiveness. *Psychological Science*, 13(3), 207–212.
- Kilger, A., & Finkler, W. (1995). *Incremental generation for real-time applications* (Tech. Rep. No. RR-95-11). Saarbrücken, Germany: Deutsches Forschungszentrum für Künstliche Intelligenz.
- Koolen, R., Gatt, A., Goudbeek, M., & Krahmer, E. (2011). Factors causing overspecification in definite descriptions. *Journal of Pragmatics*, 43(13), 3231–3250.
- Koolen, R., & Krahmer, E. (2010). The D-TUNA corpus: A Dutch dataset for the evaluation of referring expression generation algorithms. In *Proceedings of LREC*.
- Koolen, R., Krahmer, E., & Theune, M. (2012). Learning preferences for referring expression generation: Effects of domain, language and algorithm. In *Proceedings of INLG* (pp. 3–11).
- Krahmer, E., & Deemter, K. van. (2012). Computational generation of referring expressions: A survey. *Computational Linguistics*, 38(1), 173–218.
- Krahmer, E., Erk, S. v., & Verleg, A. (2003). Graph-based generation of referring expressions. *Computational Linguistics*, 29(1), 53–72.
- Lerner, G. H. (1996). On the semi-permeable character of grammatical units in conversation: Conditional entry into the turn space of another speaker. In E. Ochs, E. Schegloff, & S. Thompson (Eds.), *Interaction and grammar* (pp. 238–276). Cambridge University Press.
- Levelt, W. J. (1989). *Speaking: From intention to articulation*. MIT Press.
- Pechmann, T. (1989). Incremental speech production and referential overspecification. *Linguistics*, 27(1), 89–110.
- Pickering, M., & Garrod, S. (2013). An integral theory of language production and comprehension. *Behavioral and Brain Sciences*, 1–19.
- Purver, M., Howes, C., Gregoromichelaki, E., & Healey, P. G. T. (2009). Split utterances in dialogue: a corpus study. In *Proceedings of SIGDIAL* (pp. 262–271).
- Purver, M., & Kempson, R. (2004). Context-based incremental generation for dialogue. In *Proceedings of INLG* (pp. 151–160).
- Purver, M., & Otsuka, M. (2003). Incremental generation by incremental parsing: Tactical generation in Dynamic Syntax. In *Proceedings of ENLG* (pp. 79–86).
- Rubio-Fernández, P. (2011). *Colours & colores*. (Invited talk at the 4th Biennial Experimental Pragmatics Conference; abstract available at <http://parles.upf.edu/llocs/glif/pub/xprag2011/>)
- Skantze, G., & Hjalmarsson, A. (2010). Towards incremental speech generation in dialogue systems. In *Proceedings of SIGdial* (pp. 1–8).
- Stone, M., & Doran, C. (1997). Sentence planning as description using tree adjoining grammar. In *Proceedings of ACL* (pp. 198–205).
- Stone, M., Doran, C., Webber, B., Bleam, T., & Palmer, M. (2003). Microplanning with communicative intentions: The spud system. *Computational Intelligence*, 19(4), 311–381.
- Stone, M., & Webber, B. (1998). Textual economy through close coupling of syntax and semantics. In *Proceedings of INLG* (pp. 178–187).
- Stoness, S., Tetreault, J., & Allen, J. (2004). Incremental parsing with reference interaction. In *ACL Workshop on Incremental Parsing* (pp. 18–25).
- Theune, M., Koolen, R., & Krahmer, E. (2010). Cross-linguistic attribute selection for reg: Comparing dutch and english. In *Proceedings of INLG* (pp. 191–195).
- Viethen, J., Dale, R., Krahmer, E., Theune, M., & Touse, P. (2008). Controlling redundancy in referring expressions. In *Proceedings of LREC* (pp. 950–957).
- Viethen, J., Goudbeek, M., & Krahmer, E. (2012). The impact of colour difference and colour codability on reference production. In *Proceedings of the 34th Annual Meeting of the Cognitive Science Society* (pp. 1084–1089).