

UvA-DARE (Digital Academic Repository)

Sufferin	ng in	silence:	studies	on	screening	for	major	depressive	disorder	' in
primary	/ car	е			_		_	-		

Wittkampf, K.A.

Publication date 2012

Link to publication

Citation for published version (APA):

Wittkampf, K. A. (2012). Suffering in silence: studies on screening for major depressive disorder in primary care. [Thesis, fully internal, Universiteit van Amsterdam].

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: https://uba.uva.nl/en/contact, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

UvA-DARE is a service provided by the library of the University of Amsterdam (https://dare.uva.nl)

Download date:10 Mar 2023

Contents			
1	General Introduction	9	
Ра	rt I High-risk population		
2	The prevalence of common mental disorders in a high-risk population in primary care. <i>Submitted for publication</i> .	27	
	Casus 1	47	
Ра	rt II Screening instrument		
3	Diagnostic accuracy of the mood module of the Patient Health Questionnaire: a systematic review. <i>General Hospital Psychiatry 2007;</i> 29: 388–395.	51	
4	The accuracy of Patient Health Questionnaire-9 in detecting depression and measuring depression severity in high-risk groups in primary care. <i>General Hospital Psychiatry 2009; 31: 451–459.</i>	71	
5	The psychometric properties of the panic disorder module of the Patient Health Questionnaire (PHQ-PD) in high-risk groups in primary care. <i>Journal of Affect Disorders 2011; 30: 260-267.</i>	89	
6	Detecting somatoform disorders in primary care with the PHQ-15. Annals of Family Medicine 2009; 7: 232-238.	107	
	Casus 2	121	
Ра	rt III Screening program		
7	Screening for depression in high-risk groups: prospective cohort study in general practice. <i>The British Journal of Psychiatry 2009; 194: 399–403.</i>	125	
8	Patients' view on screening for depression in general practice. <i>Family Practice 2008; 25: 438–444.</i>	141	
	Casus 3	157	

9	General Discussion	159
	Summary	177
	Samenvatting	185
	Dankwoord	193
	Curriculum Vitae	197
	Supplement: Patient Health Questionnaire	199