



UvA-DARE (Digital Academic Repository)

XMM-Newtonlarge programme on SN1006 - II. Thermal emission

Li, J.-T.; Decourchelle, A.; Miceli, M.; Vink, J.; Bocchino, F.

DOI

[10.1093/mnras/stw1640](https://doi.org/10.1093/mnras/stw1640)

Publication date

2016

Document Version

Other version

Published in

Monthly Notices of the Royal Astronomical Society

[Link to publication](#)

Citation for published version (APA):

Li, J.-T., Decourchelle, A., Miceli, M., Vink, J., & Bocchino, F. (2016). XMM-Newtonlarge programme on SN1006 - II. Thermal emission. *Monthly Notices of the Royal Astronomical Society*, 462(1), 158-166. <https://doi.org/10.1093/mnras/stw1640>

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.



Erratum: ‘XMM-newton large program on SN1006 - II: Thermal emission’ (2016, MNRAS, 462, 158)

by Jiang-Tao Li,¹★ Anne Decourchelle,² Marco Miceli,^{3,4} Jacco Vink⁵ and Fabrizio Bocchino⁴

¹Department of Astronomy, University of Michigan, 311 West Hall, 1085 S. University Ave, Ann Arbor, MI 48109-1107, USA

²Service d’Astrophysique, CEA Saclay, F-91191 Gif-sur-Yvette Cedex, France

³Dipartimento di Fisica & Chimica, Università di Palermo, Piazza del Parlamento 1, I-90134 Palermo, Italy

⁴INAF-Osservatorio Astronomico di Palermo, Piazza del Parlamento, I-90134 Palermo, Italy

⁵Anton Pannekoek Institute/GRAPPA, University of Amsterdam, PO Box 94249, NL-1090 GE Amsterdam, The Netherlands

There are a few mistakes in the original scripts used to calculate the physical parameters of the hot gas from X-ray spectral analysis with a thermal plasma code, as discussed in Li & Huang (2020). We herein present the erratum of Li et al. (2016). The major conclusions in this paper are not affected by the mistakes, but some figure and table need to be updated.

(i) $n_{e, \text{ISM}}$ and $n_{e, \text{ejecta}}$ in table 1 of Li et al. (2016) should be updated to those in Table 1 of this erratum.

(ii) Figs 4(e), (f), (h), (i) of Li et al. (2016) should be updated to the upper left, upper right, lower left, lower right panels of Fig. 1 of this erratum, respectively. Only the scale of the colour bars in these figures are changed.

REFERENCES

Li J.-T., Huang R., 2020, preprint (arXiv:2009.02596)

Li J.-T., Decourchelle A., Miceli M., Vink J., Bocchino F., 2016, *MNRAS*, 462, 158

Table 1. Parameters and errors of the two example regions shown in Fig. 1. Errors are statistical only and are quoted at 90 per cent confidence level.

Parameter	reg100515	reg100573
$\log(n_e t / \text{cm}^{-3} \text{ s})_{\text{ISM}}$	$9.320^{+0.034}_{-0.103}$	$8.948^{+0.220}_{-0.076}$
$n_{e, \text{ISM}} / \text{cm}^{-3}$	$0.240^{+0.022}_{-0.016}$	$0.066^{+0.009}_{-0.006}$
$kT_{\text{ejecta}} / \text{keV}$	$1.29^{+0.25}_{-0.26}$	> 9.2
$\log(n_e t / \text{cm}^{-3} \text{ s})_{\text{ejecta}}$	$9.065^{+0.070}_{-0.089}$	$9.532^{+0.008}_{-0.021}$
$n_{e, \text{ejecta}} / \text{cm}^{-3}$	$0.082^{+0.016}_{-0.006}$	$0.085^{+0.006}_{-0.003}$
$Z_{\text{O, ejecta}} / \text{solar}$	< 20	$2.39^{+0.74}_{-0.33}$
$(Z_{\text{Ne}} / Z_{\text{O}})_{\text{ejecta}}$	$0.62^{+0.21}_{-0.19}$	$0.28^{+0.03}_{-0.02}$
$(Z_{\text{Mg}} / Z_{\text{O}})_{\text{ejecta}}$	$3.78^{+0.89}_{-0.91}$	$1.43^{+0.12}_{-0.13}$
$(Z_{\text{Si}} / Z_{\text{O}})_{\text{ejecta}}$	$13.8^{+9.7}_{-2.8}$	3.22 ± 0.33
$(Z_{\text{S}} / Z_{\text{O}})_{\text{ejecta}}$	$30.1^{+9.1}_{-11.6}$	$2.21^{+1.51}_{-0.95}$
$(Z_{\text{Fe}} / Z_{\text{O}})_{\text{ejecta}}$	< 0.39	< 0.13
$v_{\text{ejecta}} / (\text{km s}^{-1})$	1238^{+264}_{-344}	2818^{+75}_{-443}
α	$0.11^{+0.06}_{-0.01}$	$0.1 (< 0.103)$
$\nu_{\text{cutoff}} / \text{Hz}$	$7.51^{+0.94}_{-1.22} \times 10^{14}$	$6.54^{+0.78}_{-0.09} \times 10^{14}$
$\chi^2 / \text{d.o.f.}$	704.14/603	1417.55/1258

★ E-mail: pandataotao@gmail.com




Figure 1. Updated version of figs 4(e), (f), (h), (i) of Li et al. (2016).

This paper has been typeset from a $\text{\TeX}/\text{\LaTeX}$ file prepared by the author.