



UvA-DARE (Digital Academic Repository)

Detection of a bright radio flare of Cygnus X-1 at 7.2 GHz with the Sardinia Radio Telescope

Egron, E.; Pellizzoni, A.; Bachetti, M.; Navarrini, A.; Trois, A.; Pilia, M.; Iacolina, M.N.; Melis, A.; Concu, R.; Loru, S.; Sessini, A.; Grinberg, V.; Nowak, M.; Markoff, S.; Pottschmidt, K.; Rodriguez, J.; Wilms, J.; Ballhausen, R.; Corbel, S.; Eikmann, W.; Fuerst, F.; Kreykenbohm, I.; Marongiu, M.; Possenti, A.

Publication date

2016

Document Version

Final published version

Published in

The astronomer's telegram

License

Unspecified

[Link to publication](#)

Citation for published version (APA):

Egron, E., Pellizzoni, A., Bachetti, M., Navarrini, A., Trois, A., Pilia, M., Iacolina, M. N., Melis, A., Concu, R., Loru, S., Sessini, A., Grinberg, V., Nowak, M., Markoff, S., Pottschmidt, K., Rodriguez, J., Wilms, J., Ballhausen, R., Corbel, S., ... Possenti, A. (2016). Detection of a bright radio flare of Cygnus X-1 at 7.2 GHz with the Sardinia Radio Telescope. *The astronomer's telegram*, 9087. <http://www.astronomerstelegram.org/?read=9087>

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library@uva.nl, or by mail to: Library@uva.nl, Universiteitsbibliotheek, Oudekerkplein 1, 1012 CA Amsterdam, The Netherlands. You will be contacted as soon as possible.

The Astronomer's Telegram

Post | Search | Policies
 Credential | Feeds | Email

10 Jul 2020; 15:43 UT

This space for free for your conference.

Outside

GCN
 IAUCs

Other

ATel on [Twitter](#) and [Facebook](#)
 ATELstream
 ATel Community Site

[[Previous](#) | [Next](#) | [ADS](#)]

Detection of a bright radio flare of Cygnus X-1 at 7.2 GHz with the Sardinia Radio Telescope

ATel #9087; *E. Egron (INAF-OAC), A. Pellizzoni (INAF-OAC), M. Bachetti (INAF-OAC), A. Navarrini (INAF-OAC), A. Trois (INAF-OAC), M. Pilia (INAF-OAC), M. N. Iacolina (INAF-OAC), A. Melis (INAF-OAC), R. Concu (INAF-OAC), S. Loru (INAF-OAC), A. Sessini (Univ. Cagliari), V. Grinberg (MIT), M. Nowak (MIT), S. Markoff (Univ. Amsterdam), K. Pottschmidt (CRESST/GSFC/UMBC), J. Rodriguez (AIM/CEA), J. Wilms (Remeis/FAU/ECAP), R. Ballhausen (Remeis/FAU/ECAP), S. Corbel (AIM/CEA), W. Eikmann (Remeis/FAU/ECAP), F. Fuerst (CalTech), I. Kreykenbohm (Remeis/FAU/ECAP), M. Marongiu (INAF-OAC), A. Possenti (INAF-OAC)*

on 27 May 2016; 21:40 UT

Credential Certification: [Elise Egron \(egron@oa-cagliari.inaf.it\)](mailto:elise.egron@oa-cagliari.inaf.it)

Subjects: Radio, Binary, Black Hole

Referred to by ATel #: [9089](#)

In the framework of radio monitoring of NS/BH Galactic Binaries with Sardinia Radio Telescope (www.srt.inaf.it) during SRT Early Science Program S0013 (PI Egron), we detected Cyg X-1 in C-band through on-the-fly mapping centered on the source position (see also Atels [#8921](#), [#8849](#), [#8821](#)). Our observation was performed on May 24, 2016 at 23h UT (MJD 57532.9), in correspondence to a relatively high hard X-ray flux from the source (0.21 counts/cm²/s, MJD 57532-57533) observed by Swift/BAT in the 15-50 keV energy range (<http://swift.gsfc.nasa.gov/results/transients/CygX-1/>). We measured a flux density of 13 \pm 2 mJy at 7.2 GHz, band-width 0.68 GHz (using both SRT Total Power and SARDARA digital back-end operated in piggy-back mode). A follow-up observation performed on May 27, 2016 at 06h UT did not provide any detection. The corresponding image rms is 9 mJy/beam. Previous C-band (7.2 GHz) and/or K-band (21.4 GHz) weekly observations of Cyg X-1 with SRT in the time frame March-May 2016 did not provide any significant radio emission detection (flux density <10 mJy). This favors the detection of a bright radio flare of Cyg X-1 with SRT. Such flares have been detected before (Wilms et al. 2007 ApJ 663, L97). We encourage to look at the multi-wavelength data associated with the MJD indicates in this Atel to see if there is any noticeable change of state of the source. Further SRT monitoring of Cyg X-1 will be provided on a weekly frequency.

Related

- [11539](#) The 30-day monitoring of MAXI J1820+070 at 4.7 GHz
- [10459](#) Ongoing radio monitoring of Cyg X-1 with the RATAN-600 radio telescope
- [10446](#) Change in radio behaviour of Cygnus X-1
- [10322](#) Unusual soft X-ray activity of Cygnus X-1 detected with MAXI/GSC
- [9089](#) New RATAN-600 data for Cygnus X-1
- [9087](#) Detection of a bright radio flare of Cygnus X-1 at 7.2 GHz with the Sardinia Radio Telescope
- [7327](#) Fermi/LAT observations of Cygnus X-1
- [7322](#) The current RATAN-600 observations of Cygnus X-1
- [7316](#) Cyg X-1 transiting into the hard state
- [3616](#) Cygnus X-1 entered the soft state
- [3546](#) The RATAN observations of Cygnus X-1
- [3535](#) Cygnus X-1 radio observations
- [3534](#) MAXI/GSC detected a possible hard-to-soft state transition in Cygnus X-1
- [3307](#) Cyg X-1 entered a transitional state, may be on its way from the soft state back to the hard state

[**Telegram Index**]

R. E. Rutledge, Editor-in-Chief

`rrutledge@astronomerstelegam.org`

Derek Fox, Editor

`dfox@astronomerstelegam.org`

Mansi M. Kasliwal, Co-Editor

`mansi@astronomerstelegam.org`