

UvA-DARE (Digital Academic Repository)

Different nanocrystal systems for carrier multiplication

Nguyen, X.C.

Publication date

2017

Document Version

Other version

License

Other

[Link to publication](#)

Citation for published version (APA):

Nguyen, X. C. (2017). *Different nanocrystal systems for carrier multiplication*. [Thesis, fully internal, Universiteit van Amsterdam].

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

Bibliography

- [1] T.C. Chiang. Photoemission studies of quantum well states in thin films. *Surface Science Reports*, 39(7):181–235, 2000. 1
- [2] A.P. Alivisatos. Perspectives on the physical chemistry of semiconductor nanocrystals. *The Journal of Physical Chemistry*, 100(31):13226–13239, 1996. 1
- [3] E.O. Chukwuocha, M.C. Onyeaju, and T.S.T. Harry. Theoretical studies on the effect of confinement on quantum dots using the Brus equation. *World Journal of Condensed Matter Physics*, 2:96–100, 2012. 1
- [4] A.E. Zhukov and A.R. Kovsh. Quantum dot diode lasers for optical communication systems. *Quantum Electronics*, 38(5):409–423, 2008. 1
- [5] M.A. Walling, J.A. Novak, and J.R.E. Shepard. Quantum dots for live cell and in vivo imaging. *International Journal of Molecular Sciences*, 10(2):441–491, 2009. 1, 7
- [6] M. Jeyaraj, G. Sathishkumar, G. Sivanandhan, D. MubarakAli, M. Rajesh, R. Arun, G. Kapildev, M. Manickavasagam, N. Thajuddin, K. Premkumar, et al. Biogenic silver nanoparticles for cancer treatment: an experimental report. *Colloids and Surf B: Biointerfaces*, 106:86–92, 2013. 2, 3
- [7] P. Harrison and A. Valavanis. *Quantum wells, wires and dots: theoretical and computational physics of semiconductor nanostructures*. John Wiley & Sons, 2016. 2
- [8] Y. Li, J. Zhang, J. Zhang, Z. Wang, W. Mao, and Y. Hao. Energy relaxation of hot electrons in III-N bulk materials. *Semiconductor Science and Technology*, 31(2):025016, 2016. 2
- [9] T. Inoshita and H. Sakaki. Electron-phonon interaction and the so-called phonon bottleneck effect in semiconductor quantum dots. *Physica B: Condensed Matter*, 227(1):373–377, 1996. 3
- [10] D. Kovalev, H. Heckler, G. Polisski, and F. Koch. Optical properties of Si nanocrystals. *Physica Status Solidi (b)*, 215(2):871–932, 1999. 3
- [11] N.S.B. Humam, Y. Sato, M. Takahashi, S. Kanazawa, N. Tsumori, P. Regreny, M. Gendry, and T. Saiki. Redshifted and blueshifted photoluminescence emission of InAs/InP quantum dots upon amorphization of phase change material. *Optics Express*, 22(12):14830–14839, 2014. 3

- [12] W.D.A.M. de Boer, D. Timmerman, K. Dohnalova, I.N. Yassievich, H. Zhang, W.J. Buma, and T. Gregorkiewicz. Red spectral shift and enhanced quantum efficiency in phonon-free photoluminescence from silicon nanocrystals. *Nature Nanotechnology*, 5(12):878–884, 2010. 3, 50
- [13] O.I. Micic, H.M. Cheong, H. Fu, A. Zunger, J.R. Sprague, A. Mascarenhas, and A.J. Nozik. Size-dependent spectroscopy of InP quantum dots. *The Journal of Physical Chemistry B*, 101(25):4904–4912, 1997. 3
- [14] V. Kocevski, O. Eriksson, and J. Rusz. Transition between direct and indirect band gap in silicon nanocrystals. *Physical Review B*, 87(24):245401, 2013. 3
- [15] M.C. Beard, K.P. Knutsen, P. Yu, J.M. Luther, Q. Song, W.K. Metzger, R.J. Ellingson, and A.J. Nozik. Multiple exciton generation in colloidal silicon nanocrystals. *Nano Letters*, 7(8):2506–2512, 2007. 3, 43, 44, 51, 59, 61
- [16] S. Miura, T. Nakamura, M. Fujii, M. Inui, and S. Hayashi. Size dependence of photoluminescence quantum efficiency of Si nanocrystals. *Physical Review B*, 73(24):245333, 2006. 3, 35, 38, 43
- [17] Y. Wan, Q. Li, Y. Geng, B. Shi, and K.M. Lau. InAs/GaAs quantum dots on GaAs-on-V-grooved-Si substrate with high optical quality in the 1.3 μm band. *Applied Physics Letters*, 107(8):081106, 2015. 3
- [18] M. Rai, A. Yadav, and A. Gade. Silver nanoparticles as a new generation of antimicrobials. *Biotechnology Advances*, 27(1):76–83, 2009. 3
- [19] B.J. Baliga. Electric field-controlled semiconductor device, January 2 1979. US Patent 4,132,996. 4
- [20] R.J. Baker. *CMOS: circuit design, layout, and simulation*, volume 1. John Wiley & Sons, 2008. 4
- [21] D. Durini. *High performance silicon imaging: fundamentals and applications of CMOS and CCD sensors*. Elsevier, 2014. 4
- [22] Y. Kanzawa, T. Kageyama, S. Takeoka, M. Fujii, S. Hayashi, and K. Yamamoto. Size-dependent near-infrared photoluminescence spectra of Si nanocrystals embedded in SiO_2 matrices. *Solid State Communications*, 102(7):533–537, 1997. 4, 37, 41
- [23] R. Limpens, A. Lesage, P. Stallinga, A.N. Poddubny, M. Fujii, and T. Gregorkiewicz. Resonant energy transfer in Si nanocrystal solids. *The Journal of Physical Chemistry C*, 119(33):19565–19570, 2015. 4, 35, 54, 56, 92

- [24] K.H Kim, E.V. Johnson, A.G. Andrey, M.V. Khenkin, and P.R. Cabarracas. Unravelling a simple method for the low temperature synthesis of silicon nanocrystals and monolithic nanocrystalline thin films. *Scientific Reports*, 7:40553, 2017. 4
- [25] R. Parsons. Sputter deposition processes. *Thin Film Processes II*, pages 177–208, 1991. 4
- [26] S. Valeri, S. Altieri, T. Di Domenico, and R. Verucchi. Substrate amorphization induced by the sputter deposition process: Geometrical aspects. *Journal of Vacuum Science & Technology A: Vacuum, Surfaces, and Films*, 13(2):394–399, 1995. 4
- [27] F. Iacona, C. Bongiorno, C. Spinella, S. Boninelli, and F. Priolo. Formation and evolution of luminescent Si nanoclusters produced by thermal annealing of SiO_x films. *Journal of Applied Physics*, 95(7):3723–3732, 2004. 4, 39
- [28] M. Fujii, Y. Yamaguchi, Y. Takase, K. Ninomiya, and S. Hayashi. Control of photoluminescence properties of Si nanocrystals by simultaneously doping n-and p-type impurities. *Applied Physics Letters*, 85(7):1158–1160, 2004. 4
- [29] H. Sugimoto, M. Fujii, K. Imakita, S. Hayashi, and K. Akamatsu. Codoping n-and p-type impurities in colloidal silicon nanocrystals: Controlling luminescence energy from below bulk band gap to visible range. *The Journal of Physical Chemistry C*, 117(22):11850–11857, 2013. 4
- [30] M. Fukuda, M. Fujii, H. Sugimoto, K. Imakita, and S. Hayashi. Surfactant-free solution-dispersible Si nanocrystals surface modification by impurity control. *Optics Letters*, 36(20):4026–4028, 2011. 4
- [31] M.A. Nastasi and J.W. Mayer. *Ion implantation and synthesis of materials*, volume 80. Springer, 2006. 5
- [32] J.F. Ziegler. *Ion implantation science and technology*. Elsevier, 2012. 5
- [33] T. Nakamura, S. Adachi, M. Fujii, K. Miura, and S. Yamamoto. Phosphorus and boron codoping of silicon nanocrystals by ion implantation: Photoluminescence properties. *Physical Review B*, 85(4):045441, 2012. 6
- [34] J.H. Warner, A. Hoshino, K. Yamamoto, and R.D. Tilley. Water-soluble photoluminescent silicon quantum dots. *Angewandte Chemie*, 117(29):4626–4630, 2005. 6
- [35] N.A. Dhas, C.P. Raj, and A. Gedanken. Preparation of luminescent silicon nanoparticles: a novel sonochemical approach. *Chemistry of Materials*, 10:3278, 1998. 6

- [36] R.K. Baldwin, K.A. Pettigrew, E. Ratai, M.P. Augustine, and S.M. Kauzlarich. Solution reduction synthesis of surface stabilized silicon nanoparticles. *Chemical Communications*, (17):1822–1823, 2002. 6
- [37] C. Garcia, B. Garrido, P. Pellegrino, R. Ferre, J.A. Moreno, J.R. Morante, L. Pavesi, and M. Cazzanelli. Size dependence of lifetime and absorption cross section of Si nanocrystals embedded in SiO₂. *Applied Physics Letters*, 82(10):1595–1597, 2003. 7
- [38] X. Wen, P. Zhang, T.A. Smith, R.J. Anthony, U.R. Kortshagen, P. Yu, Y. Feng, S. Shrestha, G. Coniber, and S. Huang. Tunability limit of photoluminescence in colloidal silicon nanocrystals. *Scientific Reports*, 5, 2015. 7
- [39] M.L. Mastronardi, F. Maier-Flaig, D. Faulkner, E.J. Henderson, C. Kubel, U. Lemmer, and G.A. Ozin. Size-dependent absolute quantum yields for size-separated colloidally-stable silicon nanocrystals. *Nano Letters*, 12(1):337–342, 2011. 7, 56
- [40] R. Limpens, S.L. Luxembourg, A.W. Weeber, and T. Gregorkiewicz. Emission efficiency limit of Si nanocrystals. *Scientific Reports*, 6, 2016. 7, 12, 44, 46
- [41] A.M. Smith, M.C. Mancini, and S. Nie. Second window for in vivo imaging. *Nature Nanotechnology*, 4(11):710, 2009. 7
- [42] F. Erogogbo, K.T. Yong, I. Roy, G. Xu, P.N. Prasad, and M.T. Swihart. Biocompatible luminescent silicon quantum dots for imaging of cancer cells. *ACS nano*, 2(5):873–878, 2008. 7
- [43] C. Tu, X. Ma, P. Pantazis, S.M. Kauzlarich, and A.Y. Louie. Paramagnetic, silicon quantum dots for magnetic resonance and two-photon imaging of macrophages. *Journal of the American Chemical Society*, 132(6):2016–2023, 2010. 7
- [44] F. Erogogbo, C.A. Tien, C.W. Chang, K.T. Yong, W.C. Law, H. Ding, I. Roy, M.T. Swihart, and P.N. Prasad. Bioconjugation of luminescent silicon quantum dots for selective uptake by cancer cells. *Bioconjugate Chemistry*, 22(6):1081–1088, 2011. 7
- [45] M. Fleischer. Recent estimates of the abundances of the elements in the earth's crust. Technical report, US Geological Survey, 1953. 7
- [46] S. Zhu, Y. Song, X. Zhao, J. Shao, J. Zhang, and B. Yang. The photoluminescence mechanism in carbon dots (graphene quantum dots, carbon nanodots,

- and polymer dots): current state and future perspective. *Nano Research*, 8(2):355–381, 2015. 7, 79, 89
- [47] Y. Dong, H. Pang, H.B. Yang, C. Guo, J. Shao, Y. Chi, C.M. Li, and T. Yu. Carbon-based dots co-doped with nitrogen and sulfur for high quantum yield and excitation-independent emission. *Angewandte Chemie International Edition*, 52(30):7800–7804, 2013. 7, 89
- [48] S.K. Thiagarajan, S. Raghupathy, D. Palanivel, K. Raji, and P. Ramamurthy. Fluorescent carbon nano dots from lignite: unveiling the impeccable evidence for quantum confinement. *Physical Chemistry Chemical Physics*, 18(17):12065–12073, 2016. 7
- [49] H.O. Pierson. *Handbook of carbon, graphite, diamonds and fullerenes: processing, properties and applications*. William Andrew, 2012. 7
- [50] B.C. Yadav and R. Kumar. Structure, properties and applications of fullerenes. *International Journal of Nanotechnology and Applications*, 2(1):15–24, 2008. 7
- [51] V. Nguyen, L. Yan, J. Si, and X. Hou. Femtosecond laser-induced size reduction of carbon nanodots in solution: Effect of laser fluence, spot size, and irradiation time. *Journal of Applied Physics*, 117(8):084304, 2015. 8, 80
- [52] Q.L. Zhao, Z.L. Zhang, B.H. Huang, J. Peng, M. Zhang, and D.W. Pang. Facile preparation of low cytotoxicity fluorescent carbon nanocrystals by electrooxidation of graphite. *Chemical Communications*, (41):5116–5118, 2008. 8
- [53] J. Lu, J.X. Yang, J. Wang, A. Lim, S. Wang, and K.P. Loh. One-pot synthesis of fluorescent carbon nanoribbons, nanoparticles, and graphene by the exfoliation of graphite in ionic liquids. *ACS Nano*, 3(8):2367–2375, 2009. 8
- [54] Y. Liu, N. Xiao, N. Gong, H. Wang, X. Shi, W. Gu, and L. Ye. One-step microwave-assisted polyol synthesis of green luminescent carbon dots as optical nanoprobe. *Carbon*, 68:258–264, 2014. 8, 80
- [55] R. Liu, D. Wu, S. Liu, K. Koynov, W. Knoll, and Q. Li. An aqueous route to multicolor photoluminescent carbon dots using silica spheres as carriers. *Angewandte Chemie*, 121(25):4668–4671, 2009. 9
- [56] S.Y. Lim, W. Shen, and Z. Gao. Carbon quantum dots and their applications. *Chemical Society Reviews*, 44(1):362–381, 2015. 9, 79

- [57] S. Li, Y. Li, J. Cao, J. Zhu, L. Fan, and X. Li. Sulfur-doped graphene quantum dots as a novel fluorescent probe for highly selective and sensitive detection of Fe^{3+} . *Analytical Chemistry*, 86(20):10201–10207, 2014. 9
- [58] S. Zhu, J. Zhang, C. Qiao, S. Tang, Y. Li, W. Yuan, B. Li, L. Tian, F. Liu, R. Hu, et al. Strongly green-photoluminescent graphene quantum dots for bioimaging applications. *Chemical Communications*, 47(24):6858–6860, 2011. 9
- [59] Y.H. Li, L. Zhang, J. Huang, R.P. Liang, and J.D. Qiu. Fluorescent graphene quantum dots with a boronic acid appended bipyridinium salt to sense monosaccharides in aqueous solution. *Chemical Communications*, 49(45):5180–5182, 2013. 9
- [60] Z.H. Gao, Z.Z. Lin, X.M. Chen, Z.Z. Lai, and Z.Y. Huang. Carbon dots-based fluorescent probe for trace Hg^{2+} detection in water sample. *Sensors and Actuators B: Chemical*, 222:965–971, 2016. 9
- [61] T. Syversen and P. Kaur. The toxicology of mercury and its compounds. *Journal of Trace Elements in Medicine and Biology*, 26(4):215–226, 2012. 9
- [62] S. Barman and M. Sadhukhan. Facile bulk production of highly blue fluorescent graphitic carbon nitride quantum dots and their application as highly selective and sensitive sensors for the detection of mercuric and iodide ions in aqueous media. *Journal of Materials Chemistry*, 22(41):21832–21837, 2012. 9
- [63] D.D. Bikle. Vitamin D metabolism, mechanism of action, and clinical applications. *Chemistry & Biology*, 21(3):319–329, 2014. 10
- [64] S. Zhuo, M. Shao, and S.T. Lee. Upconversion and downconversion fluorescent graphene quantum dots: ultrasonic preparation and photocatalysis. *ACS Nano*, 6(2):1059–1064, 2012. 10
- [65] A. Franceschetti, J.M. An, and A. Zunger. Impact ionization can explain carrier multiplication in PbSe quantum dots. *Nano Letters*, 6(10):2191–2195, 2006. 10
- [66] C.L. Anderson and C.R. Crowell. Threshold energies for electron-hole pair production by impact ionization in semiconductors. *Physical Review B*, 5(6):2267, 1972. 10
- [67] R.A. Ballinger, K.G. Major, and J.R. Mallinson. Impact ionization thresholds in semiconductors. *Journal of Physics C: Solid State Physics*, 6(16):2573, 1973. 10

- [68] R.D. Schaller, M. Sykora, S. Jeong, and V.I. Klimov. High-efficiency carrier multiplication and ultrafast charge separation in semiconductor nanocrystals studied via time-resolved photoluminescence. *The Journal of Physical Chemistry B*, 110(50):25332–25338, 2006. 10
- [69] M.C. Beard, A.G. Midgett, M.C. Hanna, J.M. Luther, B.K. Hughes, and A.J. Nozik. Comparing multiple exciton generation in quantum dots to impact ionization in bulk semiconductors: implications for enhancement of solar energy conversion. *Nano Letters*, 10(8):3019–3027, 2010. 10
- [70] W. Shockley and H.J. Queisser. Detailed balance limit of efficiency of p-n junction solar cells. *Journal of Applied Physics*, 32(3):510–519, 1961. 10, 57
- [71] C. Sevik and C. Bulutay. Auger recombination and carrier multiplication in embedded silicon and germanium nanocrystals. *Physical Review B*, 77(12):125414, 2008. 10
- [72] M.T. Trinh, R. Limpens, W.D.A.M. de Boer, J.M. Schins, L.D.A Siebbeles, and T. Gregorkiewicz. Direct generation of multiple excitons in adjacent silicon nanocrystals revealed by induced absorption. *Nature Photonics*, 6(5):316–321, 2012. 10, 35, 43, 44, 57, 59, 73
- [73] J.M. An, M. Califano, A. Franceschetti, and A. Zunger. Excited-state relaxation in PbSe quantum dots. *The Journal of Chemical Physics*, 128(16):164720, 2008. 11
- [74] P. Guyot-Sionnest, M. Shim, C. Matranga, and M. Hines. Intraband relaxation in CdSe quantum dots. *Physical Review B*, 60(4):R2181, 1999. 11
- [75] J. Valenta. Determination of absolute quantum yields of luminescing nano-materials over a broad spectral range from the integrating sphere theory to the correct methodology. *Nanoscience Methods*, 3(1):11–27, 2014. 31, 37
- [76] F. Priolo, T. Gregorkiewicz, M. Galli, and T.F. Krauss. Silicon nanostructures for photonics and photovoltaics. *Nature Nanotechnology*, 9(1):19–32, 2014. 35
- [77] K. Dohnalova, T. Gregorkiewicz, and K. Kusova. Silicon quantum dots: surface matters. *Journal of Physics: Condensed Matter*, 26(17):173201, 2014. 35
- [78] W. Sun, C. Qian, L. Wang, M. Wei, M.L. Mastronardi, G. Casillas, J. Breu, and G.A. Ozin. Switching-on quantum size effects in silicon nanocrystals. *Advanced Materials*, 27(4):746–749, 2015. 35, 44, 56

- [79] R. Limpens, A. Lesage, M. Fujii, and T. Gregorkiewicz. Size confinement of Si nanocrystals in multianolayer structures. *Scientific Reports*, 5:17289, 2015. [35](#), [40](#), [41](#), [44](#), [49](#)
- [80] R. Limpens and T. Gregorkiewicz. Spectroscopic investigations of dark Si nanocrystals in SiO_2 and their role in external quantum efficiency quenching. *Journal of Applied Physics*, 114(7):074304, 2013. [35](#), [38](#)
- [81] K. Furuta, M. Fujii, H. Sugimoto, and K. Imakita. Energy transfer in silicon nanocrystal solids made from all-inorganic colloidal silicon nanocrystals. *The Journal of Physical Chemistry Letters*, 6(14):2761–2766, 2015. [35](#), [36](#)
- [82] M. Govoni, I. Marri, and S. Ossicini. Carrier multiplication between interacting nanocrystals for fostering silicon-based photovoltaics. *Nature Photonics*, 6(10):672–679, 2012. [35](#), [38](#), [53](#)
- [83] W.D.A.M. de Boer, M.T. Trinh, D. Timmerman, J.M. Schins, L.D.A. Siebbeles, and T. Gregorkiewicz. Increased carrier generation rate in Si nanocrystals in SiO_2 investigated by induced absorption. *Applied Physics Letters*, 99(5):053126, 2011. [35](#), [36](#), [43](#), [59](#)
- [84] D. Timmerman, J. Valenta, K. Dohnalová, W.D.A.M. de Boer, and T. Gregorkiewicz. Step-like enhancement of luminescence quantum yield of silicon nanocrystals. *Nature Nanotechnology*, 6(11):710–713, 2011. [35](#), [42](#), [43](#), [44](#), [46](#), [47](#), [49](#), [57](#), [58](#), [60](#)
- [85] L. Skuja. Optically active oxygen-deficiency-related centers in amorphous silicon dioxide. *Journal of Non-Crystalline Solids*, 239(1):16–48, 1998. [35](#)
- [86] A. Poddubny and A. Rodina. Nonradiative and radiative Förster energy transfer between quantum dots. *Journal of Experimental and Theoretical Physics*, 122(3):531–538, 2016. [35](#)
- [87] E.G. Barbagiovanni, S. Cosentino, D.J. Lockwood, R.N. Costa Filho, A. Terassi, and S. Mirabella. Influence of interface potential on the effective mass in ge nanostructures. *Journal of Applied Physics*, 117(15):154304, 2015. [35](#)
- [88] S.J. Wawilow. Die fluoreszenzausbeute von farbstofflösungen als funktion der wellenlänge des anregenden lichtes. ii. *Zeitschrift für Physik*, 42(4):311–318, 1927. [36](#)
- [89] M. Greben, A. Fucikova, and J. Valenta. Photoluminescence quantum yield of PbS nanocrystals in colloidal suspensions. *Journal of Applied Physics*, 117(14):144306, 2015. [36](#), [43](#), [50](#)

- [90] K. Dohnalova, A.N. Poddubny, A.A. Prokofiev, W.D.A.M. de Boer, C.P. Umesh, J.M.J. Paulusse, H. Zuilhof, and T. Gregorkiewicz. Surface brightens up Si quantum dots direct bandgap-like size-tunable emission. *Light: Science & Applications*, 2(1):e47, 2013. 36, 43
- [91] V.A. Belyakov, V.A. Burdov, R. Lockwood, and A. Meldrum. Silicon nanocrystals: fundamental theory and implications for stimulated emission. *Advances in Optical Technologies*, 2008, 2008. 37
- [92] S. Takeoka, M. Fujii, and S. Hayashi. Size-dependent photoluminescence from surface-oxidized Si nanocrystals in a weak confinement regime. *Physical Review B*, 62(24):16820, 2000. 37, 41
- [93] D. Kovalev, J. Diener, H. Heckler, G. Polisski, N. Künzner, and F. Koch. Optical absorption cross sections of Si nanocrystals. *Physical Review B*, 61(7):4485, 2000. 38, 44
- [94] J. Valenta, M. Greben, S. Gutsch, D. Hiller, and M. Zacharias. Effects of inter-nanocrystal distance on luminescence quantum yield in ensembles of Si nanocrystals. *Applied Physics Letters*, 105(24):243107, 2014. 39, 42, 44, 49, 50
- [95] M. Zacharias, J. Heitmann, R. Scholz, U. Kahler, M. Schmidt, and J. Bläsing. Size-controlled highly luminescent silicon nanocrystals: A SiO/SiO₂ superlattice approach. *Applied Physics Letters*, 80(4):661–663, 2002. 39
- [96] G. Conibeer, M. Green, R. Corkish, Y. Cho, E.C. Cho, C.W. Jiang, T. Fangsuwannarak, E. Pink, Y. Huang, and T. Puzzer. Silicon nanostructures for third generation photovoltaic solar cells. *Thin Solid Films*, 511:654–662, 2006. 39
- [97] L.A. Nesbit. Annealing characteristics of Si-rich SiO₂ films. *Applied Physics Letters*, 46(1):38–40, 1985. 39
- [98] G. Franzò, M. Miritello, S. Boninelli, R.L. Savio, M.G. Grimaldi, F. Priolo, F. Iacona, G. Nicotra, C. Spinella, and S. Coffa. Microstructural evolution of SiO_x films and its effect on the luminescence of Si nanoclusters. *Journal of Applied Physics*, 104(9):094306, 2008. 39
- [99] S. Guha. Characterization of Si⁺ ion-implanted SiO₂ films and silica glasses. *Journal of Applied Physics*, 84(9):5210–5217, 1998. 41
- [100] S. Guha, S.B. Qadri, R.G. Musket, M.A. Wall, and T. Shimizu-Iwayama. Characterization of Si nanocrystals grown by annealing SiO₂ films with uniform concentrations of implanted Si. *Journal of Applied Physics*, 88(7):3954–3961, 2000. 41

- [101] N.X. Chung, R. Limpens, and T. Gregorkiewicz. Investigating photoluminescence quantum yield of silicon nanocrystals formed in SiO_x with different initial Si excess. In *SPIE Optics + Photonics for Sustainable Energy*, pages 95620O–95620O. International Society for Optics and Photonics, 2015. [42](#), [54](#), [58](#)
- [102] L. Pavesi. Influence of dispersive exciton motion on the recombination dynamics in porous silicon. *Journal of Applied Physics*, 80(1):216–225, 1996. [42](#), [44](#), [50](#)
- [103] M. Rosenbauer, S. Finkbeiner, E. Bustarret, J. Weber, and M. Stutzmann. Resonantly excited photoluminescence spectra of porous silicon. *Physical Review B*, 51(16):10539, 1995. [42](#)
- [104] M.T. Trinh, R. Limpens, and T. Gregorkiewicz. Experimental investigations and modeling of auger recombination in silicon nanocrystals. *The Journal of Physical Chemistry C*, 117(11):5963–5968, 2013. [43](#)
- [105] D. Timmerman, I. Izeddin, P. Stallinga, I.N. Yassievich, and T. Gregorkiewicz. Space-separated quantum cutting with silicon nanocrystals for photovoltaic applications. *Nature Photonics*, 2(2):105–109, 2008. [43](#), [47](#), [74](#)
- [106] M.A. Green and M.J. Keevers. Optical properties of intrinsic silicon at 300 K. *Progress in Photovoltaics: Research and Applications*, 3(3):189–192, 1995. [45](#)
- [107] J. Valenta, M. Greben, Z. Remeš, S. Gutsch, D. Hiller, and M. Zacharias. Determination of absorption cross-section of Si nanocrystals by two independent methods based on either absorption or luminescence. *Applied Physics Letters*, 108(2):023102, 2016. [45](#), [46](#)
- [108] B. Bruhn, J. Valenta, F. Sangghaleh, and J. Linnros. Blinking statistics of silicon quantum dots. *Nano Letters*, 11(12):5574–5580, 2011. [46](#)
- [109] K. Kusova, I. Pelant, J. Humpolickova, and M. Hof. Comprehensive description of blinking-dynamics regimes in single direct-band-gap silicon nanocrystals. *Physical Review B*, 93(3):035412, 2016. [46](#)
- [110] C.H. Crouch, R. Mohr, T. Emmons, S. Wang, and M. Drndic. Excitation energy dependence of fluorescence intermittency in CdSe/ZnS core- shell nanocrystals. *The Journal of Physical Chemistry C*, 113(28):12059–12066, 2009. [46](#)
- [111] S. Saeed, C. de Weerd, P. Stallinga, F.C.M. Spoor, A.J. Houtepen, L.D.A. Siebbeles, and T. Gregorkiewicz. Carrier multiplication in germanium nanocrystals. *Light: Science & Applications*, 4(2):e251, 2015. [47](#), [59](#), [62](#)

- [112] S. Kolodinski, J.H. Werner, T. Wittchen, and H.J. Queisser. Quantum efficiencies exceeding unity due to impact ionization in silicon solar cells. *Applied Physics Letters*, 63(17):2405–2407, 1993. 50
- [113] G. Allan and C. Delerue. Confinement effects in PbSe quantum wells and nanocrystals. *Physical Review B*, 70(24):245321, 2004. 50
- [114] O.B. Gusev, A.N. Poddubny, A.A. Prokofiev, and I.N. Yassievich. Light emission from silicon nanocrystals. *Semiconductors*, 47(2):183–202, 2013. 50
- [115] P. Hapala, K. Kusova, I. Pelant, and P. Jelinek. Theoretical analysis of electronic band structure of 2-to 3-nm Si nanocrystals. *Physical Review B*, 87(19):195420, 2013. 51
- [116] A.J. Nozik. Nanoscience and nanostructures for photovoltaics and solar fuels. *Nano Letters*, 10(8):2735–2741, 2010. 57
- [117] A. Mimura, M. Fujii, S. Hayashi, D. Kovalev, and F. Koch. Photoluminescence and free-electron absorption in heavily phosphorus-doped Si nanocrystals. *Physical Review B*, 62(19):12625, 2000. 57
- [118] M. Fujii, S. Hayashi, and K. Yamamoto. Photoluminescence from B-doped Si nanocrystals. *Journal of Applied Physics*, 83(12):7953–7957, 1998. 57
- [119] D. Puglia, G. Sombrio, R. dos Reis, and H. Boudinov. Photoluminescence from doped silicon nanocrystals in SiO_2 matrix. In *Microelectronics Technology and Devices (SBMicro), 2013 Symposium on*, pages 1–4. IEEE, 2013. 57
- [120] Y. Hori, S. Kano, H. Sugimoto, K. Imakita, and M. Fujii. Size-dependence of acceptor and donor levels of boron and phosphorus codoped colloidal silicon nanocrystals. *Nano Letters*, 16(4):2615–2620, 2016. 58, 60
- [121] M. Bolduc, G. Genard, M. Yedji, D. Barba, F. Martin, G. Terwagne, and G.G. Ross. Influence of nitrogen on the growth and luminescence of silicon nanocrystals embedded in silica. *Journal of Applied Physics*, 105(1):13108, 2009. 58
- [122] K.C.B. Lee, J. Siegel, S.E.D. Webb, S. Leveque-Fort, M.J. Cole, R. Jones, K. Dowling, M.J. Lever, and P.M.W. French. Application of the stretched exponential function to fluorescence lifetime imaging. *Biophysical Journal*, 81(3):1265–1274, 2001. 64
- [123] B. Bruhn, R. Limpens, N.X. Chung, P. Schall, and T. Gregorkiewicz. Spectroscopy of carrier multiplication in nanocrystals. *Scientific Reports*, 6:20538, 2016. 73, 74

- [124] S. Hu, A. Trinchi, P. Atkin, and I. Cole. Tunable photoluminescence across the entire visible spectrum from carbon dots excited by white light. *Angewandte Chemie International Edition*, 54(10):2970–2974, 2015. 79
- [125] H. Ding, S.B. Yu, J.S. Wei, and H.M. Xiong. Full-color light-emitting carbon dots with a surface-state-controlled luminescence mechanism. *ACS Nano*, 10(1):484–491, 2015. 79
- [126] A.L. Himaja, P.S. Karthik, and S.P. Singh. Carbon dots: the newest member of the carbon nanomaterials family. *The Chemical Record*, 15(3):595–615, 2015. 79
- [127] P. Miao, K. Han, Y. Tang, B. Wang, T. Lin, and W. Cheng. Recent advances in carbon nanodots: synthesis, properties and biomedical applications. *Nanoscale*, 7(5):1586–1595, 2015. 79
- [128] M. Havrdova, K. Hola, J. Skopalik, K. Tomankova, M. Petr, K. Cepe, K. Polakova, J. Tucek, A.B. Bourlinos, and R. Zboril. Toxicity of carbon dots-effect of surface functionalization on the cell viability, reactive oxygen species generation and cell cycle. *Carbon*, 99:238–248, 2016. 79
- [129] C. Zhang and J. Lin. Defect-related luminescent materials: synthesis, emission properties and applications. *Chemical Society Reviews*, 41(23):7938–7961, 2012. 79
- [130] M.C. Ortega-Liébana, J.L. Hueso, A. Larrea, V. Sebastian, and J. Santamaria. Feroxyhyte nanoflakes coupled to up-converting carbon nanodots: a highly active, magnetically recoverable, Fenton-like photocatalyst in the visible-NIR range. *Chemical Communications*, 51(93):16625–16628, 2015. 79
- [131] M.C. Ortega-Liébana, J.L. Hueso, S. Ferdousi, K.L. Yeung, and J. Santamaria. Nitrogen-doped luminescent carbon nanodots for optimal photo-generation of hydroxyl radicals and visible-light expanded photo-catalysis. *Diamond and Related Materials*, 65:176–182, 2016. 79
- [132] Z. Gan, H. Xu, and Y. Hao. Mechanism for excitation-dependent photoluminescence from graphene quantum dots and other graphene oxide derivates: consensus, debates and challenges. *Nanoscale*, 8(15):7794–7807, 2016. 79, 91
- [133] J. Deng, Q. Lu, N. Mi, H. Li, M. Liu, M. Xu, L. Tan, Q. Xie, Y. Zhang, and S. Yao. Electrochemical synthesis of carbon nanodots directly from alcohols. *Chemistry—A European Journal*, 20(17):4993–4999, 2014. 80
- [134] Z. Wang, B. Fu, S. Zou, B. Duan, C. Chang, B. Yang, X. Zhou, and L. Zhang. Facile construction of carbon dots via acid catalytic hydrothermal method and

- their application for target imaging of cancer cells. *Nano Research*, 9(1):214–223, 2016. 80
- [135] J. Zhang, F. Abbasi, and J. Claverie. An efficient templating approach for the synthesis of redispersible size-controllable carbon quantum dots from graphitic polymeric micelles. *Chemistry—A European Journal*, 21(43):15142–15147, 2015. 80
- [136] H. Xu, S. Zhou, L. Xiao, S. Li, T. Song, Y. Wang, and Q. Yuan. Nanoreactor-confined synthesis and separation of yellow-luminescent graphene quantum dots with a recyclable SBA-15 template and their application for Fe (III) sensing. *Carbon*, 87:215–225, 2015. 80
- [137] H.G. Baldovi, S. Valencia, M. Alvaro, A.M. Asiri, and H. Garcia. Highly fluorescent C-dots obtained by pyrolysis of quaternary ammonium ions trapped in all-silica ITQ-29 zeolite. *Nanoscale*, 7(5):1744–1752, 2015. 80
- [138] C.E. Machado, L.G. Tartuci, H. de Fátima Gorgulho, L.F.C. de Oliveira, J. Bettini, D. Pereira dos Santos, J.L. Ferrari, and M.A. Schiavon. Influence of inert and oxidizing atmospheres on the physical and optical properties of luminescent carbon dots prepared through pyrolysis of a model molecule. *Chemistry—A European Journal*, 22:4556–4563, 2016. 80
- [139] R. Ramos, M.P. Pina, M. Menéndez, J. Santamaría, and G.S. Patience. Oxidative dehydrogenation of propane to propene, 2: Simulation of a commercial inert membrane reactor immersed in a fluidized bed. *The Canadian Journal of Chemical Engineering*, 79(6):902–912, 2001. 80
- [140] J. Herguido, M. Menéndez, and J. Santamaría. On the use of fluidized bed catalytic reactors where reduction and oxidation zones are present simultaneously. *Catalysis Today*, 100(1):181–189, 2005. 80
- [141] H. Ding, J.S. Wei, and H.M. Xiong. Nitrogen and sulfur co-doped carbon dots with strong blue luminescence. *Nanoscale*, 6(22):13817–13823, 2014. 80, 95
- [142] Y. Choi, B. Kang, J. Lee, S. Kim, G.T. Kim, H. Kang, B.R. Lee, H. Kim, S.H. Shim, G. Lee, O.H Kwon, and B.S. Kim. Integrative approach toward uncovering the origin of photoluminescence in dual heteroatom-doped carbon nanodots. *Chemistry of Materials*, 28(19):6840–6847, 2016. 80, 95
- [143] E.M. Johansson, M.A. Ballem, J. Córdoba, and M. Odén. Rapid synthesis of SBA-15 rods with variable lengths, widths, and tunable large pores. *Langmuir*, 27(8):4994–4999, 2011. 81, 85

- [144] J.L. Hueso, J.P. Espinós, A. Caballero, J. Cotrino, and A.R. González-Elipe. XPS investigation of the reaction of carbon with NO, O⁻², N⁻² and H₂O plasmas. *Carbon*, 45(1):89–96, 2007. [87](#), [88](#)
- [145] J.P. Boudou, A. Martinez-Alonso, and J.M.D. Tascon. Introduction of acidic groups at the surface of activated carbon by microwave-induced oxygen plasma at low pressure. *Carbon*, 38(7):1021–1029, 2000. [87](#)
- [146] J.P. Boudou, J.I. Paredes, A. Cuesta, A. Martinez-Alonso, and J.M.D. Tascon. Oxygen plasma modification of pitch-based isotropic carbon fibres. *Carbon*, 41(1):41–56, 2003. [87](#), [88](#)
- [147] J.R. Pels, F.l. Kapteijn, J.A. Moulijn, Q. Zhu, and K.M. Thomas. Evolution of nitrogen functionalities in carbonaceous materials during pyrolysis. *Carbon*, 33(11):1641–1653, 1995. [87](#), [88](#)
- [148] J.C. Sanchez-Lopez, C. Donnet, F. Lefebvre, C. Fernandez-Ramos, and A. Fernandez. Bonding structure in amorphous carbon nitride: A spectroscopic and nuclear magnetic resonance study. *Journal of Applied Physics*, 90:675–681, 2001. [87](#), [88](#)
- [149] Z. Gan, S. Xiong, X. Wu, T. Xu, X. Zhu, X. Gan, J. Guo, J Shen, L. Sun, and P.K. Chu. Mechanism of photoluminescence from chemically derived graphene oxide: role of chemical reduction. *Advanced Optical Materials*, 1(12):926–932, 2013. [89](#), [91](#)
- [150] Y. Wang, S. Kalytchuk, Y. Zhang, H. Shi, S.V. Kershaw, and A.L. Rogach. Thickness-dependent full-color emission tunability in a flexible carbon dot ionogel. *The Journal of Physical Chemistry Letters*, 5(8):1412–1420, 2014. [89](#), [90](#)
- [151] H. Ding and H.M. Xiong. Exploring the blue luminescence origin of nitrogen-doped carbon dots by controlling the water amount in synthesis. *RSC Advances*, 5:66528–66533, 2015. [90](#), [94](#)
- [152] H. Nie, M. Li, Q. Li, S. Liang, Y. Tan, L. Sheng, W. Shi, and S.X.A. Zhang. Carbon dots with continuously tunable full-color emission and their application in ratiometric ph sensing. *Chemistry of Materials*, 26(10):3104–3112, 2014. [90](#)
- [153] J.R. Rani, J. Lim, J. Oh, J.W. Kim, H.S. Shin, J.H. Kim, S. Lee, and S.C. Jun. Epoxy to carbonyl group conversion in graphene oxide thin films: effect on structural and luminescent characteristics. *The Journal of Physical Chemistry C*, 116(35):19010–19017, 2012. [90](#)

- [154] S. Khan, A. Gupta, N.C. Verma, and C.K. Nandi. Time-resolved emission reveals ensemble of emissive states as the origin of multicolor fluorescence in carbon dots. *Nano Letters*, 15(12):8300–8305, 2015. 91
- [155] Y. Deng, X. Chen, F. Wang, X. Zhang, D. Zhao, and D. Shen. Environment-dependent photon emission from solid state carbon dots and its mechanism. *Nanoscale*, 6(17):10388–10393, 2014. 91
- [156] M.A. Sk, A. Ananthanarayanan, L. Huang, K.H. Lim, and P. Chen. Revealing the tunable photoluminescence properties of graphene quantum dots. *Journal of Materials Chemistry C*, 2(34):6954–6960, 2014. 91
- [157] L. Cao, M.J. Meziani, S. Sahu, and Y.P. Sun. Photoluminescence properties of graphene versus other carbon nanomaterials. *Accounts of Chemical Research*, 46(1):171–180, 2012. 91
- [158] S.K. Cushing, M. Li, F. Huang, and N. Wu. Origin of strong excitation wavelength dependent fluorescence of graphene oxide. *ACS Nano*, 8(1):1002–1013, 2014. 91
- [159] S. Zhu, Q. Meng, L. Wang, J. Zhang, Y. Song, H. Jin, K. Zhang, H. Sun, H. Wang, and B. Yang. Highly photoluminescent carbon dots for multicolor patterning, sensors, and bioimaging. *Angewandte Chemie International Edition*, 52(14):3953–3957, 2013. 91
- [160] Y. Hao, Z. Gan, J. Xu, X. Wu, and P.K. Chu. Poly (ethylene glycol)/carbon quantum dot composite solid films exhibiting intense and tunable blue–red emission. *Applied Surface Science*, 311:490–497, 2014. 91, 92, 95
- [161] L. Pan, S. Sun, A. Zhang, K. Jiang, L. Zhang, C. Dong, Q. Huang, A. Wu, and H. Lin. Truly fluorescent excitation-dependent carbon dots and their applications in multicolor cellular imaging and multidimensional sensing. *Advanced Materials*, 27(47):7782–7787, 2015. 91
- [162] S.H. Jin, D.H. Kim, G.H. Jun, S.H. Hong, and S. Jeon. Tuning the photoluminescence of graphene quantum dots through the charge transfer effect of functional groups. *ACS Nano*, 7(2):1239–1245, 2013. 92, 94
- [163] C. de Weerd, L. Gomez-Navascues, H. Zhang, W.J. Buma, G. Nedelcu, M.V. Kovalenko, and T. Gregorkiewicz. Energy transfer between inorganic perovskite nanocrystals. *The Journal of Physical Chemistry C*, 120:13310–13315, 2016. 92
- [164] M. Kasha. Characterization of electronic transitions in complex molecules. *Discussions of the Faraday Society*, 9:14–19, 1950. 93

- [165] O. Guillois, N. Herlin-Boime, C. Reynaud, G. Ledoux, and F. Huisken. Photoluminescence decay dynamics of noninteracting silicon nanocrystals. *Journal of Applied Physics*, 95(7):3677–3682, 2004. [94](#)