

UvA-DARE (Digital Academic Repository)

Activity of IGR J17445-2747 and SAX J1747.0-2853 in the Swift Bulge Survey

Heinke, C.O.; Bahramian, A.; Maccarone, T.; In't Zand, J.J.M.; Kennea, J.; Kuulkers, E.; Degenaar, N.; Shaw, A.W.; Sivakoff, G.R.; Strader, J.; Wijnands, R.

Publication date

2017

Document Version

Final published version

Published in

The astronomer's telegram

License

Unspecified

[Link to publication](#)

Citation for published version (APA):


Heinke, C. O., Bahramian, A., Maccarone, T., In't Zand, J. J. M., Kennea, J., Kuulkers, E., Degenaar, N., Shaw, A. W., Sivakoff, G. R., Strader, J., & Wijnands, R. (2017). Activity of IGR J17445-2747 and SAX J1747.0-2853 in the Swift Bulge Survey. *The astronomer's telegram*, 10265, [10265]. <http://www.astronomerstelegram.org/?read=10265>

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.



The Astronomer's Telegram

[Post](#) | [Search](#) | [Policies](#)
[Credential](#) | [Feeds](#) | [Email](#)

21 May 2019; 13:47 UT

This space for free for your conference.



[[Previous](#) | [Next](#) | [ADS](#)]

Activity of IGR J17445-2747 and SAX J1747.0-2853 in the Swift Bulge Survey

ATel #10265; **Heinke, C. O., Bahramian, A., Maccarone, T., inâ t Zand, J., Kennea, J., Kuulkers, E., Degenaar, N., Shaw, A. W., Sivakoff, G. R., Strader, J., and Wijnands, R.**
on 13 Apr 2017; 17:25 UT

Credential Certification: Craig Heinke (cheinke@virginia.edu)

Subjects: X-ray, Neutron Star, Transient

Referred to by ATel #: [10272](#), [10273](#), [10284](#), [10305](#), [10355](#), [10395](#), [10419](#), [12751](#)

We have recently initiated the Swift Bulge Survey, a wide and shallow Swift/XRT imaging survey of 16 square degrees of the Galactic Bulge around the Galactic Center, to be performed every other week for 15 epochs when the Galactic Bulge is visible. Each Swift exposure is 60 seconds long, reaching a 0.5-10 keV limiting depth of 1e35 erg/s at the Galactic Center, enabling detection of fainter transients than in previous surveys. Our first Swift observations are taking place on April 13, 2017. Here we report detections of two known transients.

IGR J17445-2747 is a transient previously seen in outburst for about 30 days with INTEGRAL, reaching a peak 20-100 keV flux of 30 mCrab or 4.6e-10 ergs/cm^2/s (Bird et al. 2010, ApJS, 186, 1; Malizia et al. 2010, MNRAS, 408, 975). It has not been clearly associated with a counterpart at lower luminosities (e.g. Landi et al. 2007, Atel#[1273](#); Tomsick et al. 2008, ApJ, 685, 1143; Malizia et al. 2010, MNRAS, 408, 975), with the most likely association being with the XMM-Newton Slew Survey source XMMSL1 J174429.4-274609, at a 0.2-12 keV flux of 1.6e-12 ergs/cm^2/s (Malizia et al. 2010). We report a detection with Swift/XRT of a 10-count source at J2000 coordinates 266.12868, -27.76732 (=17:44:30.88, -27:46:02.4), with error radius 7.5'' (90% confidence, though this may be underestimated as the slew may not have fully settled for the observation). We do not detect it in our simultaneous UVOT observation (uvm2 filter), implying the source is located at a distance of at least several kpc. Our Swift detection is 21'' from the XMM Slew detection, farther than the combined 9'' formal errors from the two surveys, but it seems plausible that the XMM-Newton and Swift sources are associated. The Swift inferred intrinsic 0.5-10 keV flux (for the Galactic N_H=1e22, assuming a power-law with photon index 1.7) is 1.7e-11 ergs/cm^2/s, or an X-ray luminosity of 1.3e35 erg/s if located at 8 kpc. A thermonuclear burst was observed from IGR J17445-2747 on April 10th by INTEGRAL/JEM-X (Mereminskiy et al. 2017, Atel#[10256](#)), indicating that this transient is a neutron star, and that its outburst has lasted at least 3 days. A longer Swift observation of this object is scheduled for April 14th.

SAX J1747.0-2853 (aka 1A 1743-288) is a known transient (Werner et al. 2004, A&A 416, 311), which has been repeatedly detected in recent years by INTEGRAL JEM-X and MAXI, including recent activity continuing since 2016 at the level of 8 and 6 mCrab in 3-10 and 10-25 keV,

Related

- 12751** [Swift Bulge Survey detections of the X-ray transients SAX J1750.8-2900 and IGR J17445-2747](#)
- 12048** [INTEGRAL detects a new outburst from the NS LMXB SAX J1750.8-2900](#)
- 10428** [Chandra follow-up](#)
- 10422** [Radio Non-Detection of the New Swift Bulge Survey Transient, Swift J175233.9-290952](#)
- 10419** [Variability from 1SXPS J1742150-291453: a very nearby X-ray source?](#)
- 10402** [Correction: Chandra Localization of IGR J17445-2747](#)
- 10395** [Chandra Localization of IGR J17445-2447](#)
- 10355** [Discovery of a new X-ray transient, Swift J175233.9-290952, in the Swift Bulge Survey](#)
- 10305** [NIR follow-up observations of the IGR J17445-2747 field](#)
- 10284** [Confirmation of IGR J17445-2747 infrared counterpart](#)
- 10273** [IGR J17445-2747: Updated Swift position](#)
- 10272** [Discovery of SWIFT J174429.9-274557 - a soft X-ray counterpart of the X-ray burster IGR J17445-2747](#)
- 10265** [Activity of IGR J17445-2747 and SAX J1747.0-2853 in the Swift Bulge Survey](#)
- 10256** [First detection of a thermonuclear X-ray burst from IGR J17445-2747 \(with INTEGRAL/JEM-X\)](#)
- 9387** [Activity from SAX J1747.0-2853 and KS 1741-293 detected by INTEGRAL Galactic Bulge Monitoring](#)
- 9115** [Chandra detection of increased X-ray activity from SAX J1747.0-2853](#)
- 8058** [INTEGRAL finds renewed X-ray activity of the Neutron star X-ray transient SAX J1750.8-2900](#)
- 1662** [SAX J1750.8-2900 is returning to quiescence](#)
- 1633** [Confirmation of the NIR counterparts to SLX 1746](#)

respectively (Chenevez et al. 2016, Atel#[9387](#); Clavel et al. 2017, Atel#[9115](#)). We detect it at a countrate of 2.7 counts/s, suggesting significant pile-up and (for $N_{\text{H}}=8.8\text{e}22$, Werner et al. 2004) an unabsorbed 0.5-10 keV flux greater than $8.5\text{e-}10 \text{ ergs/cm}^2/\text{s}$ (for 8 kpc, $L_X > 6.5\text{e}36 \text{ erg/s}$). We also detect the known persistent source 1E 1743.1-2843 (e.g. Lotti et al. 2016, ApJ, 822, 57), at a countrate of 0.4 cts/s, which for $N_{\text{H}}=1.3\text{e}23$ (Lotti et al. 2016) gives an estimated unabsorbed 0.5-10 keV flux of $1.7\text{e-}10 \text{ ergs/cm}^2/\text{s}$ (for 8 kpc, $L_X=1.3\text{e}36 \text{ erg/s}$).

We thank the Swift team for their support of these observations, which are ongoing.

1508	331 and XTE J1810-189 On the infrared counterpart to XTE J1810-189
1490	Chandra Positions for the Neutron Star X-ray Transients XTE J1810-189 and SAX J1750.8-2900
1472	A candidate near-infrared counterpart to SAX J1750.8-2900
1446	NIR counterparts in the Swift error circles of the active transients SAX J1750.8-2900 and XTE J1810-189
1441	Further Swift observations of XTE J1810-189
1273	Swift/XRT observations of INTEGRAL sources

[\[Telegram Index \]](#)

R. E. Rutledge, Editor-in-Chief

rrutledge@astronomerstelegram.org

Derek Fox, Editor

dfox@astronomerstelegram.org

Mansi M. Kasliwal, Co-Editor

mansi@astronomerstelegram.org