

UvA-DARE (Digital Academic Repository)

The possible role of neutrophils in the induction of osteoclastogenesis

Moonen, C.G.J.; De Vries, T.J.; Rijkschroeff, P.; Poubelle, P.E.; Nicu, E.A.; Loos, B.G.

DOI 10.1155/2019/8672604

Publication date 2019 Document Version Other version Published in Journal of Immunology Research License CC BY

Link to publication

Citation for published version (APA):

Moonen, C. G. J., De Vries, T. J., Rijkschroeff, P., Poubelle, P. E., Nicu, E. A., & Loos, B. G. (2019). The possible role of neutrophils in the induction of osteoclastogenesis. *Journal of Immunology Research*, *2019*, [8672604]. https://doi.org/10.1155/2019/8672604

General rights


It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: https://uba.uva.nl/en/contact, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

UvA-DARE is a service provided by the library of the University of Amsterdam (https://dare.uva.nl)

Supplementary data



Supplementary Figure 1: Gating strategy for flow cytometry experiments. The antibody combination for flow cytometric experiments was anti-RANKL-PE/CD66b-FITC. Acquisition and analysis were performed on a BD FACSverse flow cytometer using associated FACSuite software. The gating tree was set as follows: (A) forward scatter/sideward scatter representing the distribution of cells in the light scatter based on size and intracellular composition, respectively, where the live population is encircled in red. In the [live] population, (B,C) RANKL, (D,E) CD66b+ cells were identified. (A) The RANKL+ gating (green) was set in unstimulated cPMN samples. (D) The CD66b+ gating (blue) was set in unstained cPMN samples. Here, representative plots of unstimulated (B) and stimulated (C, D, E) cPMNs are shown.