



UvA-DARE (Digital Academic Repository)

Almost Group Envy-free Allocation of Indivisible Goods and Chores

Aziz, H.; Rey, S.

DOI

[10.24963/ijcai.2020/6](https://doi.org/10.24963/ijcai.2020/6)

Publication date

2020

Document Version

Other version

Published in

Proceedings of the Twenty-Ninth International Joint Conference on Artificial Intelligence

[Link to publication](#)

Citation for published version (APA):

Aziz, H., & Rey, S. (2020). Almost Group Envy-free Allocation of Indivisible Goods and Chores. In C. Bessiere (Ed.), *Proceedings of the Twenty-Ninth International Joint Conference on Artificial Intelligence: IJCAI-20 : Yokohama* (pp. 39-45). International Joint Conferences on Artificial Intelligence. <https://doi.org/10.24963/ijcai.2020/6>

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

Almost Group Envy-free Allocation of Indivisible Goods and Chores

Haris Aziz¹ and Simon Rey²

¹ UNSW Sydney and Data61 Sydney, Australia
haziz@cse.unsw.edu.au

² Sorbonne Université and ENS Paris-Saclay, Paris, France
srey@ens-paris-saclay.fr

Abstract. We consider a multi-agent resource allocation setting in which an agent’s utility may decrease or increase when an item is allocated. We take the group envy-freeness concept that is well-established in the literature and present stronger and relaxed versions that are especially suitable for the allocation of indivisible items. Of particular interest is a concept called group envy-freeness up to one item (GEF1). We then present a clear taxonomy of the fairness concepts. We study which fairness concepts guarantee the existence of a fair allocation under which preference domain. For two natural classes of additive utilities, we design polynomial-time algorithms to compute a GEF1 allocation. We also prove that checking whether a given allocation satisfies GEF1 is coNP-complete when there are either only goods, only chores or both.

1 Introduction

Fair division deals with the problem of assigning items to agents in the fairest way possible. Many fairness concepts have been proposed for this and envy-freeness (EF) is viewed as the gold standard one. It stipulates that for any pair of agents, no agent should prefer what the other got instead of her own share. However, the concept does not provide any fairness guarantees when comparing groups of agents. Envy-freeness also has a well-known tension with efficiency goals (Caragiannis, Klammanis, Kanellopoulos, and Kyropoulou, 2012).

Berliant, Thomson, and Dunz (1992) introduced *group envy-freeness (GEF)*. It generalizes envy-freeness for equal-sized groups of agents instead of considering only pairs of agents. One particularly desirable aspect of group envy-freeness is that it implies both envy-freeness and Pareto-optimality, the central concepts for fairness and efficiency respectively.

Recently, Conitzer, Freeman, Shah, and Vaughan (2019) generalized group-envy freeness for indivisible items and groups of different size by introducing *group-fairness (GF)*. Since they considered indivisible items, guaranteeing GF allocations is impossible. They thus proposed two relaxations of group-fairness. These relaxations are similar in spirit to the well-studied weakening of envy-freeness called *envy-freeness up to one good (EF1)* which requires no envy between any two agents as long as one agent gets rid of one of her goods. Alloca-

tions satisfying the relaxations of group-fairness can always be satisfied and can be computed in pseudo-polynomial time.

In their paper, [Conitzer et al. \(2019\)](#) assumed that the items allocated are “goods” for which agents have positive utility. Therefore the concepts and results do not apply to allocations scenarios in which tasks or chores are to be divided among agents. Although the definition of group-fairness and group-envy freeness can be extended seamlessly when there are either only chores or goods and chores, their relaxations do not. In this paper, we take inspiration from the GF and GEF concepts and define several variants and relaxations of them that are well-defined for the more general setting of goods and chores. Our approach is similar in spirit to the work of [Aziz, Caragiannis, Igarashi, and Walsh \(2019b\)](#) who presented general definitions for fairness concepts that apply as well to the case of goods and for chores.

Contributions Our first conceptual contribution is to formalize relaxations of GEF for the case of goods and chores. We give general definitions which apply seamlessly to non-additive preference or even ordinal preferences. The main relaxation is GEF1 which we show to be incomparable to the relaxations of group-fairness (GF). A stronger counterpart of GEF1, called s-GEF1, is introduced when groups of different size are allowed. We clarify the logical relations between these concepts through a clear taxonomy depicted in [Figure 1](#).

We present two key existence and algorithmic results. First, we design a polynomial-time algorithm that always computes a GEF1 allocation for the case of identical utilities. The proof relies on interesting connections with two-sided matching and it invokes Hall’s marriage theorem. We then focus on a natural class of mixed utilities called ternary symmetric utilities and design an algorithm that returns an allocation that satisfies GEF1. This algorithm involves network flows and makes use of several transformations of the utility functions. The results also provide additional insights on the connection between Nash social welfare and leximin welfare.

We then show that GEF1 allocations do not always exist for monotone utilities even with only goods. We also show that allocations satisfying the stronger concepts and group-proportionality are not guaranteed to exist.

We prove that checking whether a given allocation satisfies GEF1 is coNP-complete for the cases of only goods, only chores and both.

We give sketches of the proofs for most of our results to present the key ideas. The complete proofs are in the appendix.

2 Related Work

Fair division is a dynamic field in both economics and computer science ([Brams and Taylor, 1996](#), [Moulin, 2004](#), [Bouveret, Chevaleyre, and Maudet, 2016](#), [Lang and Rothe, 2016](#)). The prominent fairness concept is envy-freeness (EF) ([Foley, 1967](#)) but an EF allocation may not exist for indivisible items. Checking whether there exists an EF allocation is NP-complete even for additive binary utilities ([Aziz, Gaspers, Mackenzie, and Walsh, 2015](#)). Several relaxations have been

considered to overcome this, in particular envy-freeness up to one good (EF1) (Budish, 2011) which always exists (Lipton, Markakis, Mossel, and Saberi, 2004). Caragiannis, Kurokawa, Moulin, Procaccia, Shah, and Wang (2016) proved the existence of allocation satisfying both EF1 and Pareto-optimality, and introduced envy-freeness up to any good (EFX).

Berliant et al. (1992) generalized envy-freeness to groups of agents by introducing *group envy-freeness* when items are divisible, extending the idea of *coalition fairness* (Schmeidler and Vind, 1972). An allocation is group envy-free if it is not possible to reallocate the items from one group of agents to another in a way that would Pareto-dominate the current allocation. They proved existence of GEF allocations under some monotonicity assumptions and showed the equivalence between EF and GEF. Husseinov (2011) extended it to *weak group envy-freeness* by considering weak Pareto-improvement.

Similar generalizations have been proposed with indivisible items. Todo, Li, Hu, Mouri, Iwasaki, and Yokoo (2011) introduced *envy-freeness of a group toward a group* when monetary transfers between agents are allowed. Later Aleksandrov and Walsh (2018) presented another definition of *group envy-freeness* between groups of potentially different sizes. However, it relies on interpersonal comparisons which has received criticism in the social choice literature. Conitzer et al. (2019) defined *group-fairness* for indivisible goods, a definition similar to that of Berliant et al. (1992) but considering indivisible items and groups of different size. They also introduced two “up to one” relaxations of group-fairness for which they proved existence by using some variant of the Nash social welfare. Another line of work in the same spirit is to consider pre-existing groups of agents, taken as inputs of the procedures (Segal-Halevi and Suksompong, 2018, Kyropoulou, Suksompong, and Voudouris, 2019). Similarly, Benabbou, Chakraborty, Elkind, and Zick (2019) investigated the problem of allocating indivisible goods to agents partitioned into types.

The chore division problem (Gardner, 1978), extends the classical fair division setting for items that are considered as chores for some agents. Brams and Taylor (1996) and Segal-Halevi (2018) investigated the cake-cutting problem in this setting. Bogomolnaia, Moulin, Sandomirskiy, and Yanovskaya (2017) studied mixture of divisible goods and chores. Indivisible chores have also been considered (Aziz, Rauchecker, Schryen, and Walsh, 2017, Barman and Krishnamurthy, 2017). Caragiannis et al. (2012) analysed the *price of fairness* and showed several differences between goods and chores settings. Aziz et al. (2019b) presented a general framework for indivisible goods and chores. In particular, they provided a general definition for EF1 and algorithms for it.

3 Preliminaries

Let \mathcal{N} be a set of n agents and \mathcal{O} a set of m items. Agent $i \in \mathcal{N}$ has preferences over sets of items, called bundle, represented by a utility function $u_i : 2^{\mathcal{O}} \rightarrow \mathbb{R}$. We emphasize that agents can evaluate a bundle positively or negatively. Preferences are said to be *additive* if for every subset of items $O \subseteq \mathcal{O}$, we have

$u_i(O) = \sum_{o \in O} u_i(o)$. We assume additive preferences throughout the paper except explicitly stated otherwise. Our definitions can be applied to non-additive preferences. An item $o \in \mathcal{O}$ is a good for i if $u_i(o) \geq 0$ and chore for i if $u_i(o) \leq 0$.

Let $O \subseteq \mathcal{O}$ be a subset of items and $N \subseteq \mathcal{N}$ a subset of agents. An *allocation* $\pi = \langle \pi_1, \dots, \pi_{|N|} \rangle$ over O and N is a vector of bundles $\pi_i \subseteq O$ for $i \in N$. It satisfies indivisibility of the items, $\forall i, j \in N$ s.t. $i \neq j, \pi_i \cap \pi_j = \emptyset$, and non-wastefulness: $\bigcup_{i \in N} \pi_i = O$. For a subset of agents $N \subseteq \mathcal{N}$, we denote by $\pi_N = \bigcup_{i \in N} \pi_i$ the set of items held by agents in N . We write respectively π_i^+ and π_i^- the sets of goods and chores in π_i .

For a subset of items $O \subseteq \mathcal{O}$ and a subset of agents $N \subseteq \mathcal{N}$, we denote by $\Pi(O, N)$ the set of all the allocations over O and N . If $O \neq \mathcal{O}$, an allocation $\pi \in \Pi(O, \mathcal{N})$ is called *partial*. A triplet $I = \langle \mathcal{N}, \mathcal{O}, (u_i)_{i \in \mathcal{N}} \rangle$ is an instance. \mathcal{I} is the set of all the instances, \mathcal{I}^+ the set of instances with only goods and \mathcal{I}^- the set of instances with only chores.

Let π be an allocation, we say that an allocation π' *Pareto-dominates* π if all agents are better off in π' and at least one agent is strictly better off: $\forall i \in \mathcal{N}, u_i(\pi'_i) \geq u_i(\pi_i)$ and $\exists i \in \mathcal{N}, u_i(\pi'_i) > u_i(\pi_i)$. An allocation π is said to be *Pareto-optimal* if no other allocation Pareto-dominates it. Another common efficiency criterion is to maximize the Nash social welfare, defined as $\prod_{i \in \mathcal{N}} |u_i(\pi_i)|$.

In the following, we introduce the definitions of envy-freeness and its relaxations when dealing with goods and chores as presented by [Aziz et al. \(2019b\)](#).

Definition 1 (Envy-freeness (EF)). *Let $I = \langle \mathcal{N}, \mathcal{O}, (u_i)_{i \in \mathcal{N}} \rangle \in \mathcal{I}$ be an instance with both goods and chores. An allocation $\pi \in \Pi(\mathcal{O}, \mathcal{N})$ is envy-free if and only if: $\forall i, j \in \mathcal{N}, u_i(\pi_i) \geq u_i(\pi_j)$.*

It is well known that for some instances envy-free allocations does not exist. Take for example two agents and one item. Two different relaxation of envy-freeness can then be considered.

We say that an allocation $\pi \in \Pi(\mathcal{O}, \mathcal{N})$ is envy-free up to one item (EF1) if:

$$\forall i, j \in \mathcal{N}, \exists O \subseteq \pi_i \cup \pi_j, |O| \leq 1, \text{ s.t. } u_i(\pi_i \setminus O) \geq u_i(\pi_j \setminus O).$$

Moreover, an allocation $\pi \in \Pi(\mathcal{O}, \mathcal{N})$ is envy-free up to any item (EFX) if:

$$\forall i, j \in \mathcal{N}, \begin{cases} \forall o \in \pi_i \text{ s.t. } u_i(\pi_i) - u_i(\pi_i \setminus \{o\}) < 0, & u_i(\pi_i \setminus \{o\}) \geq u_i(\pi_j) \\ \forall o \in \pi_j \text{ s.t. } u_i(\pi_j) - u_i(\pi_j \setminus \{o\}) > 0, & u_i(\pi_i) \geq u_i(\pi_j \setminus \{o\}). \end{cases}$$

Finally, an allocation π is proportional (PROP) if every agent is allocated her proportional share: $\forall i \in \mathcal{N}, u_i(\pi_i) \geq \frac{u_i(\mathcal{O})}{n}$.

4 Fairness criteria for groups with goods and chores

In this section, we present our first contributions: a general definition for group envy-freeness and its relaxations in the presence of goods and chores.

Definition 2 (Group envy-freeness). Let $I = \langle \mathcal{N}, \mathcal{O}, (u_i)_{i \in \mathcal{N}} \rangle \in \mathcal{I}$ be an instance with goods and chores. An allocation $\pi \in \Pi(\mathcal{O}, \mathcal{N})$ is GEF if for every $S, T \subseteq \mathcal{N}$ such that $|S| = |T| \neq 0$, there is no $\pi' \in \Pi(\pi_T, S)$, such that:

$$\forall i \in S, \frac{|S|}{|T|} u_i(\pi'_i) \geq u_i(\pi_i),$$

with one inequality being strict.

We call the concept *s-GEF* if we do not impose the condition $|S| = |T|$.

In words, GEF states that there is no reallocation of π_T to the agents in S that would Pareto-dominate the current allocation for agents in S .

Note that s-GEF is equivalent to group-fairness (Conitzer et al., 2019). The name *group envy-freeness* is taken from Berliant et al. (1992) who introduced it for divisible items.

In the same spirit of EF1 and EFX, we introduce “up to one” and “up to any” relaxations for group envy-freeness.

Definition 3 (Group envy-freeness up to one item, GEF1). An allocation $\pi \in \Pi(\mathcal{O}, \mathcal{N})$ is GEF1 if for every $S, T \subseteq \mathcal{N}$ where $|S| = |T| \neq 0$, for every $\pi' \in \Pi(\pi_T, S)$, and for every $i \in S$, there exists $O_i \subseteq \pi_i^- \cup \pi_i'^+$, $|O_i| \leq 1$, such that $\left\langle \frac{|S|}{|T|} u_i(\pi'_i \setminus O_i) \right\rangle_{i \in S}$ does not Pareto-dominate $\langle u_i(\pi_i \setminus O_i) \rangle_{i \in S}$.

We talk about *s-GEF1* if we do not impose the condition $|S| = |T|$.

Definition 4 (Group envy-freeness up to any item, GEFX). An allocation $\pi \in \Pi(\mathcal{O}, \mathcal{N})$ is GEFX if for every $S, T \subseteq \mathcal{N}$ where $|S| = |T| \neq 0$, for every $\pi' \in \Pi(\pi_T, S)$, for every $i \in S$, for every $o_i \subseteq \pi_i^- \cup \pi_i'^+$, $\left\langle \frac{|S|}{|T|} u_i(\pi'_i \setminus \{o_i\}) \right\rangle_{i \in S}$ does not Pareto-dominate $\langle u_i(\pi_i \setminus \{o_i\}) \rangle_{i \in S}$.

We call the concept *s-GEFX* if we do not impose the condition $|S| = |T|$.

Observe that with additive utility functions and for instances in \mathcal{I}^+ , GEF1 is equivalent to *group fairness up to one good after* (GF1A) as defined by Conitzer et al. (2019). However, they also proposed *group fairness up to one good before* (GF1B) which is no longer relevant when there are chores since removing items cannot be done “before”. GEF1 can be seen as an argument in favour of GF1A.

Nevertheless, s-GEF1 is not equivalent to GF1A even when considering only goods because of the way allocations are compared. Formally, $\langle u_i(\pi_i \cup \{o\}) \rangle_{i \in S}$ is compared to $\left\langle \frac{|S|}{|T|} u_i(\pi'_i) \right\rangle_{i \in S}$ in GF1A while s-GEF1 compares $\langle u_i(\pi_i) \rangle_{i \in S}$ and $\left\langle \frac{|S|}{|T|} u_i(\pi'_i \setminus \{o\}) \right\rangle_{i \in S}$. The factor $\frac{|S|}{|T|}$ is then applied differently. GF1A seems to be specific to additive preferences while our intent is to define concepts that can conveniently be used for both additive and non-additive preferences.

Following this aim for a general definition that is suitable for general preference domains, we only consider groups of the same size to obtain ordinal properties. This is in the same spirit of envy-freeness and allows for more generality. It

can also be argued that comparisons between same-sized groups implicitly captures comparisons between different sized groups: for a given k , one can compare the best subgroup in S of size k with the worst subgroup of T of size k .

Although GEF implies Pareto-optimality and envy-freeness, GEF1 is more stringent than the combination of the two criteria. The following example illustrates that even on very restricted preference domain these two concepts do not imply GEF1.

Example 1. Consider the following instance with eight items, from o_1 to o_8 , and four agents, a_1, a_2, a_3, a_4 whose preferences are additive and single-peaked with respect to the axis $\langle o_1, \dots, o_8 \rangle$. The utilities for the singletons are as follows.

	o_1	o_2	o_3	o_4	o_5	o_6	o_7	o_8
a_1	-1	-1	1	1	0	0	0	0
a_2	0	0	0	0	1	1	-1	-1
a_3	$\boxed{1}$	$\boxed{1}$	$\boxed{1}$	$\boxed{1}$	0	0	0	0
a_4	0	0	0	0	$\boxed{1}$	$\boxed{1}$	$\boxed{1}$	$\boxed{1}$

We call π the allocation represented by the squared items. π is clearly envy-free: agents a_3 and a_4 have their maximal utility and their bundles give 0 utility to agents a_1 and a_2 . The allocation is moreover Pareto-optimal. However, $S = \langle a_1, a_2 \rangle$, $T = \langle a_3, a_4 \rangle$, $\pi'_{a_1} = \{o_3, o_4, o_7, o_8\}$ and $\pi'_{a_2} = \{o_1, o_2, o_5, o_6\}$, are witnesses of a violation of GEF1. Agents in S are better off with π' than with π even after removing one good: utilities after removal are $\langle 1, 1 \rangle$ against $\langle 0, 0 \rangle$.

When preferences are additive, it is well known (see Aziz et al. (2019b) for example) that proportionality is a relaxation of envy-freeness. In a similar spirit, one can define *group-proportionality*, a relaxation of GEF that extends proportionality to groups. It corresponds to GEF when T is fixed and set to \mathcal{N} . Note that it corresponds to the *core* as defined by Fain, Munagala, and Shah (2018).

Definition 5 (Group Proportionality). *An allocation $\pi \in \Pi(\mathcal{O}, \mathcal{N})$ is group proportional (GP) if and only if for every $S \subseteq \mathcal{N}$, there is no $\pi' \in \Pi(\mathcal{O}, S)$, such that $\forall i \in S$, $\frac{|S|}{n} u_i(\pi'_i) \geq u_i(\pi_i)$, with at least one strict inequality.*

We can then define the usual relaxations, GP1 and GPX. An allocation $\pi \in \Pi(\mathcal{O}, \mathcal{N})$ satisfies group proportionality up to one item (GP1) if for every $S \subseteq \mathcal{N}$, $\pi' \in \Pi(\mathcal{O}, S)$, $i \in S$ there exists $O_i \subseteq \pi_i^- \cup \pi_i^+$, $|O_i| \leq 1$, such that $\left\langle \frac{|S|}{n} u_i(\pi'_i \setminus O_i) \right\rangle_{i \in S}$ does not Pareto-dominate $\langle u_i(\pi_i \setminus O_i) \rangle_{i \in S}$. Group proportionality up to any item (GPX) can then be defined naturally.

To conclude this section, we present in Figure 1 a taxonomy of the different criteria discussed before. The links between s-GEF, GEF, GP and their relaxations are immediately derived from the definitions. Envy-freeness concepts are implied by GEF and s-GEF when S and T are singletons. GP implies PROP when S is a singleton. PO is implied by s-GEF, GEF and GP for $S = T = \mathcal{N}$.




Fig. 1. Logical relationship between fairness and efficiency criteria. Allocations satisfying concepts in dotted (resp. plain) are not (resp. are) guaranteed to exist. No existence result is known for concepts in dashed.

5 The Egal-Sequential Algorithm for Identical Utilities

In this section, we present the Egal-Sequential Algorithm that returns a GEF1 allocation when preferences are identical. Identical preferences constitute an important and natural class of preferences especially if the item’s values are objective or publicly known. The algorithm allocates sequentially the items in decreasing order of absolute utility. The item to be allocated is given to the worse off agent if it is a good and to the better off agent otherwise. We prove that this ensures GEF1 in two steps. We first show that the Egal-Sequential Algorithm returns an EFX allocation and then that every EFX allocation is also GEF1 when preferences are identical. Preferences are identical if there exists a common utility function u shared by all the agents: $\forall i \in \mathcal{N}, u_i = u$.

Lemma 1. *For identical utilities, the Egal-Sequential Algorithm returns an allocation π satisfying EFX and takes time $\mathcal{O}(\max\{m \log m, mn\})$.*

Sketch of the proof. We show that throughout an execution of the algorithm, the partial allocation π is always EFX. If a chore o is to be allocated, it is given to the best off agent i^* . The only possible increase in the envy is for i^* to start envying some agents. However, since preferences are identical, i^* did not envy anyone before getting o . Hence, removing o from π_{i^*} eliminates i^* ’s envy. Since o is the smallest chore, π is EFX. The case when o is a good is symmetric. \square

Lemma 2. *Under identical utilities, any allocation satisfying EFX is GEF1.*

Sketch of the proof. Consider an allocation π satisfying EFX but not GEF1. There exist then $S \subseteq \mathcal{N}$, $T \subseteq \mathcal{N}$ and $\pi' \in \Pi(\pi_T, S)$ that are witnesses of a

Algorithm 1: The Egal-Sequential Algorithm

Input: An instance $I = \langle \mathcal{N}, \mathcal{O}, (u_i)_{i \in \mathcal{N}} \rangle$ with identical utility function u
Output: $\pi \in \Pi(\mathcal{O}, \mathcal{N})$ an allocation satisfying EFX and GEF1

- 1 Set π to the empty allocation
- 2 Order items o_1, \dots, o_m in \mathcal{O} in decreasing order of $|u(o)|$
- 3 **for** $j = 1$ **to** m **do**
- 4 **if** $u(o_j) \geq 0$ **then**
- 5 | Choose $i^* \in \arg \min_{i \in \mathcal{N}} u(\pi_i)$
- 6 **else**
- 7 | Choose $i^* \in \arg \max_{i \in \mathcal{N}} u(\pi_i)$
- 8 Give o_j to i^* : $\pi_{i^*} \leftarrow \pi_{i^*} \cup \{o_j\}$
- 9 **return** π

violation of GEF1. To get an increase up to one item, agents in S should receive at least $s_i = \max\{\max_{o \in \pi_i^+} u(o), \max_{o \in \pi_i^-} -u(o)\}$ additional utility. Violating GEF1 then implies: $\forall i \in S, u(\pi_i') - u(\pi_i) \geq s_i$ with one strict inequality. By summing these over $i \in S$, and since utilities are identical and additive, we have:

$$u(\pi_T) - u(\pi_S) > \sum_{i \in S} s_i. \quad (1)$$

As π is EFX, the difference in utility between two agents cannot exceed $s_{i,j} = -\min\{\min_{o \in \pi_j^+} -u(o), \min_{o \in \pi_i^-} u(o)\}$. We have thus:

$$\forall i, j \in \mathcal{N}, s_{i,j} \geq u(\pi_j) - u(\pi_i). \quad (2)$$

Our goal is now to sum up inequalities describe in (2) to obtain a contradiction with (1). We are thus looking for pairs (i, j) such that each $i \in S$ and each $j \in T$ appears once and only once, and such that the sum of $s_{i,j}$ over these pairs is smaller than $\sum_{i \in S} s_i$.

Let us consider the bipartite graph $G = \langle S \cup T, E \rangle$ where nodes represent agents in S and in T . There is an edge $(i, j) \in E$ between agents $i \in S$ and $j \in T$ if and only if $\pi_i^+ \cap \pi_j \neq \emptyset$, that is, i receives some of j 's goods in π' .

We consider a partition of S into $S^+ = \{i \in S \mid u(\pi_i) \geq 0\}$ and $S^- = S \setminus S^+$. Using Hall's theorem (Hall, 1935) we show that there always exists a matching $M \subseteq S \times T$ in G that matches all the agents in S^+ . The proof is omitted.

We then extend the matching M to match all the agents in S by arbitrarily pairing each agent $i \in S^-$ with an unmatched agent in T . Let the extended matching be called M^* . Observe that for any new pair of agents $(i, k) \in M^* \setminus M$, we have $i \in S^-$, that is $\pi_i^- \neq \emptyset$, hence for any agent $j \in T$, we have:

$$s_{i,j} \leq \min_{o \in \pi_i^-} u(o) \leq \max_{o \in \pi_i^-} u(o) \leq s_i. \quad (3)$$

Moreover, for any pair of agents $(i, j) \in E$, we have $\pi_i^+ \cap \pi_j \neq \emptyset$, hence:

$$s_i \geq \max_{o \in \pi_i^+} u(o) \geq \max_{o \in \pi_i^+ \cap \pi_j} u(o) \geq \min_{o \in \pi_j^+} u(o) \geq s_{i,j}. \quad (4)$$

From (4) and (3) we get that $\sum_{(i,j) \in M^*} s_{i,j} \leq \sum_{i \in S} s_i$. Hence, summing (2) over $(i, j) \in M^*$ brings $\sum_{i \in S} s_i \geq \sum_{(i,j) \in M^*} s_{i,j} \geq u(\pi_T) - u(\pi_S)$. This contradicts (1), we have thus proved that π satisfies both EFX and GEF1. \square

A direct consequence of the two previous lemmas is that a GEF1 allocation can be computed by the Egal-Sequential Algorithm.

Theorem 1. *For identical utilities, an allocation satisfying GEF1 always exists and can be computed in linear time by the Egal-Sequential Algorithm.*

Conitzer et al. (2019) showed that when preferences are identical their relaxation of group-fairness is implied by EFX. We significantly extend their result in different ways. Firstly, our result applies in the case of mixed utilities where preferences can model both goods and chores. Secondly, we provide a linear time algorithm to compute GEF1 allocation with identical preferences. Finally, our proof does not involve the Nash social welfare which is not a suitable solution concept with chores.³

6 The Ternary Flow Algorithm

In this section, we focus on another restriction of the preferences, namely *ternary symmetric preferences*. We say that agent a_i has ternary symmetric preferences if her preferences are additive and the utilities of the singletons are taken from the set $\{-\alpha_i, 0, \alpha_i\}$ for a given $\alpha_i > 0$.

We provide an algorithm that computes GEF1 allocations for ternary symmetric preferences. We do so by proving that any leximin-optimal allocation is also GEF1 and by providing an algorithm returning a leximin-optimal allocation in polynomial time. Similar links between leximin-optimality and envy-freeness concepts have been observed by Plaut and Roughgarden (2018) for the case of goods.

We first provide a characterization of Pareto-optimality for ternary symmetric utilities.

Lemma 3. *Let $\mathcal{I} = \langle \mathcal{N}, \mathcal{O}, (u_i)_{i \in \mathcal{N}} \rangle$ be an instance where $(u_i)_{i \in \mathcal{N}}$ describes a profile of ternary symmetric utility functions. An allocation $\pi \in \Pi(\mathcal{N}, \mathcal{O})$ is Pareto-optimal if and only if for every item $o \in \mathcal{O}$ we have:*

$$\begin{cases} o \in \pi_i \text{ with } u_i(o) > 0, \text{ iff } \max_{j \in \mathcal{N}} u_j(o) > 0, \\ o \in \pi_i \text{ with } u_i(o) = 0, \text{ iff } \max_{j \in \mathcal{N}} u_j(o) = 0, \\ o \in \pi_i \text{ with } u_i(o) < 0, \text{ iff } \max_{j \in \mathcal{N}} u_j(o) < 0. \end{cases}$$

Proof. Since Pareto-optimality is invariant under rescaling of utilities, assume w.l.o.g. that $\alpha_i = 1, \forall i \in \mathcal{N}$. Then, if the three conditions hold, every item is allocated to an agent having maximal utility for it. This implies Pareto-optimality.

³ When considering only chores, either maximizing or minimizing the absolute Nash social welfare does not imply EF1 for instance.

Next, assume that one item o is allocated to an agent i who do not have maximal utility for it: o is a chore (resp. neutral) for i and there is j who considers o as either neutral or a good (resp. a good). Then transferring o from i to j leads to a Pareto-improvement. \square

For a profile of ternary symmetric preferences $(u_i)_{i \in \mathcal{N}}$, we introduce the normalized profile $(u_i^{\text{Norm}})_{i \in \mathcal{N}}$ that corresponds to $(u_i)_{i \in \mathcal{N}}$ but such that every α_i as been set to 1. For a normalized profile, every singleton has utility in $\{-1, 0, 1\}$.

This preference domain models statements such as “I like”, “I am indifferent” and “I do not like”. It is close to the idea of approval and disapproval voting (Brams and Fishburn, 1978, Felsenthal, 1989). In the fair division literature, it has also been referred to as dichotomous preferences when there are only goods (Bogomolnaia, Moulin, and Stong, 2005).

Next we introduce leximin optimality. For an allocation π we denote by $\mathbf{u}(\pi) \in \mathbb{R}^n$ the vector of the utilities in π sorted increasingly. For two vectors $\mathbf{u}, \mathbf{v} \in \mathbb{R}^k$, we say that \mathbf{u} leximin-dominates \mathbf{v} , written $\mathbf{u} \succ_{lex} \mathbf{v}$, if there exists an index $i \leq k$ such that $\mathbf{u}_j = \mathbf{v}_j, \forall j < i$, and $\mathbf{u}_i > \mathbf{v}_i$. Finally, an allocation π is said to be leximin-optimal if there is no allocation π' such that $\mathbf{u}(\pi) \succ_{lex} \mathbf{u}(\pi')$.

Our algorithm makes use of the Nash Flow Algorithm presented by Darmann and Schauer (2015). It computes in polynomial time an allocation maximizing the Nash social welfare when preferences are binary, i.e., the singletons’ utilities are in $\{0, 1\}$, by using a cost flow network (Schrijver, 2003, chapters 10 and 12).⁴ It constructs a specific network for which any minimum integer cost flow corresponds to an allocation maximizing the Nash social welfare.

We first extend Darmann and Schauer (2015)’s result by showing that the allocation returned by the Nash Flow Algorithm is also leximin-optimal.

Lemma 4. *Let $I = \langle \mathcal{N}, \mathcal{O}, (u_i)_{i \in \mathcal{N}} \rangle \in \mathcal{I}^+$ be an instance with only goods and where $(u_i)_{i \in \mathcal{N}}$ describes a profile of normalized ternary utility functions. An allocation π is leximin-optimal if and only if it correspond to a minimum cost integer flow in the network defined by the Nash Flow Algorithm.*

This equivalence implies that any leximin-optimal allocation also maximizes the Nash social welfare.

Corollary 1. *Let $I = \langle \mathcal{N}, \mathcal{O}, (u_i)_{i \in \mathcal{N}} \rangle \in \mathcal{I}^+$ be an instance with only goods and where $(u_i)_{i \in \mathcal{N}}$ describes a profile of normalized ternary utility functions. Any leximin-optimal allocation π maximizes the Nash social welfare.*

Making use of the Nash Flow Algorithm, we propose the Ternary Flow Algorithm (Algorithm 2). It computes a leximin-optimal allocation on the normalized utilities which corresponds to a GEF1 allocation w.r.t. the original preferences.

⁴ Barman, Krishnamurthy, and Vaish (2018) also proposed a polynomial-time algorithm for maximizing the Nash social welfare with binary utilities. However, it does not imply leximin-optimality which we need to achieve GEF1.

Algorithm 2: The Ternary Flow Algorithm

Input: An instance $I = \langle \mathcal{N}, \mathcal{O}, (u_i)_{i \in \mathcal{N}} \rangle$ such that $\forall i \in \mathcal{N}, u_i = u$, for a given utility function u

Output: $\pi \in \Pi(\mathcal{O}, \mathcal{N})$ a GEF1 allocation

- 1 Set O^+ to $\{o \in \mathcal{O} : \max_{i \in \mathcal{N}} u_i(o) > 0\}$
- 2 Set O^0 to $\{o \in \mathcal{O} : \max_{i \in \mathcal{N}} u_i(o) = 0\}$
- 3 Set O^- to $\{o \in \mathcal{O} : \max_{i \in \mathcal{N}} u_i(o) < 0\}$
- 4 Consider new utility functions $(u'_i)_{i \in \mathcal{N}}$ such that

$$\forall i \in \mathcal{N}, \forall o \in O^+, u'_i(o) = \begin{cases} 1 & \text{if } u_i^{\text{Norm}}(o) = 1, \\ 0 & \text{otherwise} \end{cases}$$
- 5 Run the Nash Flow Algorithm on $I' = \langle \mathcal{N}, O^+, (u'_i)_{i \in \mathcal{N}} \rangle$ to obtain the partial allocation π
- 6 **for** $o \in O^-$ **do**
- 7 Allocate o to $i^* \in \arg \max_{i \in \mathcal{N}} u_i^{\text{Norm}}(\pi_i)$ and update π
- 8 **for** $o \in O^0$ **do**
- 9 Allocate o to $i^* \in \arg \min_{i \in \mathcal{N}, u_i^{\text{Norm}}(o)=0} u_i^{\text{Norm}}(\pi_i)$ and update π
- 10 **return** π

Lemma 5. *For ternary symmetric preferences, the Ternary Flow Algorithm returns allocations that are leximin-optimal for the normalized preferences.*

Sketch of the proof. From Lemma 4 we know that π , returned by the Nash Flow Algorithm, is leximin-optimal. We claim that allocating $o \in O^-$, which is a chore for everyone, to the best off agent maintains leximin-optimality. Finally, giving items in O^0 to agents who value them 0 also preserves leximin-optimality. \square

Lemma 6. *If the preferences are normalised ternary symmetric, any leximin-optimal allocation also satisfies GEF1.*

Sketch of the proof. Let π be a leximin-optimal allocation. The proof is based on the two following claims derived from leximin-optimality. Proofs are omitted.

Claim. If $\min_{i \in \mathcal{N}} u_i(\pi_i) < 0$, then $\forall j \in \mathcal{N}, 0 \leq u_j(\pi_j) - \min_{i \in \mathcal{N}} u_i(\pi_i) \leq 1$.

Claim. For every $i, j \in \mathcal{N}$, if $u_j(\pi_j) - u_i(\pi_i) \geq 2$ then $\{o \in \pi_j \mid u_i(o) = 1\} \cup \{o \in \pi_i \mid u_j(o) = -1\} = \emptyset$.

Assume toward a contradiction that there exist S, T and π' which are witnesses of a violation of GEF1. For any agent in S , her utility in π' should be at least one higher than in π , and there exists an agent in S who increases her utility by at least two. The first claim implies that this is not possible if some agent receives negative utility. The second claim states that each agent in T can increase by at most one the utility of an agent in S . The violation of GEF1 is therefore not possible and we have proved that π is both leximin-optimal and GEF1 for the normalized preferences. \square

From Lemma 5 and 6, we derive the statement for GEF1 allocations.

Theorem 2. *Let $I = \langle \mathcal{N}, \mathcal{O}, (u_i)_{i \in \mathcal{N}} \rangle \in \mathcal{I}$ be an instance where $(u_i)_{i \in \mathcal{N}}$ describes a profile of ternary symmetric utility functions. A GEF1 allocation always exists and can be computed in polynomial time via the Ternary Flow Algorithm.*

Proof. Let π be the allocation returned by the Ternary Flow Algorithm. By Lemma 5, π is leximin-optimal for normalized preferences and thus GEF1 for these preferences (Lemma 6). Since no interpersonal comparison are required for GEF1, any allocation satisfying it for normalized preferences also does for non-normalized preferences. Allocation π therefore satisfies GEF1. \square

7 Non-existence of fair allocations

In this section, we present negative existence results for many GEF-related concepts. We show in particular that as soon as we allow for groups of different size, existence of fair allocations cannot be guaranteed.

Example 2. Let us consider an instance with three agents, a_1, a_2 and a_3 , and three goods, o_1, o_2 and o_3 , where preferences are additive and defined as follows:

	o_1	o_2	o_3
a_1	1	1	ϵ
a_2	1	1	ϵ
a_3	1	1	ϵ

with $0 < \epsilon < 1/3$. We call π the allocation defined by the squared items. First, observe that $S = \{a_3\}$, $T = \{a_1, a_2, a_3\}$ and the reallocation $\pi' = \langle \{o_1, o_2, o_3\} \rangle$ are witnesses of the violation of s-GEF1 in π :

$$\frac{|S|}{|T|} u_3(\pi'_3 \setminus \{o_1\}) = \frac{1}{3} u_3(\{o_2, o_3\}) = \frac{1}{3}(1 + \epsilon) > u_3(\pi_3) = \epsilon.$$

One can see that no allocation satisfies s-GEF1 in this example. Indeed, if an agent receives more than one item then, another one would envy her up to one item. There are therefore no guarantees of existence for allocations satisfying s-GEFX and s-GEF. One can moreover see that π is not GP1, hence existence GPX and GP allocation cannot be guaranteed.

Another interesting observation is that π maximizes the Nash social welfare but is not s-GEF1.

Next, we show that while the existence of GEF1 allocations is guaranteed when there are only goods with additive preferences, it is no longer the case for monotonic preferences.

Example 3. Let us consider two agents, a_1 and a_2 , whose preferences, u_1 and u_2 , are presented below. The preferences only depend on the number of items received by each agent. Agent a_2 gets positive utility only if she receives at least 3 items.

$X \subseteq \mathcal{O}$	$u_1(X)$	$u_2(X)$
$ X = 4$	10	10
$ X = 3$	6	6
$ X = 2$	4	0
$ X = 1$	1	0
$ X = 0$	0	0

In such instance, the only allocations satisfying GEF1 for $S = T = \mathcal{N}$ are the ones in which a_1 gets either all the goods, none or exactly one. None of these allocations are EF1, hence no allocation is GEF1.

8 Testing GEF1 is coNP-complete

We prove in this section that testing GEF1 is coNP-complete when there are only goods, only chores and both of them. The decision problem is the following.

IS-GEF1
Instance: An instance $I = \langle \mathcal{N}, \mathcal{O}, (u_i)_{i \in \mathcal{N}} \rangle \in \mathcal{I}$ and $\pi \in \Pi(\mathcal{O}, \mathcal{N})$.
Question: Does π satisfy GEF1?

We use IS-GEF1⁺ and IS-GEF1⁻ to refer to the same decision problem when there are respectively only goods ($I \in \mathcal{I}^+$) and only chores ($I \in \mathcal{I}^-$).

Theorem 3. *The problems IS-GEF1, IS-GEF1⁺ and IS-GEF1⁻ are strongly coNP-complete.*

Sketch of the proof. We present the reduction for the IS-GEF1⁻ problem. By reducing the 3-PARTITION problem (Garey and Johnson, 1975), we show that checking if π violates GEF1 when there are only chores is strongly NP-complete.

3-PARTITION
Instance: A multi-set of $3m$ numbers $X = \{x_1, \dots, x_{3m}\}$ such that: $\forall x \in X, 1/4 < x < 1/2$ and $\sum_{x \in X} x = m$.
Question: Is there a partition $(X_i)_{i \in \llbracket 1, m \rrbracket}$ of X such that $\forall i, \sum_{x \in X_i} x = 1$?

Let $X = \{x_1, \dots, x_{3m}\}$ be an instance of the 3-PARTITION problem. We present in the following its corresponding instance (I, π) of the IS-GEF1⁻ problem. The set of chores is $\mathcal{O} = \{g_1, \dots, g_m\} \cup \{h_1, \dots, h_m\} \cup \{l_1, \dots, l_{3m}\} \cup \{o_1, \dots, o_{2m}\}$ and the set of agents $\mathcal{N} = \{a_1, \dots, a_m\} \cup \{b_1, \dots, b_m\}$. The utilities of the singletons are as follows:

	g_1	\dots	g_m	h_1	\dots	h_m	l_1	l_2	l_3	\dots	l_{3m-2}	l_{3m-1}	l_{3m}	o_1	\dots	o_m	o_{m+1}	\dots	o_{2m}
a_1	$-m-\epsilon$	$-M$	$-M$	$-1-\epsilon$	$-M$	0	$-x_1$	$-x_2$	$-x_3$	\dots	$-x_{3m-2}$	$-x_{3m-1}$	$-x_{3m}$	0	$-M$	$-M$	$-M$	$-M$	$-M$
\vdots	$-M$	\ddots	$-M$	$-M$	\ddots	$-M$	$-x_1$	$-x_2$	$-x_3$	\dots	$-x_{3m-2}$	$-x_{3m-1}$	$-x_{3m}$	$-M$	\ddots	$-M$	$-M$	$-M$	$-M$
a_m	$-M$	$-M$	$-m-\epsilon$	$-M$	$-M$	$-1-\epsilon$	$-x_1$	$-x_2$	$-x_3$	\dots	$-x_{3m-2}$	$-x_{3m-1}$	$-x_{3m}$	$-M$	$-M$	0	$-M$	$-M$	$-M$
b_1	$-x_2 - x_3 - M$	$-M$	$-M$	$-M$	$-M$	$-M$	$-x_1$	$-x_2$	$-x_3$	$-M$	$-M$	$-M$	$-M$	$-M$	$-M$	$-M$	0	$-M$	$-M$
\vdots	$-M$	\ddots	$-M$	$-M$	$-M$	$-M$	$-M$	$-M$	$-M$	\ddots	$-M$	$-M$	$-M$	$-M$	$-M$	$-M$	$-M$	\ddots	$-M$
b_m	$-M$	$-M$	$-x_{3m-1} - x_{3m}$	$-M$	$-M$	$-M$	$-M$	$-M$	$-M$	$-M$	$-M$	$-x_{3m-2}$	$-x_{3m-1}$	$-x_{3m}$	$-M$	$-M$	$-M$	$-M$	0

where $\epsilon > 0$ is a constant small enough, M is a constant greater than $m + 1$ and the x_i are assumed to be ordered in a decreasing order: $\forall i \in \llbracket 1, 3m \rrbracket, x_i \geq x_{i+1}$.

The initial allocation $\pi \in \Pi(\mathcal{O}, \mathcal{N})$ is depicted by the boxed items in the previous table. It is defined as $\pi_{a_i} = \{g_i\} \cup \{h_i\} \cup \{o_i\}$ for every $i \in \llbracket 1, m \rrbracket$ and $\pi_{b_i} = \{l_{3i-2}, l_{3i-1}, l_{3i}\} \cup \{o_{m+i}\}$ for all $i \in \llbracket 1, m \rrbracket$.

In the next step, omitted, we show that π violates GEF1 if and only if there exists a suitable partition of X satisfying the 3-PARTITION problem. In particular, we show that if two groups S and T are witnesses of a violation of GEF1, then $S = T = \mathcal{N}$. \square

In this proof, the only possible violations of GEF1 are such that $S = T = \mathcal{N}$. Hence, checking whether an allocation satisfies the Pareto-optimality relaxation derived from GEF1, is also coNP-complete. These results are similar in flavour to the results of [de Keijzer, Bouveret, Klos, and Zhang \(2009\)](#) and [Aziz, Biro, Lang, Lesca, and Monnot. \(2019a\)](#) that testing Pareto-optimality is coNP-complete.

9 Conclusions

Inspired by the group envy-freeness concept and its relaxations for the case of divisible goods, we formalized several relaxations of the concept for indivisible goods and chores. The concepts have both fairness and efficiency flavours. Our definitions are general and our key concepts work well for ordinal preferences as well as cardinal utilities involving goods and chores. We clarified the relation of GEF1 with other fairness concepts and presented several positive and negative computational results.

Several interesting questions arise as a result of our study. The main question left open is the existence of GEF1 allocations when there are goods and chores. The question has been answered positively in the case of goods. However the proof involves the Nash social welfare which cannot be used with chores. Considering that protection of groups is one of the central concerns in new research on algorithmic fairness, we envisage GEF1 and its variants to spur further interesting work in the area.

Bibliography

- M. Aleksandrov and T. Walsh. Group envy freeness and group Pareto efficiency in fair division with indivisible items. In *Proc. of 41st KI Conference*, 2018.
- H. Aziz, S. Gaspers, S. Mackenzie, and T. Walsh. Fair assignment of indivisible objects under ordinal preferences. *Artificial Intelligence*, 227:71–92, 2015.
- H. Aziz, G. Rauchecker, G. Schryen, and T. Walsh. Algorithms for max-min share fair allocation of indivisible chores. In *Proc. of 31st AAAI Conference*, 2017.
- H. Aziz, P. Biro, J. Lang, J. Lesca, and J. Monnot. Efficient reallocation under additive and ordinal preferences. *Theoretical Computer Science*, 2019a.

- H. Aziz, I. Caragiannis, A. Igarashi, and T. Walsh. Fair allocation of combinations of indivisible goods and chores. In *Proc. of 28th IJCAI*, 2019b.
- S. Barman and S. K. Krishnamurthy. Approximation algorithms for maximin fair division. In *Proc. of 18th ACM-EC Conference*, 2017.
- S. Barman, S. K. Krishnamurthy, and R. Vaish. Greedy algorithms for maximizing nash social welfare. In *Proc. of 17th AAMAS Conference*, 2018.
- N. Benabbou, M. Chakraborty, E. Elkind, and Y. Zick. Fairness towards groups of agents in the allocation of indivisible items. In *Proc. of 28th IJCAI*, 2019.
- M. Berliant, W. Thomson, and K. Dunz. On the fair division of a heterogeneous commodity. *Journal of Mathematical Economics*, 21(3):201–216, 1992.
- A. Bogomolnaia, H. Moulin, and R. Stong. Collective choice under dichotomous preferences. *Journal of Economic Theory*, 122(2):165–184, 2005.
- A. Bogomolnaia, H. Moulin, F. Sandomirskiy, and E. Yanovskaya. Competitive division of a mixed manna. *Econometrica*, 85(6):1847–1871, 2017.
- S. Bouveret, Y. Chevaleyre, and N. Maudet. Fair allocation of indivisible goods. In F. Brandt, V. Conitzer, U. Endriss, J. Lang, and A. D. Procaccia, editors, *Handbook of Computational Social Choice*, pages 284–310. Cambridge University Press, 2016.
- S. J. Brams and P. C. Fishburn. Approval voting. *American Political Science Review*, 72(3):831–847, 1978.
- S. J. Brams and A. D. Taylor. *Fair Division: From Cake-Cutting to Dispute Resolution*. Cambridge University Press, 1996.
- E. Budish. The combinatorial assignment problem: Approximate competitive equilibrium from equal incomes. *Journal of Political Economy*, 119(6):1061–1103, 2011.
- I. Caragiannis, C. Kaklamanis, P. Kanellopoulos, and M. Kyropoulou. The efficiency of fair division. *Theory of Computing Systems*, 50(4):589–610, 2012.
- I. Caragiannis, D. Kurokawa, H. Moulin, A. D. Procaccia, N. Shah, and J. Wang. The unreasonable fairness of maximum nash welfare. In *Proc. of 17th ACM-EC Conference*, 2016.
- V. Conitzer, R. Freeman, N. Shah, and J. W. Vaughan. Group fairness for the allocation of indivisible goods. In *Proc. of 33rd AAAI Conference*, 2019.
- A. Darmann and J. Schauer. Maximizing nash product social welfare in allocating indivisible goods. *European Journal of Operational Research*, 247(2):548–559, 2015.
- B. de Keijzer, S. Bouveret, T. Klos, and Y. Zhang. On the complexity of efficiency and envy-freeness in fair division of indivisible goods with additive preferences. In *Proc. of 1st ADT Conference*, 2009.
- B. Fain, K. Munagala, and N. Shah. Fair allocation of indivisible public goods. In *Proc. of 19th ACM-EC Conference*, 2018.
- D. S. Felsenthal. On combining approval with disapproval voting. *Behavioral Science*, 34(1):53–60, 1989.
- D. K. Foley. Resource allocation and the public sector. In *Yale Economics Essays*, volume 7. 1967.
- M. Gardner. *Aha! Aha! insight*. Scientific American, 1978.

- M. R. Garey and D. S. Johnson. Complexity results for multiprocessor scheduling under resource constraints. *SIAM Journal on Computing*, 4(4):397–411, 1975.
- P. Hall. On representatives of subsets. *Journal of the London Mathematical Society*, 1(1):26–30, 1935.
- F. Husseinov. A theory of a heterogeneous divisible commodity exchange economy. *Journal of Mathematical Economics*, 47(1):54–59, 2011.
- M. Kyropoulou, W. Suksompong, and A. A. Voudouris. Almost envy-freeness in group resource allocation. In *Proc. of 28th IJCAI*, 2019.
- J. Lang and J. Rothe. Fair division of indivisible goods. In J. Rothe, editor, *Economics and Computation*, pages 493–550. 2016.
- R. J. Lipton, E. Markakis, E. Mossel, and A. Saberi. On approximately fair allocations of indivisible goods. In *Proc. of 5th ACM-EC Conference*, 2004.
- H. Moulin. *Fair division and collective welfare*. MIT press, 2004.
- B. Plaut and T. Roughgarden. Almost envy-freeness with general valuations. In *Proc. of 29th SODA*, 2018.
- D. Schmeidler and K. Vind. Fair net trades. *Econometrica*, 40(4):637, 1972.
- A. Schrijver. *Combinatorial optimization: polyhedra and efficiency*. Springer, 2003.
- E. Segal-Halevi. Fairly dividing a cake after some parts were burnt in the oven. In *Proc. of 17th AAMAS Conference*, 2018.
- E. Segal-Halevi and W. Suksompong. Democratic fair allocation of indivisible goods. In *Proc. of 27th IJCAI*, 2018.
- T. Todo, R. Li, X. Hu, T. Mouri, A. Iwasaki, and M. Yokoo. Generalizing envy-freeness toward group of agents. In *Proc. of 22nd IJCAI*, 2011.

Appendix

A The Egal-Sequential Algorithm for Identical Utilities

A.1 Proof of Lemma 1

We call u the common utility function. We show by induction on the number of items that have already been allocated that the Egal-Sequential Algorithm maintains a partial allocation that is EFX. Let us denote by π^k the partial allocation constructed after allocating the k -th item.

The base case for $k = 1$ is straightforward. EFX is trivially satisfied by π^1 as only one item has been allocated.

Let us now suppose that for a given $k < m$ the partial allocation π^k is EFX. We show that π^{k+1} also satisfies EFX. Let o be the item that is allocated to agent i^* at the $k + 1$ -th step of the algorithm. Let us distinguish two cases depending on whether o is a good or a chore.

- If $u(o) \geq 0$, the only change in the utilities of the agents is an increase of i^* 's utility. The only possibility to violate EFX would therefore be for agents to become envious up to any item of i^* . As $i^* \in \arg \min_{i \in \mathcal{N}} u(\pi_i^k)$, no agent envies i^* in π^k : $\forall j \in \mathcal{N}, u(\pi_{i^*}^k) \leq u(\pi_j^k)$. This implies that $\forall j \in \mathcal{N}, u(\pi_{i^*}^{k+1} \setminus \{o\}) \leq u(\pi_j^{k+1})$. Since o is the smallest item allocated at step k , no agent envies i^* up to any item in π^{k+1} . Hence, π^{k+1} is EFX.
- If $u(o) < 0$, the only change in the utilities is a decrease of i^* 's utility. Therefore, the only possibility for EFX to be violated would be if i^* becomes envious up to any item of another agent. Since $i^* \in \arg \max_{i \in \mathcal{N}} u(\pi_i^k)$, i^* does not envy anyone in π^k , that is, $\forall j \in \mathcal{N}, u(\pi_{i^*}^k) \geq u(\pi_j^k)$. This implies that $\forall j \in \mathcal{N}, u(\pi_{i^*}^{k+1} \setminus \{o\}) \geq u(\pi_j^{k+1})$. Thus, i^* is still not envious. Hence, π^{k+1} is still EFX.

We have then proved that the Egal-Sequential Algorithm returns EFX allocations when preferences are identical.

Sorting items can be done in time in $\mathcal{O}(m \log m)$. The for loop of the algorithm uses m steps during which finding an agent with maximum or minimum utility can be done in time in $\mathcal{O}(n)$ hence the overall complexity is $\mathcal{O}(\max\{m \log m, mn\})$.

A.2 Proof of Lemma 2

Let us consider an allocation π that satisfies EFX but not GEF1. Since preferences are identical we can assume, without loss of generality, that no item gives zero utility. If such items exist, they can be allocated to any agent without changing anything. As π is not GEF1, there exist two groups $S \subseteq \mathcal{N}$ and $T \subseteq \mathcal{N}$

and a reallocation $\pi' \in \Pi(\pi_T, S)$ such that $\forall i \in S, \forall o \in \pi_i^- \cup \pi_i^+, u(\pi_i' \setminus \{o\}) \geq u(\pi_i \setminus \{o\})$ with one inequality being strict. For $i \in S$, we introduce s_i defined as:

$$s_i = \max\{\max_{o \in \pi_i'^+} u(o), \max_{o \in \pi_i^-} -u(o), 0\}.$$

Violating GEF1 then implies: $\forall i \in S, u(\pi_i') - u(\pi_i) \geq s_i$ with one inequality being strict. The 0 component in the definition of s_i is meant to tackle the case when an agent i receives an empty allocation in π and no goods in π' . If $\pi_i = \pi_i'^+ = \emptyset$ we should have $\pi_i^- = \emptyset$ to get a GEF1 violation, hence we have $u(\pi_i) = u(\pi_i')$ and $s_i = 0$ is a suitable bound.

By summing the inequalities coming from the violation of GEF1 over $i \in S$, we obtain $\sum_{i \in S} u(\pi_i') - \sum_{i \in S} u(\pi_i) > \sum_{i \in S} s_i$. Since utilities are identical and additive this implies:

$$u(\pi_T) - u(\pi_S) > \sum_{i \in S} s_i. \quad (5)$$

Moreover, as π is EFX, we have $\forall i, j \in \mathcal{N}, \forall o \in \pi_i^- \cup \pi_j^+, u(\pi_i \setminus \{o\}) \geq u(\pi_j \setminus \{o\})$. For $i, j \in \mathcal{N}$, we introduce $s_{i,j}$ defined by:

$$s_{i,j} = -\min\{\min_{o \in \pi_j^+} -u(o), \min_{o \in \pi_i^-} u(o), 0\}.$$

The 0 component is once again here to take care of the case when $\pi_i^- \cup \pi_j^+ = \emptyset$. We have thus:

$$\forall i, j \in \mathcal{N}, s_{i,j} \geq u(\pi_j) - u(\pi_i). \quad (6)$$

Our goal is now to sum up inequalities describe in (6) to obtain a contradiction with (5). We are looking for a set of pairs (i, j) such that each $i \in S$ and each $j \in T$ appear once and only once, and such that the sum of $s_{i,j}$ over these pairs is smaller than $\sum_{i \in S} s_i$. To do so, we find a suitable matching in a bipartite graph.

Let us consider the bipartite graph $G = \langle S \cup T, E \rangle$ where nodes represent agents in S and in T . There is an edge $(i, j) \in E$ between agents $i \in S$ and $j \in T$ if and only if $\pi_i'^+ \cap \pi_j \neq \emptyset$, that is, i receives some of j 's goods in π' . We consider a partition $S^+ \cup S^-$ of S where:

$$\begin{aligned} S^+ &= \{i \in S \mid u(\pi_i) \geq 0\} \\ S^- &= \{i \in S \mid u(\pi_i) < 0\}. \end{aligned}$$

For $X \subseteq S$, we write $N(X)$ its neighbourhood in the graph G : $N(X) = \{j \in T \mid \exists i \in X, (i, j) \in E\}$. A symmetric definition holds for $N(Y)$ where $Y \subseteq T$.

We claim that there always exists a matching $M \subseteq S \times T$ in G that matches all the agents in S^+ . Suppose for the sake of contradiction that such M does not exist. From Hall's theorem (Hall, 1935), there must exist $X \subseteq S^+$ and $Y \subseteq T$

such that $Y = N(X)$ and $|Y| < |X|$. Let us assume that X is a smallest Hall's violation in G , and consider $M' \subseteq X \times Y$ a maximum matching between agents in X and in Y .

We show in the following that M' always match all the agents in Y . To get a better understanding, a diagram illustrating the different set of agents considered is presented in Figure 2. Assume that M' does not match all the agents in Y , Hall's theorem implies that there exist $X' \subseteq X$ and $Y' \subseteq Y$ such that $X' = N(Y')$ and $|X'| < |Y'|$. Then for $X'' = X \setminus X'$ and $Y'' = Y \setminus Y'$, we have $|X''| > |Y''|$ and $N(X'') = Y''$. Indeed, as $|X| > |Y|$ we have $|X| - |X'| > |Y| - |Y'|$ and thus $|X''| > |Y''|$ since $|X'| < |Y'|$. Moreover it is clear that $N(X'') = Y''$ as otherwise any agent in X'' linked to another agent in Y' is in $N(Y') = X'$ and can not be in X'' . Overall, X'' constitutes a Hall's violation for the existence of M' which is smaller than X . This contradicts the fact that X is the smallest such Hall's violation. Sets X' and Y' does not exist and M' matches all the agents in Y .




Fig. 2. Sets of agents considered in the proof of Lemma 2.

We now turn back to the problem of showing that M matches all the agents in S^+ . As M' matches all the agents in Y and u is additive, we have $\sum_{(i,j) \in M'} u(\pi_j) = u(\pi_Y)$. Hence, by summing inequalities (6) for $(i, j) \in M'$, we obtain:

$$u(\pi_Y) - \sum_{(i,j) \in M'} s_{i,j} \leq \sum_{(i,j) \in M'} u(\pi_i) \quad (7)$$

Moreover summing inequalities yielded by the violation of GEF1 over $i \in S$ in a similar manner as inequalities (5) brings $u(\pi_Y) - \sum_{i \in X} s_i \geq u(\pi_X)$. Together with (7), this leads to:

$$\sum_{(i,j) \in M'} u(\pi_i) + \sum_{(i,j) \in M'} s_{i,j} \geq u(\pi_Y) \geq u(\pi_X) + \sum_{i \in X} s_i. \quad (8)$$

Observe that for any pair of agents (i, j) such that there is an edge between i and j in G , we have:

$$s_i \geq \max_{o \in \pi_i^+} u(o) \geq \max_{o \in \pi_i^+ \cap \pi_j} u(o) \geq \min_{o \in \pi_j^+} u(o) \geq s_{i,j}. \quad (9)$$

In addition, as $|M'| < |X|$, it is clear that $\sum_{(i,j) \in M'} u(\pi_i) < \sum_{i \in X} u(\pi_i)$ and thus $\sum_{(i,j) \in M'} u(\pi_i) < u(\pi_X)$. Overall, we have:

$$\sum_{(i,j) \in M'} u(\pi_i) + \sum_{(i,j) \in M'} s_{i,j} < u(\pi_X) + \sum_{i \in X} s_i,$$

which contradicts (8). Therefore, no Hall's violation can exist and we have proved that the matching M does match all the agents in S^+ .

Next we show that the existence of this matching M leads to a contradiction on the fact that π is not GEF1. We extend the matching M to match all the agents in S by arbitrarily pairing each agent $i \in S^-$ with an unmatched agent in T . Let the extended matching be called M^* . Observe that for any new pair of agents $(i, k) \in M^* \setminus M$, we have $i \in S^-$, that is $\pi_i^- \neq \emptyset$. Hence, for any agent $j \in T$, we have:

$$s_{i,j} \leq \min_{o \in \pi_i^-} u(o) \leq \max_{o \in \pi_i^-} u(o) \leq s_i. \quad (10)$$

By summing (6) over $(i, j) \in M^*$ we obtain $\sum_{(i,j) \in M^*} s_{i,j} \geq u(\pi_T) - u(\pi_S)$. From (9) and (10) we get that $\sum_{(i,j) \in M^*} s_{i,j} \leq \sum_{i \in S} s_i$, hence summing (6) over $(i, j) \in M^*$ leads to a contradiction with (5). We have thus proved that π satisfies both EFX and GEF1.

A.3 Proof of Theorem 1

The proof is trivial, it just amounts at linking Lemma 1 and Lemma 2.

B The Ternary Flow Algorithm

Let us first introduce briefly the theory of network flows as well as our notations. A cost flow network is represented by a directed graph $G = \langle V, E \rangle$ whose nodes $v \in V$ are labelled with a demand $d(v) \in \mathbb{R}$ while edges $e \in E$ are labelled by a maximum capacity $\delta(e) \in \mathbb{R}_{>0}$ and a cost $c(e) \in \mathbb{R}_{\geq 0}$. A flow f is a mapping $f : E \rightarrow \mathbb{R}_{\geq 0}$ where $f(e)$ is the amount of flow passing through the edge e . By a slight abuse of notation, we use $f(v)$ for a node $v \in V$ to denote the difference between the outgoing flow and the incoming flow in v . A flow is realizable if for every edge $e \in E$ its capacity is not exceeded, $f(e) \leq \delta(e)$, and for every node $v \in V$ its demand is satiated, $f(v) = d(v)$. The cost of a realizable flow f is defined by $c(f) = \sum_{e \in E} f(e)c(e)$. A minimum cost flow is then a flow

with minimal cost among the realizable flows. A flow is said to be integer if $\forall e \in E, f(e) \in \mathbb{N}$.

Then we present the Nash Flow Algorithm proposed by [Darmann and Schauer \(2015\)](#). Let $I = \langle \mathcal{N}, \mathcal{O}, (u_i)_{i \in \mathcal{N}} \rangle \in \mathcal{I}^+$ be an instance with only goods and where preferences are normalized ternary symmetric. Note that since there are only goods, the utilities for the singletons are in $\{0, 1\}$. The network $G = \langle V, E \rangle$ consists in the set of nodes $V = \{s, t\} \cup \mathcal{N} \cup \mathcal{O} \cup \{t_{i,j} \mid i \in \mathcal{N}, o_j \in \mathcal{O}\}$ where the demands are $d(s) = m$, $d(t) = -m$ and $d(v) = 0$ for every $v \in V \setminus \{s, t\}$. The edge set E is defined by:

- for every item $o \in \mathcal{O}$, the edge (s, o) is in E with capacity $\delta(s, o) = 1$ and cost $c(s, o) = 0$,
- for every agent $i \in \mathcal{N}$, for every item $o \in \mathcal{O}$ such that $u_i(o) = 1$, the edge (o, i) is in E with capacity $\delta(o, i) = 1$ and cost $c(o, i) = 0$,
- for every agent $i \in \mathcal{N}$ and every item $o_j \in \mathcal{O}$, two edges are in E : $(i, t_{i,j})$ with capacity $\delta(i, t_{i,j}) = 1$ and cost $c(i, t_{i,j}) = n^j$ and $(t_{i,j}, t)$ with capacity $\delta(t_{i,j}, t) = 1$ and cost $c(t_{i,j}, t) = 0$. In the following we refer to $(i, t_{i,j})$ edges as “t” edges.

Since the capacities are all integer, there always exists a minimum cost integer flow of G by the integrality property. We have moreover a one-to-one correspondence between integer flows in G and allocations in $\Pi(\mathcal{N}, \mathcal{O})$. From a flow f , an allocation π is defined by $o \in \pi_i$ if and only if $f(o, i) = 1$. From an allocation π the flow f is defined by $f(s, o) = 1$ for each $o \in \mathcal{O}$, $f(o, i) = 1$ if and only if $o \in \pi_i$ for every $o \in \mathcal{O}$ and $i \in \mathcal{N}$, and $f(i, t_{i,j}) = f(t_{i,j}, t) = 1$ for every $i \in \mathcal{N}$ and $1 \leq j \leq u_i(\pi_i)$. An allocation π maximizes the Nash social welfare if and only if it corresponds to a minimum cost integer flow of the network G .

B.1 Proof of Lemma 4

For a flow f , we denote by $f_i, i \in \mathcal{N}$, the amount of flow passing through agent node i , that is $f_i = \sum_{j \in \mathcal{O}} f(j, i)$. Note that f_i is then the number of good received by agent i in the allocation corresponding to f . Since utilities are normalized ternary, it is also i 's utility, $u_i(\pi_i)$.

We first show that a leximin-optimal allocation π corresponds to a minimum cost flow f . Let us suppose toward a contradiction that there exists two agents i_1 and i_2 with $f_{i_1} - f_{i_2} \geq 2$ and a good o such that $(o, i_2) \in E$ and $f(o, i_2) = 1$. We have thus $u_{i_1}(o) = u_{i_2}(o) = 1$. Consider then the allocation π' such that $\pi'_k = \pi_k, \forall k \in \mathcal{N} \setminus \{i_1, i_2\}$, $\pi'_{i_1} = \pi_{i_1} \setminus \{o\}$ and $\pi'_{i_2} = \pi_{i_2} \cup \{o\}$ and denote by f' the corresponding flow. Since $f_{i_1} - f_{i_2} \geq 2$, agent i_2 comes before agent i_1 in the leximin ordering of the utilities in π . It is also the case in π' since $f'_{i_1} - f'_{i_2} = f_{i_1} - f_{i_2} - 2$. Moreover we have $u_{i_2}(\pi'_{i_2}) > u_{i_2}(\pi_{i_2})$, hence $\mathbf{u}(\pi') \succ_{lex} \mathbf{u}(\pi)$ which

is a contradiction. Agents i_1 and i_2 do not exist which is a sufficient condition⁵ for f to be a minimum cost flow.

Next we show the other implication. For a flow f , we write \mathbf{f} the vector of the f_i ordered from the lowest to the highest. Observe that $\mathbf{f} = \mathbf{u}(\pi)$ for π the allocation corresponding to f . [Darmann and Schauer \(2015, proof of Theorem 3.3, step 3\)](#) proved that all minimum cost integer flows have the same vector \mathbf{f} . We just proved that there exists a minimum cost integer flow f^* corresponding to a leximin-optimal allocation π^* , hence any minimum cost integer flow f is such that $\mathbf{f} = \mathbf{f}^*$, which proves that the allocation π corresponding to f is leximin-optimal.

B.2 Proof of Lemma 5

We show that along the execution of [Algorithm 2](#), the partial allocation π is always leximin-optimal.

Based on [Lemma 4](#), we know that after [line 5](#) of [Algorithm 2](#), π is leximin-optimal for the utility profile $(u'_i)_{i \in \mathcal{N}}$. Since agents are only allocated items of utility 1, π is also leximin-optimal for $(u_i^{\text{Norm}})_{i \in \mathcal{N}}$.

Next, we show by induction that π is always leximin-optimal according to the normalized utilities throughout the first “for loop” ([line 6](#)) where items in O^- are allocated. In the following, leximin-optimality is according to the normalized utilities. Consider one step of the loop, we call $o \in O^-$ the chore that is to be allocated, μ the current allocation, that is leximin-optimal, and π the allocation where o has been allocated to agent $i^* \in \arg \max_{i \in \mathcal{N}} u_i^{\text{Norm}}(\pi_i)$. In the following, we use \mathbf{u} to refer to the leximin ordering according to preferences $(u_i^{\text{Norm}})_{i \in \mathcal{N}}$. Suppose that π is not leximin-optimal, then there exist an allocation π' so that there exists an integer $k \in \llbracket 1, n \rrbracket$ such that $\mathbf{u}_j(\pi') = \mathbf{u}_j(\pi), \forall j < k$, and $\mathbf{u}_k(\pi') > \mathbf{u}_k(\pi)$. Since $i^* \in \arg \max_{i \in \mathcal{N}} u_i^{\text{Norm}}(\pi_i)$ we can assume without loss of generality that i^* 's index in $\mathbf{u}(\pi)$ is n . From the induction hypothesis we know that μ is leximin-optimal, hence $n \leq k$ as otherwise the allocation obtained from π' by deleting chore o would leximin-dominate μ . We have thus $k = n$, that is $\sum_{i \in \mathcal{N}} \mathbf{u}_i(\pi') > \sum_{i \in \mathcal{N}} \mathbf{u}_i(\pi)$. However since o is a chore for every agent and μ is leximin-optimal, we know from [Lemma 3](#) that π is Pareto-optimal. Moreover, π' is also Pareto-optimal, since it is leximin-optimal, [Lemma 3](#) implies then $\sum_{i \in \mathcal{N}} \mathbf{u}_i(\pi) = \sum_{i \in \mathcal{N}} \mathbf{u}_i(\pi')$. This is a contradiction. We have then proved that the allocation π is still leximin-optimal after allocating chore o . The induction is settled and after the first “for loop”, the partial allocation π is leximin-optimal.

Finally, note that the items in O^0 are allocated to agents that have 0 utility for them. Hence, the allocation π is still leximin-optimal after the second “for loop”. After this last loop, π is no longer a partial allocation, all the items have

⁵ [Darmann and Schauer \(2015, proof of Theorem 3.3, step 1\)](#) showed that an integer flow f is a minimum cost flow if and only if $\forall i \in \mathcal{N}, \forall h$ s.t. $1 \leq h \leq f_i, f(i, t_{i,h}) = 1$ and there is no sequence $\langle i_1, o_1, i_2, o_2, \dots, o_{l-1}, i_l \rangle$ with $f_{i_1} - f_{i_l}$ such that for all $1 \leq h \leq l - 1$, we have $(o_h, i_{h+1}) \in E$ and $f(o_h, i_h) = 1$.

been allocated, hence Algorithm 2 returns π that is leximin-optimal according to the normalized utilities.

B.3 Proof of Lemma 6

In the following we consider an allocation π , supposed to be leximin-optimal. We first show that the agents' utility can not be too different because of leximin-optimality.

Claim. For every $i, j \in \mathcal{N}$, if $u_j(\pi_j) - u_i(\pi_i) \geq 2$ then $\{o \in \pi_j \mid u_i(o) = 1\} \cup \{o \in \pi_i \mid u_j(o) = -1\} = \emptyset$.

Proof: Assume that there is an item $o \in \pi_j$ such that $u_i(o) = 1$. Consider the allocation π' such that $\forall k \in \mathcal{N} \setminus \{i, j\}, \pi'_k = \pi_k, \pi'_i = \pi_i \cup \{o\}, \pi'_j = \pi_j \setminus \{o\}$. Since $u_j(\pi_j) - u_i(\pi_i) \geq 2$, i appears before j in $\mathbf{u}(\pi)$. Moreover, as $u_j(\pi'_j) - u_i(\pi'_i) \geq 0$, i also appears before j in $\mathbf{u}(\pi')$. However, $u_i(\pi'_i) > u_i(\pi_i)$ implies that $\mathbf{u}(\pi') \succ_{lex} \mathbf{u}(\pi)$ which contradicts the fact that π is leximin-optimal. The case where there exists an item $o \in \pi_i$ such that $u_j(o) = -1$ is exactly symmetric. ■

Next, we show our second claim that if one agent has negative utility for her bundle, then all agent's utility is at most one more.

Claim. If $\min_{i \in \mathcal{N}} u_i(\pi_i) < 0$, then $\forall i \in \mathcal{N}, 0 \leq u_i(\pi_i) - \min_{i \in \mathcal{N}} u_i(\pi_i) \leq 1$.

Proof: Let $k \in \mathcal{N}$ be the agent with minimum utility in π . Assume that $u_k(\pi_k) < 0$, it means that k owns at least one chore o in π . Since π is Pareto-efficient, from Lemma 3 we know that o is a chore for every agent in \mathcal{N} . Let us assume that there exists an agent $j \in \mathcal{N}$ such that $u_j(\pi_j) > u_k(\pi_k) + 1$, then since o is also a chore for j , the allocation obtained by transferring o from k to j would leximin-dominate π . This would contradict the leximin-optimality of π . ■

For the sake of contradiction, assume that π is not GEF1, that is, there exist two groups of agents $S, T \subseteq \mathcal{N}$, and a reallocation $\pi' \in \Pi(\pi_T, S)$ such that $\forall i \in S, \forall o \in \pi_i^- \cup \pi_i^+, u(\pi'_i \setminus \{o\}) \geq u(\pi_i \setminus \{o\})$ with one inequality being strict. Suppose without loss of generality that the utilities of the agents in S (resp. T), written $s_1, \dots, s_{|S|}$ (resp. $t_1, \dots, t_{|T|}$), are ordered increasingly. From Lemma 3 we know that for every agent $j \in T$ and $i \in S$, $u_i(\pi_j) \leq u_j(\pi_j)$. Hence, t_j is an upper bound on the utility i can receive from j .

To get a GEF1 violation, a reallocation of the items in π_T should give utility at least $s_i + 1$ to every agent $i \in S$ with one agent receiving strictly more. Let us denote by $j^* \in T$ the index of the first t_j such that $t_j > s_j + 1$. From the second Claim, it cannot be the case that $s_{j^*} < 0$. Let us then assume that $s_{j^*} \geq 0$. From our first Claim, we know that in this case j^* does not have any item considered as goods for the agent corresponding to s_{j^*} , written i^* . Since utilities are ordered increasingly, it is also the case for every agent $j > j^*$. Hence i^* can only receive goods from agents $j < j^*$. However, for every agent $j < j^*$, we have $s_j = t_j + 1$. These agents can thus not provide enough goods to all agents $i \leq i^*$ to get GEF1 violation. This contradicts the existence of such agent j^* , which in turns contradicts the existence of a GEF1 violation. We have thus proved that π is both leximin-optimal and GEF1.

B.4 Example of the Ternary Flow Algorithm

Let us illustrate on an example how Algorithm 2 proceeds. Consider once again the instance presented in Example 1. The network flow constructed by the Nash Flow Algorithm is presented in Figure 3. The allocation corresponding to the minimum cost integer flow is $\pi = \langle \{o_1, o_2\}, \{o_3, o_4\}, \{o_5, o_6\}, \{o_7, o_8\} \rangle$. Since all items are considered as good by at least one agent, the allocation returned by the Nash Flow Algorithm is also the one returned by the Ternary Flow Algorithm.




Fig. 3. Flow network constructed by the Nash Flow Algorithm on the instance described in Example 1. Plain lines represent a minimum cost flow and dotted lines any other edge. The cost of the edges are indicated next to them, 0 costs have been omitted.

C Testing GEF1 is coNP-complete

All the reductions are from the 3-PARTITION problem, shown to be strongly NP-complete by [Garey and Johnson \(1975\)](#). The problem is stated as follow:

3-PARTITION
<p>Instance: A multi-set of $3m$ numbers $X = \{x_1, \dots, x_{3m}\}$ such that: $\forall x \in X, 1/4 < x < 1/2$ and $\sum_{x \in X} x = m$.</p>
<p>Question: Is there a partition $(X_i)_{i \in [1, m]}$ of X s.t. $\forall i, \sum_{x \in X_i} x = 1$?</p>

C.1 Proof of Theorem 3 for is-GEF1⁺

Let us consider $X = \{x_1, \dots, x_{3m}\}$ an instance of the 3-PARTITION problem. We construct an instance of the is-GEF1⁺ problem as follows. The set of agents is $\mathcal{N} = \{a_1, \dots, a_m, b\}$, the set of items is $\mathcal{O} = \{g_1, \dots, g_m\} \cup \{h_i^j \mid i, j \in [1, m], i \neq j\} \cup \{l_1, \dots, l_{3m}\} \cup \{l_1^*, l_2^*\}$ and the preferences of the agent are given in the following table:

	g_1	\dots	g_m	h_1^2	\dots	h_1^m	\dots	h_m^1	\dots	h_m^{m-1}	l_1	\dots	l_{3m}	l_1^*	l_2^*
a_1	$m+1-\epsilon$	0	0	$\frac{m}{m-1}$	$\frac{m}{m-1}$	$\frac{m}{m-1}$	0	0	0	0	x_1	\dots	x_{3m}	0	0
\vdots	0	\ddots	0	0	0	0	\ddots	0	0	0	x_1	\dots	x_{3m}	0	0
a_m	0	0	$m+1-\epsilon$	0	0	0	0	$\frac{m}{m-1}$	$\frac{m}{m-1}$	$\frac{m}{m-1}$	x_1	\dots	x_{3m}	0	0
b	0	0	0	0	0	0	0	0	0	0	x_1	\dots	x_{3m}	m	m

where $\epsilon > 0$ is a constant small enough.

Let us explain these preferences in detail. Agent a_i , $i \in \llbracket 1, m \rrbracket$, gives value $m+1-\epsilon$ to good g_i and 0 to the other “g” goods. She values $\frac{m}{m-1}$ every h_i^j good and 0 the other “h” goods. Her valuation for “l” goods follows the value of the number in X and finally l_1^* and l_2^* provide her no value. Agent b only consider goods l_1, \dots, l_m, l_1^* and l_2^* that are respectively valued as in X , m and m .

The initial allocation $\pi \in \Pi(\mathcal{O}, \mathcal{N})$, given as a entry of the IS-GEF1⁺ problem, is presented by the boxed items in the previous table. It is defined as follow:

$$\begin{aligned} \pi_{a_1} &= \{g_1\} \cup \{h_i^1 \mid j \in \llbracket 2, m \rrbracket\} \cup \{l_1^*\}, \\ \pi_{a_m} &= \{g_m\} \cup \{h_j^m \mid j \in \llbracket 1, m-1 \rrbracket\} \cup \{l_2^*\}, \\ \pi_{a_i} &= \{g_i\} \cup \{h_j^i \mid j \in \llbracket 1, m \rrbracket, j \neq i\}, \forall i \in \llbracket 2, m-1 \rrbracket, \\ \pi_b &= \{l_1, \dots, l_{3m}\}. \end{aligned}$$

Next, we prove that allocation π violates GEF1 if and only if there exists a partition $(X_i)_{i \in \llbracket 1, m \rrbracket}$ of X satisfying the 3-PARTITION conditions.

We first show that if the allocation π is not GEF1, then the two groups S and T witnessing this violation can only be \mathcal{N} , that is $S = T = \mathcal{N}$. To do so, let us consider any two groups S and T and a reallocation $\pi' \in \Pi(\pi_T, S)$ such that:

$$\forall a \in S, \forall o \in \pi'_a, u_a(\pi'_a \setminus \{o\}) \geq u_a(\pi_a),$$

with at least one inequality being strict. Such S, T and π' define a violation of GEF1.

First note that $S = \{b\}$ is not a suitable witness as b can not improve her utility by receiving one agent’s entire bundle (remember that $|S| = |T|$).

Let us then assume that there exist an agent a_i in S , $i \in \llbracket 1, m \rrbracket$. Observe that if $\pi'_{a_i} = \mathcal{O} \setminus \{l_j \mid j \in \llbracket 1, 3m \rrbracket\}$, $u_{a_i}(\pi'_{a_i} \setminus \{g_i\}) = m$ which is strictly lower than her utility in π . Hence, to be better off in π' , a_i should receive a subsets of the “l” items. This yields that we should have $b \in T$. Note also that if $\pi'_{a_i} = \{g_i\} \cup \{l_j \mid j \in \llbracket 1, 3m \rrbracket\}$, $u_{a_i}(\pi'_{a_i} \setminus \{g_i\}) = m$. Hence there should exist another agent a_j in T , $j \in \llbracket 1, m \rrbracket, j \neq i$.

For now, we have proved that there should be two agents in T , a_j and b , and one in S , a_i . As $|T| = |S|$, another agent should be in S .

- If an agent $a_{i'}$ is in S , $i' \in \llbracket 1, m \rrbracket, i' \neq i$, then a_i and $a_{i'}$ have to share the “l” items than give a utility of m in total. Hence, to be better off, they should receive some h_i^k and $h_{i'}^{k'}$ items held by other “a” agents who should then be in T . This argument can then be iterated until having all “a” are in T and in S .

- If agent b is in S , then to accept to give her “l” items, she should receive l_1^* and l_2^* . Agents a_1 and a_m should thus be in T . The previous argument can then be applied. This yields to the fact that the only possible groups witnessing a violation of GEF1 are $S = T = \mathcal{N}$.

Let us now show that there exists a reallocation $\pi' \in \Pi(\mathcal{O}, S)$ that lead to a violation of GEF1, if and only if there exists a partition $(X_i)_{i \in m}$ of X that respects the 3-PARTITION conditions. Observe that the set of items $O_i = \{g_i\} \cup \{h_i^j \mid j \in \llbracket 1, m \rrbracket\}$ is given positive value only by agent a_i , hence $O_i \subseteq \pi'_i$. $O_i \setminus \{g_i\}$ brings $m-1$ utility to a_i , hence to be better off, she needs to receive at least 1 additional unit of utility from the “l” items. Overall the “l” items can be divided so that it brings an additional 1 unit of utility to every agent a_i if and only if there exist a suitable partition of X . If such partition $(X_i)_{i \in \llbracket 1, m \rrbracket}$ exists, then the reallocation π' defined by:

$$\begin{aligned}\pi'_{a_i} &= \{g_i\} \cup \{h_i^j \mid j \in \llbracket 1, m \rrbracket, j \neq i\} \cup X_i, \forall i \in \llbracket 1, m \rrbracket, \\ \pi'_b &= \{l_1^*, l_2^*\},\end{aligned}$$

is a witness of the violation of GEF1. Otherwise, π satisfies GEF1.

Finally this reduction is clearly done in polynomial-time which concludes the proof.

C.2 Proof of Theorem 3 for is-GEF1⁻

Let $X = \{x_1, \dots, x_{3m}\}$ be an instance of the 3-PARTITION problem. We present in the following its corresponding instance (I, π) of the IS-GEF1⁻ problem. The set of chores is $\mathcal{O} = \{g_1, \dots, g_m\} \cup \{h_1, \dots, h_m\} \cup \{l_1, \dots, l_{3m}\} \cup \{o_1, \dots, o_{2m}\}$ and the set of agents $\mathcal{N} = \{a_1, \dots, a_m\} \cup \{b_1, \dots, b_m\}$. The utilities of the singletons are as follows.

	g_1	\dots	g_m	h_1	\dots	h_m	l_1	l_2	l_3	\dots	l_{3m-2}	l_{3m-1}	l_{3m}	o_1	\dots	o_m	o_{m+1}	\dots	o_{2m}
a_1	$-m-\epsilon$	$-M$	$-M$	$-1-\epsilon$	$-M$	0	$-x_1$	$-x_2$	$-x_3$	\dots	$-x_{3m-2}$	$-x_{3m-1}$	$-x_{3m}$	0	$-M$	$-M$	$-M$	$-M$	$-M$
\vdots	$-M$	\ddots	$-M$	$-M$	\ddots	$-M$	$-x_1$	$-x_2$	$-x_3$	\dots	$-x_{3m-2}$	$-x_{3m-1}$	$-x_{3m}$	$-M$	\ddots	$-M$	$-M$	$-M$	$-M$
a_m	$-M$	$-M$	$-m-\epsilon$	$-M$	$-M$	$-1-\epsilon$	$-x_1$	$-x_2$	$-x_3$	\dots	$-x_{3m-2}$	$-x_{3m-1}$	$-x_{3m}$	$-M$	$-M$	0	$-M$	$-M$	$-M$
b_1	$-x_2$	$-x_3$	$-M$	$-M$	$-M$	$-M$	$-x_1$	$-x_2$	$-x_3$	$-M$	$-M$	$-M$	$-M$	$-M$	$-M$	$-M$	0	$-M$	$-M$
\vdots	$-M$	\ddots	$-M$	$-M$	$-M$	$-M$	$-M$	$-M$	$-M$	\ddots	$-M$	$-M$	$-M$	$-M$	$-M$	$-M$	$-M$	\ddots	$-M$
b_m	$-M$	$-M$	$-x_{3m-1}$	$-x_{3m}$	$-M$	$-M$	$-M$	$-M$	$-M$	$-M$	$-x_{3m-2}$	$-x_{3m-1}$	$-x_{3m}$	$-M$	$-M$	$-M$	$-M$	$-M$	0

where $\epsilon > 0$ is a constant small enough, M is a constant greater than $m+1$ and the x_i are assumed to be ordered in a decreasing order: $\forall i \in \llbracket 1, 3m \rrbracket, x_i \geq x_{i+1}$.

Let us explain these preferences in detail. Agent $a_i, i \in \llbracket 1, m \rrbracket$, gives value $-m-\epsilon$ to chore g_i and $-M$ to any other “g” chore. Moreover, she values $-1-\epsilon$ chore h_i , 0 chore h_{i-1} (chore h_m for agent a_1) and $-M$ the other “h” chores. Her valuation for “l” chores follows the opposite of the values in X . Finally, her utility for “o” chores is 0 for o_i and $-M$ for the others.

Agent $b_i, i \in \llbracket 1, m \rrbracket$, values $-x_{3i-1} - x_{3i}$ chores g_i , and $-M$ all other “g” chores. All “h” chores give her $-M$ utility. Chores l_{3i-2}, l_{3i-1} and l_{3i} respectively provide her x_{3i-2}, x_{3i-1} and x_{3i} utility while she values $-M$ any other “l” chore. Finally her utility for “o” chores is 0 for o_{i+m} and $-M$ for the others.

The initial allocation $\pi \in \Pi(\mathcal{O}, \mathcal{N})$, given as an entry of the IS-GEF1⁻ problem and represented by the boxed items in the previous table, is defined as follows:

$$\begin{aligned}\pi_{a_i} &= \{g_i\} \cup \{h_i\} \cup \{o_i\}, \forall i \in \llbracket 1, m \rrbracket, \\ \pi_{b_i} &= \{l_{3i-2}, l_{3i-1}, l_{3i}\} \cup \{o_{m+i}\}, \forall i \in \llbracket 1, m \rrbracket.\end{aligned}$$

Next, we prove that allocation π violates GEF1 if and only if there exists a partition $(X_i)_{i \in \llbracket 1, m \rrbracket}$ of X satisfying the 3-PARTITION conditions.

We first show that if the allocation π is not GEF1, then the two groups S and T witnessing this violation can only be \mathcal{N} , that is $S = T = \mathcal{N}$. To do so, let us consider any two groups S and T and a reallocation $\pi' \in \Pi(\pi_T, S)$ such that:

$$\forall a \in S, \forall o \in \pi_a, u_a(\pi'_a) \geq u_a(\pi_a \setminus \{o\}), \quad (11)$$

with at least one inequality being strict. Such S, T and π' define a violation of GEF1. Note that as (11) should hold for any item $o \in \pi_a$, it should hold in particular if o is the worst chore in π_a that is g_i for agents a_i and l_{3i-2} for agent b_i (remember that we assumed x_i are decreasingly ordered). Hence (11) can be reformulated as:

$$\forall a \in S, \begin{cases} u_a(\pi'_a) \geq -1 - \epsilon & \text{if } a \in \{a_1, \dots, a_m\}, \\ u_a(\pi'_a) \geq -x_{3i-1} - x_{3i} & \text{if } a = b_i, i \in \llbracket 1, m \rrbracket, \end{cases} \quad (12)$$

with one inequality being strict.

Let us show that (12) can be satisfied if and only if $S = T = \mathcal{N}$. To do so, we first prove that $S = T$. Then, we show that the number of “a” agents in T is equal to the number of “b” agents in T . Finally we prove that if agent a_i (resp. a_1) is in T , then agent a_{i-1} (resp. a_m) should also be in T , proving that $\{a_1, \dots, a_m\} \in T$. All these facts put together show the claim.

Consider agent $c \in T$ that can either be an “a” or “b” agent. Let k be the index such that $k = i$ if $c = a_i$ and $k = i + m$ if $c = b_i$. Observe that chore o_k is in π_c and it can only be allocated to agent c for (12) to be satisfied as every other agent has utility $-M$ for it. We have thus $T \subseteq S$, and as $|S| = |T|$ we have $S = T$.

Let us then introduce two notations, n_a and n_b , respectively corresponding to the number of “a” agents and “b” agent in T , that is $n_a = |\{a_1, \dots, a_m\} \cap T|$ and $n_b = |T| - n_a$. Note that if $a_i \in T$ then b_i should be in S as $g_i \in \pi_{a_i}$ can only be allocated to b_i to satisfy (12). Remember that $S = T$, hence $b_i \in T$ and thus $n_a \leq n_b$.

Moreover, observe that $T \subseteq \{b_1, \dots, b_m\}$ would violate (12) as “b” agents are interested only in the “l” chores they own among all “l” chores. Hence, no reallocation among only “b” agents can be improving. Let us then assume that there exists agent a_i in T . As already mentioned, we have $g_i \in \pi'_{b_i}$, hence $\pi'_{b_i} = \{g_i, o_{i+m}\}$ and (12) for b_i is at equality. All “l” chores in π_T should then be reallocated to “a” agents as “b” can not receive any additional chore. Remember that $\forall x \in X, 1/4 < x < 1/2$, hence any subset of X of size strictly greater than

4 has a sum strictly greater than 1. For a suitable ϵ it is then impossible to reallocate more than 3 “l” items to an “a” agents without its utility being below $-1 - \epsilon$. This implies that $n_b \leq n_a$ hence $n_a = n_b$.

In addition, there are exactly $3n_b$ “l” chores in π_T and as $n_a = n_b$, each “a” agent should be reallocated exactly 3 “l” items. It is then not possible for agent a_i to receive chore h_i , this chore should then be allocated to agent a_{i-1} (a_m for $a_i = a_1$). Hence, if $a_i \in T$ we should have $a_{i-1} \in S$ (a_m for $a_i = a_1$) and thus in T as $S = T$. This yields that all “a” agents are in T and thus also all “b” agents as $n_a = n_b$. We have thus $S = T = \mathcal{N}$.

We now prove that for $S = T = \mathcal{N}$, there exist a reallocation π' satisfying (12) if and only if there exists a partition $(X_i)_{i \in [1, m]}$ of X satisfying the conditions of the 3-PARTITION problem.

Note that each g_i chore should be allocated to b_i in π' , hence all “l” chores should be divided among “a” agents. “h” chores are allocated to “a” agents receiving 0 utility for it, similar reallocation is done for “o” chores. Hence (12) is satisfied if and only if it is possible to divide the “l” items into m parts of sum smaller than $1 + \epsilon$, that is of sum 1. For a suitable ϵ this is equivalent to the existence of a partition of X satisfying the conditions of the 3-PARTITION problem.

Finally this reduction is clearly done in polynomial-time which concludes the proof.

C.3 Proof of Theorem 3 for is-GEF1

Since any instance of the IS-GEF1^+ or IS-GEF1^- problems is also an instance of the IS-GEF1 problem, the previous also prove that IS-GEF1 is coNP -complete.