



UvA-DARE (Digital Academic Repository)

Behavioral user modeling for point of interest recommendation in smart museums

Hashemi, S.H.; Kamps, Jaap

Publication date

2018

Document Version

Final published version

Published in

30th Benelux Conference on Artificial Intelligence

[Link to publication](#)

Citation for published version (APA):

Hashemi, S. H., & Kamps, J. (2018). Behavioral user modeling for point of interest recommendation in smart museums. In M. Atzmueller, & W. Duivesteijn (Eds.), *30th Benelux Conference on Artificial Intelligence: BNAIC 2018 Preproceedings : November 8-9, 2018, Jheronimus Academy of Data Science (JADS), 's-Hertogenbosch, The Netherlands* (pp. 77-78). (BNAIC; Vol. 30). Jheronimus Academy of Data Science.

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

**30th Benelux Conference
on Artificial Intelligence**

BNAIC 2018 Preproceedings

November 8-9, 2018

**Jheronimus Academy of Data Science (JADS),
's-Hertogenbosch, The Netherlands**

Behavioral User Modeling for Point of Interest Recommendation in Smart Museums

Seyyed Hadi Hashemi and Jaap Kamps

University of Amsterdam, Amsterdam, The Netherlands,
Email: {hashemi,kamps}@uva.nl

1 Introduction

The Internet of Things (IoT) holds the promise to blend real-world and online behavior in principled ways, yet we are only beginning to understand how to effectively exploit insights from the online realm into effective applications in smart environments. Such smart environments aim to provide an improved, personalized experience based on the trail of user interactions with smart devices, but how does recommendation in smart environments differ from the usual online recommender systems? And can we exploit similarities to truly blend behavior in both realms to address the fundamental cold-start problem?

In this article, we experiment with behavioral user models based on interactions with smart devices in a museum, and investigate the personalized recommendation of what to see after visiting an initial set of Point of Interests (POIs), a key problem in personalizing museum visits or tour guides, and focus on a critical one-shot POI recommendation task—where to go next?

2 Proposed Approach

In order to model users behavior with an aim of providing an effective POI recommendation based on users implicit information interactions, we have logged users' onsite physical information interactions during visits in an IoT-augmented museum exhibition at scale, which is discussed in details in [3, 4]. Furthermore, we have collected an even larger set of search logs of the online museum collection. Users in both sets are unconnected, for privacy reasons we do not have shared IDs. We study the similarities between users' online digital and onsite physical information interaction behaviors, and build new behavioral user models based on the information interaction behaviors in i) the physical exhibition space, ii) the online collection, or iii) both.

Specifically, we propose a deep neural multi-layer perceptron (MLP) based on explicitly given users' contextual information, and set-based extracted features using users' physical information interaction behaviors and similar users' digital information interaction behaviors. According to our experiments detailed in [1, 2], there are number of external factors available in the physical environment contributing as biases in collected information interaction logs, which has to be considered in learning a behavioral user model for POI recommendation. These biases are position and temporal rank bias created based on users'

walk-through behavior [1]. Furthermore, users' behavior is also affected by other visitors around them, which leads to an observation of crowd-bias in collected onsite interaction logs [2].

Our experimental results indicates that the proposed behavioral user modeling approach, using both physical and online user information interaction behaviors, improves the onsite POI recommendation baselines' performances on all evaluation metrics. Our proposed MLP approach achieves 83% precision at rank 1 on the critical one-shot POI recommendation problem, realizing the high accuracy needed for fruitful deployment in practical situations. Furthermore, the MLP model is less sensitive to amount of real world interactions in terms of the seen POIs set-size, by backing of to the online data, hence helps address the cold start problem in recommendation.

3 Conclusions

Our general conclusion is that it is possible to fruitfully combine information interactions in the online and physical world for effective recommendation in smart environments.

Acknowledgments

This research is funded in part by the European Community's FP7 (project meSch, grant # 600851), see <http://www.mesch-project.eu/>. We especially thank the Allard Pierson Museum of Archaeology, <http://www.allardpiersonmuseum.nl/en>, it's visitors, and our collaborators Wim Hupperetz and Merel van der Vaart for the chance to run extensive experiments using the museum as a lab for innovative applications. We also thank Dominique Rau and Thomas Kubitzka from the University of Stuttgart's HCI Lab for their help in developing the smart museum application.

References

1. Hashemi, S.H., Hupperetz, W., Kamps, J., van der Vaart, M.: Effects of position and time bias on understanding onsite users' behavior. In: Proceedings of the 2016 ACM on Conference on Human Information Interaction and Retrieval. pp. 277–280. CHIIR '16, ACM (2016)
2. Hashemi, S.H., Kamps, J.: Skip or stay: Users' behavior in dealing with onsite information interaction crowd-bias. In: Proceedings of the 2017 ACM on Conference on Human Information Interaction and Retrieval. CHIIR '17, ACM (2017)
3. Hashemi, S.H., Kamps, J.: Where to go next?: Exploiting behavioral user models in smart environments. In: Proceedings of the 25th Conference on User Modeling, Adaptation and Personalization. pp. 50–58. ACM (2017)
4. Hashemi, S.H., Kamps, J.: Exploiting behavioral user models for point of interest recommendation in smart museums. *New Review of Hypermedia and Multimedia* **24**(3), 228–261 (2018)