



UvA-DARE (Digital Academic Repository)

A dynamic semantics of single-wh and multiple-wh questions

Dotlačil, J.; Roelofsen, F.

DOI

[10.3765/salt.v30i0.4839](https://doi.org/10.3765/salt.v30i0.4839)

Publication date

2020

Document Version

Final published version

Published in

Proceedings from Semantics and Linguistic Theory

License

Unspecified

[Link to publication](#)

Citation for published version (APA):

Dotlačil, J., & Roelofsen, F. (2020). A dynamic semantics of single-wh and multiple-wh questions. *Proceedings from Semantics and Linguistic Theory*, 30, 376-395. <https://doi.org/10.3765/salt.v30i0.4839>

General rights

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

Disclaimer/Complaints regulations

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

A dynamic semantics of single-wh and multiple-wh questions*

Jakub Dotlačil
Utrecht University

Floris Roelofsen
University of Amsterdam

Abstract We develop a uniform analysis of single-wh and multiple-wh questions couched in dynamic inquisitive semantics. The analysis captures the effects of number marking on *which*-phrases, and derives both mention-some and mention-all readings as well as an often neglected *partial* mention-some reading in multiple-wh questions.

Keywords: question semantics, multiple-wh questions, mention-some, dynamic inquisitive semantics.

1 Introduction

The goal of this paper is to develop an analysis of single-wh and multiple-wh questions in English satisfying the following desiderata:

- a) **Uniformity.** The interpretation of single-wh and multiple-wh questions is derived uniformly. The same mechanisms are operative in both types of questions.
- b) **Mention-some vs mention-all.** Mention-some and mention-all readings are derived in a principled way, including ‘partial mention-some readings’ in multiple-wh questions (mention-all w.r.t. one of the wh-phrases but mention-some w.r.t. the other wh-phrase).
- c) **Number marking.** The effects of number marking on wh-phrases are captured. In particular, singular *which*-phrases induce a uniqueness requirement in single-wh questions but do not block pair-list readings in multiple-wh questions.

To our knowledge, no existing account fully satisfies these desiderata. While we cannot do justice to the rich literature on the topic, let us briefly mention a number of prominent proposals.

Groenendijk & Stokhof (1984) provide a uniform account of single-wh and multiple-wh questions, but their proposal does not successfully capture **mention-some** readings and the effects of **number** marking.

Dayal (1996) pays due attention to the effects of number marking, but her account does not successfully capture **mention-some** readings and is not **uniform**, in the sense that it involves different question operators for single-wh and multiple-wh questions, respectively. Moreover, as pointed out by Xiang (2016, 2020b) and discussed here below, the so-called **domain exhaustivity** presupposition that Dayal’s account predicts for multiple-wh questions is problematic.

Fox (2012) provides a uniform account of single-wh and multiple-wh questions which captures the fact that singular *which*-phrases give rise to uniqueness presuppositions in single but not in

* We are grateful to Lucas Champollion, Ivano Ciardelli, Alexandre Cremers, Veneeta Dayal, Danny Fox, Yimei Xiang, and the SALT reviewers and audience for helpful feedback and discussion. We also gratefully acknowledge financial support of the Netherlands Organization for Scientific Research (NWO).

the ‘range dref’. Xiang (2019) shows that this requirement is too strong, based on the following scenario. Suppose that 100 candidates have applied for 3 jobs. Mary knows the outcome of the search procedure, but Bill doesn’t. Then it is natural for Bill to ask:

(8) Which candidate got which job?

Xiang observes that resolving this question does not require specifying for *every* candidate which job they got, something that would be impossible to do because there were fewer jobs than candidates. However, an additional observation to make about this example is that a resolution of the question must still specify for *as many candidates as possible* (in this case three) which jobs they got. This requirement is what we call domain maximality.

In our formal account in Section 3, domain maximality will be captured by an operator that is always present in the left periphery of an interrogative clause. In particular, it will be derived no matter whether a **max** operator applies to the domain dref or not. So our account will derive two readings for multiple-wh questions: one that is mention-all with respect to all wh-phrases, and one that is mention-all with respect to the ‘domain wh-phrase(s)’ but mention-some with respect to the ‘range wh-phrase’. For this to be possible, it is crucial that on our account mention-some is not a property connected to a question as a whole but rather to individual wh-phrases. In this respect our account differs from many others (e.g., Beck & Rullmann 1999, Chapter 2 of George 2011, Theiler 2014, Champollion, Ciardelli & Roelofsen 2015), which take mention-some to be a property connected to questions as a whole. On such accounts, it is not possible to derive partial mention-some readings of multiple-wh questions (at least not without substantial modifications). To our knowledge, the only previous account that derives such readings is that of Xiang 2016: §5.4.3.

2.5 Effects of number marking

So far we have outlined an account that satisfies desiderata (a) and (b). We now turn to desideratum (c), which concerns the role of **number marking**. Several effects need to be captured but the main puzzle is that singular *which*-phrases induce a uniqueness presupposition in single-wh questions but allow for multiple witness-pairs in multiple-wh questions (e.g., Dayal 1996).⁷

(9) Which girl danced with Robin?
 ~→ just one girl danced with Robin

(10) Which girl danced with which boy?
 ↯ just one girl and just one boy danced

We will assume, following Brasoveanu (2008) and much other work on number marking in dynamic semantics, that singular number marking, e.g., on *which girl*, invokes an **atomicity requirement**. This ensures that all the possible values assigned to the dref introduced by *which girl* are atomic individuals. Furthermore we will assume, following Roelofsen (2015), that every interrogative clause involves a **presuppositional closure operator**, †, which requires that it is already known in

⁷ Interestingly, it has recently been observed that in single-wh questions with an existential modal operator, the uniqueness requirement normally induced by a singular *which*-phrase can be obviated (Hirsch & Schwarz 2019). For instance, it is perfectly natural to ask (i) without assuming that there is a unique letter that can be inserted in *fo_m* to make a word.

(i) Which letter can be inserted in *fo_m* to make a word?

Our account, when extended with a treatment of modality, could account for this and related facts. However, for reasons of space, we must leave such an extension for another occasion.

the input context that the actual world lies in one of the alternatives that the question introduces. This presupposition is trivially satisfied whenever the alternatives cover the entire logical space, but not when the alternatives cover only part of the logical space.

A question like (9), repeated in (11a), is then analyzed as in (11b):

- (11) a. Which^u girl danced?
 b. † ([u]; **atom**{u}; *girl*{u}; *danced*{u}; **max**{u}; ?u)

As we will see in detail in Section 3, a uniqueness presupposition is derived in this case from the interplay between **atom**{u}, **max**{u}, ?u, and †. A particularly important role is played by ?u. This operator removes any possibilities from the context where more than one girl dances.

For a multiple-wh question we get:

- (12) a. Which^{u₁} girl danced with which^{u₂} boy?
 b. † ([u₁]; **atom**{u₁}; *girl*{u₁}; [u₂]; **atom**{u₂}; *boy*{u₂};
danced_with{u₁, u₂}; **max**{u₁}; **max**{u₂}; ?u₁u₂)


A global uniqueness requirement is not derived here because, instead of ?u, the two-place witness request operator ?u₁u₂ is at play in this case. This does not remove possibilities from the input context where more than one girl or more than one boy danced, but only ones where there is no function mapping each girl to the unique boy she danced with. As a result, the account derives a ‘relativized’ uniqueness presupposition to the effect that no girl danced with more than one boy.

3 Implementation

We implement the above ideas in a dynamic type-theoretic framework. We assume four basic semantic types: *e* for atomic and plural entities (e.g., *a*, *a* ⊕ *b*), *s* for possible worlds, *t* for truth values, and *r* for discourse referents (cf. Muskens 1996; Brasoveanu 2008). We refer to functions from discourse referents to entities as *discourse referent assignment functions* or (dref) assignments for short. As a convention, we use the variable *g* for dref assignments. A set of dref assignments can be thought of as a dref assignment *matrix*, where each assignment function determines one row of the matrix (van den Berg 1996; Brasoveanu 2008). Such sets of dref assignments are represented by capital letters *G*, *G*′ and their type, ⟨*re*⟩*t*, is abbreviated as *m*.

As is standard in inquisitive semantics, we take a context to be a *downward closed set of information states*. Every information state consists of possibilities and each possibility is a pair ⟨*w*, *G*⟩, where *w* is a world and *G* a set of assignments mapping discourse referents to (atomic or plural) entities. For contexts, we use the variable *c*, for information states, we use the variable *s*.

We visualize contexts by means of diagrams such as the one on the right. Each row corresponds to an assignment set *G*, each column to a world *w*.⁸ Each black dot is a possibility ⟨*w*, *G*⟩, where *w* is determined by the column and *G* by the row. In most examples, we will assume that *G* consists of just one assignment, e.g., *u/a* in the top row represents the case in which *G* consists of a single assignment that assigns *a* to



⁸ We subscript *w* with letters representing entities. This should be read as ‘a world in which the subscripted entity has a property *P*’. In the following subsection, *P* is the property of smiling. In Section 3.3, *P* corresponds to whatever property is introduced in examples.

the dref u . If there are more assignments in G , we separate them by comma (see $u/a, u/b$ in the third row) or, when dealing with several discourse referents, we write the assignments in G underneath each other.

Each shaded area is a maximal information state in the context (also called an *alternative*). To keep the diagrams simple, we will often assume that the context involves just two atomic entities, a and b , and their sum $a \oplus b$.

If a context contains just one alternative, as in the diagram above, then there are no open issues. We say that the context is non-inquisitive in this case. On the other hand, if there are two or more alternatives, or no alternatives at all (which is only possible if there are infinitely many possibilities), the context contains unresolved issues and we say that it is inquisitive.

3.1 Context updates

Context update functions are functions from contexts to contexts. For our purposes, it suffices to define the following seven update functions: (i) basic updates conveying that certain drefs have certain properties, e.g., $smile\{u\}$, (ii) updates that introduce a new dref, e.g., $[u]$ (iii) updates that request a (functional) witness, e.g., $?u$ and $?u_1u_2$, (iv) updates that maximize the witness set of a dref: $\mathbf{max}\{u\}$, (v) updates that impose an atomicity requirement on the witnesses associated with a dref, e.g., $\mathbf{atom}\{u\}$, and finally (vi) updates involving the presuppositional closure operator \dagger .

Let us start with a simple predicational update function: $smile\{u\}$ takes an input context c and returns a new context, which is the set of information states s in c such that for every possibility $\langle w, G \rangle$ in s and every assignment g in G , it holds that $g(u)$ smiles in w . We assume, as is common, that atomic predicates like $smile$ are pluralized (Krifka 1989; Landman 2000; Kratzer 2008). This is signaled by the $*$ preceding the predicate. The definition of $*$ is given in (14) for a relation of an arbitrary arity n .


$$(13) \quad smile\{u\} := \lambda c_{\langle\langle s \times m \rangle t \rangle} \lambda s_{\langle\langle s \times m \rangle t \rangle} \cdot s \in c \wedge \forall \langle w, G \rangle \in s. \forall g \in G. *smile(w)(g(u))$$

$$(14) \quad \begin{array}{l} \text{a. } R \subseteq *R \\ \text{b. } \text{If } \langle \alpha_1, \dots, \alpha_n \rangle \in *R \text{ and } \langle \alpha'_1, \dots, \alpha'_n \rangle \in *R, \text{ then also } \langle \alpha_1 \oplus \alpha'_1, \dots, \alpha_n \oplus \alpha'_n \rangle \in *R. \\ \text{c. } \text{Nothing else is in } *R. \end{array}$$

The predicational update function $smile\{u\}$ can be generalized to the n -ary relational update function $R\{u_1, \dots, u_n\}$ in (15):

$$(15) \quad R\{u_1, \dots, u_n\} := \lambda c_{\langle\langle s \times m \rangle t \rangle} \lambda s_{\langle\langle s \times m \rangle t \rangle} \cdot s \in c \wedge \forall \langle w, G \rangle \in s. \forall g \in G. *R(w)(g(u_1)) \dots (g(u_n))$$

The effect of (13) is represented graphically in the diagram below. In the diagram, the context on the left is the input context, the one on the right the output context. The update, $smile\{u\}$, eliminates those possibilities in the input context in which at least one entity assigned to u does not smile.




The update function $[u]$ introduces a discourse referent u . Intuitively, $[u]$ updates a state in the input context by randomly assigning any possible values to u across the assignments of the possibilities in the state. The full formal definition is given in (16). It is a pointwise generalization of dref introduction in [Brasoveanu \(2008\)](#) to contexts in dynamic inquisitive semantics.

$$(16) \quad [u] := \lambda c_{\langle\langle s \times m \rangle t \rangle t} \lambda s_{\langle\langle s \times m \rangle t \rangle} . \exists s' \in c . \left(\begin{array}{l} \forall \langle w, G \rangle \in s . \exists \langle w, G' \rangle \in s' . (G'[u]G) \wedge \\ \forall \langle w, G' \rangle \in s' . \exists \langle w, G \rangle \in s . (G'[u]G) \end{array} \right)$$

$G'[u]G$, used in (16) for dref introduction, is defined in the same way as dref introduction in [Brasoveanu \(2008\)](#). The definition is given in (17), where $g'[u]g$ is true when g' only differs from g with respect to a , possibly newly introduced, discourse referent u (see [Muskins 1996](#) for details).

$$(17) \quad G'[u]G := \forall g \in G . \exists g' \in G' . g'[u]g \wedge \forall g' \in G' . \exists g \in G . g'[u]g$$

The effect of $[u]$ is illustrated in the diagram below. Notice that after the update u can carry any possible value in any column. If the context is further updated with $smile\{u\}$, only those possibilities are kept which are such that the entities assigned to u smile.




The next update function is the witness request operator $?u$, defined in (18). $?u$ selects those states s in the input context which contain enough information about the world to ensure the existence of a witness (atomic or plural entity) for u .

$$(18) \quad ?u := \lambda c_{\langle\langle s \times m \rangle t \rangle t} \lambda s_{\langle\langle s \times m \rangle t \rangle} . s \in c \wedge \exists x_e . \forall \langle w, G \rangle \in s . \exists \langle w, G' \rangle \in \cup c . \forall g' \in G' . g'(u) = x$$

A graphical illustration of the workings of $?u$ is given in the diagram below. Note that, in this example, $?u$ does not eliminate any possibilities. The output context contains the same information

as the input context, but the output context has turned inquisitive: two alternatives have been introduced. That is, $?u$ raises an issue, which could be paraphrased as ‘Which individual has the properties ascribed to u ? Is a such an individual (the alternative extending to the left), or is b such an individual (the alternative extending to the right)?’ This issue-raising update effect of $?u$ will play a crucial role in our account of wh-questions.




For multiple-wh questions, we need a more general witness request operator, $?u_1 \dots u_n$, whose update effect is defined in (19). This operator selects states in the input context which contain enough information about the world to ensure the existence of a *witness function*, mapping values of $u_1 \dots u_{n-1}$ to suitable values of u_n . Crucially, as readers can check, $?u$ is just a specific instance of $?u_1 \dots u_n$, where $n = 1$. Because of this, single-wh and multiple-wh questions can be dealt with in a uniform way on our account, as we will see in more detail in Section 3.3.

$$(19) \quad ?u_1 \dots u_{n-1} u_n := \lambda c_{\langle \langle s \times m \rangle t \rangle} \lambda s_{\langle \langle s \times m \rangle t \rangle} . s \in c \wedge \exists f_{(e^{n-1}, e)} . \forall \langle w, G \rangle \in s . \exists \langle w, G' \rangle \in \cup c . \forall g' \in G' . (g'(u_n) = f(g'(u_1), \dots, g'(u_{n-1})))$$

The next update function is $\mathbf{max}\{u\}$, which restricts the context to states consisting of possibilities in which the ‘cumulative value’ of u is maximal, compared to other possibilities with the same world parameter. The cumulative value of u in a possibility $\langle w, G \rangle$, notated as $\oplus G(u)$, is the sum of all individuals assigned to u across the assignments in G . A graphical illustration is given below the definition.


$$(20) \quad \mathbf{max}\{u\} := \lambda c_{\langle \langle s \times m \rangle t \rangle} \lambda s_{\langle \langle s \times m \rangle t \rangle} . s \in c \wedge \forall \langle w, G \rangle \in s . \forall \langle w, G' \rangle \in \cup c . \oplus G'(u) \subseteq \oplus G(u)$$



The basic max operator defined in (20) suffices to derive strong readings of donkey anaphora and mention-all readings of single-wh questions. However, for multiple-wh questions we need a somewhat more refined operator, defined in (21). This operator restricts a context c to states consisting of possibilities whose dref assignment functions collectively assign a maximal set of individuals to u , *independently of the values assigned to other drefs*. In (21), $G^{\vec{u} \setminus u_n \mapsto \vec{x}}(u_n)$ is the set of values assigned to u_n by assignments in G which pointwise assign the values \vec{x} to $\vec{u} \setminus u_n$, all drefs except u_n . If u_n is the only dref, then $\mathbf{max}^*\{u_n\}$ just amounts to $\mathbf{max}\{u_n\}$. But if there are other drefs around, the two may come apart.

$$(21) \quad \mathbf{max}^*\{u_n\} := \lambda c_{\langle\langle s \times m \rangle t \rangle} \lambda s_{\langle\langle s \times m \rangle t \rangle} \cdot s \in c \wedge \forall \langle w, G \rangle \in s. \forall \langle w, G' \rangle \in \bigcup c. \\ \forall \vec{x}. \oplus G^{\vec{u} \setminus u_n \mapsto \vec{x}}(u_n) \subseteq \oplus G'^{\vec{u} \setminus u_n \mapsto \vec{x}}(u_n)$$


The workings of \mathbf{max}^* are illustrated in the diagram below. Notice that there are two discourse referents in this example. \mathbf{max}^* applies to u_2 . The output context contains only those possibilities in which u_2 is maximal *for any value of u_1* . Concretely, the top possibility in the input context is eliminated because u_2 is not maximal for any value of u_1 compared to the two other possibilities.



Next, we define an update function requiring atomicity of the individuals assigned to u :

$$(22) \quad \mathbf{atom}\{u\} := \lambda c_{\langle\langle s \times m \rangle t \rangle} \lambda s_{\langle\langle s \times m \rangle t \rangle} \cdot s \in c \wedge \forall \langle w, G \rangle \in s. \forall g \in G. \neg \exists y (y < g(u))$$


The atomicity requirement $\mathbf{atom}\{u\}$ eliminates those possibilities in which the value of u is non-atomic, as illustrated in the following diagram.



The final operator to be defined is the presuppositional closure operator, \dagger . In the definition in (23), U is an arbitrary update function. The notion of *subsistence* that the definition refers to is specified in Appendix A.

$$(23) \quad \dagger U := \lambda c_{\langle\langle s \times m \rangle t \rangle t}. \begin{cases} U(c) & \text{if } \bigcup c \text{ subsists in } \bigcup U(c) \\ \text{undefined} & \text{otherwise} \end{cases}$$

The dagger operator ensures that all the worlds and dref value combinations considered possible in the input context are still considered possible in the output context, i.e., none of them are removed by the update function U . If this is not the case, the update $\dagger U$ is undefined. This means that $\dagger U$ can only raise issues and/or introduce discourse referents, it never adds any other information. The diagram below contains an output context (on the right) and two input contexts, c_1 and c_2 . Suppose U is an update function which, when applied to either of these input contexts, yields the output context on the right. Then, $\dagger U(c_1)$ is defined but $\dagger U(c_2)$ is undefined, because $w_{a,b}$ is considered possible in c_2 but not in the output context.



3.2 Syntax-semantics mapping in wh-questions

We are almost ready to see how wh-questions are interpreted on our account. First, however, we need to specify some basic assumptions about the syntax-semantics interface. For reasons of space, we only discuss the left periphery of clauses in some detail. For the rest, standard assumptions from compositional dynamic systems (e.g., [Muskens 1996](#)) are adopted.

We assume that there are two projections in the left periphery of wh-questions, a Type projection and a Foc projection (cf., [Rizzi 1997, 2001](#)):

$$(24) \quad \text{Left periphery of wh-questions: } [_{TypeP} [_{Type}] [_{FocP} [_{Foc}] [_{TP}]]]$$

The lower head, Foc, introduces a witness request operator over the drefs introduced by wh-phrases that stand in an Agreement relation with Foc. Furthermore, we assume that Foc requires maximality of all associated drefs except the last, u_n , which, as we will see, ensures that in multiple-wh questions, all associated wh-phrases except for one obtain a mention-all interpretation.

$$(25) \quad [[Foc_{u_1, \dots, u_n}]] := \lambda U_T. U; \mathbf{max}^* \{u_1\}; \dots; \mathbf{max}^* \{u_{n-1}\}; ?u_1 \dots u_n$$

where u_1, \dots, u_n are the drefs introduced by wh-phrases that Agree with Foc

The higher head, Type, adds the presuppositional closure operator, \dagger .

$$(26) \quad [[Type]] = \lambda U_T. \dagger U$$

Two other assumptions not tied to the left periphery should be mentioned. First, we assume that *which*-phrases always carry a maximality requirement. Due to this assumption, *which*-phrases always generate mention-all readings in our analysis here (though this would no longer be the case if modal operators were taken into consideration, see Section 2.2 above). Second, we assume that singular number marking (e.g., on singular *which*-phrases) induces an atomicity requirement.


This broad and unconstrained specification of the syntax-semantics interface is sufficient for our purposes here. Further details can be added to provide an account that also covers polar and alternative questions, but we will not pursue these extensions here.

3.3 Illustrations

Before illustrating the predictions of the account for single-wh and multiple-wh questions, we first briefly consider a simple declarative sentence with an indefinite referential expression.

(27) Someone smiles. $\rightsquigarrow [u]; smile\{u\}$


Let us assume for this and the following example that there are only two atomic individuals, a and b , and we start with a context in which no discourse referent is present yet and it is open who of a and b , if anyone, smiled. Then, (27) gives rise to the update displayed below.



A single-wh question on its weak reading is translated as in (28). The wh-word is interpreted just like an indefinite. The Foc head in the left periphery contributes the witness request operator $?u$, and the interrogative Type head contributes the \dagger operator.

(28) Who_{weak} smiles? $\rightsquigarrow \dagger([u]; smile\{u\}; ?u)$


Due to $?u$, the question raises an issue, as seen in the last step in the diagram below. Due to the \dagger operator, the input context for the question must exclude w_\emptyset , otherwise the update is undefined. Thus, due to \dagger , the question presupposes that someone smiles.



The strong reading of the same question is derived as in (29), where $\mathbf{max}^*\{u\}$ enters the

stage. $\mathbf{max}^*\{u\}$ removes possibilities whose assignments cumulatively assign a non-maximal plural individual to u compared to other possibilities with the same world-parameter (i.e., in the same column of the diagram). Unlike in the previous case, every information state in the output context now consists of possibilities which cumulatively assign the maximal plural individual to u that smiled according to the worlds in the information state. This generates a mention-all reading. For example, to resolve the question in (29), one has to specify the maximal plurality of individuals that smiled—just mentioning one of them is not sufficient.


(29) Who_{strong} smiles? $\rightsquigarrow \dagger([u]; \mathbf{smile}\{u\}; \mathbf{max}^*\{u\}; ?u)$



The last example of a single-wh question, given in (30), involves a singular *which*-phrase, which contributes both $\mathbf{max}^*\{u\}$ and $\mathbf{atom}\{u\}$.

(30) Which person smiles? $\rightsquigarrow \dagger([u]; \mathbf{atom}\{u\}; \mathbf{smile}\{u\}; \mathbf{max}^*\{u\}; ?u)$

The update effect of this question is broken up into three steps in the diagram below. First, $\mathbf{atom}\{u\}$ ensures that we do not have a plural entity (e.g., $a \oplus b$) as the argument of *smile*. Second, $\mathbf{max}^*\{u\}$ eliminates those possibilities that assign non-maximal plural individuals to u . Finally, $?u$ removes possibilities in which u is assigned a non-unique value. Since all the update functions are in the scope of \dagger , the analysis correctly derives that *which*-phrases trigger a uniqueness presupposition in single-wh questions. Such a uniqueness presupposition is correctly predicted not to be triggered by wh-phrases underspecified for number like *who*. On our account, a uniqueness presupposition comes about due to the interaction between \mathbf{atom} , \mathbf{max}^* , and $?u$ within the scope of \dagger .



We now turn to a multiple-wh questions with two singular *which*-phrases.

- (31) Which ^{u_1} student is talking to which ^{u_2} professor?
 $\rightsquigarrow \dagger ([u_1]; student\{u_1\}; [u_2]; professor\{u_2\}; \mathbf{atom}\{u_1\}; \mathbf{atom}\{u_2\};$
 $talk_to\{u_1, u_2\}; \mathbf{max}^*\{u_1\}; \mathbf{max}^*\{u_2\}; ?u_1u_2)$


The update effect of this question is illustrated in the diagram on the next page. The two *which*-phrases both introduce a discourse referent, u_1 and u_2 , respectively. The individuals assigned to these drefs by various dref assignment functions are specified on the left side. Sets of assignment functions G belonging to the same possibility are separated from other assignment functions by a horizontal line. Super- and subscripts on a given world specify the extension of the talking-to relation in that world, e.g., $w_{b \rightsquigarrow c}^{a \rightsquigarrow c}$ is a world in which a talks to c and b talks to c and no further talking takes place. For reasons of space we assume that the input context, given on top of the diagram, already contains some information as to who may be talking to whom: it is known that a is talking to c , to d , or to nobody, and that b is talking to c , to d , or to both. We furthermore assume that it is known that a and b are students and c and d are professors.

In the diagram, the update is broken down into two steps. The first step leads to a context containing a single alternative, consisting of all possibilities in which u_1 is a student, u_2 a professor, u_1 talks to u_2 and the values assigned to u_1 and u_2 are maximal. The fact that there is only one alternative at this stage means that the context is not yet inquisitive.

The second step is the update contributed by $?u_1u_2$. This operator raises the issue who talked to whom. Furthermore, $?u_1u_2$ eliminates the possibility in the rightmost column. Why is that? Notice that in this possibility, the student assigned to u_1 , b , is talking to several different professors. Thus, there is no functional dependency between the values assigned to u_1 and those assigned to u_2 in this possibility. Therefore, $?u_1u_2$ removes it. This means that we correctly derive a ‘relativized’ uniqueness presupposition and avoid the global uniqueness presupposition present in single-wh questions.⁹

⁹ The account correctly predicts that the ‘relativized’ uniqueness presupposition disappears in questions with number-neutral wh-phrases like *Who is talking to whom?*. For reasons of space, we cannot show this in detail but the derivation is similar to that for *Who smiles?*, in which no uniqueness presupposition arises either.

$[u_1]; student\{u_1\}; atom\{u_1\};$
 $[u_2]; professor\{u_2\}; atom\{u_2\};$
 $talk_to\{u_1, u_2\};$
 $max^*\{u_1\}; max^*\{u_2\}$



u_1	u_2	$w_{b \rightsquigarrow c}^{a \rightsquigarrow c}$	$w_{b \rightsquigarrow d}^{a \rightsquigarrow c}$	$w_{b \rightsquigarrow d}^{a \rightsquigarrow d}$	$w_{b \rightsquigarrow c}^{a \rightsquigarrow d}$	$w^{b \rightsquigarrow c}$	$w^{b \rightsquigarrow d}$	$w^{b \rightsquigarrow c}$
a	c	●	●	●	●	●	●	●
a	d	●	●	●	●	●	●	●
b	c	●	●	●	●	●	●	●
b	d	●	●	●	●	●	●	●
b	c	●	●	●	●	●	●	●
b	d	●	●	●	●	●	●	●
a	c	●	●	●	●	●	●	●
b	c	●	●	●	●	●	●	●
a	c	●	●	●	●	●	●	●
b	d	●	●	●	●	●	●	●
a	d	●	●	●	●	●	●	●
b	d	●	●	●	●	●	●	●
a	d	●	●	●	●	●	●	●
b	c	●	●	●	●	●	●	●


$?u_1 u_2$

u_1	u_2	$w_{b \rightsquigarrow c}^{a \rightsquigarrow c}$	$w_{b \rightsquigarrow d}^{a \rightsquigarrow c}$	$w_{b \rightsquigarrow d}^{a \rightsquigarrow d}$	$w_{b \rightsquigarrow c}^{a \rightsquigarrow d}$	$w^{b \rightsquigarrow c}$	$w^{b \rightsquigarrow d}$	$w^{b \rightsquigarrow c}$
a	c	●	●	●	●	●	●	●
a	d	●	●	●	●	●	●	●
b	c	●	●	●	●	●	●	●
b	d	●	●	●	●	●	●	●
b	c	●	●	●	●	●	●	●
b	d	●	●	●	●	●	●	●
a	c	●	●	●	●	●	●	●
b	c	●	●	●	●	●	●	●
a	c	●	●	●	●	●	●	●
b	d	●	●	●	●	●	●	●
a	d	●	●	●	●	●	●	●
b	d	●	●	●	●	●	●	●
a	d	●	●	●	●	●	●	●
b	c	●	●	●	●	●	●	●

We end with the derivation of the partial mention-some reading of the multiple-wh question in (32). In this example, *which herb* receives a strong interpretation and *where* a weak one. As noted above, our account makes it possible to derive this partial mention-some reading because mention-some is not seen as a property of questions as a whole, but rather of individual wh-phrases.

(32) Which herb grows where?

$$\rightsquigarrow \dagger ([u_1]; herb\{u_1\}; [u_2]; place\{u_2\}; \mathbf{atom}\{u_1\}; grow_at\{u_1, u_2\}; \mathbf{max}^*\{u_1\}; ?u_1u_2)$$



The diagram shows that the partial mention-some interpretation is correctly captured. That is, the derived interpretation is mention-all w.r.t. herbs (u_1) but mention-some w.r.t. locations (u_2). There are two alternatives in the output context: one specifies that herb a grows in location c and herb b grows in location d , while the other specifies that a grows in d and b grows in f . In both cases, all herbs are covered, but only one location is determined for each of them.

4 Conclusion and outlook

We presented an account of single-wh and multiple-wh questions that is uniform, generates mention-some and mention-all readings in a principled way, and captures effects of number marking. The analysis is couched in dynamic inquisitive semantics. A dynamic framework is useful here because the semantic values it assigns to sentences are more fine-grained than in static proposition-set theories (Hamblin/Karttunen semantics, partition semantics, and static inquisitive semantics). This higher level of fine-grainedness is particularly useful to deal with multiple-wh questions.

This paper is part of a larger effort to develop a dynamic inquisitive semantics framework and explore several of its potential benefits. Further support for a dynamic approach to questions comes from anaphora, intervention effects, and wh-conditionals (Groenendijk 1998; van Rooij 1998; Aloni & van Rooij 2002; Haida 2007; Dotlačil & Roelofsen 2019; Li 2019). The recent work of Xiang (2016, 2020a) is in the same spirit, in that it also develops a framework for question semantics which is more fine-grained than proposition-set theories. Her framework is not dynamic, however, but more in the structured meaning tradition (e.g., von Stechow 1991; Krifka 2001). A detailed

comparison between the two approaches must be left for another occasion, though see Appendix B for some brief remarks in this direction, focusing on multiple-wh questions.

Besides its theoretical contribution, the paper has also made two empirical contributions. First, we observed that multiple-wh questions can have mention-some readings (see also Xiang 2016) but only w.r.t. *one* of the wh-phrases. We called these *partial mention-some* readings. Such readings are problematic for many previous accounts of multiple-wh questions. Second, we argued that, while domain exhaustivity is not required in multiple-wh questions (Xiang 2016), *domain maximality* is. This, too, is a challenge for many previous accounts.

A Formal definitions of extension and subsistence

Definition 1 (Extending dref assignment functions and matrices).

A dref assignment function g' is an extension of another dref assignment function g if and only if $g' \supseteq g$. Note that for this to hold it is necessary (but not sufficient) that the domain of g' contains the domain of g . A dref assignment matrix G' is an extension of another dref assignment matrix G if and only if every $g' \in G'$ is an extension of some $g \in G$ and every $g \in G$ is extended by some $g' \in G'$. In this case we write $G' \geq G$.

Definition 2 (Extending possibilities and information states).

A possibility $\langle w', G' \rangle$ is an extension of another possibility $\langle w, G \rangle$ if and only if $w' = w$ and $G' \geq G$. In this case we write $\langle w', G' \rangle \geq \langle w, G \rangle$. An information state s' is an extension of another information state s if and only if every possibility in s' is an extension of some possibility in s . In this case we write $s' \geq s$.

Definition 3 (Subsistence of one information state in another).

If s, s' are information states such that $s' \geq s$, then we say that s *subsists* in s' if and only if every possibility in s has an extension in s' .



B Brief comparison with Xiang (2016, 2019, 2020b)

We cannot pursue a comprehensive comparison here between our proposal and that of Xiang (2016, 2019, 2020b), but we will say a bit more as to why we do not take the latter to provide a uniform account of single-wh and multiple-wh questions. What we mean by this is that the account invokes LF ingredients in the analysis of multiple-wh questions with pair-list readings which are not present in the analysis of single-wh questions. For illustration, consider the following two examples:

(33) Which boy came?

(34) Which boy watched which movie?

The LF that Xiang assumes for (33) is given in (35) and the LF she assumes for (34) under a pair-list reading is given in (36).



The multiple-wh LF in (36) includes various elements that are not present in the single-wh LF in (35): the \cap operator, the ID operator, the node that introduces a free propositional variable p and the one that lambda-abstracts over this variable. There are two further differences between the two LFs as well. First, in (35), the type-shifting operator $B_{@DOM}$ applies to the translation of the wh-phrase *which boy*, while in (36) this only happens with one of the wh-phrases, *which movie*, but not with the other, *which boy*. Second, in (35) the trace of the wh-phrase *which boy* is treated as a variable of type e . In (36) this also holds for the trace of *which boy*. However, the trace of *which movie* is treated as a variable of type (e, e) . Finally, note that the denotations derived in (35) and (36) differ in semantic type. To derive resolution conditions from these denotations, a polymorphic answer set operator is needed.

On our account all wh-phrases are treated equally, no matter whether they appear in single-wh or in multiple-wh questions, as introducing discourse referents that are bound by a witness request operator. The LFs of single-wh and multiple-wh questions involve exactly the same two left periphery heads, one contributing a witness request operator and the other contributing a presuppositional closure operator. No additional LF operations need to be invoked.

References

- Aloni, Maria & Robert van Rooij. 2002. The dynamics of questions and focus. In Brendan Jackson (ed.), *Proceedings of salt 12*, Cornell University, CLC Publications.
- Beck, Sigrid & Hotze Rullmann. 1999. A flexible approach to exhaustivity in questions. *Natural Language Semantics* 7(3). 249–298.
- van den Berg, Martin. 1996. *Some aspects of the internal structure of discourse: the dynamics of nominal anaphora*. Amsterdam: University of Amsterdam PhD dissertation.
- Brasoveanu, Adrian. 2008. Donkey pluralities: plural information states versus non-atomic individuals. *Linguistics and Philosophy* 31(2). 129–209.
- Champollion, Lucas, Dylan Bumford & Robert Henderson. 2019. Donkeys under discussion. *Semantics and Pragmatics* 12. 1.
- Champollion, Lucas, Ivano Ciardelli & Floris Roelofsen. 2015. Some questions in typed inquisitive semantics. Talk at workshop on Questions in Logic and Semantics, Amsterdam.
- Ciardelli, Ivano, Jeroen Groenendijk & Floris Roelofsen. 2018. *Inquisitive semantics*. Oxford University Press.
- Dayal, Veneeta. 1996. *Locality in Wh-quantification: Questions and Relative Clauses in Hindi*. Kluwer Academic Publishers. doi:10.1007/978-94-011-4808-5.
- Dayal, Veneeta. 2016. *Questions*. Oxford University Press.
- Dotlačil, Jakub & Floris Roelofsen. 2019. Dynamic inquisitive semantics: Anaphora and questions. In *Proceedings of sinn und bedeutung 23*, 365–382.
- Fox, Danny. 2012. Multiple wh-questions: uniqueness, pair-list and second order questions. Course notes, MIT.
- Fox, Danny. 2013. Mention-some readings of questions. Course notes, MIT.
- George, B.R. 2011. *Question embedding and the semantics of answers*: University of California, Los Angeles PhD dissertation.
- Groenendijk, Jeroen. 1998. Questions in update semantics. In Joris Hulstijn & Anton Nijholt (eds.), *Formal semantics and pragmatics of dialogue (Twendial '98)*, 125–137.
- Groenendijk, Jeroen & Martin Stokhof. 1984. *Studies on the semantics of questions and the pragmatics of answers*: University of Amsterdam PhD dissertation.
- Groenendijk, Jeroen, Martin Stokhof & Frank Veltman. 1996. Coreference and modality. In Shalom Lappin (ed.), *Handbook of contemporary semantic theory*, 179–216. Oxford: Blackwell.
- Haida, Andreas. 2007. *The indefiniteness and focusing of wh-words*. Berlin: Humboldt University PhD dissertation.
- Hirsch, Aron & Bernhard Schwarz. 2019. Singular which, mention-some, and variable scope uniqueness. In *Semantics and linguistic theory*, vol. 29, 748–767.
- Kratzer, Angelika. 2008. On the plurality of verbs. In Johannes Dölling, Tatjana Heyde-Zybatow & Martin Schäfer (eds.), *Event structures in linguistic form and interpretation*, 269–300. Berlin/New York: Mouton de Gruyter.
- Krifka, Manfred. 1989. Nominal reference, temporal constitution, and quantification in event semantics. In Renate Bartsch, Johan van Bentham & Peter van Emde Boas (eds.), *Semantics and contextual expressions*, Dordrecht: Foris.
- Krifka, Manfred. 2001. For a structured meaning account of questions and answers. *Audiatur Vox Sapientia. A Festschrift for Arnim von Stechow* 287–319.
- Landman, Fred. 2000. *Events and Plurality: The Jerusalem Lectures*. Dordrecht: Kluwer.

- Li, Haoze. 2019. Deriving short answers from Hamblin sets: A case study of Mandarin wh-conditionals. In *Semantics and linguistic theory*, vol. 29, 138–159.
- Muskens, Reinhard. 1996. Combining Montague semantics and discourse representation. *Linguistics and Philosophy* 19(2). 143–186.
- Rizzi, Luigi. 1997. The fine structure of the left periphery. In L. Haegeman (ed.), *Elements of grammar*, 281–337. Dordrecht: Kluwer.
- Rizzi, Luigi. 2001. On the position int(errogative) in the left periphery of the clause. In *Current studies in Italian syntax: Essays offered to Lorenzo Renzi*, 287–296.
- Roelofsen, Floris. 2015. The semantics of declarative and interrogative lists. Manuscript, ILLC, University of Amsterdam.
- van Rooij, Robert. 1998. Modal subordination in questions. In *Proceedings of twendial*, 237–248.
- von Stechow, Arnim. 1991. Focusing and backgrounding operators. In Werner Abraham (ed.), *Discourse particles*, 37–84. Amsterdam: John Benjamins.
- Theiler, Nadine. 2014. A multitude of answers: Embedded questions in typed inquisitive semantics. University of Amsterdam, MSc thesis.
- Xiang, Yimei. 2016. *Interpreting questions with non-exhaustive answers*: Harvard University PhD dissertation.
- Xiang, Yimei. 2019. Getting quantifying-into questions uniformly: Functionality, domain exhaustivity, and quantificational variability. In *Semantics and linguistic theory*, vol. 29, 160–179.
- Xiang, Yimei. 2020a. A hybrid categorial approach to question composition. *Linguistics and Philosophy*.
- Xiang, Yimei. 2020b. Quantifying into wh-dependencies: Composing multi-wh questions and questions with quantifiers. Manuscript, Rutgers University, March 2020.
- Zhao, Zhuoye. 2019. Varieties of distributivity: From Mandarin *dou* to plurality, free choice and scalarity. MSc Thesis, University of Amsterdam.

Jakub Dotlačil
Trans 10
3512JK Utrecht
Netherlands
j.dotlacil@gmail.com

Floris Roelofsen
ILLC, University of Amsterdam
Postbus 94242
1090 GE Amsterdam
Netherlands
f.roelofsen@uva.nl