

## UvA-DARE (Digital Academic Repository)

### Photonic control over light absorption and emission in photovoltaics

Veeken, T.P.N.

**Publication date**  
2022

[Link to publication](#)

**Citation for published version (APA):**

Veeken, T. P. N. (2022). *Photonic control over light absorption and emission in photovoltaics*. [Thesis, fully internal, Universiteit van Amsterdam].

**General rights**

It is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), other than for strictly personal, individual use, unless the work is under an open content license (like Creative Commons).

**Disclaimer/Complaints regulations**

If you believe that digital publication of certain material infringes any of your rights or (privacy) interests, please let the Library know, stating your reasons. In case of a legitimate complaint, the Library will make the material inaccessible and/or remove it from the website. Please Ask the Library: <https://uba.uva.nl/en/contact>, or a letter to: Library of the University of Amsterdam, Secretariat, Singel 425, 1012 WP Amsterdam, The Netherlands. You will be contacted as soon as possible.

# Bibliography

- [1] J. Hecht, *City of Light: The Story of Fiber Optics*, revised ed. (Oxford University Press, 2004).
- [2] D. Bardell, *The Biologists' Forum: The invention of the microscope*, BIOS **75**, 78 (2004).
- [3] R. Feynman, R. Leighton, and M. Sands, *The Feynman Lectures on Physics, Vol. 1*, 50th ed. (Basic Books, 2011).
- [4] United Nations, *Policy Briefs in Support of the High-Level Political Forum Leveraging Energy Action for Advancing the Sustainable Development Goals*, (2021).
- [5] IEA, *Key World Energy Statistics*, Tech. Rep. (2021).
- [6] S. Chu, Y. Cui, and N. Liu, *The path towards sustainable energy*, Nature Materials **16**, 16 (2016).
- [7] B. Obama, *The irreversible momentum of clean energy*, Science **355**, 126 (2017).
- [8] J. Nelson, *The Physics of Solar Cells*, 1st ed. (World Scientific Publishing Co., 2003).
- [9] U. Wurfel, A. Cuevas, and P. Wurfel, *Charge carrier separation in solar cells*, IEEE Journal of Photovoltaics **5**, 461 (2015).
- [10] D. Goldsmith and T. Owen, *The Search For Life In The Universe*, 3rd ed. (University Science Books, 2001).
- [11] Subcommittee 09, *Standard Tables for Reference Solar Spectral Irradiances: Direct Normal and Hemispherical on 37° Tilted Surface*, in *Book of Standards Volume 14.04* (ASTM International, 2020).
- [12] W. Shockley and H. J. Queisser, *Detailed Balance Limit of Efficiency of p-n Junction Solar Cells*, Journal of Applied Physics **32**, 510 (1961).
- [13] A. Polman, M. Knight, E. C. Garnett, B. Ehrler, and W. C. Sinke, *Photovoltaic materials: Present efficiencies and future challenges*, Science **352**, 307 (2016).
- [14] U.S. Energy Information Administration, *Average Operating Heat Rate for Selected Energy Sources*, (2021).
- [15] W. C. Sinke, *Development of photovoltaic technologies for global impact*, Renewable Energy **138**, 911 (2019).
- [16] M. Yamaguchi, K.-H. Lee, P. Schygulla, F. Dimroth, T. Takamoto, R. Ozaki, K. Nakamura, N. Kojima, and Y. Ohshita, *Approaches for High-Efficiency III-V/Si Tandem Solar Cells*, Energy and Power Engineering **13**, 413 (2021).
- [17] E. C. Warmann, P. Espinet-Gonzalez, N. Vaidya, S. Loke, A. Naqavi, T. Vinogradova, M. Kelzenberg, C. Leclerc, E. Gdoutos, S. Pellegrino, and H. A. Atwater, *An ultralight concentrator photovoltaic system for space solar power harvesting*, Acta Astronautica **170**, 443 (2020).

## Bibliography

---

- [18] ITRPV, *International technology roadmap for photovoltaic*, Tech. Rep. (2020).
- [19] J. S. Van Der Burgt and E. C. Garnett, *Nanophotonic Emission Control for Improved Photovoltaic Efficiency*, ACS Photonics **7**, 1589 (2020).
- [20] B. Ehrler, E. Alarcón-Lladó, S. W. Tabernig, T. Veeken, E. C. Garnett, and A. Polman, *Photovoltaics Reaching for the Shockley–Queisser Limit*, ACS Energy Letters **5**, 3029 (2020).
- [21] J. Perlin, *Let it shine* (New World Library, 2013).
- [22] M. A. Green, Y. Hishikawa, W. Warta, E. D. Dunlop, D. H. Levi, J. Hohl-Ebinger, and A. W. Ho-Baillie, *Solar cell efficiency tables (version 50)*, Progress in Photovoltaics: Research and Applications **25**, 668 (2017).
- [23] M. F. Ashby, P. J. Ferreira, and D. L. Schodek, *An Evolutionary Perspective*, in *Nanomaterials, Nanotechnologies and Design* (Elsevier, 2009) pp. 17–39.
- [24] A. Cordaro, J. Van De Groep, S. Raza, E. F. Pecora, F. Priolo, and M. L. Brongersma, *Antireflection High-Index Metasurfaces Combining Mie and Fabry-Pérot Resonances*, ACS Photonics **6**, 453 (2019).
- [25] G. Mie, *Beiträge zur Optik trüber Medien, speziell kolloidaler Metallösungen*, Annalen der Physik **330**, 377 (1908).
- [26] P. Spinelli, M. A. Verschuuren, and A. Polman, *Broadband omnidirectional antireflection coating based on subwavelength surface Mie resonators*, Nature Communications **3**, 692 (2012).
- [27] H. A. Atwater and A. Polman, *Plasmonics for improved photovoltaic devices*, Nature Materials **9**, 205 (2010).
- [28] M. A. van de Haar, R. Maas, B. Brenny, and A. Polman, *Surface plasmon polariton modes in coaxial metal-dielectric-metal waveguides*, New Journal of Physics **18**, 043016 (2016).
- [29] A. Polman and H. A. Atwater, *Photonic design principles for ultrahigh-efficiency photovoltaics*, Nature Materials **11**, 174 (2012).
- [30] A. I. Kuznetsov, A. E. Miroshnichenko, M. L. Brongersma, Y. S. Kivshar, and B. Luk'yanchuk, *Optically resonant dielectric nanostructures*, Science **354**, 846 (2016).
- [31] M. C. Van Lare and A. Polman, *Optimized Scattering Power Spectral Density of Photovoltaic Light-Trapping Patterns*, ACS Photonics **2**, 822 (2015).
- [32] E. C. Garnett, B. Ehrler, A. Polman, and E. Alarcon-Llado, *Photonics for Photovoltaics: Advances and Opportunities*, ACS Photonics **8**, 61 (2021).
- [33] IEA, *World Energy Outlook 2021*, (2021).
- [34] M. Kryszak and L. W. Wang, *The value of aesthetics in the BIPV roof products segment: a multiperspective study under European market conditions*, Energy Sources, Part A: Recovery, Utilization, and Environmental Effects (2020), 10.1080/15567036.2020.1807656.

- [35] T. E. Kuhn, C. Erban, M. Heinrich, J. Eisenlohr, F. Ensslen, and D. H. Neuhaus, *Review of technological design options for building integrated photovoltaics (BIPV)*, Energy and Buildings **231**, 110381 (2021).
- [36] V. Neder, S. L. Luxembourg, and A. Polman, *Efficient colored silicon solar modules using integrated resonant dielectric nanoscatterers*, Applied Physics Letters **111**, 073902 (2017).
- [37] B. Blasi, T. Kroyer, T. Kuhn, and O. Hohn, *The MorphoColor Concept for Colored Photovoltaic Modules*, IEEE Journal of Photovoltaics **11**, 1305 (2021).
- [38] G. Lozano, S. R. Rodriguez, M. A. Verschuuren, and J. Gómez Rivas, *Metallic nanostructures for efficient LED lighting*, Light: Science & Applications **5**, e16080 (2016).
- [39] E. Khaidarov, Z. Liu, R. Paniagua-Domínguez, S. T. Ha, V. Valuckas, X. Liang, Y. Akimov, P. Bai, C. E. Png, H. V. Demir, and A. I. Kuznetsov, *Control of LED Emission with Functional Dielectric Metasurfaces*, Laser and Photonics Reviews **14**, 1 (2020).
- [40] G. Lozano, D. J. Louwers, S. R. Rodríguez, S. Murai, O. T. Jansen, M. A. Verschuuren, and J. Gómez Rivas, *Plasmonics for solid-state lighting: enhanced excitation and directional emission of highly efficient light sources*, Light: Science & Applications **2**, e66 (2013).
- [41] F. Prins, D. K. Kim, J. Cui, E. De Leo, L. L. Spiegel, K. M. McPeak, and D. J. Norris, *Direct Patterning of Colloidal Quantum-Dot Thin Films for Enhanced and Spectrally Selective Out-Coupling of Emission*, Nano Letters **17**, 1319 (2017).
- [42] N. D. Bronstein, Y. Yao, L. Xu, E. O'Brien, A. S. Powers, V. E. Ferry, A. P. Alivisatos, and R. G. Nuzzo, *Quantum Dot Luminescent Concentrator Cavity Exhibiting 30-fold Concentration*, ACS Photonics **2**, 1576 (2015).
- [43] N. D. Bronstein, L. Li, L. Xu, Y. Yao, V. E. Ferry, A. P. Alivisatos, and R. G. Nuzzo, *Luminescent solar concentration with semiconductor nanorods and transfer-printed micro-silicon solar cells*, ACS Nano **8**, 44 (2014).
- [44] N. J. Thompson, M. W. B. Wilson, D. N. Congreve, P. R. Brown, J. M. Scherer, T. Bischof, M. Wu, N. Geva, M. Welborn, T. V. Voorhis, V. Bulović, M. G. Bawendi, and M. Baldo, *Energy harvesting of non-emissive triplet excitons in tetracene by emissive PbS nanocrystals*, Nature Materials **13**, 1039 (2014).
- [45] C. Ye, S. Chen, J. Liao, Y. S. Zhang, X. Wang, and Y. Song, *Efficiently Enhanced Triplet-Triplet Annihilation Upconversion Boosted by Multibandgaps Photonic Crystals*, The Journal of Physical Chemistry C **124**, 18482 (2020).
- [46] N. V. Hoang, A. Pereira, H. S. Nguyen, E. Drouard, B. Moine, T. Deschamps, R. Orobctchouk, A. Pillonnet, and C. Seassal, *Giant Enhancement of Luminescence Down-Shifting by a Doubly Resonant Rare-Earth-Doped Photonic Metastructure*, ACS Photonics **4**, 1705 (2017), arXiv:1303.4151 .
- [47] N. J. Davis, J. R. Allardice, J. Xiao, A. J. Petty, N. C. Greenham, J. E. Anthony, and A. Rao, *Singlet Fission and Triplet Transfer to PbS Quantum Dots in TIPS-Tetracene Carboxylic Acid Ligands*, Journal of Physical Chemistry Letters **9**, 1454 (2018).

## Bibliography

---

- [48] H. Mertens, J. S. Biteen, H. A. Atwater, and A. Polman, *Polarization-Selective Plasmon-Enhanced Silicon Quantum-Dot Luminescence*, Nano Letters **6**, 2622 (2006).
- [49] H. Mertens and A. Polman, *Plasmon-enhanced erbium luminescence*, Applied Physics Letters **89**, 1 (2006).
- [50] A. G. Curto, G. Volpe, T. H. Taminiau, M. P. Kreuzer, R. Quidant, and N. F. van Hulst, *Unidirectional Emission of a Quantum Dot Coupled to a Nanoantenna*, Science **329**, 930 (2010).
- [51] T. Kosako, Y. Kadoya, and H. F. Hofmann, *Directional control of light by a nano-optical Yagi-Uda antenna*, Nature Photonics **4**, 312 (2010).
- [52] T. Coenen, F. Bernal Arango, A. Femius Koenderink, and A. Polman, *Directional emission from a single plasmonic scatterer*, Nature Communications **5**, 1 (2014).
- [53] T. Shegai, S. Chen, V. D. Miljković, G. Zengin, P. Johansson, and M. Käll, *A bimetallic nanoantenna for directional colour routing*, Nature Communications **2**, 481 (2011).
- [54] J. van de Groep and A. Polman, *Designing dielectric resonators on substrates: Combining magnetic and electric resonances*, Optics Express **21**, 26285 (2013).
- [55] I. Staude, A. E. Miroshnichenko, M. Decker, N. T. Fofang, S. Liu, E. Gonzales, J. Dominguez, T. S. Luk, D. N. Neshev, I. Brener, and Y. Kivshar, *Tailoring directional scattering through magnetic and electric resonances in subwavelength silicon nanodisks*, ACS Nano **7**, 7824 (2013).
- [56] Y. H. Fu, A. I. Kuznetsov, A. E. Miroshnichenko, Y. F. Yu, and B. Luk'yanchuk, *Directional visible light scattering by silicon nanoparticles*, Nature Communications **4**, 1527 (2013).
- [57] Y. Yang, A. E. Miroshnichenko, S. V. Kostinski, M. Odit, P. Kapitanova, M. Qiu, and Y. S. Kivshar, *Multimode directionality in all-dielectric metasurfaces*, Physical Review B **95**, 165426 (2017).
- [58] A. Capretti, A. Lesage, and T. Gregorkiewicz, *Integrating Quantum Dots and Dielectric Mie Resonators: A Hierarchical Metamaterial Inheriting the Best of Both*, ACS Photonics **4**, 2187 (2017).
- [59] A. F. Cihan, A. G. Curto, S. Raza, P. G. Kik, and M. L. Brongersma, *Silicon Mie resonators for highly directional light emission from monolayer MoS<sub>2</sub>*, Nature Photonics **12**, 284 (2018).
- [60] I. Staude, V. V. Khardikov, N. T. Fofang, S. Liu, M. Decker, D. N. Neshev, T. S. Luk, I. Brener, and Y. S. Kivshar, *Shaping Photoluminescence Spectra with Magnetolectric Resonances in All-Dielectric Nanoparticles*, ACS Photonics **2**, 172 (2015).
- [61] A. Vaskin, S. Liu, S. Addamane, P. P. Vabishchevich, Y. Yang, G. Balarishnan, M. B. Sinclair, T. Pertsch, I. Brener, and I. Staude, *Manipulation of quantum dot emission with semiconductor metasurfaces exhibiting magnetic quadrupole resonances*, Optics Express **29**, 5567 (2021).
- [62] S. Murai, G. W. Castellanos, T. V. Raziman, A. G. Curto, and J. G. Rivas, *Enhanced Light Emission by Magnetic and Electric Resonances in Dielectric Metasurfaces*, Advanced Optical Materials **8**, 1902024 (2020).

- [63] H. Agrawal and E. C. Garnett, *Nanocube Imprint Lithography*, ACS Nano **14**, 11009 (2020).
- [64] A. Gopal, K. Hoshino, and X. Zhang, *Nano-stamping of quantum dot based inorganic light emitting devices*, in *2009 IEEE/LEOS International Conference on Optical MEMS and Nanophotonics*, Figure 4 (IEEE, 2009) pp. 85–86.
- [65] M. K. Choi, J. Yang, K. Kang, D. C. Kim, C. Choi, C. Park, S. J. Kim, S. I. Chae, T. H. Kim, J. H. Kim, T. Hyeon, and D. H. Kim, *Wearable red-green-blue quantum dot light-emitting diode array using high-resolution intaglio transfer printing*, Nature Communications **6**, 1 (2015).
- [66] T. H. Kim, K. S. Cho, E. K. Lee, S. J. Lee, J. Chae, J. W. Kim, D. H. Kim, J. Y. Kwon, G. Amaralunga, S. Y. Lee, B. L. Choi, Y. Kuk, J. M. Kim, and K. Kim, *Full-colour quantum dot displays fabricated by transfer printing*, Nature Photonics **5**, 176 (2011).
- [67] S. Oh, S. K. Park, J. H. Kim, I. Cho, H. J. Kim, and S. Y. Park, *Patterned Taping: A High-Efficiency Soft Lithographic Method for Universal Thin Film Patterning*, ACS Nano **10**, 3478 (2016).
- [68] L. Novotny and B. Hecht, *Principles of Nano-Optics*, 2nd ed. (Cambridge University Press, Cambridge, 2012).
- [69] E. Snoeks, A. Lagendijk, and A. Polman, *Measuring and Modifying the Spontaneous Emission Rate of Erbium near an Interface*, Physical Review Letters **74**, 2459 (1995).
- [70] K. Drexhage, *Influence of a dielectric interface on fluorescence decay time*, Journal of Luminescence **1-2**, 693 (1970).
- [71] A. B. Evlyukhin, T. Fischer, C. Reinhardt, and B. N. Chichkov, *Optical theorem and multipole scattering of light by arbitrarily shaped nanoparticles*, Physical Review B **94**, 1 (2016).
- [72] ANSYS Lumerical, *FDTD Solutions*, (2022).
- [73] J. Yang, J. P. Hugonin, and P. Lalanne, *Near-to-Far Field Transformations for Radiative and Guided Waves*, ACS Photonics **3**, 395 (2016).
- [74] E. D. Palik, *Handbook of Optical Constants of Solids*, 1st ed., Vol. 1 (Academic Press, 1997).
- [75] G. J. Brakenhoff, K. Visscher, and H. T. M. van der Voort, *Size and Shape of The Confocal Spot: Control and Relation to 3D Imaging and Image Processing*, in *Handbook of Biological Confocal Microscopy* (Springer US, Boston, MA, 1990) pp. 87–91.
- [76] Wolfram, *Mathematica*, (2020).
- [77] BP, *BP Statistical Review of World Energy*, Tech. Rep. (2019).
- [78] Enerdata, *Global Energy Statistical Yearbook*, (2019).
- [79] M. Meir, *IEA EBC Annex 58*, Tech. Rep. (IEA Solar Heating and Cooling Programme, 2019).

## Bibliography

---

- [80] R. J. Yang and P. X. Zou, *Building integrated photovoltaics (BIPV): costs, benefits, risks, barriers and improvement strategy*, International Journal of Construction Management **16**, 39 (2016).
- [81] R. R. Lunt and V. Bulovic, *Transparent, near-infrared organic photovoltaic solar cells for window and energy-scavenging applications*, Applied Physics Letters **98**, 113305 (2011).
- [82] C. J. Traverse, R. Pandey, M. C. Barr, and R. R. Lunt, *Emergence of highly transparent photovoltaics for distributed applications*, Nature Energy **2**, 849 (2017).
- [83] A. A. Husain, W. Z. W. Hasan, S. Shafie, M. N. Hamidon, and S. S. Pandey, *A review of transparent solar photovoltaic technologies*, Renewable and Sustainable Energy Reviews **94**, 779 (2018).
- [84] C. Lamnatou and D. Chemisana, *Solar radiation manipulations and their role in greenhouse claddings: Fluorescent solar concentrators, photoselective and other materials*, Renewable and Sustainable Energy Reviews **27**, 175 (2013).
- [85] W. H. Weber and J. Lambe, *Luminescent greenhouse collector for solar radiation*, Applied Optics **15**, 2299 (1976).
- [86] C. Corrado, S. W. Leow, M. Osborn, I. Carbone, K. Hellier, M. Short, G. Alers, and S. A. Carter, *Power generation study of luminescent solar concentrator greenhouse*, Journal of Renewable and Sustainable Energy **8**, 043502 (2016).
- [87] M. E. Loik, S. A. Carter, G. Alers, C. E. Wade, D. Shugar, C. Corrado, D. Jokerst, and C. Kitayama, *Wavelength-Selective Solar Photovoltaic Systems: Powering Greenhouses for Plant Growth at the Food-Energy-Water Nexus*, Earth's Future **5**, 1044 (2017).
- [88] E. Cuce, D. Harjunowibowo, and P. M. Cuce, *Renewable and sustainable energy saving strategies for greenhouse systems: A comprehensive review*, Renewable and Sustainable Energy Reviews **64**, 34 (2016).
- [89] R. Fu, D. Feldman, R. Margolis, M. Woodhouse, K. Ardani, R. Fu, D. Feldman, R. Margolis, M. Woodhouse, and K. Ardani, *NREL Technical Report*, Tech. Rep. (National Renewable Energy Laboratory, 2018).
- [90] W. Shurcliff and C. R. Jones, *The Trapping of Fluorescent Light Produced within Objects of High Geometrical Symmetry*, Journal of the Optical Society of America **39**, 912 (1949).
- [91] E. Yablonovitch, *Thermodynamics of the fluorescent planar concentrator*, Journal of the Optical Society of America **70**, 1362 (1980).
- [92] A. Rabl, *Comparison of solar concentrators*, Solar Energy **18**, 93 (1976).
- [93] M. G. Debije and V. A. Rajkumar, *Direct versus indirect illumination of a prototype luminescent solar concentrator*, Solar Energy **122**, 334 (2015).
- [94] Y. Li, Y. Sun, and Y. Zhang, *Luminescent solar concentrators performing under different light conditions*, Solar Energy **188**, 1248 (2019).
- [95] V. A. Rajkumar, C. Weijers, and M. G. Debije, *Distribution of absorbed heat in luminescent solar concentrator lightguides and effect on temperatures of mounted photovoltaic cells*, Renewable Energy **80**, 308 (2015).

- [96] A. Reinders, R. Kishore, L. Slooff, and W. Eggink, *Luminescent solar concentrator photovoltaic designs*, (2018).
- [97] P. Moraitis, G. van Leeuwen, and W. van Sark, *Visual appearance of nanocrystal-based luminescent solar concentrators*, Materials **16** (2019), 10.3390/ma12060885.
- [98] F. Meinardi, F. Bruni, and S. Brovelli, *Luminescent solar concentrators for building-integrated photovoltaics*, Nature Reviews Materials **2**, 1 (2017).
- [99] A. Reinders, M. G. Debije, and A. Rosemann, *Measured Efficiency of a Luminescent Solar Concentrator PV Module Called Leaf Roof*, IEEE Journal of Photovoltaics **7**, 1663 (2017).
- [100] J. A. H. P. Sol, G. H. Timmermans, A. J. van Breugel, A. P. H. J. Schenning, and M. G. Debije, *Multistate Luminescent Solar Concentrator “Smart” Windows*, Advanced Energy Materials **8**, 1702922 (2018).
- [101] K. Wu, H. Li, and V. I. Klimov, *Tandem luminescent solar concentrators based on engineered quantum dots*, Nature Photonics **12**, 105 (2018).
- [102] D. R. Needell, O. Ilic, C. R. Bukowsky, Z. Nett, L. Xu, J. He, H. Bauser, B. G. Lee, J. F. Geisz, R. G. Nuzzo, A. P. Alivisatos, and H. A. Atwater, *Design Criteria for Micro-Optical Tandem Luminescent Solar Concentrators*, IEEE Journal of Photovoltaics **8**, 1560 (2018).
- [103] D. R. Needell, Z. Nett, O. Ilic, C. R. Bukowsky, J. He, L. Xu, R. G. Nuzzo, B. G. Lee, J. F. Geisz, A. P. Alivisatos, and H. A. Atwater, *Micro-optical Tandem Luminescent Solar Concentrator*, in *2017 IEEE 44th Photovoltaic Specialist Conference (PVSC)* (IEEE, 2017) pp. 1737–1740.
- [104] D. R. Needell, C. R. Bukowsky, S. Darbe, H. Bauser, O. Ilic, and H. A. Atwater, *Spectrally Matched Quantum Dot Photoluminescence in GaAs-Si Tandem Luminescent Solar Concentrators*, IEEE Journal of Photovoltaics **9**, 1 (2019).
- [105] M. M. Lunardi, D. R. Needell, H. Bauser, M. Phelan, H. A. Atwater, and R. Corkish, *Life Cycle Assessment of tandem LSC-Si devices*, Energy **181**, 1 (2019).
- [106] M. G. Debije and P. P. C. Verbunt, *Thirty Years of Luminescent Solar Concentrator Research: Solar Energy for the Built Environment*, Advanced Energy Materials **2**, 12 (2012).
- [107] A. Goetzberger and W. Greube, *Solar energy conversion with fluorescent collectors*, Applied Physics **14**, 123 (1977).
- [108] C. Tummeltshammer, A. Taylor, A. Kenyon, and I. Papakonstantinou, *Losses in luminescent solar concentrators unveiled*, Solar Energy Materials and Solar Cells **144**, 40 (2016).
- [109] A. R. Burgers, L. H. Slooff, R. Kinderman, and J. M. van Roosmalen, *Modeling of Luminescent Concentrators by Ray-tracing*, in *Proceedings of Twentieth European Photovoltaic Solar Energy Conference* (2005) pp. 394–397.
- [110] B. Rowan, L. Wilson, and B. Richards, *Advanced Material Concepts for Luminescent Solar Concentrators*, IEEE Journal of Selected Topics in Quantum Electronics **14**, 1312 (2008).

## Bibliography

---

- [111] A. L. Martínez and D. Gómez, *Design, fabrication, and characterization of a luminescent solar concentrator with optimized optical concentration through minimization of optical losses*, Journal of Photonics for Energy **6**, 045504 (2016).
- [112] Z. Krumer, W. G. van Sark, R. E. Schropp, and C. de Mello Donegá, *Compensation of self-absorption losses in luminescent solar concentrators by increasing luminophore concentration*, Solar Energy Materials and Solar Cells **167**, 133 (2017).
- [113] A. Kerrouche, D. Hardy, D. Ross, and B. Richards, *Luminescent solar concentrators: From experimental validation of 3D ray-tracing simulations to coloured stained-glass windows for BIPV*, Solar Energy Materials and Solar Cells **122**, 99 (2014).
- [114] R. Connell, C. Pinnell, and V. E. Ferry, *Designing spectrally-selective mirrors for use in luminescent solar concentrators*, Journal of Optics **20**, 024009 (2018).
- [115] L. H. Slooff, E. E. Bende, A. R. Burgers, T. Budel, M. Pravettoni, R. P. Kenny, E. D. Dunlop, and A. Büchtemann, *A Luminescent Solar Concentrator with 7.1% power conversion efficiency*, Physica Status Solidi - Rapid Research Letters **2**, 257 (2008).
- [116] M. G. Debije, R. C. Evans, and G. Griffini, *Laboratory protocols for measuring and reporting the performance of luminescent solar concentrators*, Energy & Environmental Science **14**, 293 (2021).
- [117] L. Xu, Y. Yao, N. D. Bronstein, L. Li, A. P. Alivisatos, and R. G. Nuzzo, *Enhanced Photon Collection in Luminescent Solar Concentrators with Distributed Bragg Reflectors*, ACS Photonics **3**, 278 (2016).
- [118] D. K. G. de Boer, D. J. Broer, M. G. Debije, W. Keur, A. Meijerink, C. R. Ronda, and P. P. C. Verbunt, *Progress in phosphors and filters for luminescent solar concentrators*, Optics Express **20**, A395 (2012).
- [119] D. K. G. de Boer, C.-W. Lin, M. P. Giesbers, H. J. Cornelissen, M. G. Debije, P. P. C. Verbunt, and D. J. Broer, *Polarization-independent filters for luminescent solar concentrators*, Applied Physics Letters **98**, 021111 (2011).
- [120] C. Tummeltshammer, A. Taylor, A. J. Kenyon, and I. Papakonstantinou, *Homeotropic alignment and Förster resonance energy transfer: The way to a brighter luminescent solar concentrator*, Journal of Applied Physics **116**, 173103 (2014).
- [121] M. G. Debije, *Solar Energy Collectors with Tunable Transmission*, Advanced Functional Materials **20**, 1498 (2010).
- [122] C. L. Mulder, P. D. Reusswig, A. P. Beyler, H. Kim, C. Rotschild, and M. A. Baldo, *Dye alignment in luminescent solar concentrators: II Horizontal alignment for energy harvesting in linear polarizers*, Optics Express **18**, A91 (2010).
- [123] H. C. Bauser, C. R. Bukowsky, M. Phelan, W. Weigand, D. R. Needell, Z. C. Holman, and H. A. Atwater, *Photonic Crystal Waveguides for >90% Light Trapping Efficiency in Luminescent Solar Concentrators*, ACS Photonics **7**, 2122 (2020).
- [124] P. P. C. Verbunt, C. Sánchez-Somolinos, D. J. Broer, and M. G. Debije, *Anisotropic light emissions in luminescent solar concentrators-isotropic systems*, Optics Express **21**, A485 (2013).

- [125] P. P. C. Verbunt, T. M. de Jong, D. K. de Boer, D. J. Broer, and M. G. Debije, *Anisotropic light emission from aligned luminophores*, The European Physical Journal Applied Physics **67**, 10201 (2014).
- [126] P. P. C. Verbunt, A. Kaiser, K. Hermans, C. W. M. Bastiaansen, D. J. Broer, and M. G. Debije, *Controlling Light Emission in Luminescent Solar Concentrators Through Use of Dye Molecules Aligned in a Planar Manner by Liquid Crystals*, Advanced Functional Materials **19**, 2714 (2009).
- [127] P. Moraitis, D. K. G. de Boer, P. T. Prins, C. de Mello Donegá, K. Neyts, and W. G. J. H. M. van Sark, *Should Anisotropic Emission or Reabsorption of Nanoparticle Luminophores Be Optimized for Increasing Luminescent Solar Concentrator Efficiency?* Solar RRL **4**, 2000279 (2020).
- [128] D. A. Hanifi, N. D. Bronstein, B. A. Koscher, Z. Nett, J. K. Swabeck, K. Takano, A. M. Schwartzberg, L. Maserati, K. Vandewal, Y. van de Burgt, A. Salleo, and A. P. Alivisatos, *Redefining near-unity luminescence in quantum dots with photothermal threshold quantum yield*, Science **363**, 1199 (2019).
- [129] H. Fang, C. Battaglia, C. Carraro, S. Nemsak, B. Ozdol, J. S. Kang, H. A. Bechtel, S. B. Desai, F. Kronast, A. A. Unal, G. Conti, C. Conlon, G. K. Palsson, M. C. Martin, A. M. Minor, C. S. Fadley, E. Yablonovitch, R. Maboudian, and A. Javey, *Strong interlayer coupling in van der Waals heterostructures built from single-layer chalcogenides*, Proceedings of the National Academy of Sciences **111**, 6198 (2014).
- [130] M. A. Steiner, J. F. Geisz, I. García, D. J. Friedman, A. Duda, and S. R. Kurtz, *Optical enhancement of the open-circuit voltage in high quality GaAs solar cells*, Journal of Applied Physics **113**, 123109 (2013).
- [131] M. A. Green, *Radiative efficiency of state-of-the-art photovoltaic cells*, Progress in Photovoltaics: Research and Applications **20**, 472 (2012).
- [132] S. Sandhu, Z. Yu, and S. Fan, *Detailed balance analysis of nanophotonic solar cells*, Optics Express **21**, 1209 (2013).
- [133] L. H. Slooff, R. Kinderman, A. R. Burgers, A. Büchtemann, R. Danz, T. B. Meyer, A. J. Chatten, D. Farell, K. W. J. Barnham, and J. A. M. van Roosmalen, *The luminescent concentrator illuminated*, in *Proceedings of SPIE, Photonics for Solar Energy Systems*, Vol. 6197 (2006) p. 61970K.
- [134] U. Rau, F. Einsele, and G. C. Glaeser, *Efficiency limits of photovoltaic fluorescent collectors*, Applied Physics Letters **87**, 171101 (2005).
- [135] G. C. Glaeser and U. Rau, *Collection and conversion properties of photovoltaic fluorescent collectors with photonic band stop filters*, in *Photonics for Solar Energy Systems*, Vol. 6197 (2006) p. 61970L.
- [136] D. Şahin, B. Ilan, and D. F. Kelley, *Monte-Carlo simulations of light propagation in luminescent solar concentrators based on semiconductor nanoparticles*, Journal of Applied Physics **110**, 033108 (2011).

## Bibliography

---

- [137] S. Sadeghi, R. Melikov, H. Bahmani Jalali, O. Karatum, S. B. Srivastava, D. Conkar, E. N. Firat-Karalar, and S. Nizamoglu, *Ecofriendly and Efficient Luminescent Solar Concentrators Based on Fluorescent Proteins*, ACS Applied Materials & Interfaces **11**, 8710 (2019).
- [138] A. H. Smets, K. Jäger, O. Isabella, R. A. van Swaaij, and M. Zeman, *Solar Energy: The Physics and Engineering of Photovoltaic Conversion, Technologies and Systems* (UIT Cambridge Ltd., 2016).
- [139] Enerdata, *Global Energy Statistical Yearbook*, (2021).
- [140] O. Almora, D. Baran, G. C. Bazan, C. Berger, C. I. Cabrera, K. R. Catchpole, S. Erten-Ela, F. Guo, J. Hauch, A. W. Ho-Baillie, T. J. Jacobsson, R. A. Janssen, T. Kirchartz, N. Kopidakis, Y. Li, M. A. Loi, R. R. Lunt, X. Mathew, M. D. McGehee, J. Min, D. B. Mitzi, M. K. Nazeeruddin, J. Nelson, A. F. Nogueira, U. W. Paetzold, N. G. Park, B. P. Rand, U. Rau, H. J. Snaith, E. Unger, L. Vaillant-Roca, H. L. Yip, and C. J. Brabec, *Device Performance of Emerging Photovoltaic Materials (Version 1)*, Advanced Energy Materials **11**, 2002774 (2021).
- [141] M. R. Bergren, N. S. Makarov, K. Ramasamy, A. Jackson, R. Guglielmetti, and H. McDaniel, *High-Performance CuInS<sub>2</sub> Quantum Dot Laminated Glass Luminescent Solar Concentrators for Windows*, ACS Energy Letters **3**, 520 (2018).
- [142] A. Renny, C. Yang, R. Anthony, and R. R. Lunt, *Luminescent Solar Concentrator Paintings: Connecting Art and Energy*, Journal of Chemical Education **95**, 1161 (2018).
- [143] E. Mengelkamp, B. Notheisen, C. Beer, D. Dauer, and C. Weinhardt, *A blockchain-based smart grid: towards sustainable local energy markets*, Computer Science - Research and Development **33**, 207 (2018).
- [144] C. Yang, D. Liu, M. Bates, M. C. Barr, and R. R. Lunt, *How to Accurately Report Transparent Solar Cells*, Joule **3**, 1803 (2019).
- [145] J. S. Van Der Burgt, D. R. Needell, T. Veeken, A. Polman, E. C. Garnett, and H. A. Atwater, *Unlocking Higher Power Efficiencies in Luminescent Solar Concentrators through Anisotropic Luminophore Emission*, ACS Applied Materials and Interfaces **13**, 40742 (2021).
- [146] G. Smestad, H. Ries, R. Winston, and E. Yablonovitch, *The thermodynamic limits of light concentrators*, Solar Energy Materials **21**, 99 (1990).
- [147] F. Meinardi, S. Ehrenberg, L. Dhamo, F. Carulli, M. Mauri, F. Bruni, R. Simonutti, U. Kortshagen, and S. Brovelli, *Highly efficient luminescent solar concentrators based on earth-Abundant indirect-bandgap silicon quantum dots*, Nature Photonics **11**, 177 (2017).
- [148] K. E. Knowles, T. B. Kilburn, D. G. Alzate, S. McDowall, and D. R. Gamelin, *Bright CuInS<sub>2</sub>/CdS nanocrystal phosphors for high-gain full-spectrum luminescent solar concentrators*, Chemical Communications **51**, 9129 (2015).
- [149] J. Roncali, *Luminescent Solar Collectors: Quo Vadis?* Advanced Energy Materials **10**, 2001907 (2020).

- [150] G. C. Heres, L. M. Einhaus, and R. Saive, *Analytical Model for the Performance of a Free-Space Luminescent Solar Concentrator*, in *2021 IEEE 48th Photovoltaic Specialists Conference (PVSC)* (IEEE, 2021) pp. 1027–1029.
- [151] L. R. Bradshaw, K. E. Knowles, S. McDowall, and D. R. Gamelin, *Nanocrystals for Luminescent Solar Concentrators*, *Nano Letters* **15**, 1315 (2015).
- [152] M. Fisher, D. Farrell, M. Zanella, A. Lupi, P. N. Stavrinou, and A. J. Chatten, *Utilizing vertically aligned CdSe/CdS nanorods within a luminescent solar concentrator*, *Applied Physics Letters* **106**, 3 (2015).
- [153] A. Vaskin, R. Kolkowski, A. F. Koenderink, and I. Staude, *Light-emitting metasurfaces*, *Nanophotonics* **8**, 1151 (2019).
- [154] A. G. Curto, T. H. Taminiau, G. Volpe, M. P. Kreuzer, R. Quidant, and N. F. van Hulst, *Multipolar radiation of quantum emitters with nanowire optical antennas*, *Nature Communications* **4**, 1750 (2013).
- [155] S. R. K. Rodriguez, F. B. Arango, T. P. Steinbusch, M. A. Verschuuren, A. F. Koenderink, and J. G. Rivas, *Breaking the Symmetry of Forward-Backward Light Emission with Localized and Collective Magnetoelectric Resonances in Arrays of Pyramid-Shaped Aluminum Nanoparticles*, *Physical Review Letters* **113**, 247401 (2014).
- [156] I. Staude, T. Pertsch, and Y. S. Kivshar, *All-Dielectric Resonant Meta-Optics Lightens up*, *ACS Photonics* **6**, 802 (2019).
- [157] M. Peter, A. Hildebrandt, C. Schlickriede, K. Gharib, T. Zentgraf, J. Förstner, and S. Linden, *Directional Emission from Dielectric Leaky-Wave Nanoantennas*, *Nano Letters* **17**, 4178 (2017).
- [158] A. Vaskin, S. Mashhadi, M. Steinert, K. E. Chong, D. Keene, S. Nanz, A. Abass, E. Rusak, D. Y. Choi, I. Fernandez-Corbaton, T. Pertsch, C. Rockstuhl, M. A. Noginov, Y. S. Kivshar, D. N. Neshev, N. Noginova, and I. Staude, *Manipulation of Magnetic Dipole Emission from Eu 3+ with Mie-Resonant Dielectric Metasurfaces*, *Nano Letters* **19**, 1015 (2019).
- [159] N. E. Watkins, J. Guan, B. T. Diroll, K. R. Williams, R. D. Schaller, and T. W. Odom, *Surface Normal Lasing from CdSe Nanoplatelets Coupled to Aluminum Plasmonic Nanoparticle Lattices*, *The Journal of Physical Chemistry C* **125**, 19874 (2021).
- [160] M. Aellen, A. A. Rossinelli, R. C. Keitel, R. Brechbühler, F. V. Antolinez, S. G. Rodrigo, J. Cui, and D. J. Norris, *Role of Gain in Fabry-Pérot Surface Plasmon Polariton Lasers*, *ACS Photonics* **9**, 630 (2022).
- [161] M. Wu, L. Ding, R. P. Sabatini, L. K. Sagar, G. Bappi, R. Paniagua-Domínguez, E. H. Sargent, and A. I. Kuznetsov, *Bound State in the Continuum in Nanoantenna-Coupled Slab Waveguide Enables Low-Threshold Quantum-Dot Lasing*, *Nano Letters* **21**, 9754 (2021).
- [162] T. Veeken, B. Daiber, H. Agrawal, M. Aarts, E. Alarcón-Lladó, E. C. Garnett, B. Ehrler, J. van de Groep, and A. Polman, *Directional quantum dot emission by soft-stamping on silicon Mie resonators*, *Nanoscale Advances* **4**, 1088 (2022).

## Bibliography

---

- [163] A. A. Rossinelli, H. Rojo, A. S. Mule, M. Aellen, A. Cocina, E. De Leo, R. Schäublin, and D. J. Norris, *Compositional Grading for Efficient and Narrowband Emission in CdSe-Based Core/Shell Nanoplatelets*, Chemistry of Materials **31**, 9567 (2019).
- [164] J. van de Groep and A. Polman, *Designing dielectric resonators on substrates: Combining magnetic and electric resonances*, Optics Express **21**, 26285 (2013).
- [165] S. Ha, R. Janissen, Y. Y. Ussembayev, M. M. Van Oene, B. Solano, and N. H. Dekker, *Tunable top-down fabrication and functional surface coating of single-crystal titanium dioxide nanostructures and nanoparticles*, Nanoscale **8**, 10739 (2016).
- [166] J. Van De Groep, P. Spinelli, and A. Polman, *Single-Step Soft-Imprinted Large-Area Nanopatterned Antireflection Coating*, Nano Letters **15**, 4223 (2015).
- [167] V. Liu and S. Fan, *S4 : A free electromagnetic solver for layered periodic structures*, Computer Physics Communications **183**, 2233 (2012).
- [168] I. Sersic, C. Tuambilangana, and A. Femius Koenderink, *Fourier microscopy of single plasmonic scatterers*, New Journal of Physics **13**, 083019 (2011).
- [169] A. Richter, M. Hermle, and S. W. Glunz, *Reassessment of the limiting efficiency for crystalline silicon solar cells*, IEEE Journal of Photovoltaics **3**, 1184 (2013).
- [170] K. Yoshikawa, H. Kawasaki, W. Yoshida, T. Irie, K. Konishi, K. Nakano, T. Uto, D. Adachi, M. Kanematsu, H. Uzu, and K. Yamamoto, *Silicon heterojunction solar cell with interdigitated back contacts for a photoconversion efficiency over 26%*, Nature Energy **2**, 17032 (2017).
- [171] J. G. Ingersoll, *Simplified calculation of solar cell temperatures in terrestrial photovoltaic arrays*, Journal of Solar Energy Engineering, Transactions of the ASME **108**, 95 (1986).
- [172] O. Dupré, R. Vaillon, and M. A. Green, *Thermal Behavior of Photovoltaic Devices*, 1st ed. (Springer International Publishing, 2017) p. 130.
- [173] E. Skoplaki and J. A. Palyvos, *On the temperature dependence of photovoltaic module electrical performance: A review of efficiency/power correlations*, Solar Energy **83**, 614 (2009).
- [174] C. R. Osterwald and T. J. McMahon, *History of accelerated and qualification testing of terrestrial photovoltaic modules: A literature review*, Progress in Photovoltaics: Research and Applications **17**, 11 (2009).
- [175] D. H. Ott and R. G. Ross, *Assessing Photovoltaic Module Degradation and Lifetime From Long Term Environmental Tests*, in *29th Institute of Environmental Sciences Technical Meeting* (Los Angeles, CA, 1983) pp. 121–126.
- [176] M. Kumar and A. Kumar, *Performance assessment and degradation analysis of solar photovoltaic technologies: A review*, Renewable and Sustainable Energy Reviews **78**, 554 (2017).
- [177] S. Fan and W. Li, *Photonics and thermodynamics concepts in radiative cooling*, Nature Photonics (2022), 10.1038/s41566-021-00921-9.

- [178] D. Beysens, I. Milimouk, V. Nikolayev, M. Muselli, and J. Marcillat, *Using radiative cooling to condense atmospheric vapor: A study to improve water yield*, Journal of Hydrology **276**, 1 (2003).
- [179] D. Zhao, X. Yin, J. Xu, G. Tan, and R. Yang, *Radiative sky cooling-assisted thermoelectric cooling system for building applications*, Energy **190**, 116322 (2020).
- [180] A. P. Raman, M. A. Anoma, L. Zhu, E. Rephaeli, and S. Fan, *Passive radiative cooling below ambient air temperature under direct sunlight*, Nature **515**, 540 (2014).
- [181] W. Li, Y. Shi, K. Chen, L. Zhu, and S. Fan, *A Comprehensive Photonic Approach for Solar Cell Cooling*, ACS Photonics **4**, 774 (2017).
- [182] M. Zahir and M. Benlattar, *Design of radiative cooler based on porous TiO<sub>2</sub> for improving solar cells' performance*, Applied Optics **60**, 445 (2021).
- [183] G. Perrakis, A. C. Tasolamprou, G. Kenanakis, E. N. Economou, S. Tzortzakis, and M. Kafesaki, *Combined nano and micro structuring for enhanced radiative cooling and efficiency of photovoltaic cells*, Scientific Reports **11**, 1 (2021).
- [184] J. Jaramillo-Fernandez, G. L. Whitworth, J. A. Pariente, A. Blanco, P. D. Garcia, C. Lopez, and C. M. Sotomayor-Torres, *A Self-Assembled 2D Thermo-functional Material for Radiative Cooling*, Small **15**, 1 (2019).
- [185] L. Long, Y. Yang, and L. Wang, *Simultaneously enhanced solar absorption and radiative cooling with thin silica micro-grating coatings for silicon solar cells*, Solar Energy Materials and Solar Cells **197**, 19 (2019).
- [186] E. Lee and T. Luo, *Black body-like radiative cooling for flexible thin-film solar cells*, Solar Energy Materials and Solar Cells **194**, 222 (2019).
- [187] L. Zhu, A. Raman, K. X. Wang, M. A. Anoma, and S. Fan, *Radiative cooling of solar cells*, Optica **1**, 32 (2014).
- [188] L. Zhu, A. P. Raman, and S. Fan, *Radiative cooling of solar absorbers using a visibly transparent photonic crystal thermal blackbody*, Proceedings of the National Academy of Sciences **112**, 12282 (2015).
- [189] M. Gao, Y. Xia, R. Li, Z. Zhang, Y. He, C. Zhang, L. Chen, L. Qi, Y. Si, Q. Zhang, and Y. Zheng, *The design of near-perfect spectrum-selective mirror based on photonic structures for passive cooling of silicon solar cells*, Nanomaterials **10**, 1 (2020).
- [190] B. Zhao, M. Hu, X. Ao, Q. Xuan, and G. Pei, *Comprehensive photonic approach for diurnal photovoltaic and nocturnal radiative cooling*, Solar Energy Materials and Solar Cells **178**, 266 (2018).
- [191] Q. Zhai and Q. Zhu, *Radiative cooling film with self-cleaning function*, Solar Energy Materials and Solar Cells **228**, 111117 (2021).
- [192] G. Chen, Y. Wang, J. Qiu, J. Cao, Y. Zou, S. Wang, J. Ouyang, D. Jia, and Y. Zhou, *A visibly transparent radiative cooling film with self-cleaning function produced by solution processing*, Journal of Materials Science and Technology **90**, 76 (2021).

## Bibliography

---

- [193] C. Ziming, W. Fuqiang, G. Dayang, L. Huaxu, and S. Yong, *Low-cost radiative cooling blade coating with ultrahigh visible light transmittance and emission within an “atmospheric window”*, Solar Energy Materials and Solar Cells **213**, 110563 (2020).
- [194] R. Kitamura, L. Pilon, and M. Jonasz, *Optical constants of silica glass from extreme ultraviolet to far infrared at near room temperature*, Applied Optics **46**, 8118 (2007).
- [195] S. Kruk and Y. Kivshar, *Functional Meta-Optics and Nanophotonics Governed by Mie Resonances*, ACS Photonics **4**, 2638 (2017).
- [196] A. F. Koenderink, A. Alù, and A. Polman, *Nanophotonics: Shrinking light-based technology*, Science **348**, 516 (2015).
- [197] C. Van Lare, F. Lenzmann, M. A. Verschuuren, and A. Polman, *Dielectric Scattering Patterns for Efficient Light Trapping in Thin-Film Solar Cells*, Nano Letters **15**, 4846 (2015).
- [198] R. Alaee, R. Filter, D. Lehr, F. Lederer, and C. Rockstuhl, *A generalized Kerker condition for highly directive nanoantennas*, Optics Letters **40**, 2645 (2015).
- [199] W. Liu and Y. S. Kivshar, *Generalized Kerker effects in nanophotonics and meta-optics [Invited]*, Optics Express **26**, 13085 (2018).
- [200] A. C. Overvig, S. A. Mann, and A. Alù, *Thermal Metasurfaces: Complete Emission Control by Combining Local and Nonlocal Light-Matter Interactions*, Physical Review X **11**, 21050 (2021).
- [201] R. Carminati and J.-J. Greffet, *Near-Field Effects in Spatial Coherence of Thermal Sources*, Physical Review Letters **82**, 1660 (1999).
- [202] S. Hava and M. Auslender, *Theoretical dependence of infrared absorption in bulk-doped silicon on carrier concentration*, Applied Optics **32**, 1122 (1993).
- [203] E. Hecht, *Optics*, 4th ed. (Addison Wesley, 2002).
- [204] S. D. Lord, *A New Software Tool for Computing Earth’s Atmospheric Transmission of Near- and Far-Infrared Radiation*, NASA Technical Memorandum 103957 (1992).
- [205] Gemini Observatory, *Infrared Atmospheric Transmission Spectra*, (2022).
- [206] S. J. Byrnes, *Multilayer optical calculations*, (2016), arXiv:1603.02720 .
- [207] R. L. Olmon, B. Slovick, T. W. Johnson, D. Shelton, S.-H. Oh, G. D. Boreman, and M. B. Raschke, *Optical dielectric function of gold*, Physical Review B **86**, 235147 (2012).
- [208] C. Hecker, S. Hook, M. van der Meijde, W. Bakker, H. van Werff, H. Wilbrink, F. van Ruitenbeek, B. de Smeth, and F. van der Meer, *Thermal infrared spectrometer for earth science remote sensing applications-instrument modifications and measurement procedures*, Sensors **11**, 10981 (2011).
- [209] ITRPV, *International technology roadmap for photovoltaic*, 10th ed. (VDMA Photovoltaic Equipment, 2019).

- [210] S. A. Pelaez, C. Deline, S. M. MacAlpine, B. Marion, J. S. Stein, and R. K. Kostuk, *Comparison of Bifacial Solar Irradiance Model Predictions With Field Validation*, IEEE Journal of Photovoltaics **9**, 82 (2019).
- [211] G. T. Klise and J. S. Stein, *Sandia National Laboratories*, Tech. Rep. December (Sandia National Laboratories (SNL), Albuquerque, NM, and Livermore, CA (United States), 2009).
- [212] M. Abbott, K. McIntosh, B. Sudbury, J. Meydbray, T. H. Fung, M. Umair Khan, Y. Zhang, S. Zou, X. Wang, G. Xing, G. Scardera, and D. Payne, *Annual energy yield analysis of solar cell technology*, in *Conference Record of the IEEE Photovoltaic Specialists Conference* (IEEE, 2019) pp. 3046–3050.
- [213] M. R. Vogt, T. Gewohn, K. Bothe, C. Schinke, and R. Brendel, *Impact of Using Spectrally Resolved Ground Albedo Data for Performance Simulations of Bifacial Modules*, in *Proc. 35th European Photovoltaic Solar Energy Conference and Exhibition*, 35 (2018) pp. 1011–1016.
- [214] C. K. Lo, Y. S. Lim, and F. A. Rahman, *New integrated simulation tool for the optimum design of bifacial solar panel with reflectors on a specific site*, Renewable Energy **81**, 293 (2015).
- [215] R. Couderc, M. Amara, and M. Lemiti, *In-Depth Analysis of Heat Generation in Silicon Solar Cells*, IEEE Journal of Photovoltaics **6**, 1123 (2016).
- [216] A. Riverola, A. Mellor, D. Alonso Alvarez, L. Ferre Llin, I. Guarracino, C. Markides, D. Paul, D. Chemisana, and N. Ekins-Daukes, *Mid-infrared emissivity of crystalline silicon solar cells*, Solar Energy Materials and Solar Cells **174**, 607 (2018).
- [217] M. Steglich, M. Zilk, A. Bingel, C. Patzig, T. Käsebier, F. Schremppel, E.-B. Kley, and A. Tünnermann, *A normal-incidence PtSi photoemissive detector with black silicon light-trapping*, Journal of Applied Physics **114**, 183102 (2013).
- [218] M. Steglich, M. Oehme, T. Käsebier, M. Zilk, K. Kostecki, E.-B. Kley, J. Schulze, and A. Tünnermann, *Ge-on-Si photodiode with black silicon boosted responsivity*, Applied Physics Letters **107**, 051103 (2015).
- [219] J. Lv, T. Zhang, P. Zhang, Y. Zhao, and S. Li, *Review Application of Nanostructured Black Silicon*, Nanoscale Research Letters **13**, 110 (2018).
- [220] M. Steglich, T. Käsebier, M. Zilk, T. Pertsch, E.-B. Kley, and A. Tünnermann, *The structural and optical properties of black silicon by inductively coupled plasma reactive ion etching*, Journal of Applied Physics **116**, 173503 (2014).
- [221] S. Ma, S. Liu, Q. Xu, J. Xu, R. Lu, Y. Liu, and Z. Zhong, *A theoretical study on the optical properties of black silicon*, AIP Advances **8**, 035010 (2018).
- [222] M. Kroll, T. Käsebier, M. Otto, R. Salzer, R. Wehrspohn, E.-B. Kley, A. Tünnermann, and T. Pertsch, *Optical modeling of needle like silicon surfaces produced by an ICP-RIE process*, in *Proceedings of SPIE, Photonics for Solar Energy Systems III*, Vol. 7725 (2010) p. 772505.

## Bibliography

---

- [223] A. J. Bett, J. Eisenlohr, O. Höhn, P. Repo, H. Savin, B. Bläsi, and J. C. Goldschmidt, *Wave optical simulation of the light trapping properties of black silicon surface textures*, Optics Express **24**, A434 (2016).
- [224] M. G. Moharam, T. K. Gaylord, E. B. Grann, and D. A. Pommet, *Formulation for stable and efficient implementation of the rigorous coupled-wave analysis of binary gratings*, Journal of the Optical Society of America A **12**, 1068 (1995).
- [225] N. Tucher, H. T. Gebrewold, and B. Bläsi, *Field stitching approach for the wave optical modeling of black silicon structures*, Optics Express **26**, A937 (2018).
- [226] N. Tucher, J. Eisenlohr, P. Kiefel, O. Höhn, H. Hauser, M. Peters, C. Müller, J. C. Goldschmidt, and B. Bläsi, *3D optical simulation formalism OPTOS for textured silicon solar cells*, Optics Express **23**, A1720 (2015).
- [227] Y. Li, Y. Chen, Z. Ouyang, and A. Lennon, *Angular matrix framework for light trapping analysis of solar cells*, Optics Express **23**, A1707 (2015).
- [228] J. Eisenlohr, N. Tucher, H. Hauser, M. Graf, J. Benick, B. Bläsi, J. C. Goldschmidt, and M. Hermle, *Efficiency increase of crystalline silicon solar cells with nanoimprinted rear side gratings for enhanced light trapping*, Solar Energy Materials and Solar Cells **155**, 288 (2016).
- [229] A. A. Elsayed, Y. M. Sabry, F. Marty, T. Bourouina, and D. Khalil, *Optical modeling of black silicon using an effective medium/multi-layer approach*, Optics Express **26**, 13443 (2018).
- [230] S. Chattopadhyay, Y. Huang, Y. Jen, A. Ganguly, K. Chen, and L. Chen, *Anti-reflecting and photonic nanostructures*, Materials Science and Engineering: R: Reports **69**, 1 (2010).
- [231] T. Rahman and S. A. Boden, *Optical Modeling of Black Silicon for Solar Cells Using Effective Index Techniques*, IEEE Journal of Photovoltaics **7**, 1556 (2017).
- [232] M. Otto, M. Algasinger, H. Branz, B. Gesemann, T. Gimpel, K. Füchsel, T. Käsebier, S. Kontermann, S. Koynov, X. Li, V. Naumann, J. Oh, A. N. Sprafke, J. Ziegler, M. Zilk, and R. B. Wehrspohn, *Black Silicon Photovoltaics*, Advanced Optical Materials **3**, 147 (2015).
- [233] K. Tang, R. A. Dimenna, and R. O. Buckius, *Regions of validity of the geometric optics approximation for angular scattering from very rough surfaces*, International Journal of Heat and Mass Transfer **40**, 49 (1996).
- [234] M. M. Plakhotnyuk, M. Gaudig, R. S. Davidsen, J. M. Lindhard, J. Hirsch, D. Lausch, M. S. Schmidt, E. Stamate, and O. Hansen, *Low surface damage dry etched black silicon*, Journal of Applied Physics **122**, 143101 (2017).
- [235] P. Repo, J. Benick, G. von Gastrow, V. Vähäniemi, F. D. Heinz, J. Schön, M. C. Schubert, and H. Savin, *Passivation of black silicon boron emitters with atomic layer deposited aluminum oxide*, Physica Status Solidi - Rapid Research Letters **7**, 950 (2013).
- [236] B. Bhushan, *Surface roughness analysis and measurement techniques*, in *Modern Tribology Handbook*, edited by T. Inc and Francis (CRC Press, 2000) Chap. 2.2.2.4, p. 1760.

- [237] D. Bergstrom, *Computer program: Rough surface generation and analysis*, (2012).
- [238] D. Nečas and P. Klapetek, *Gwyddion: an open-source software for SPM data analysis*, Open Physics **10**, 181 (2012).
- [239] D. Payne, M. Abbott, A. L. Claville, Y. Zeng, T. H. Fung, K. McIntosh, J. C. Campa, R. Davidson, M. Plakhotnyuk, and D. Bagnall, *Rapid optical modelling of plasma textured silicon*, in *Proceedings of the IEEE EUPVSEC 2017*, 33 (2017) pp. 897–901.
- [240] M. Khardani, M. Bouaïcha, and B. Bessaïs, *Bruggeman effective medium approach for modelling optical properties of porous silicon: Comparison with experiment*, Physica Status Solidi (C) Current Topics in Solid State Physics **4**, 1986 (2007).
- [241] B. C. Bergner, T. A. Germer, and T. J. Suleski, *Effective medium approximations for modeling optical reflectance from gratings with rough edges*, Journal of the Optical Society of America A **27**, 1083 (2010).
- [242] Y. Battie, A. En Naciri, W. Chamorro, and D. Horwat, *Generalized Effective Medium Theory to Extract the Optical Properties of Two-Dimensional Nonspherical Metallic Nanoparticle Layers*, The Journal of Physical Chemistry C **118**, 4899 (2014).
- [243] O. Zhiuromskyy, *Applicability of Effective Medium Approximations to Modelling of Mesocrystal Optical Properties*, Crystals **7**, 1 (2016).
- [244] J. Maxwell Garnett, *XII. Colours in metal glasses and in metallic films*, Philosophical Transactions of the Royal Society A **203**, 385 (1904).
- [245] V. A. Markel, *Introduction to the Maxwell Garnett approximation: tutorial*, Journal of the Optical Society of America A **33**, 1244 (2016).
- [246] J. Humlíček, *Ellipsometry at the Nanoscale*, edited by M. Losurdo and K. Hingerl (Springer Berlin Heidelberg, Berlin, Heidelberg, 2013) pp. 145–178.
- [247] ANSYS Lumerical, *FDTD Solutions*, (2018).
- [248] P. Spinelli, M. A. Verschuuren, and A. Polman, *Broadband omnidirectional antireflection coating based on subwavelength surface Mie resonators*, Nature Communications **3**, 1 (2012).
- [249] J. Zhu, Z. Yu, G. F. Burkhardt, C. M. Hsu, S. T. Connor, Y. Xu, Q. Wang, M. McGehee, S. Fan, and Y. Cui, *Optical absorption enhancement in amorphous silicon nanowire and nanocone arrays*, Nano Letters **9**, 279 (2009).
- [250] S. Jeong, M. D. McGehee, and Y. Cui, *All-back-contact ultra-thin silicon nanocone solar cells with 13.7% power conversion efficiency*, Nature Communications **4**, 2950 (2013).
- [251] E. F. Pecora, A. Cordaro, P. G. Kik, and M. L. Brongersma, *Broadband Antireflection Coatings Employing Multiresonant Dielectric Metasurfaces*, ACS Photonics **5**, 4456 (2018).
- [252] Y. Wang, N. Lu, H. Xu, G. Shi, M. Xu, X. Lin, H. Li, W. Wang, D. Qi, Y. Lu, and L. Chi, *Biomimetic corrugated silicon nanocone arrays for self-cleaning antireflection coatings*, Nano Research **3**, 520 (2010).

## Bibliography

---

- [253] M. M. Hossain and M. Gu, *Radiative Cooling: Principles, Progress, and Potentials*, Advanced Science **3**, 1500360 (2016).
- [254] P. Repo, A. Haarahiltunen, L. Sainiemi, M. Yli-Koski, H. Talvitie, M. C. Schubert, and H. Savin, *Effective Passivation of Black Silicon Surfaces by Atomic Layer Deposition*, IEEE Journal of Photovoltaics **3**, 90 (2013).
- [255] A. Ingenito, O. Isabella, and M. Zeman, *Nano-cones on micro-pyramids: modulated surface textures for maximal spectral response and high-efficiency solar cells*, Progress in Photovoltaics: Research and Applications **23**, 1649 (2015).
- [256] X. Liu, P. R. Coxon, M. Peters, B. Hoex, J. M. Cole, and D. J. Fray, *Black silicon: fabrication methods, properties and solar energy applications*, Energy Environ. Sci. **7**, 3223 (2014).
- [257] Y. Xia, B. Liu, J. Liu, Z. Shen, and C. Li, *A novel method to produce black silicon for solar cells*, Solar Energy **85**, 1574 (2011).
- [258] R. Bilyalov, R. Lüdemann, W. Wetling, L. Stalmans, J. Poortmans, J. Nijs, L. Schirone, G. Sotgiu, S. Strehlke, and C. Lévy-Clément, *Multicrystalline silicon solar cells with porous silicon emitter*, Solar Energy Materials and Solar Cells **60**, 391 (2000).
- [259] M. B. Rabha, W. Dimassi, M. Bouaïcha, H. Ezzaouia, and B. Bessais, *Laser-beam-induced current mapping evaluation of porous silicon-based passivation in polycrystalline silicon solar cells*, Solar Energy **83**, 721 (2009).
- [260] T. Pasanen, V. Vähäniemi, N. Theut, and H. Savin, *Surface passivation of black silicon phosphorus emitters with atomic layer deposited SiO<sub>2</sub>/Al<sub>2</sub>O<sub>3</sub> stacks*, Energy Procedia **124**, 307 (2017).
- [261] J. Wu, H. Wu, X. Chen, Z. Yao, D. Zhang, S. Su, M. Zhang, F. Jiang, and G. Xing, *21.4% efficiency bifacial multi-Si PERC cells and 410W modules*, in *2019 IEEE 46th Photovoltaic Specialists Conference (PVSC)*, 199 (IEEE, 2019) pp. 1466–1470.
- [262] M. U. Khan, G. Scardera, S. Zou, D. Zhang, and M. Abbott, *The Role of Metal-Catalyzed Chemical Etching Black Silicon in the Reduction of Light- and Elevated Temperature-Induced Degradation in P-Type Multicrystalline Wafers*, IEEE Journal of Photovoltaics **11**, 627 (2021).
- [263] F. Shimura, *Semiconductor silicon crystal technology*, 1st ed., Vol. 26 (Academic Press, 1989).
- [264] I. Synopsys, *Sentaurus Device - An advanced multidimensional (1D/2D/3D) device simulator*, (2021).
- [265] PV-Lighthouse, *SunSolve™*, (2019).
- [266] K. Füchsel, M. Kroll, M. Otto, M. Steglich, A. Bingel, T. Käsebier, R. B. Wehrspohn, E.-B. Kley, T. Pertsch, and A. Tünnermann, *Black Silicon Photovoltaics*, in *Photon Management in Solar Cells*, Vol. 3 (Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, Germany, 2015) pp. 117–151.
- [267] Y. Zhang, C. Kong, R. S. Davidsen, G. Scardera, L. Duan, K. T. Khoo, D. N. Payne, B. Hoex, and M. Abbott, *3D characterisation using plasma FIB-SEM: A large-area tomography technique for complex surfaces like black silicon*, Ultramicroscopy **218**, 113084 (2020).

- [268] F. J. Giessibl, *Advances in atomic force microscopy*, Reviews of Modern Physics **75**, 949 (2003).
- [269] N. Jalili and K. Laxminarayana, *A review of atomic force microscopy imaging systems: application to molecular metrology and biological sciences*, Mechatronics **14**, 907 (2004).
- [270] D. Sarid, *Review of scanning force microscopy*, Journal of Vacuum Science & Technology B: Microelectronics and Nanometer Structures **9**, 431 (1991).
- [271] E. Ukraintsev, A. Kromka, H. Kozak, Z. Reme, and B. Rezek, *Artifacts in Atomic Force Microscopy of Biological Samples*, in *Atomic Force Microscopy Investigations into Biology - From Cell to Protein* (InTech, 2012).
- [272] J. I. Paredes, A. Martinez-Alonso, and J. M. D. Tascon, *Adhesion artefacts in atomic force microscopy imaging*, Journal of Microscopy **200**, 109 (2000).
- [273] U. D. Schwarz, H. Haefke, P. Reimann, and H.-J. Güntherodt, *Tip artefacts in scanning force microscopy*, Journal of Microscopy **173**, 183 (1994).
- [274] T. H. Fung, T. Veeken, D. Payne, B. Veettil, A. Polman, and M. Abbott, *Application and validity of the effective medium approximation to the optical properties of nano-textured silicon coated with a dielectric layer*, Optics Express **27**, 38645 (2019).
- [275] T. H. Fung, M. U. Khan, Y. Zhang, N. J. Western, D. N. R. Payne, K. R. McIntosh, and M. D. Abbott, *Improved Ray Tracing on Random Pyramid Texture via Application of Phong Scattering*, IEEE Journal of Photovoltaics **9**, 591 (2019).
- [276] Y. Ge, F. Zhao, L. Wang, and X. Wang, *A novel perspective on the design of thermochromic VO<sub>2</sub> films: Combining ab initio calculations with FDTD simulations*, Surface and Coatings Technology **402**, 126493 (2020).
- [277] D. Payne, T. H. Fung, M. U. Khan, J. Cruz-Campa, K. McIntosh, and M. Abbott, *Understanding the optics of industrial black silicon*, in *AIP Conference Proceedings*, Vol. 1999 (2018) p. 050007.
- [278] G. Scardera, S. Wang, Y. Zhang, M. U. Khan, S. Zou, D. Zhang, R. S. Davidsen, O. Hansen, L. Mai, D. N. R. Payne, B. Hoex, and M. D. Abbott, *On the Enhanced Phosphorus Doping of Nanotextured Black Silicon*, IEEE Journal of Photovoltaics **11**, 298 (2021).
- [279] A. Fell, K. C. Fong, K. R. McIntosh, E. Franklin, and A. W. Blakers, *3-D Simulation of Interdigitated-Back-Contact Silicon Solar Cells With Quokka Including Perimeter Losses*, IEEE Journal of Photovoltaics **4**, 1040 (2014).
- [280] Y. Zhang, D. N. R. Payne, C. Kong, M. U. Khan, T. H. Fung, R. S. Davidsen, O. Hansen, G. Scardera, M. D. Abbott, and B. Hoex, *Advanced Characterisation of Black Silicon Surface Topography with 3D PFIB-SEM*, in *2019 IEEE 46th Photovoltaic Specialists Conference (PVSC)* (IEEE, Chicago, 2019) pp. 0825–0828.
- [281] Y. Zhang, C. Kong, G. Scardera, M. Abbott, D. N. Payne, and B. Hoex, *Large volume tomography using plasma FIB-SEM: A comprehensive case study on black silicon*, Ultramicroscopy **233**, 113458 (2022).
- [282] H. R. Philipp and E. A. Taft, *Optical Constants of Silicon in the Region 1 to 10 eV*, Physical Review **120**, 37 (1960).

## Bibliography

---

- [283] M. A. Green, *Self-consistent optical parameters of intrinsic silicon at 300K including temperature coefficients*, Solar Energy Materials and Solar Cells **92**, 1305 (2008).
- [284] M. Welkowsky and R. Braunstein, *Interband Transitions and Exciton Effects in Semiconductors*, Physical Review B **5**, 497 (1972).
- [285] G. Jellison, *Optical functions of GaAs, GaP, and Ge determined by two-channel polarization modulation ellipsometry*, Optical Materials **1**, 151 (1992).
- [286] W. Theiß, *Optical properties of porous silicon*, Surface Science Reports **29**, 91 (1997).
- [287] G. Scardera, D. Payne, M. Khan, Y. Zhang, A. Soeriyadi, S. Zou, D. Zhang, R. Davidsen, O. Hansen, B. Hoex, and M. Abbott, *Silicon Nanotexture Surface Area Mapping Using Ultraviolet Reflectance*, IEEE Journal of Photovoltaics **11**, 1291 (2021).
- [288] H.-C. Yuan, V. E. Yost, M. R. Page, P. Stradins, D. L. Meier, and H. M. Branz, *Efficient black silicon solar cell with a density-graded nanoporous surface: Optical properties, performance limitations, and design rules*, Applied Physics Letters **95**, 123501 (2009).
- [289] H. M. Branz, V. E. Yost, S. Ward, K. M. Jones, B. To, and P. Stradins, *Nanostructured black silicon and the optical reflectance of graded-density surfaces*, Applied Physics Letters **94**, 231121 (2009).
- [290] F. Patolsky, G. Zheng, and C. M. Lieber, *Nanowire sensors for medicine and the life sciences*, Nanomedicine **1**, 51 (2006).
- [291] F. Patolsky, B. P. Timko, G. Zheng, and C. M. Lieber, *Nanowire-Based Nanoelectronic Devices in the Life Sciences*, MRS Bulletin **32**, 142 (2007).
- [292] M. J. Schmand, D. Henseler, R. Grazioso, N. Zhang, and M. S. Andreaco, *Patent: Medical Imaging with Black Silicon Photodetector*, (2010).
- [293] M. U. Pralle, J. E. Carey, H. Homayoon, S. Alie, J. Sickler, X. Li, J. Jiang, D. Miller, C. Palsule, and J. McKee, *Black silicon enhanced photodetectors: a path to IR CMOS*, in *Infrared Technology and Applications XXXVI*, Vol. 7660, edited by B. F. Andresen, G. F. Fulop, and P. R. Norton (2010) p. 76600N.
- [294] G. Seniutinas, G. Gervinskas, R. Verma, B. D. Gupta, F. Lapierre, P. R. Stoddart, F. Clark, S. L. McArthur, and S. Juodkazis, *Versatile SERS sensing based on black silicon*, Optics Express **23**, 6763 (2015).
- [295] A. P. Goodey, S. M. Eichfeld, K.-k. Lew, J. M. Redwing, and T. E. Mallouk, *Silicon Nanowire Array Photoelectrochemical Cells*, Journal of the American Chemical Society **129**, 12344 (2007).
- [296] J. R. Szczech and S. Jin, *Nanostructured silicon for high capacity lithium battery anodes*, Energy Environ. Sci. **4**, 56 (2011).
- [297] J. Oh, T. G. Deutsch, H.-C. Yuan, and H. M. Branz, *Nanoporous black silicon photocathode for H<sub>2</sub> production by photoelectrochemical water splitting*, Energy & Environmental Science **4**, 1690 (2011).
- [298] I. Oh, J. Kye, and S. Hwang, *Enhanced Photoelectrochemical Hydrogen Production from Silicon Nanowire Array Photocathode*, Nano Letters **12**, 298 (2012).

- [299] R. Carter, S. Chatterjee, E. Gordon, K. Share, W. R. Erwin, A. P. Cohn, R. Bardhan, and C. L. Pint, *Corrosion resistant three-dimensional nanotextured silicon for water photo-oxidation*, Nanoscale **7**, 16755 (2015).
- [300] Y. Yu, Z. Zhang, X. Yin, A. Kvit, Q. Liao, Z. Kang, X. Yan, Y. Zhang, and X. Wang, *Enhanced photoelectrochemical efficiency and stability using a conformal TiO<sub>2</sub> film on a black silicon photoanode*, Nature Energy **2**, 17045 (2017).
- [301] Y.-L. Deng and Y.-J. Juang, *Black silicon SERS substrate: Effect of surface morphology on SERS detection and application of single algal cell analysis*, Biosensors and Bioelectronics **53**, 37 (2014).
- [302] E. P. Ivanova, J. Hasan, H. K. Webb, G. Gervinskas, S. Juodkazis, V. K. Truong, A. H. Wu, R. N. Lamb, V. A. Baulin, G. S. Watson, J. A. Watson, D. E. Mainwaring, and R. J. Crawford, *Bactericidal activity of black silicon*, Nature Communications **4**, 2838 (2013).



# List of Publications

## Related to this thesis

1. B. Ehrler, E. Alarcón-Lladó, S.W. Tabernig, T. Veeken, E.C. Garnett, and A. Polman, *Photovoltaics reaching for the Shockley–Queisser limit*, ACS Energy Letters **5**, pp. 3029–3033, 2020. (**Chapter 1**)
2. T. Veeken, B. Daiber, H. Agrawal, M. Aarts, E. Alarcón-Lladó, E.C. Garnett, B. Ehrler, J. van de Groep, and A. Polman, *Directional quantum dot emission by soft-stamping on silicon Mie resonators*, Nanoscale Advances **4**, pp. 1088–1097, 2020. (**Chapter 2**)
3. J.S. van der Burgt\*, D.R. Needell\*, T. Veeken\*, A. Polman, E.C. Garnett, and H.A. Atwater, *Unlocking higher power efficiencies in luminescent solar concentrators through anisotropic luminophore emission*, ACS Applied Materials and Interfaces **13**, pp. 40742–40753, 2021. (**Chapter 3**)
4. T. Veeken, K. Orbons, N. de Gaay Fortman, A.A. Rossinelli, D.J. Norris, A.F. Koenderink, and A. Polman, *Anisotropic luminophore emission for enhanced light trapping in luminescent solar concentrators*, in preparation. (**Chapter 4**)
5. E. Akerboom\*, T. Veeken\*, C. Hecker, J. van de Groep, and A. Polman, *Passive radiative cooling of silicon solar modules with silica microcylinder arrays*, in preparation. (**Chapter 5**)
6. T.H. Fung, T. Veeken, D. Payne, B. Veettil, A. Polman, and M. Abbott, *Application and validity of the effective medium approximation to the optical properties of nano-textured silicon coated with a dielectric layer*, Optics Express **27**, pp. 38645–38660, 2019. (**Chapter 6**)
7. Y. Zhang, T. Veeken, S. Wang, G. Scardera, M. Abbott, D. Payne, A. Polman, and B. Hoex, *Plasma focused ion beam tomography for accurate characterization of black silicon validated by full-wave optical simulation*, under review by Advanced Materials Technologies, 2022. (**Chapter 7**)

\* These authors contributed equally.

## Other

8. L. Polak, T. Veeken, J. Houtkamp, M.J. Slaman, S.M. Kars, J.H. Rector, and R.J. Wijngaarden, *Two-step sputter-hydrothermal synthesis of NaTaO<sub>3</sub> thin films*, Thin Solid Films, **603**, pp. 413–417, 2016.
9. N. Tavakoli, W. Kim, T. Veeken, D. Poorten, L. Guniat, A. Rudra, A. Fontcuberta i Morral, E. Alarcon-Llado, *Coloured and semi-transparent nanowire-based solar cells for building integrated photovoltaics*, Preprint at <http://arxiv.org/abs/2107.09465>, 2021.



# Summary

Light is an amazing phenomenon. It plays a central role in our modern society, ranging from electrical lighting to fiber-optic communication systems and mobile/computer displays to lasers. We use light to see the world around us, to study the smallest organisms with microscopes and the largest objects in the universe with telescopes. In addition, light can be a source of energy. Light from the sun provides more than 9000 times the amount of global primary energy supply our modern society generates. In the transition towards a world powered by renewable energy, photovoltaic energy conversion will play a key role, harvesting the nearly inexhaustible power that the sun provides. Photovoltaics (PV) is a mature technology that has seen decades of research and technological advances, which resulted in exponential growth of the installed capacity and exponential decline of the price of solar power generation. Two key challenges remain to be overcome to enable large-scale energy supply by PV: i) the further cost-reduction of solar electricity and ii) the integration of PV into our buildings, landscapes, and infrastructure.

In Chapter 1, we outline these two challenges in more detail. We start by investigating the potential of solar energy generation. We continue by quantifying the limits of photovoltaic energy conversion and comparing them to the current record-efficiency solar cells. Then, we discuss the role that photonics can play in PV. We conclude with a motivation to the thesis, discussing the two key challenges listed above.

In the remainder of this thesis, we investigate the photonic control over absorption and emission of light in photovoltaic systems to address these two challenges. In the first part (Chapters 2-4), we provide a fundamental description of nanophotonic structures to control the angular distribution of emission by dipole-like emitters. This has applications in, for example, up- and down-conversion schemes for photovoltaics and luminescent solar concentrators. In the second part (Chapters 5-7), we investigate photonic structures to enhance infrared emission for radiative cooling and surface textures for anti-reflection in silicon solar cells.

Up- and down-conversion schemes are designed to improve the conversion efficiency of photovoltaic systems. The absorption efficiency of the converted light in the solar cell is determined by the angular emission profile. Thus, controlling the direction of emission is of great importance to the efficiency. In Chapter 2, we introduce the use of Si nanocylinders to control the angular emission of CdSeTe/ZnS core–shell quantum dots (QDs). The Mie-like multipolar resonances in the cylinders can be tuned by changing their size, which influences the local density of optical states (LDOS) for the QDs placed on top of the cylinders. We treat the QDs as dipole-like emitters and use finite-difference time-domain (FDTD) simulations to optimize the cylinder dimensions for enhanced upward- or downward emission. QDs centered on a 400 nm diameter nanocylinder surface show 98% emission directionality into the Si substrate. Alternatively, for homogeneous ensembles placed over the nanocylinder top-surface, the upward emission is enhanced 10-fold for 150 nm diameter cylinders. Then, we demonstrate a novel soft-stamping method to selectively print a homogeneous layer of QDs on top of an array of Si nanocylinders. Experimental PL intensity measurements corroborate the simulated trends with cylinder diameter. PL lifetime measurements reflect well the variations of the LDOS at the QD position due to coupling to the resonant cylinders. These results demonstrate that the soft imprint technique provides a unique manner to directly integrate optical emitters with nanostructures. This can enable the application of

nanophotonic structures in up- and down-conversion schemes for improved photovoltaics, or other optoelectronic devices such as light-emitting diodes (LEDs) or displays. This chapter also serves as the introduction to the next two chapters, where we study anisotropic emission for photovoltaic luminescent solar concentrators.

Building-integrated photovoltaic (BIPV) technologies integrate photovoltaic energy generation into the design of semi-transparent and opaque building envelopes. The photovoltaic luminescent solar concentrator (LSC) is an example of such a technology and offers the potential for low-cost, passive concentration of direct and diffuse light. Despite decades of research, the conversion efficiency for luminescent concentrator modules has fallen far short of that achievable by geometric concentrators. Recent advances in the photoluminescence quantum yield (PLQY) of semiconductor luminophores could significantly reduce parasitic losses, but efficient light trapping remains elusive to achieve high conversion efficiency LSCs. Anisotropically-emitting nanophotonic structures could enable a significant step forward in efficiency. In Chapter 3, we employ Monte Carlo ray-trace modeling to evaluate the conversion efficiency of LSCs using anisotropic luminophore emission, as a function of PLQY, luminophore concentration, and geometric gain. By spanning the full LSC parameter space, we define a roadmap towards high LSC conversion efficiency. To calculate the conversion efficiency from ray-tracing results, we derive an analytical function for the dark radiative current of an LSC. Design parameters are provided for optimized LSCs with practical geometrical gains of 10. We conclude that conversion efficiencies beyond 28% are achievable if strong anisotropic luminophore emission is combined with high PLQY. This analysis reveals that for high luminescent solar concentrator performance, light trapping is equally important to the luminophore PLQY.

After investigating the potential of light trapping for LSCs, now we demonstrate anisotropic luminophore emission to enhance light trapping in the LSC waveguide in Chapter 4. By embedding semiconductor nanoplatelet emitters into high-index  $\text{TiO}_2$  nanocylinders, we alter their angular emission profile to increase emission into the angular range for total internal reflection (TIR). We explain the control over emission directionality by a combination of Mie-like multipolar resonances in the individual nanocylinders and the interaction with the lattice. We model the  $\text{TiO}_2$  nanocylinder array as a photonic crystal (PhC) and identify the PhC waveguide modes as a function of the lattice pitch and wavelength. By increasing the pitch, we move the dominant PhC waveguide modes into the TIR angular range at the luminophore emission wavelength (650 nm). Angle-resolved photoluminescence measurements were performed on fabricated nanocylinders arrays to capture the angular emission profiles. By optimizing the cylinder shape and lattice spacing, we show an increase in light trapping from 75% (isotropic emission) to 83.5%. These results complement the results shown in Chapter 2, demonstrating nanophotonic emission control for photovoltaics and optoelectronic devices in general.

In the second part of the thesis, we study photonic structures for radiative cooling and anti-reflection of (silicon) solar cells. In Chapter 5, we investigate the use of passive radiative cooling (PRC) to dissipate excess heat from a silicon solar cell into or through the earth's atmosphere. To achieve a lower operating temperature, which is beneficial for both the efficiency and operating lifetime of a silicon solar cell, we make use of its spontaneous emission of infrared (IR) thermal radiation. The main challenge is to enhance PRC while simultaneously retaining transparency for sunlight above the silicon bandgap. We design and fabricate a hexagonal array of microcylinders that can be integrated into the top surface of the solar cell module glass. We use FDTD simulations to optimize the geometry to enhance emission in the IR wavelength range. Multipolar Mie-like resonances in the cylinders are shown to reduce reflection in the IR, which results in enhanced IR emissivity. Using integrating

sphere spectroscopy, we measure the reflection of the silica cylinder array for IR as well as visible to near-infrared wavelengths. The results in the IR compare very well to the simulated results, while we retain transparency for light with energy above the silicon bandgap. The fabricated microstructure increased the average emissivity between  $\lambda = 7.5 - 16 \mu\text{m}$  from 84.3% to 97.7%. With this design procedure, a PRC structure can be obtained for any photovoltaic device, with or without module glass encapsulation, or any other outdoor device that benefits from a lower operating temperature.

Complementary to light management of IR light, we investigate nanotextures for improved anti-reflection of light with energy above the bandgap. The emergence of these nanotextures in silicon solar cells has resulted in challenges associated with optical modeling. Whilst rigorous methods exist to accurately model black silicon (BSi) textures, the computational effort required limits the scope of modeling applications. In Chapter 6, we model three BSi nanotextures, each with a distinct random geometry, with an effective medium approximation (EMA). We validate the use of the EMA with full-wave optical simulations. We propose criteria for the validity of different optical simulation techniques based on a set of industrial photovoltaic textures. This analysis reveals a region within which neither geometric optics nor the EMA are adequate for calculating the reflectivity of a textured surface, and hence full-wave optical simulations are required. Even though we studied specific BSi textures for visible to near-infrared wavelengths, the proposed criteria are broadly applicable. We based the limits only on the root-mean-square roughness and correlation length, both normalized to the wavelength of the incident light, making them applicable to any surface texture.

Modeling and simulation of surface textures are commonly used in the PV industry to better understand the material properties, predict the device performance, and provide guidelines for optimizing fabrication parameters. Obtaining an accurate and reliable surface morphology of the BSi texture is one of the key challenges to achieving accurate models. In Chapter 7, we investigate the reliability and consistency of BSi texture characterization. We compare 3D models of complex BSi textures obtained by atomic force microscopy (AFM) and plasma focused ion beam (PFIB) tomography techniques. Hemispherical reflection measurement results are compared to full-wave optical simulated results to test the reliability and consistency of the tomography models. Our results provide evidence that PFIB tomography is more reliable and consistent at characterizing highly roughened BSi textures than AFM tomography.

Overall, this thesis provides new insights into several light management strategies to improve photovoltaic systems. Based on a fundamental understanding of the interaction between resonant photonic nanostructures and luminophores, we demonstrate control over the direction of emission. These insights and results pave the way for more efficient up- and down-conversion schemes and luminescent solar concentrators, specifically for photovoltaic applications. Similarly, we study the interaction of light with silicon solar cells to improve the emission of excess thermal energy and reduce reflection losses. We employ full-wave simulations to accurately predict this interaction at the scale of the wavelength of light to enable optimization of the surface textures. Many of these insights are also applicable to other optoelectronic devices such as photodetectors, light-emitting diodes, and displays.



# Samenvatting

## Fotonische controle over licht absorptie en straling in fotovoltaïsche systemen

Licht is een wonderlijk fenomeen. Het speelt een centrale rol in onze moderne samenleving, variërend van elektrische verlichting tot glasvezelcommunicatiesystemen en mobiele/computer schermen tot lasers. We gebruiken licht om de wereld om ons heen te zien, om de kleinste organismen te bestuderen met microscopen en de grootste objecten in het heelal waar te nemen met telescopen. Daarnaast kan licht een bron van energie zijn. Licht van de zon levert meer dan 9000 keer de hoeveelheid primaire energie die onze moderne samenleving opwekt. Bij de overgang naar een wereld die wordt aangedreven door hernieuwbare energie, zal fotovoltaïsche energieopwekking een sleutelrol spelen, waarbij de bijna onuitputtelijke energie die de zon levert wordt geoogst door fotovoltaïsche systemen zoals zonnepanelen. Fotovoltaïsche energieopwekking, Photovoltaics (PV) in het Engels, is een volwassen technologie die tientallen jaren van onderzoek en technologische vooruitgang heeft doorgemaakt, wat heeft geleid tot een exponentiële groei van de geïnstalleerde capaciteit en een exponentiële daling van de prijs van zonne-energie. Er moeten nog twee belangrijke uitdagingen worden overwonnen om grootschalige energievoorziening door PV mogelijk te maken: i) de verdere kostenverlaging van zonne-elektriciteit en ii) de integratie van PV in onze gebouwen, landschappen en infrastructuur.

In Hoofdstuk 1 schetsen we deze twee uitdagingen in meer detail. We beginnen met het onderzoeken van het potentieel van zonne-energieopwekking. We gaan verder met het kwantificeren van de limieten van photovoltaics en vergelijken deze met de huidige recordrendement zonnecellen. Vervolgens bespreken we de rol die fotonica kan spelen bij PV. We sluiten af met een motivatie voor het proefschrift en bespreken de twee belangrijkste uitdagingen die hierboven zijn opgesomd.

In de rest van dit proefschrift onderzoeken we de fotonische controle over absorptie en straling van licht in fotovoltaïsche systemen om deze twee uitdagingen aan te pakken. In het eerste deel (Hoofdstukken 2-4) geven we een fundamentele beschrijving van nanofotonische structuren om de hoekverdeling van straling door dipoolachtige emitters te controleren. Dit heeft toepassingen in bijvoorbeeld foton-conversieschema's voor fotovoltaïsche systemen, en voor luminescente zonneconcentratoren. In het tweede deel (Hoofdstukken 5-7), onderzoeken we fotonische structuren ter verbetering van de infraroodstraling voor stralingskoeling en oppervlaktestructuren voor antireflectie in siliciumzonnecellen.

## Deel één

Het spectrum van de zon bevat licht met veel verschillende golflengtes, variërend van ultra-violet (hogere energie) naar zichtbaar tot infrarood (lagere energie). Figuur 1.1a *op blz. 5* laat de intensiteit van het zonnespectrum zien als functie van de golflengte (zwart) en hoeveel daarvan maximaal benut kan worden door een enkele zonnecel (oranje). Een enkele zonnecel kan theoretisch maximaal 33,7% van het zonlicht omzetten in elektriciteit, hoewel het record in de praktijk op 29,2% ligt. Het rendement wordt voornamelijk gelimiteerd doordat infrarood licht te weinig energie heeft (hoge golflengtes, rechts van het oranje oppervlak) en dus geen elektriciteit kan opwekken, en doordat ultra-violet en zichtbaar licht meer energie heeft dan de zonnecel kan gebruiken (boven het oranje oppervlak). De positie van de oranje lijn markeert de ‘bandgap’ van de zonnecel, de minimale energie (maximale golflengte) die licht nodig heeft om omgezet te kunnen worden in elektrische stroom. De bandgap verschilt per materiaal en bepaalt het maximale rendement — Figuur 1.2a *op blz. 7* laat het theoretische rendement per bandgap zien, en de behaalde records voor zonnecellen van verschillende materialen.

Om het rendement te verhogen van zonnecellen te verhogen, kunnen twee of meer zonnecellen op elkaar gelegd worden. Figuur 1.1b *op blz. 5* laat zien dat drie zonnecellen met verschillende bandgaps (blauw, groen en rood) ieder een ander gedeelte van het zonnespectrum omzetten. Tezamen verhoogt dit het maximum rendement naar 51,6%, maar maakt het tot nu toe altijd moeilijker en veel duurder om te fabriceren.

Foton-conversieschema’s zijn een alternatieve manier om het theoretisch rendement van een zonnecel te verhogen; zie Figuur 1.3d ter illustratie *op blz. 11*. Hierin worden bijvoorbeeld twee lage-energie fotonen (minder energie dan de bandgap) omgezet in één hoge-energie foton (rood naar blauw), zodat die wel omgezet kan worden in elektriciteit. Andersom kan een hoge-energie foton gesplitst worden (blauw naar rood) in twee of meer lage-energie fotonen (met minstens de energie van de bandgap), zodat er meer elektriciteit opgewekt wordt.

Een materiaal waarin foton-conversie plaatsvindt moet eerst zonlicht absorberen, en daarna het geconverteerde licht weer uitzenden. Dat zal echter niet automatisch alleen richting de zonnecel uitgezonden worden. Daarom is het van belang om de richting te kunnen controleren waarin licht wordt uitgezonden. In Hoofdstukken 2, 3 en 4 demonstreren we hoe we nanofotonica gebruiken om de stralingsrichting te controleren van lichtgevende deeltjes.

Foton-conversieschema’s zijn ontworpen om het rendement van fotovoltaïsche systemen te verbeteren. Het absorptierendement van het omgezette licht in de zonnecel wordt bepaald door het hoek-afhankelijke stralingsprofiel. Het beheersen van de stralingsrichting is dus van groot belang voor het rendement. In Hoofdstuk 2 introduceren we het gebruik van silicium (Si) nanocilinders om de hoekafhankelijke straling van CdSeTe/ZnS kwantumdeeltjes (KD’s) te regelen. De Mie-achtige multipolaire resonanties in de cilinders kunnen worden afgestemd door hun grootte te veranderen, wat de lokale dichtheid van optische toestanden (LDOS) beïnvloedt voor de KD’s die bovenop de cilinders zijn geplaatst. We modelleren de KD’s als dipoolachtige emitters en gebruiken FDTD-simulaties (finite-difference time-domain) om de cilinderdimensies te optimaliseren voor verbeterde opwaartse of neerwaartse straling. KD’s geцentreerd op een oppervlak van een nanocilinder met een diameter van 400 nm stralen 98%

neerwaarts het Si-substraat in. Daarentegen, homogene ensembles die over het bovenoppervlak van de nanocilinder zijn geplaatst met een diameter van 150 nm, vertonen 10 keer meer opwaardse straling. Vervolgens demonstreren we een nieuwe zachte stempelmethode om selectief een homogeen laag KD's op een reeks Si-nanocilinders te stempelen. Experimentele fotoluminescentie (PL) intensiteitsmetingen bevestigen de gesimuleerde trends als functie van de cilinderdiameter. PL-levensduurmetingen weerspiegelen goed de variaties van de LDOS op de KD-positie als gevolg van koppeling aan de resonanties. Deze resultaten tonen aan dat de zachte stempeltechniek een unieke manier biedt om lichtgevende deeltjes zoals kwantumdeeltjes direct te integreren met nanostructuren. Dit kan de toepassing van nanoftotonische structuren mogelijk maken in foton-conversieschema's voor fotovoltaïsche systemen of andere opto-elektronische apparaten zoals light-emitting diodes (LED's) of displays. Dit hoofdstuk dient ook als inleiding op de volgende twee hoofdstukken, waar we anisotrope straling bestuderen voor fotovoltaïsche luminescente zonneconcentratoren.

Gebouwgeïntegreerde fotovoltaïsche (BIPV) technologieën integreren fotovoltaïsche energieopwekking in het ontwerp van semi-transparante en ondoorzichtige componenten van de gebouwde omgeving. De fotovoltaïsche luminescente zonneconcentrator (LSC) is een voorbeeld van een dergelijke technologie en biedt de mogelijkheid voor goedkope, passieve concentratie van direct en diffuus licht. Ondanks tientallen jaren van onderzoek, is het rendement van LSC's ver achtergebleven bij dat van geometrische concentrators. Recente ontwikkelingen in het fotoluminescentie-rendement (PLQY) van halfgeleider luminoforen (lichtgevende deeltjes) zouden de verliezen aanzienlijk kunnen verminderen, maar even goed is efficiënte lichtopsluiting in het systeem nodig voor LSC's met een hoog rendement. Anisotroop stralende nanofotonische structuren zouden een belangrijke stap voorwaarts in rendement kunnen betekenen. In Hoofdstuk 3 gebruiken we Monte Carlo ray-trace modelleren om het rendement van LSC's te evalueren met behulp van anisotrope luminofoorstraling, als een functie van PLQY, luminofoorconcentratie en geometrische versterking. Door alle LSC parameters te beschouwen, definiëren we een routekaart naar hoge-rendement LSC's. Om het rendement uit raytracing-resultaten te berekenen, leiden we een analytische functie af voor de donkerstroom van een LSC. Ontwerpparameters worden bepaald voor geoptimaliseerde LSC's met praktische geometrische concentratie van 10. We concluderen dat rendementen van meer dan 28% haalbaar zijn als sterke anisotrope luminofoorstraling wordt gecombineerd met hoge PLQY. Deze analyse laat zien dat voor hoge LSC rendementen, lichtopsluiting even belangrijk is als de PLQY.

Nadat we het potentieel van lichtopsluiting voor LSC's hebben onderzocht, demonstreren we nu anisotrope luminofoorstraling om de lichtopsluiting in de LSC-golfgeleider te verbeteren in Hoofdstuk 4. Door halfgeleider kwantumdeeltjes in te bedden in TiO<sub>2</sub> nanocilinders met een hoge brekingsindex, veranderen we hun hoekafhankelijke stralingsprofiel om de straling in het hoekbereik voor totale interne reflectie (TIR) te vergroten. We verklaren de controle over stralingsrichting door een combinatie van Mie-achtige multipolaire resonanties in de individuele nanocilinders en de interactie met het rooster. We modelleren het TiO<sub>2</sub> nanocilinder-rooster als een fotonisch kristal (FC) en identificeren de FC-golfgeleidermodi als een functie van de roosterafstand en golflengte. Door de roosterafstand te vergroten, verplaatsen we de dominante FC-golfgeleidermodi naar het TIR-hoekbereik bij de luminofoorstralingsgolflengte (650 nm). Hoek-opgeloste fotoluminescentiemetingen werden uitgevoerd op gefabriceerde nanocilinders-arrays om de hoekafhankelijke stralingsprofielen te meten. Door de cilindervorm en de roosterafstand te optimaliseren, laten we een toename in lichtopsluiting zien van 75% (isotrope stralingsverdeling) naar 83,5%. Deze resultaten zijn een aanvulling op de resultaten die worden getoond in Hoofdstuk 2.

## Deel twee

De zonnepanelen die we op de Nederlandse daken zien zijn voornamelijk gemaakt van silicium (Si). Silicium kennen we vooral als bestandsdeel in zand en glas in de vorm van siliciumoxide ( $\text{SiO}_2$ ). In de typische zonnecel wordt juist kristallijn Si gebruikt om zonlicht om te zetten naar elektriciteit. Naast elektriciteit wordt een groot gedeelte van het inkomende zonlicht omgezet in warmte, waardoor de temperatuur op kan lopen tot boven de 60 graden Celsius. Het rendement van een silicium zonnecel wordt minder met oplopende temperatuur, en ook de levensduur verslechtert. In Hoofdstuk 5 kijken we daarom naar een manier om een zonnecel passief te koelen (zonder dat dat energie kost) met fotonische structuren.

Om zonlicht om te kunnen zetten naar elektriciteit, moet het licht wel in de zonnecel terecht komen. Om de absorptie van licht in de zonnecel te maximaliseren, moet de reflectie minimaal worden (hier beschouwen we een zonnecel met een metalen achterkant die geen licht doorlaat). Oppervlaktexturen kunnen de reflectie verminderen en ook de lichtopsluiting in de zonnecel verbeteren. In Hoofdstukken 6 en 7 onderzoeken we hoe oppervlaktexturen beter en/of sneller gemodelleerd en gekarakteriseerd kunnen worden. Dit draagt bij aan het ontwerp en de fabricage van (silicium) zonnecellen met lagere reflectie en betere consistentie van de gefabriceerde (nano)structuren.

In het tweede deel van het proefschrift bestuderen we fotonische structuren voor stralingskoeling en antireflectie van (silicium) zonnecellen. In Hoofdstuk 5 onderzoeken we het gebruik van passieve stralingskoeling (PSK) om overtollige warmte van een silicium zonnecel van de aarde naar of door de atmosfeer af te voeren. Om een lagere temperatuur te bereiken, wat gunstig is voor zowel het rendement als de levensduur van een silicium zonnecel, maken we gebruik van de spontane straling van infrarood (IR) warmtestraling. De belangrijkste uitdaging is om PSK te verbeteren en tegelijkertijd de transparantie voor zonlicht boven de silicium bandgap te behouden. We ontwerpen en fabriceren een zeshoekig rooster van microcilinders die kunnen worden geïntegreerd in het bovenoppervlak van het glas van een zonnepaneel. We gebruiken FDTD-simulaties om de geometrie te optimaliseren om de straling in het IR-golfenggebied te verbeteren. Van multipolaire Mie-achtige resonanties in de cilinders is aangetoond dat ze reflectie in het IR verminderen, wat resulteert in een verbeterde IR-straling. Met behulp van integrerende bolspectroscopie meten we de reflectie van het silica cilinderrooster voor IR en voor zichtbare tot nabij-infrarode golflengten. De resultaten in het IR komen goed overeen met de gesimuleerde resultaten, terwijl we transparantie behouden voor licht met energie boven de silicium bandgap. De gefabriceerde microstructuur verhoogt de gemiddelde straling tussen  $\lambda = 7,5 - 16 \mu\text{m}$  van 84,3% tot 97,7%. Met deze ontwerpprocedure kan een PSK-structuur worden verkregen voor elk fotovoltaïsch systeem, met of zonder een omsluiting van glas, of elk ander apparaat dat in de open lucht staat en profiteert van een lagere temperatuur.

Als aanvulling op het management van IR-licht, onderzoeken we nanotexturen voor verbeterde antireflectie van licht met energie boven de bandgap. De opkomst van deze nanotexturen in silicium zonnecellen heeft geleid tot uitdagingen in verband met optische modellering. Hoewel er rigoureuze methoden bestaan om de texturen van zwart silicium (zSi) nauwkeurig te modelleren, beperkt de vereiste rekenkracht de modelleringstoepassingen. In Hoofdstuk 6 modelleren we drie zSi-nanotexturen, elk met een aparte willekeurige geometrie, met een effectieve-stof benadering. We valideren het gebruik van de effectieve-stof benadering met lichtgolf simulaties. We stellen criteria voor de validiteit van verschillende optische

simulatietechnieken voor op basis van een reeks industriële fotovoltaïsche texturen. Deze analyse onthult een gebied waarbinnen noch geometrische optica noch de effectieve-stof benadering geschikt zijn voor het berekenen van de reflectiviteit van een gestructureerd oppervlak, en daarom zijn lichtgolf simulaties vereist. Hoewel we specifieke zSi-texturen hebben bestudeerd voor zichtbare tot nabij-infrarode golflengten, zijn de voorgestelde criteria breed toepasbaar. We hebben de limieten alleen gebaseerd op de ruwheid en correlatielengte van de textuur, beide genormaliseerd naar de golflengte van het invallende licht, waardoor ze toepasbaar zijn op elke oppervlaktetextuur.

Modellering en simulatie van oppervlaktestructuren worden vaak gebruikt in de zonnecelindustrie om de materiaaleigenschappen beter te begrijpen, de prestaties van het apparaat te voorspellen en richtlijnen te geven voor het optimaliseren van fabricageparameters. Het verkrijgen van een nauwkeurige en betrouwbare oppervlaktestructuur van de zSi-textuur is een van de belangrijkste uitdagingen voor het verkrijgen van nauwkeurige modellen. In Hoofdstuk 7 onderzoeken we de betrouwbaarheid en consistentie van zSi-textuurkarakterisering. We vergelijken 3D-modellen van complexe zSi-texturen verkregen door atoomkrachtmicroscopie (AFM) en plasmagerichte ionenstraal (PFIB) technieken. Hemisferische-reflectie meetresultaten worden vergeleken met lichtgolf gesimuleerde resultaten om de betrouwbaarheid en consistentie van de textuurmodellen te testen. Onze resultaten leveren bewijs dat PFIB betrouwbaarder en consistenter is in het karakteriseren van sterk opgeruwde zSi-texturen dan AFM.

Als geheel biedt dit proefschrift nieuwe inzichten om fotovoltaïsche systemen te verbeteren door middel van verschillende fotonische controle over licht. Op basis van een fundamenteel begrip van de interactie tussen resonante fotonische nanostructuren en luminoforen, demonstreren we controle over de richting van straling. Deze inzichten en resultaten dragen bij aan de ontwikkeling van efficiëntere foton-conversieschema's en luminescente zonneconcentratoren, specifiek voor fotovoltaïsche toepassingen. Verder bestuderen we de interactie van licht met silicium zonnecellen om de straling van overtollige thermische energie te verbeteren en reflectieverliezen te verminderen. We gebruiken lichtgolf simulaties om deze interactie nauwkeurig te voorspellen op de schaal van de golflengte van het licht om optimalisatie van de oppervlaktetexturen mogelijk te maken. Veel van deze inzichten zijn ook toepasbaar op andere opto-elektronische apparaten zoals fotodetectoren, lichtgevende dioden en displays.



# Acknowledgements

The job of a PhD student as a junior researcher is oftentimes called a quite personal endeavor: you have to take responsibility for your own projects. Nevertheless, this thesis is certainly not a completely personal achievement. Every person that accompanied me on this journey in one way or another has contributed to this final product. Colleagues, friends, and family, thank you so much, my experience of the PhD life has been shaped by your companionship, which I am forever grateful for!

First of all, I want to thank my parents. *Mamma, ik kan niet in woorden uit-drukken hoe gelukkig ik ben met alles wat ik van jou geleerd heb, jouw opvoeding heeft mij gemaakt tot wie ik nu ben. Ik heb ontzettend veel bewondering voor alles wat jij doet en over hebt voor de familie, hoe je iedereen verbonden en betrokken houdt. Pappa, wat bijzonder dat jij altijd achter me staat, altijd voor me klaar staat met hulp of raad. Net als mamma inspireer je mij mijn eigen leven te leven. Ik hou ontzettend van jullie en kijk uit naar de schatten die ons in het verschiet liggen!*

Second, the rest of my family. *Tim, bedankt dat je mijn grootste broer bent. Jij laat zien dat een echt grootse man ook een gevoelige man is. Ik heb enorm genoten van onze (telefoon)gesprekken de afgelopen jaren en hoop dat er nog heel veel bij komen :) Ook ben ik enorm trots dat jij naast me staat met de verdediging! Nicole, dankjewel voor je smile :) Jouw inzet voor anderen is echt bijzonder, evenals hoe je onderdeel bent geworden van onze familie. Heel fijn dat ik altijd welkom ben bij jullie, ik kijk uit naar de volgende G&T. Jeroen, bedankt voor alle belevenissen, alle (board)games, vakanties, het samen verbouwen van ons huis, en alles er tussenin. Jij hebt me de afgelopen jaren altijd gesteund, naar me geluisterd, en me een veilige plek geboden. Ik kan niet wachten op alle komende avonturen, te beginnen met de verdediging :) Sophie, bedankt dat je m'n part time huisgenoot was in Noord, voor je kookkunsten en de gezelligheid. Lieve Raven, bedankt dat je in onze familie bent gevlogen! Joost, wat ben jij een fijne broer, zo anders als ik en toch ook weer niet. Bedankt dat je echt altijd zo heerlijk kookt, de hoeksteen van de familie. Wat we samen hebben beleefd voelt als een geweldige fundament waar we op kunnen blijven bouwen. Ik ben heel blij dat je de afgelopen jaren op hetzelfde level bent gekomen als Jeroen en ik, en ik heb veel zin in de levels die nog komen! Romy, stoere zus, bedankt dat je altijd blij bent als we elkaar weer zien. Jij maakt altijd je eigen keuzes, zelfs als dat geen makkelijke of mainstream keuzes zijn, wat ik heel inspirered vind. Phong, bedankt voor alle tech-praat :) Opa, als er iemand stoer is dan bent u het wel! Heel inspirerend hoe u van het leven geniet. Oma, bedankt voor het delen van uw wijsheid en uw ooprecht interesse. Ik ben heel gelukkig dat u samen met Opa er altijd voor ons bent geweest, zonder ooit een moeilijk of lelijk woord! Maud, thank you for becoming dinosaurs together. Het afgelopen jaar was geweldig; ongelofelijk en toch ook vertrouwd. Je geeft me een heel warm en zeker gevoel, en ik kijk enorm uit naar wat er verder op ons pad komt!*

**Albert**, thank you for being a fantastic (PhD) advisor. I've had the pleasure of working with you for close to 6 years now, and while I was already enjoying your supervision as a master student in the first year, I've only come to appreciate you more over time, as a group leader and as a person. You stand out as a group leader in obvious ways: I can't imagine a PhD student that wouldn't be happy with a group leader that organizes a week-long lab tour visiting fellow research groups. But you also stand out in less obvious or at least less public

## Acknowledgements

---

ways: you show honest interest in our lives and share about your personal life, you join us for coffee, lunch and tea breaks or drinks after work, and you invite us into your home for parties or take us for summer night boat trips through the Amsterdam canals. Also, covid hasn't been easy for at least the social part of the group, and you put a lot of effort into keeping us connected. This you do in a natural way, but nevertheless it is vital to the group dynamic and what enabled me to complete this thesis. *Bedankt voor alles en meer!*

**Jorik**, thank you for being such an inspiring co-promotor. From the very beginning of my AMOLF time, your PhD thesis work inspired me and importantly taught me about Mie-like resonances in nanostructures. During the few times that we met when you were at Stanford, you were always eager to help me and share you insights and technical solutions. Then later, when you came back to Amsterdam, you helped with finishing the story of chapter 2 with discussions and manuscript edits. I've learned a great deal from your input, also on chapter 5 and the rest of the thesis, and feel I have improved my writing because of that. Besides all that you taught me, it is also a pleasure to work with you. As I see it, you combine the ability to teach without sounding condescending, the ability to create a collaborative atmosphere, and the ability to ensure I am taking responsibility with confidence.

Dear committee, thank you for the time and effort you are putting into my PhD defense. **Peter**, thank you for putting so much trust in me as a teaching assistant. **Erik**, thank you for always asking interesting questions, to my own presentations and those of others, inspiring us all to do the same. It has been great to directly work with you, which resulted in two publications that are now part of this thesis, and since recently on the PerFoRM KIC project. You're always kind and make me feel like an equal, which is a highly valued asset as a group leader. **Wim**, thank you for inspiring me and so many other people to work on photovoltaics. *Het voelt altijd heel bemoedigend om met jou te praten, zowel door je positieve visie voor zonne-energie als hoe je mij als jonge onderzoeker motiveert.* **Isabelle**, I am very happy that you have accepted to be in my PhD committee because much of this thesis has been influenced and shaped by work. **Rebecca**, thank you for showing that it is certainly possible to keep practical applications and circumstances in mind when conducting fundamental research.

Photonic Materials group, you are the best, a true Dream Team! First, I would like to thank my tutors, the postdocs of the group. **Mark**, thank you for teaching me how to do research. In only a few months, you showed me (by example) how to take responsibility for your own research while also collaborating with and helping others, the importance of conducting and understanding reference simulations or measurements, and how to foster the social aspects of the group, the gezelligheid. And of course, thank you for all the beautiful pictures! **Sophie**, thank you for showing me how fun and exciting research is, and that you don't have to be an expert to ask good and relevant questions. The times on the (Veldhoven) dance floor I'll never forget :) **Nick**, thanks for the endless times you helped with my theory questions, I've learned so much from all the discussions. Your enthusiasm for science is really contagious, I hope you keep that attitude forever! **Daniël**, thank you for so much valuable (research) advice in just a few months! **Kelly**, I really admire your work-discipline and enjoyed your little jokes a lot, random or not. To be honest, I'm a little sad that we didn't get to spend more time together due to covid, so I hope you're making up for those (lonely) times in California now. On the bright side, we've laughed a lot during live and online game nights :)

Then, I would like to specifically thank Verena, Magda, and Andrea, with whom I shared (almost) the entire PhD journey. **Verena**, amazing how you always made sure the group was an inclusive place, made sure that everyone felt they were a part of it. When you just started as a PhD student and I as a master student, you treated me (and all the other master students,

PhD students, or postdocs that followed) like equals. Also, I really admire how you make clever jokes but are never mean. **Magda**, thank you for sharing the AMOLF master-PhD experience, I've enjoyed it a lot to see you become the confident researcher you are now. Besides the occasional somewhat-dark, Kelly-type joke, you never say anything bad about anyone, which I think is one of the best habits to have. **Andrea**, thank you for making sure that our research time was supplemented with sufficient social time. Your honest realism is contagious, and your ability to call bullshit or tell me I'm being too serious very appreciated (at least by me). I'm also very thankful that you're always available for any discussion or question. The fact that you often directly cut to the chase shows what a great researcher you are — my honest opinion. Also, thank you for inviting us to Catania for a perfect trip, I'll never forget it!

Next, all the other master and PhD students that are and have been part of the group. **Stefan**, even though you've spent two years down under, I feel that we have made quite some memories. We saw a lot of football matches together and had a lot of fun on the trips to Catania, Berlin, and Switzerland. You never seem to stress much (over work) and are always available to discuss, making it great to work with you. **Matthias**, what's up? — peace :) You're a super nice and funny guy, inspiring me to make/play more (silly) jokes. Some people might say you're not that organized, but I think you have complete control over the important stuff, which is much more useful than micromanaging everything. I really enjoyed all the lecture style group meeting presentations you gave and the tech-talk. Peace out. **Nika**, thank you for being so concerned with the welfare of me and the rest of the group. I really admire your capacity to bask in the joyful moments and cheer other people on. Also, your organization of the Switzerland lab-tour was just spot-on! **Evelijn**, thank you for such a fruitful and fun year of teamwork. *Ik heb heel erg genoten van ons PRC avontuur, van alle online meetings tot aan de trips naar Twente. Overleggen en samenwerken kun jij super goed, en tegelijkertijd neem je daarnaast zelf het heft in handen. Dat zijn precies de eigenschappen die een goede PhD student nodig heeft, dus jouw thesis wordt zeker een succes, en ik ben blij dat we zo nog collega's zijn :)* **Cyrian**, thanks for making the California trip so much fun! **Joris**, it was a blast to be colleagues for 10 months with a friend. Even though we're quite different people, we share our enthusiasm for solving problems and boardgames. **Kyra**, thank you for working together on such a interesting topic, for your insightful and critical thinking, and for presenting the LSC story with such beautiful drawings. **Floris**, thanks for making sure all the breaks were filled with laughter, and for all the drinks and football games after work. **Marnix**, thank you for teaching us about carrier dynamics. **Heleen**, thank you for making all the coffee and lunch breaks so enjoyable, either with fun or serious talk. **Daphne**, very inspiring how you took on a master project outside of your comfort zone and made it a success. Also, thank you for teaching us to talk proper English ;) **Hannah**, thank you for organizing the Switzerland lab-tour, I'll never forget it!

Finally, I'd like to thank the Polman group alumni for their advice and tutoring. **Toon**, you are one of the most dependable people that I know and its a true asset to the group that you remain affiliated. You helped me decide when I was contemplating a PhD position in Albert's group, and helped with many other things throughout the years. Besides that, you've probably inspired me the most by your work as a researcher that bridges the fundamental science of AMOLF to applied science. **Benjamin B.**, thank you for staying in touch with the group and for the times we ended up on the dance floor, you rock! **Ruben**, thank you for all the invaluable WITec advice and the discussions during the GRC conference.

I have also had an incredible team of colleagues working besides me in other groups at AMOLF. First, I would like to thank those that were involved in making the projects described in this thesis a success. **Bruno**, our collaboration started immediately on the first day of my

## Acknowledgements

---

PhD and I've learned a lot from our discussions. **Esther**, thank you for being so supportive to all young researchers at AMOLF. **Femius**, thank you for all your valuable remarks and questions during colloquia and poster sessions. Also, many thanks for your insight into the experimental LSC chapter, thanks to the S4 simulations you set up I got to the beautiful result on the cover. **Benjamin D.**, I feel very lucky that you were the first colleague to collaborate with for such a long time. We have explored the project that is now chapter 2 of this thesis together, where you've shown me how to combine each other's expertise and identify where more help is needed. Thank you for teaching me by example, and being such a nice guy along the way! **Harshal**, thank you for all the lab work we did together, I learned a lot about chemistry, and for always thinking towards solutions. **Mark A.**, thank you for teaching me how to perform AFM measurements while you were so busy with your own thesis. **Julia**, I'm super happy that we happened to be having similar research questions in mind, and that we worked on a collaborative project as a result. *Het is heel fijn om samen te werken met jou, onze brainstorm sessies waren heel effectief, vervolgens had je in no-time weer overzicht gecreëerd en kwam je alles na wat je beloofde. Ook ben je een geweldige luisterraar en ben ik blij met alle gezellige en diepgaande gesprekken. Ik kijk uit naar de volgende bbq :)* **Nasim**, thank you for always sharing your warmth and happiness with those around you. I'm very glad we have been working together for so long, you certainly and sincerely made AMOLF a happier place. **Nelson**, thank you for measuring the beautiful Fourier images together that now feature this cover. *Je werkt heel rustig en gestaag, waardoor je heel veel overzicht en inzicht verwerft en het fijn is om samen te werken!*

Besides the colleagues that directly helped me with my PhD work, there were many more that supported me indirectly. **Sven**, thank you for all the times you beat me with squash, and for all the interesting discussions we had before and after. **Lucie**, thank you for being such a sweet person and putting all your efforts into renewable energy (research). **Silvia**, thanks for being so thoughtful and kind when we have a chat. **Alex**, thanks for teaching me about computers, hydrogen technology, and other tech (you know your stuff), and for taking over some of my duties without ever complaining. **Eitan**, I really admire how positive and happy to always are, or at least seem ;) Furthermore, thanks to **Hongyu**, **Susan**, **Sarah**, **Gianluca**, **Imme**, **Moritz S.**, **Jeroen**, **Yorick**, **Daphne**, **Ilan**, **Deba**, **Rene**, **Roel**, **Jesse**, **Jente**, **Francesca**, **Mees**, **Wiebke**, **Ewold**, **Said**, **Wim N.**, and those that I'm forgetting here!

There have also been a lot of colleagues that left AMOLF before me, but very much determined the culture in which I have been happy to work. Thank you for the many coffee/tea/lunch breaks, the epic pv events such as Christmas/Easter lunches and AMOLF outings, colloquia and poster sessions, and for creating/sustaining a sense of community. **Jenny**, thank you for always sharing your happiness and smile with the people around you, and for being such a good listener. **Lukas**, I really admire how you always take the time to connect with everyone and are so generous with sharing your ideas and help. **Robin**, you're one of the most friendly people I know; combined with your smart humor it's very fun to be around you. **Isabelle**, thanks for all the dancing! **Loreta**, thanks for sharing the incredible summer school week in Austria. Also many thanks to **John**, **Sander**, **Sebastian**, **Gede**, **Parisa**, and **Moritz F.**, **Ruslan**, **Annemarie**, **Marco V.**, **Giorgio**, **Hugo**, and **Christian**.

The success of AMOLF is very much the result of the excellent support in several departments of the institute. The in-house expertise and the cooperation of the support staff is truly exceptional, and I would like to thank all staff sincerely for their effort. As a junior researcher I've felt literally supported by technical and personal support, I've never felt alone, but which I'm very grateful for! Specifically, I would like to thank the people that directly supported my personal research efforts. **Dion**, *bedankt dat je altijd overal mee wilt helpen*,

*dat je het altijd leuk vindt om een oplossing te vinden voor waar ik dan ook mee aanklop, en dat je alles zo positief aanvliegt. Floortje, bedankt dat altijd zo veel lol maakt en tegelijkertijd alles op rolletjes laat lopen. Hans, bedankt voor de inspiratie te genieten van het onderzoek en de techniek op AMOLF te begrijpen, en dat je me veel te dikke lagen TiO<sub>2</sub> hebt laten opdampen in de E-flex. Dmitri, Bob, en Igor, bedankt dat jullie altijd voor mij en iedereen klaar staan en tegelijk de cleanroom zo'n gezellige plek maken. Hinco, Marc, Petra, Grace, Clyde, Rutger, Gerben, en alle support staff die ik nu vergeet, bedankt voor al jullie hulp de afgelopen jaren, jullie zijn goud waard!*

This thesis is the result of many successful collaborations with colleagues all around the world, whom I would like to thank dearly. **Harry**, thank you for inspiring me and so many others with your vision. Your passion for science is contagious and your work on renewable energy a true inspiration. **David Ne.**, I have enjoyed our brainstorms and discussions tremendously. You are so good in expressing your thought, both in words and writing, and your figure-making skills are astounding — thank you for making our paper such a beauty! **John, David P., Malcolm, YoYo, and Bram**, thank you for such a fruitful collaboration from across the world. **Aurelio and David No.**, thank you for trusting me with your nanocrystals! **Chris**, thanks for inviting Evelijn and me to Twente, without you we would never have come to these beautiful results! **Rinke, Jan, and Leo**, thank you for introducing me to scientific research when I was only just a bachelor student, I have felt very welcome and taken seriously. **Qitong**, thank you for taking the time to teach me about multipole decompositions. **Maarten**, *bedankt voor de leuke gesprekken bij de Sunday en AMOLF poster sessies.*

Finally, I would like to thank my friends for joining me along this PhD journey. **Jonas**, we already met a couple months before my academic journey even began, and you have been grooming and advising and tutoring and inspiring me ever since. Your passion for renewable energy has sparked mine, you welcomed me into the Physics study association, and your invitation to join Extensus made my study life so much richer. *Je bent een goede vriend en ik ben heel benieuwd waar onze (duurzame) wegen verder heen zullen leiden.* **Ilse**, thank you for sharing the Amsterdam study experience for so many years. *Ik heb het heel leuk gevonden bijna alle vakken samen met jou te volgen, we zaten zo op een lijn met onze keuzes en interesses. Zonder jou was het niet hetzelfde geweest!* **Kees**, thank you for teaching me physics theory when I thought I understood but actually didn't. *Jij bent een van de slimste mensen die ik ken, en zeker de slimste uit ons studiejaar, maar nog belangrijker heel aardig, oprecht, en gezellig!* **Jorick**, thanks for making life, and thus also our study time, a party! *Jouw positiviteit is aanstekelijk en het is heerlijk dat je overal wel een mening over of idee voor hebt. Ik zal nooit vergeten hoe we Jiskevet - Stiften speelden aan de bar bij Aik :p* **Daan**, you're never easily convinced, which makes discussions either interesting or refreshing or both :p *Bedankt dat je me elektrodynamica hielp begrijpen en de diners van genoeg humor voorzag.*

Everybody that was part of the study associations **Aik and Extensus**, thank you shaping my studies leading up to this PhD work. In particular, I would like to thank: **Ada**, *bedankt dat je altijd met scherp inzicht en verfrissende opvattingen komt, en we nooit uitgepraat lijken te raken.* **Ruben**, *dankjewel dat je er altijd was op de (gala-)dansvloer, en voor de (droge) humor tijdens vergaderingen en biertjes.* **Maartje**, *dankjewel dat je er was toen ik dit avontuur richting zonnecel-onderzoek startte, en alle andere mooie/leuke belevenissen.* **Laura**, *bedankt dat je altijd zo betrokken bent, zelfs als we elkaar een tijd niet gezien hebben, en voor je heerlijke diners tijdens vergaderingen.* **Floris**, *thanks voor alle gesprekken over tech en (levens-)filosofie, echt knap/leuk/interessant hoe scherp jij kunt observeren.* **Yarah**, *bedankt voor alle spelletjesavonden, Aik trips, en borrelavonden.* **Lotus**, *bedankt dat je zo'n prachtig mens bent,*

## Acknowledgements

---

*altijd open en gezellig en blij :) **Romy D.**, dankjewel voor alle bordspellen die ik van je geleerd heb, voor de lesdagen die we samen gedaan hebben, en voor de persoonlijke gesprekken :) Tot slot, **Sanne**, bedankt voor de geweldige Istanbul trip en conferentie, en voor je gezelligheid elke week.*

*“Fall in love with some activity, and do it! Nobody ever figures out what life is all about, and it doesn’t matter. Explore the world. Nearly everything is really interesting if you go into it deeply enough. Work as hard and as much as you want to on the things you like to do the best. Don’t think about what you want to be, but what you want to do. Keep up some kind of a minimum with other things so that society doesn’t stop you from doing anything at all.”*

— Richard P. Feynman

*“Remember to look up at the stars and not down at your feet. Try to make sense of what you see and wonder about what makes the universe exist. Be curious. And however difficult life may seem, there is always something you can do and succeed at. It matters that you don’t just give up.”*

— Stephen Hawking

*“The measure of intelligence is the ability to change.”*

— Albert Einstein



# Curriculum Vitae

## Personal Information

Thomas (Tom) P N Veeken

tomveeken@gmail.com  
linkedin.com/in/tomveeken

1991 Born in Alkmaar, The Netherlands



## Education

2010 Atheneum (high school) and Vrije School (Waldorf) diplomas  
Adriaan Roland Holstschool, Bergen (NH), The Netherlands

SEPT. 2011 Bachelor of Science (Hons) in Physics and Astronomy

- JULY 2014 VU University Amsterdam, The Netherlands

*Thesis* Development of very sensitive hydrogen detection instruments

*Supervisor* Dr. R. Wijngaarden

SEPT. 2014 Master of Science in Advanced Matter & Energy Physics

- AUGUST 2017 Joint degree VU University Amsterdam & University of Amsterdam, The Netherlands

*Thesis* Spectrum-splitting concepts for parallel-stacked tandem solar cells

*Supervisor* Prof.dr. Albert Polman

SEPT. 2017 Ph.D. in Physics

- MARCH 2022 from University of Amsterdam, The Netherlands

Research at NWO-Institute AMOLF, Amsterdam, The Netherlands

*Thesis* Photonic control over light absorption and emission in photovoltaics

*Promotor* Prof.dr. Albert Polman

*Copromotor* Dr. Jorik van de Groep