

TUNGSTEN OXIDE NANOPARTICLES PREPARED WITH SOFT TEMPLATING METHODS

Paulo J.G. Coutinho, Marlene B. Gonçalves, Elisabete M.S. Castanheira
Centro de Física, Universidade do Minho, 4710-057 Braga, Portugal
pcoutinho@fisica.uminho.pt

Abstract

Tungsten trioxide, WO_3 , has been widely used to construct electrochromic windows, optical devices, gas sensors and as photocatalyst [1]. WO_3 has drawn more attention because of its high efficiency in photocatalytic degradation of organic compounds, including a large fraction of environmental toxins [2]. WO_3 is suitable for application in energy renewal, energy storage and environmental cleanup, using radiation in the visible spectral region [3]. In all of these applications, the morphological characteristics of the materials, like grain size or shape, are very important and depend strongly on the preparation method [3].

In this work, WO_3 nanoparticles were obtained by a soft templating method, using the aqueous nanocavities of AOT [sodium bis(2-ethyl-1-hexyl) sulfosuccinate] reverse micelles in cyclohexane (fig. 1).




Fig. 1. Preparation method of WO_3 semiconductor nanoparticles.




Fig. 2. PLE ($\lambda_{\text{em}}=425$ nm) and PL ($\lambda_{\text{exc}}=360$ nm) spectra of WO_3 nanoparticles.

The photoluminescence emission (PL) and excitation (PLE) spectra of the prepared WO_3 nanoparticles were measured (fig. 2) and compared with published data [4].

The prepared WO_3 nanoparticles were deposited in solid substrate by the Langmuir-Blodgett technique and were used in photodegradation assays of phenol.

- [1] A. Mills, S. Le Hunte, *J. Photochem. Photobiol. A: Chem.* **108** (1997) 1-35.
- [2] E. Pelizzetti, *Chemosphere* **17** (1998) 499-510.
- [3] N. Asim, S. Radiman, M.A.bin Yarmo, *Mater. Lett.* **61** (2007) 2652-2657.
- [4] M. Niederberger, M.H. Bartl, G.D. Stucky, *J. Am. Chem. Soc.* **124** (2002) 13642-13643.