

# WHISTLE SOUND RECOGNITION IN A NOISY ENVIRONMENT

**Gil Lopes, Fernando Ribeiro, Paulo Carvalho**

[gil@dei.uminho.pt](mailto:gil@dei.uminho.pt), [fernando@dei.uminho.pt](mailto:fernando@dei.uminho.pt), [ricardocarvalho16@gmail.com](mailto:ricardocarvalho16@gmail.com)

*Universidade do Minho, Departamento de Electrónica Industrial, Guimarães, Portugal*

**Abstract** – This paper describes the development of an electronic system that automatically recognises the sound of a referee whistle in a noisy environment. It can be directly adapted to any robot on a robotic competition namely robotic football. Experiments have been conducted in order to test the developed system and results are shown.

**Keywords:** - signal converter, signal analysis, signal processing, Fast Fourier Transforms

## 1. INTRODUCTION

Detecting the sound of a referee whistle is a major advantage to robotic competitions due to human detachment with the robot when it is time to start or stop playing. In some applications this is achieved by wireless communications when they exist. In some other cases it relies on user intervention to start or stop a robot. Nilsson et al [1] have already investigated and presented some work in this area where a frequency estimation system was presented. The authors found out that in a range of different tested whistles the band frequency was from 500 to 5000 Hz. The system was tested with background noises such as music, white noise, babble and car noise. In this work different types of tests were conducted in different environments to test the reliability of the developed system. One possible approach to tackle this problem consists of using speech recognition systems due to their ease of use and training. Unfortunately, these systems use algorithms based on statistics and mathematical theories that requires high processing power. There are even some systems that use a training method which adapts the word identification parameters for a given speaker (e.g. HMM - Hidden Markov Models) [2].

The main objective of this project consists of developing a system based on a compact electronic circuit able to recognise a referee whistle away from any high computational power, at a very low cost and able to operate in a noisy environment.

## 2. OTHER APPROACHES

Some other approaches were also found related to this work. The Milan RoboCup Team [3] has also developed a system that is able to recognise the referee whistle by means of signal processing. The sound signal is captured at a sample rate of 8 kHz by the internal microphone of a computer and this signal is then amplified by the computer soundboard. A Fast

Fourier Transform (FFT) is then calculated to obtain the signal spectrum in the frequency domain. A mask is then applied working as a filter to eliminate some samples. The final result is sent out to an Artificial Intelligence (AI) software which tells if those samples consist of a whistle sound or not. It is still necessary to train the AI software. Fig. 1 shows the architecture of the described system [3].




Fig. 1 –System architecture [3]

As for a robotic car which interprets voice commands, Harison et al [4] have developed a system based on a microcontroller. Their system captures sound from a microphone passing it through a pre-amplifier and a band-pass filter and then the signal is converted to digital. 256 samples are acquired at a sampling rate of 4 kHz. The general operation of this system is presented in Fig. 2. This system works based on word fingerprints. Each word has a defined fingertip that in turn is compared to the word acquired. The system needs previous learning of word fingerprints in order to operate properly. The microcontroller used is an ATmega32 with a clock of up to 16 MHz making it a relatively compact, simple and low cost system.

However, the developed algorithm is too sensitive to noise as it can only operate in quiet environments. In that sense it is not reliable for the objectives proposed for this work. Fig. 3 shows a block diagram of the fingerprint creation algorithm.




Fig. 2 – The general operation of the system [4]




Fig. 3 –Fingerprint creation algorithm [4]

### 3. SIGNAL ANALYSIS

Signal analysis was conducted on various samples of a typical referee whistle sound signal. This allowed some conclusions to be taken that helped defining major steps of the system to be created.

In this task the purpose was to make a signal spectrum analysis in order to graphically see the signal amplitude as a function of its frequency. This analysis has revealed greater perception of the different sound signals when compared to the typical time analysis.

To perform the signal analysis a microphone was connected to a computer in which a spectral software analysis called FFT MusEV V1.0 was installed [5]. This software is free exclusively for educational purposes. It works with wave files and calculates the signal spectrum with a FFT of  $2^n$  points chosen by the user. To create the wave files a Microsoft Windows™ computer sound recorder program was used.

First samplings were taken using two whistles and four people in a quiet environment. The observed resulting spectrum shows that the whistle sound signal varies with the following factors:

- Person blowing the whistle
- Intensity of the blow
- Distance to microphone
- Whistle
- The instance of time when the signal is captured.

However, the signal spectrum shape is always consistent in every trial showing a peak frequency at around 2.3 and 2.9 kHz.

Although the signal spectrum seems to be dependent on each whistle it significantly depends also

on other factors which makes it impossible to distinguish between two different whistles.

Fig. 4 shows two examples of the whistle sound spectrum obtained from the software FFT MusEV 1.0. The X axis represents frequency in Hz with a logarithmic scale and the Y axis representing the amplitude (without scale). A vertical green line is positioned as a cursor where the peak frequency of the graph is detected.




Fig. 4 –Signal spectrum results of whistle sounds after FFT calculation using FFT MusEV 1.0

Since one of the objectives is to operate in noisy environments it was important to introduce various types of signal noises. This allowed the observation of how the noise influences the whistle signal when it is added. In that sense individual analyses were performed alongside the whistle blowing. The noises analysed were: mouth whistling, clapping, finger snapping, vacuum cleaner.

Fig. 5 and Fig. 6 show the graphical spectrum results of each noise analysed individually.




Fig. 5 – Spectrum analysis of a normal mouth whistling sound




Fig. 6 – Spectrum analysis of a clapping sound

From each noise trial analysis it is possible to conclude that both shape and peak frequencies vary according to the type of noise introduced. The spectrum of a mouth whistle is centred on a peak frequency which in

this case is around 1.2 kHz. The spectrum of clapping includes a high range of frequencies but its amplitude is only considered high in the range between 600Hz and 1.6 kHz.




Fig. 7 – Spectrum analysis of a finger snapping sound




Fig. 8– Spectrum analysis of a vacuum cleaner sound

The spectrum shape of finger snapping is similar to the shape of a mouth whistle although the peak frequency is higher and around the 3 kHz. There is a negligible peak frequency above 5 kHz. The spectrum of a vacuum cleaner is a mixture of a range of different frequencies with low amplitude. Its peak frequency is around 300 Hz but also with low amplitude.

After adding the referee whistle sound to one of the noises, the spectrum of each sound is not significantly influenced except for finger snapping. Whereas with each noise it is possible to detect a clear frequency peak of a referee whistle, with finger snapping the generated spectrum produces a higher peak frequency for the finger snapping than for the whistle sound.

Fig. 9 clearly shows a peak frequency around 3 kHz that resembles the peak detected for the finger snapping peak. The signal amplitude for the whistle is shown on the graph as a smaller intensity peak at around 2 kHz as it can be seen in Fig. 9.




Fig. 9 – Spectrum of a whistle sound plus finger snapping sound

#### 4. SYSTEM DEVELOPMENT

There is at this point in time of this work sufficient knowledge of similar existing projects, as well as algorithms used in speech and sound recognition. The whistle sound signal was analysed and understood in time and in frequency as well as its relation to well known noises. It was already said earlier that the use of speech recognition algorithms are not suitable for noisy environments. Any method of speech or sound recognition using the signal versus time will be more difficult to implement with respect to noise immunity, since the resulting signal as a function of time is the sum of all signals. In other words, considering the various amplitude, frequency and phase of different signals, the result is a "soup" of signals and hence, it is difficult to distinguish a signal from others. Fig. 10 shows an example of multiple sound signals viewed as a function of time. It can be noticed the difficulty it would be to isolate a specific sound signal.




Fig. 10 – Representation of a sound signal as a function of time [6]

For the system to have the necessary noise immunity it has to be based in the signal spectrum analysis and thus a Fourier analysis must be performed. As it was seen before, for this work to be accomplished a microcontroller should be used to make this system very compact. Since a microcontroller only works with discrete signals it is necessary to use an Analogue to Digital Converter (ADC) input to convert the analogue signal.

The Fourier transform demands for a continuous input signal, however a DFT- Discrete Fourier Transform can be used instead. This transform already works with discrete signals for a Fourier analysis but there is yet another version of the DFT which was mentioned before: Fast Fourier Transform (FFT). FFT is an efficient algorithm to process DFTs. It is a better solution to be implemented on a microcontroller due to its lower calculation demanding.

After carrying out the signal spectrum analysis, a perception program was created to "look" inside the results and analyse them, to check whether it is a whistle sound signal or not. The hardware and software diagram implementation can be seen on Fig. 11.




Fig. 11 – Hardware and software implementation

#### 4.1. Hardware

The hardware consists of four parts: Microphone, Pre-Amplifier, Band-pass filter and ADC. The microphone is the first element of the system and one of the most important ones as it transforms the sound waves in an electric signal. The microphone used is an electret microphone which is a type of condenser microphone that has a frequency response between 50Hz – 15 kHz.

Fig. 12 shows a picture of electret condenser microphones and Fig. 13 shows the frequency response of the Hosiden KUB2823 microphone model used for this work.



Fig. 12– Electret Condenser Microphones [7]




Fig. 13 – Frequency response of a Hosiden KUB2823 model [8]

An electret condenser microphone on its own generates just a few millivolts. The produced signal needs to be amplified and a pre-amplifier circuit is applied to increase the voltage levels to a more usable one. This circuit is powered with 5V and with the respective amplification gain it produces an output signal that varies from 0-5V. **Fig. 14** shows the circuit schematic with the electronic components used and their respective values.




Fig. 14– Schematic of the pre-amplifier circuit [9]

Since the microphone frequency response is wide it is necessary to filter most frequencies in order to obtain the intended frequency range. In that sense, a band-pass filter was added to narrow the signal frequencies to those as close as much of a whistle sound signal. This filter was inserted in between the pre-amplifier and the acquisition system. It prevents unwanted frequencies to be sampled and captured.

From the conducted experiments it was observed that the region between 2 kHz to 4 kHz would be where the whistle sound signal was more distinguished. Therefore, a second order band pass filter was developed based on this data. Fig. 15 shows the circuit schematic of the developed filter.




Fig. 15 - Band- pass filter schematic of the second order with passing band between 2 – 4 kHz

For the signal acquisition system a 12 bit ADC was used embedded in the microcontroller. This ADC can sample at rates up to 200 kps.

#### 4.2. Software

FFT algorithms were implemented on a 16 bit microcontroller. The choice of a 16 bit processor rather than 8 bit relies on the increased precision that eliminates accumulated errors on the FFT calculation. A 32 bit microcontroller would increase the price and size of the whole system and it was considered unnecessary.

The microcontroller chosen was the Microchip dsPIC30F4013. Some important characteristics of this microcontroller are:

- Internal architecture optimized for C language instructions
- Clock operation of up to 120 MHz (30 MIPS - Million Instructions per Second)
- 48 Kbytes of Flash memory
- 2 Kbytes of RAM

- 12-bit ADC with sampling frequencies of up to 200 ksp/s and 13 input channels
- Interface with serial port
- Interface I2C
- Appropriate hardware for signal processing

The software was developed in the C language using the MPLAB C30 compiler. Signal acquisition is performed at a sample rate that follows the Nyquist theorem, i.e., twice the maximum frequency of the input sound signal. The maximum frequency of the input signal is the cut-off upper frequency of the band-pass filter. In this case is 4 kHz. Therefore, equation 1 shows this sampling frequency as:

$$f_s = 2 \times f_M \Leftrightarrow f_s = 2 \times 4000 = 8kHz \quad (1)$$

where  $f_s$  is the sampling frequency and  $f_M$  is the input sound signal frequency.

Fig. 16 shows a flowchart of the implemented algorithm for the microcontroller signal acquisition. Initially, a set of configurations is passed onto the microcontroller's ADC in order to define its parameters. A set of 256 samples is acquired at a time and then processed for the whistle sound detection. Blocks of 256 samples are subsequently acquired for continuous operation. The result is an array of 256 real numbers.

The FFT implementation on the dsPIC30F4013 microcontroller takes advantage of the processor DSP capabilities. A library provided by the manufacturer is used where FFT functions are already implemented. This library provides the entire signal processing functions of the processor. In order to utilize the array created by the signal acquisition a conversion is needed. The array is of real numbers and they have to be converted to complex numbers for the FFT calculation. This is performed by attributing the real numbers from the array to the real part of the complex numbers and zero to the imaginary part.

The calculation of the FFT requires the calculation of a complex exponential at each iteration but that would be too "heavy" in terms of computational processing. Yet these complex exponentials did not depend on the input signal but the time instant and the number of points. Thus, for a FFT of 256 points this exponential will always have the same value. Based on this it was decided to declare the value of such exponentials in the code memory and calling them from the FFT calculation (Twiddle Factors [10]). The algorithm flowchart is represented in Fig. 17.




Fig. 16 – Algorithm implemented for the microcontroller's signal acquisition




Fig. 17 – Algorithm of the FFT implementation on the microcontroller

In order to communicate between the computer and the microcontroller a communication protocol was implemented. This also aided in the debugging during software development. Communication was attained by an UART (Universal Asynchronous Receiver Transmitter) module of the microcontroller that interfaces with the PC serial port. On the microcontroller side this UART uses TTL levels and they were converted to RS-232 levels through a MAX233 chip manufactured by MAXIM. To show the data received by the computer a software package named RComSerial v1.2 was used. The microcontroller’s communication algorithm is shown in Fig. 18.




Fig. 18 – Algorithm of the implementation of serial port.

After the FFT calculation an algorithm for the whistle sound detection is required. This task is performed by the perception algorithm that decides whether or not the acquired sound is a whistle sound based on the output of the FFT calculation. This algorithm flowchart is shown in Fig. 19.

Peak frequency detection and amplitude checking are the basis of this algorithm that processes the output of the FFT calculation and searching these values. Amplitude and frequency hysteresis is applied to the stream of data from the FFT and analysed. If a matching frequency and amplitude are found a high probability to be a whistle sound is very strong. This was achieved using a mask as explained below.




Fig. 19 – Perception algorithm using FFT output values

Fig. 20 shows how this mask is applied to the frequency spectrum analysis in order to take the final decision whether it is a whistle sound or not. The parameters  $f1$  and  $f2$  define the range of frequencies where the signal must fall in to be considered a valid whistle sound signal. Amplitude  $A$  isolates probable false positives in case of a low amplitude signal. A  $R$  parameter count the number of times the detected peak was found above  $A$  and between  $f1$  and  $f2$ . It also serves to discard false positives. All of these parameters are configurable during runtime to assure all the sorts of situations and environments increasing the robustness of the developed system. Tuning them also allows the system’s adjustment to different referee whistle types.




Fig. 20 – Perception and decision based on mask filtering and  $f1$ ,  $f2$ ,  $A$  and  $R$  parameters

## 5. RESULTS

A small and compact circuit board was created as shown in Fig. 21. The general size of the board was inside what was intended initially (103 mm × 50 mm). Experiments were conducted in order to test this final system. Serial port communication was used to transfer the spectrum results to the PC in order to give further evaluation on the obtained data.




Fig. 21 – Circuit board of the created system

A green LED onboard was also used to identify a whistle sound. It turns on when a whistle sound is detected.

After beginning with a set of initial parameters the tests were successfully performed. The referee whistle used was detected every time. At 1 meter from the

microphone the parameters used revealed successful results. At this stage, apart from frequency and amplitude values, the  $R$  parameter was set to 1. To test the system further the whistle was then blown 10 meters away from the microphone. The data was collected from the board to be analysed and it is shown in Fig. 22. The board LED went ON showing that at this distance it was successfully detected.




Fig. 22 – Frequency Spectrum of a Whistle sound from a distance

Next set of experiments was to test the system's immunity to noise. Several people were invited to create an atmosphere of noise from clapping, yelling, finger snapping, mouth whistling, loud talking, etc. With  $R=1$  the system did not mistake the noises as referee whistles in almost every case except for some clapping and finger snapping.. With  $R \geq 2$  some finger snapping was the only noise detected. With  $R \geq 10$  nobody could activate the LED with any noise produced.

On the other hand the referee whistle was clearly detected with 1 second latency. In other words, the referee whistle had to be blown for more than 1 second to be recognised with  $R \geq 10$ . This is due to the repetitive increment of the  $R$  value in every 256 sample calculation. These results follow inline with the initial experiments conducted in the beginning of this work.

Another set of experiments was with two different referee whistles. Parameters were adjusted for on whistle and then tested with both whistles at different times. The system detected both whistle sounds whatsoever every time they were blown. Although being on different frequencies they still were close enough to be recognised as whistle. The only way to differentiate two referee whistle sounds is if they produce very different frequency tones. Narrowing the values of  $f1$  and  $f2$  reduces the chance of recognition of a single tone hence increasing the probability of failure to detect a valid whistle sound.

## 6. CONCLUSIONS

Whistle sound detection was performed in this work. Experiments were conducted and have shown that frequency spectrum analysis of sound signals is more adequate because it shows a high degree of immunity to noise. This finding has allowed the creation of a simpler and lighter algorithm for its detection. However there

are noises that can influence the decision as it was demonstrated with finger snapping. There are probably other similar noises that can be mixed up with a whistle sound using frequency spectrum analysis. A more thorough investigation is necessary for finding those sounds although parameter tuning is important in order to constrain the value margins.

Another important finding was the fact that this method cannot easily distinguish between slightly different referee whistles unless their frequencies are strongly different.

The accomplished system is very light, compact and low power consumption. Those were the main objectives of this work. This innovative approach has also proven reliable and robust to noise.

The application aim for this system will be for robotic football. However, it can be easily adapted to identify other sounds. This technique can be applied largely on other types of sound detection.

[http://www.reconnsworld.com/audio\\_simplepreamp.html](http://www.reconnsworld.com/audio_simplepreamp.html).

10. Gentleman, W.M. and G. Sande, Fast Fourier Transforms: for fun and profit, in AFIPS Joint Computer Conferences. 1966: San Francisco, California p. 563-578.

## REFERENCES

1. Nilsson, M., et al., Human Whistle Detection and Frequency Estimation, in Proceedings of the 2008 Congress on Image and Signal Processing, Vol. 5 - Volume 05. 2008, IEEE Computer Society.
2. Gales, M. and S. Young, The Application of Hidden Markov Models in Speech Recognition, in Foundations and Trends in Signal Processing. 2008. p. 195–304.
3. Team, M.R. Whistle Recogniser for RoboCup. Politecnico di Milano - Dept. of Electronics and Information - AIRLab - Artificial Intelligence and Robotics Laboratory 2007; Available from: <http://robocup.ws.dei.polimi.it/MRT/Projects/WR/HtmlDoc/index.htm>.
4. Harison, A. and C. Shah. Voice Recognition Robotic Car. 2007; Available from: [http://courses.cit.cornell.edu/ee476/FinalProjects/s2006/avh8\\_css34/avh8\\_css34/index.html](http://courses.cit.cornell.edu/ee476/FinalProjects/s2006/avh8_css34/avh8_css34/index.html).
5. Constantino, M.G. and G.V.J.d. Silva, The Fourier transform (FFT) in basic. 2000, Departamento de Química - Faculdade de Filosofia, Ciências e Letras de Ribeirão Preto - Universidade de São Paulo, Brasil: São Paulo, Brasil.
6. Salvador, B. Tutorial para Cursos a Distância - Sons digitalizados - UNIFESP - Departamento de Informática em Saúde. 2010; Available from: <http://www.virtual.epm.br/material/ead/som.htm>.
7. Wikipedia. Electret microphone. 2010; Available from: [http://en.wikipedia.org/wiki/Electret\\_microphone](http://en.wikipedia.org/wiki/Electret_microphone).
8. Hosiden, Acoustic Components and Accessories. 2010, Hosiden - Electronic Components.
9. Wilson, A. Reconn's World - Simple Audio Pre-Amplifier. 2010; Available from: