Transparent amplifying waveguide optical isolator

W. Van Parys¹, D. Van Thourhout¹, R. Baets¹, B. Dagens² and L. Lagae³ ¹ Dept. of Information Technology, Ghent University, Belgium (<u>wouter.vanparys@intec.ugent.be</u>), ² Alcatel Thales III-V Lab, France, ³ IMEC vzw, Belgium

. An optical isolator is indispensable in an optical telecom link to protect laser sources from reflected light. With today's commercial bulk isolators the packaging represents 90% of the total cost of an optical transceiver. A waveguide version of an isolator is therefore highly desirable. Several stand-alone waveguide isolators have been demonstrated but the integration with III-V hosts remains an issue that is hard to solve. We are studying a very promising concept that allows for monolithic integration of laser and isolator. It starts from the idea that for an isolator to be easily integratable with the laser, both devices should be similar in structure. Using a transversely magnetized magneto-optic metal as the electrical contact of an amplifying waveguide makes the internal loss dependent on the light propagation direction, thanks to the magneto-optic Kerr effect. Electrical biasing decreases the overall loss level. The result is a device which is transparent in the forward while providing loss in the opposite direction; an optical isolator.




Figure 1a: Advance of the demonstrated isolator performance with time. 1b: Isolator transmission in both propagation directions, showing 12.7dB optical isolation combined with forward transparency.

The amplifying waveguide optical isolator configuration was theoretically proposed in 1999 by two Japanese groups [1-2]. We experimentally demonstrated the principle in 2003 [3]. Since then, growing understanding of the device continuously enhanced its performance. This is illustrated in figure 1a where the evolution of the transparency current per dB of optical isolation - the relevant figure of merit for this type of isolator - is plotted versus time. This figure of merit of has improved by a factor 80 compared to the first demonstration. The advance results from the development of a proper design strategy combined with enhanced gain properties of the amplifying core, a better choice of the ferromagnetic metal and an optimized fabrication method. Today, our amplifying waveguide isolator is the first transparent optical isolator that can straightforwardly be integrated with a laser diode. The experimental result illustrated in figure 2b shows 12.7dB of optical isolation combined with forward transparency for a bias current of 160mA; the highest level of performance ever demonstrated. We believe that the practical implementation of this isolator configuration is now within reach.

^[1] M. Takenaka, and Y. Nakano, in Proceedings of the 11th International Conference on Indium Phosphide and Related Materials, Davos, Switzerland, 16-20 May 1999, pp. 289-292.

^[2] W. Zaets and K. Ando, IEEE Photonics Technol. Lett. 11, 1012 (1999).

^[3] M. Vanwolleghem, W. Van Parys, D. Van Thourhout, R. Baets, F. Lelarge, O. Gauthier-Lafaye, B. Thedrez, R. Wirix-Speetjens, and L. Lagae, Appl. Phys. Lett. 85, 3980 (2004).



Applications of Photonic Integration

11 – 17 March 2007 Pontresina (CH) www.ePIXnet.org

Poster Session 1

- 1. Luc Augustin: Integrated 2x2 polarization splitter/converter on InP/InGaAsP
- 2. Yohan Barbarin: High Power Electrically Pumped Modelocked VECSEL
- 3. Aude-Reine Bellancourt: First Demonstration of a Modelocked Integrated External-Cavity Surface Emitting Laser (MIXSEL)
- 4. Robert Bellini: Soft-matter photonics on anisotropically etched silicon
- 5. Krister Bergenek: Enhanced Light Extraction from AlGaInP LEDs with a Shallow 2D Photonic Crystal
- 6. Audrey Berrier: Impact of the feature size on the optical properties of photonic crystal devices
- 7. Pietro Binetti: Membrane couplers and photodetectors for optical interconnections on CMOS ICs
- 8. Jonathan Bradley: Al2O3 and Y2O3 Waveguides as Building Blocks for Active Integrated Photonic Devices
- Mike Bülters: A Vertical Electroabsorption Transceiver Consisting of Multiple Heterostructures
 Marek Chacinski: Evaluation of low cost mounting techniques for high speed multi-electrode lasers
- 11. Shahina Mumthaz Chakkalakkal Abdulla: Tuning of Photonic Band Gap Crystals by NOEMS Actuators
- 12. Wout De Cort: A silicon laser with gain in doped liquid crystal
- 13. Peter Debackere: Surface Plasmon Interferemeter: Fabrication and Measurement
- 14. Boudewijn Docter: Deep etched DBR mirrors for compact integrated lasers
- **15. Jose David Domenech Gomez:** Analysis of non-uniform integrated optics Bragg gratings using GNU/GPL MEEP FDTD
- 16. Rafal Dylewicz: Inductively coupled plasma etching of GaN using SiCl4/Cl2/Ar for submicron-sized features fabrication
- 17. Stephen Elsmere: Fiber Amplification of VECSEL seed pulses
- 18. Dimitri Geskus: Fabrication of optical active devices in KYW:Yb
- 19. Oliver Hadeler: Liquid Crystals for Photonics Applications
- 20. Lina Huang: Statistical study of optical trapping efficiency
- 21. Koen Huybrechts: All-Optical Flip-Flop Operation using an AR-coated Distributed Feedback Laser Diode
- 22. Olena Ivanova: Variational effective index mode solver
- 23. Roman Kappeler: Simulations on Contacting Schemes for Active Photonic Crystals (PhC)
- 24. Peter Kaspar: Electrical Contacts on Active Photonic Crystal Structures
- 25. Edwin Klein: Reconfigurable Optical Router based on vertically coupled thermally tunable Si3N4/SiO2 microring resonators
- **26. Abigaël Kok:** Modeling of efficient coupling structures for integration of pillar photonic crystal waveguides with ridge waveguides
- 27. Christian Koos: Ideal Contour Trajectories for Low-Loss Waveguide Bends
- 28. Antonio La Porta: Design of an integrated multiwavelength laser with RF optical modulator for burst-mode transmitters in packet-switching based metropolitan area networks
- 29. Maria Latorre: Bathymetry Analysis by Lidar Signal
- 30. Tomas Lauerman: Modeling of nonlinear propagation in a microring resonator
- 31. Szymon Lis: SiO2 TiO2 Thin Film for Integrated Optics Fabricated by the Sol-Gel Technique
- **32. Ping Ma:** Design, Fabrication and Characterization of Photonic Crystal Slab Waveguides for TM-Polarized Light
- 33. Deran Maas: First Demonstration of a Modelocked Integrated External-Cavity Surface Emitting Laser (MIXSEL)
- 34. Antonio Malacarne: An optical Flip-Flop Based on Erbium-Ytterbium Doped Fibre
- **35. Fabien Mandorlo:** Integration of a CMOS compatible electrically pumped InP based micro laser
- 36. Milan Marell: Non-linear behavior in quantum-well polarization converters

Poster Session 2

- 37. Ahmad Rifqi Md Zain: Tapered Periodic Photonic Crystal (PhC) micro-cavity filters embedded in a ridge waveguides
- 38. Gabor Mezosi: Semiconductor Ring Laser Bistables
- **39. Pascual Munoz:** Design of Multiwavelength Arrayed Waveguide Sagnac Interferometer-based Terahertz Optical Add Drop multiplexers
- 40. Paolo Navaretti: 1.3 um all-GalnNAs modelocked VECSEL
- **41. Patrick Nedel:** Fabrication of Photonic Quantum Information Devices based on InAs Quantum Dots and GaAs Photonic Crystals
- 42. Guido Piaszenski: 3D pattern definition via UV-Nanoimprint Lithography
- **43. Roberto Proietti:** Unrepeatered 16x10 Gb/s DPSK transmission over 140 km single-mode fiber by means of two commercial SOAs
- 44. Antonio Qualtieri: Colloidal nanocrystals air bridge fabricated by direct lithography
- 45. Adrian Quarterman: Active stabilisation of VECSEL sources
- 46. Roxana Ileana Rebigan:
- 47. Lars Rindorf: Integrated photonic crystal fibers for biosensing and photonic components
- 48. Gunther Roelkens: A die-to-wafer bonding approach to photonics integration
- 49. Richard Royce: Lasing characteristics and physical properties of 1.3µm emitting modulation doped quantum dot lasers.
- **50. Benjamin Rudin:** First Demonstration of a Modelocked Integrated Absorber External-Cavity Surface Emitting Laser (MIXSEL)
- **51. Jonathan Schrauwen:** Focused ion beam fabrication of photonic structures in silicon-on-insulator
- **52.** Ekber Selcuk: Guided self-organized anisotropic strain engineering through step engineering on shallow-patterned substrates for complex quantum dot ordering
- 53. Yaocheng Shi: Carrier lifetimes in dry-etched InP-based photonic crystals
- 54. Joanna Skiba-Szymanska: Record high nuclear magnetic field in a 40 nm InP quantum dot
- **55. Nut Sritirawisarn:** Surface morphology induced InAs quantum dash-dot shape transition on InGaAsP/InP (100)
- **56. Tiziana Stomeo:** Integrated Photonic Crystal devices in InP-membrane for metropolitan optical networks
- **57. Patric Strasser:** Photonic crystal etching process characterization: Losses, carrier lifetime and surface roughness
- 58. Mikael Svalgaard: High precision AFM characterization of planar photonic crystals
- **59. Dominik Szymanski:** Ultrafast all optical switching using photonic crystals integrated into a Mach Zehnder interferometer
- **60. George The:** Single-photon detectors for multiple-photon number resolution and other applications
- 61. Ruth Thompson: Ultra-Compact Integrated Interferometeric Devices for Pulse Regeneration
- 62. Mark Thompson: Pulse Generation in Quantum Dot Laser Diodes
- **63. Frederik Van Laere:** Polarization diversity and wavelength monitoring in BCB-bonded InP-membranes.
- 64. Wouter Van Parys: Transparent amplifying waveguide optical isolator
- 65. Kristof Vandoorne: A Photonic Implementation of Reservoir Computing
- 66. Yongqiang Wei: 10 Gb/s modulation of 1.3 um GalnNAs lasers up to 110 °C
- **67. Christopher Wiesmann:** Altering the Radiation Pattern of Light Emitting Diodes by 2D Photonic Crystals
- **68. Georg Winzer:** Low birefringence Mach-Zehnder-Delay Interferometer on Silicon-on-Insulator (SOI) substrates
- 69. Ling XU: A reflective transceiver at 1.55 um for the access network
- 70. Jing Yang: Judd-Ofelt Analysis of Nd(TTA)3Phen-doped 6-FDA/Epoxy Planar Waveguides
- 71. Hua Zhang: Fabrication, Electrical and Optical Characterisation of Terahertz Microdisk Quantum Cascade Lasers
- **72. D Zhou:** Position and Number Control of InAs Quantum Dots Grown on Truncated InP Pyramids by SA MOVPE