



UWS Academic Portal

Comment on 'Backflow in relativistic wave equations'

Barbier, Maximilien; Fewster, Christopher J.; Goussev, Arseni; Morozov, Gregory V.; Srivastava, Shashi C. L.

Published in:

Journal of Physics A: Mathematical and Theoretical

DOI:

[10.1088/1751-8121/acba62](https://doi.org/10.1088/1751-8121/acba62)

E-pub ahead of print: 31/03/2023

Document Version

Publisher's PDF, also known as Version of record

[Link to publication on the UWS Academic Portal](#)

Citation for published version (APA):

Barbier, M., Fewster, C. J., Goussev, A., Morozov, G. V., & Srivastava, S. C. L. (2023). Comment on 'Backflow in relativistic wave equations'. *Journal of Physics A: Mathematical and Theoretical*, 56(13), [138003]. <https://doi.org/10.1088/1751-8121/acba62>

General rights

Copyright and moral rights for the publications made accessible in the UWS Academic Portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

Take down policy

If you believe that this document breaches copyright please contact pure@uws.ac.uk providing details, and we will remove access to the work immediately and investigate your claim.

COMMENT • OPEN ACCESS

Comment on ‘Backflow in relativistic wave equations’

To cite this article: Maximilien Barbier *et al* 2023 *J. Phys. A: Math. Theor.* **56** 138003

View the [article online](#) for updates and enhancements.

You may also like

- [Benchmarking the ERG valve tip and MRI Interventions Smart Flow neurocatheter convection-enhanced delivery system's performance in a gel model of the brain: employing infusion protocols proposed for gene therapy for Parkinson's disease](#)
Karl Sillay, Dominic Schomberg, Angelica Hinchman et al.
- [Outcome determinism in measurement-based quantum computation with qudits](#)
Robert I Booth, Aleks Kissinger, Damian Markham et al.
- [Reply to comments on 'Backflow in relativistic wave equations'](#)
Iwo Bialynicki-Birula, Zofia Bialynicka-Birula and Szymon Augustynowicz

Comment

Comment on ‘Backflow in relativistic wave equations’

Maximilien Barbier¹ , Christopher J Fewster² ,
Arseni Goussev^{3,*} , Gregory V Morozov¹ ,
and Shashi C L Srivastava^{4,5} 

¹ Scottish Universities Physics Alliance, University of the West of Scotland, Paisley, Scotland PA1 2BE, United Kingdom

² Department of Mathematics, University of York, York YO10 5DD, United Kingdom

³ School of Mathematics and Physics, University of Portsmouth, Portsmouth PO1 3HF, United Kingdom

⁴ Variable Energy Cyclotron Centre, 1/AF Bidhannagar, Kolkata 700064, India

⁵ Homi Bhabha National Institute, Training School Complex, Anushaktinagar, Mumbai 400094, India

E-mail: arseni.goussev@port.ac.uk

Received 6 June 2022

Accepted for publication 8 February 2023

Published 3 March 2023



CrossMark

Keywords: quantum backflow, non-classicality, particles and waves

The stated goal of [1] is to argue that ‘the phenomenon of backflow is a common feature of various physical system[s], quantum and classical, described by the linear wave equations’. The authors challenge a perceived view that ‘backflow is inseparably connected with quantum theory’. In particular, the authors strongly oppose statements in the literature that backflow is a ‘peculiar quantum effect’, an ‘intriguing quantum-mechanical phenomenon’, a ‘surprising and clearly nonclassical effect’, a ‘classically impossible phenomenon’, and a ‘generic purely quantum phenomenon’.

It appears that the authors of [1] have misunderstood the purpose of the statements to which they object. To explain, we must distinguish two mathematically inseparable, but physically distinct phenomena: backflow (B) and quantum backflow (QB). In more detail:

* Author to whom any correspondence should be addressed.



Original Content from this work may be used under the terms of the [Creative Commons Attribution 4.0 licence](https://creativecommons.org/licenses/by/4.0/). Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI.

- (B) **Backflow.** This is a general wave phenomenon, which may be defined, quoting [1], as ‘the counterintuitive behaviour of the flow of some quantity (energy, probability, etc). Namely, in some regions of space the direction of the flow is *opposite* with respect to the direction of all its constituent elementary waves.’ As the authors correctly state, B is ‘a common feature of various physical system[s], quantum and classical, described by the linear wave equations’ [1]. This statement is not subject to doubt and, to our knowledge, has never been challenged.
- (QB) **Quantum backflow** [2, 3]. This is the phenomenon of B specific to quantum particles such as electrons, which concerns the following question: *Can the position probability density of a particle flow to the left if the particle’s momentum points to the right?* Consider a free quantum particle moving in one dimension and suppose that, in the initial state, the measured value of momentum would be positive with probability 1. Is it possible that the probability of finding the particle in the left-hand half-line is higher at a later time than it is initially? In classical particle mechanics, the answer to this question is negative. In quantum mechanics, it is positive. This is why numerous authors have referred to QB as a ‘peculiar quantum effect’, ‘intriguing quantum-mechanical phenomenon’, ‘surprising and clearly nonclassical effect’, ‘classically impossible phenomenon’, and ‘generic purely quantum phenomenon’. Such phrases concern the contrast between the classical and quantum dynamics of *particles*.

QB arises, of course, because quantum mechanics describes particle mechanics using a wave equation. For exactly the same reason, quantum particles exhibit diffraction and interference phenomena, generic behaviour for waves that is forbidden to classical particles. Recall Feynman’s famous contrast of experiments with bullets, waves and electrons, in which he describes the observed behaviour of electrons as ‘impossible, *absolutely* impossible, to explain in any classical way, and which has in it the heart of quantum mechanics’ [4]. (Here, Feynman means that it is impossible to account for this behaviour from the perspective of classical particle dynamics. Once particle-wave duality is accepted, classical wave dynamics immediately provides the required intuition.) The statements about QB to which [1] objects are entirely parallel statements that QB also touches the heart of quantum mechanics. They are not assertions that there are no other B phenomena in physics.

To close, let us emphasise that we do not question the validity of the examples of B reported in [1]. However, we point out that the discussion of B for the Dirac equation, presented in section 2 of [1], is not new. There are several papers on the subject [5–8], none of which have been mentioned in [1].

Data availability statement

No new data were created or analysed in this study.

ORCID iDs

Maximilien Barbier  <https://orcid.org/0000-0003-4090-9262>

Christopher J Fewster  <https://orcid.org/0000-0001-8915-5321>

Arseni Goussev  <https://orcid.org/0000-0001-9903-3299>

Gregory V Morozov  <https://orcid.org/0000-0003-3337-4984>

Shashi C L Srivastava  <https://orcid.org/0000-0003-2049-5226>

References

- [1] Bialynicki-Birula I, Bialynicka-Birula Z and Augustynowicz S 2022 Backflow in relativistic wave equations *J. Phys. A: Math. Theor.* **55** 255702
- [2] Allcock G R 1969 The time of arrival in quantum mechanics III. The measurement ensemble *Ann. Phys., NY* **53** 311
- [3] Bracken A J and Melloy G F 1994 Probability backflow and a new dimensionless quantum number *J. Phys. A: Math. Gen.* **27** 2197
- [4] Feynman R P, Leighton R B and Sands M 2011 *The Feynman Lectures on Physics, Vol III: The New Millennium Edition: Quantum Mechanics* (New York: Basic Books)
- [5] Melloy G F and Bracken A J 1998 Probability backflow for a Dirac particle *Found. Phys.* **28** 505
- [6] Su H and Chen J 2018 Quantum backflow in solutions to the Dirac equation of the spin-1/2 free particle *Mod. Phys. Lett. A* **33** 1850186
- [7] Ashfaque J M, Lynch J and Strange P 2019 Relativistic quantum backflow *Phys. Scr.* **94** 125107
- [8] Paccioia V D, Panella O and Roy P 2022 Quantum backflow of a Dirac fermion on a ring (arXiv:2201.12916)