

8-1-1998

Does Access to Mental Health Services Available for Rural and Urban Nursing Home Residents with Depression Differ?

Elise J. Bolda PhD

Robert G. Keith PhD

Andrew F. Coburn PhD

Patricia Dushuttle M.A.

Katherine Bridges M.A.

Follow this and additional works at: https://digitalcommons.usm.maine.edu/longterm_care

Recommended Citation

Bolda, Elise J. PhD; Keith, Robert G. PhD; Coburn, Andrew F. PhD; Dushuttle, Patricia M.A.; and Bridges, Katherine M.A., "Does Access to Mental Health Services Available for Rural and Urban Nursing Home Residents with Depression Differ?" (1998). *Long Term Services and Supports*. 23. https://digitalcommons.usm.maine.edu/longterm_care/23

This Policy Brief is brought to you for free and open access by the Maine Rural Health Research Center (MRHRC) at USM Digital Commons. It has been accepted for inclusion in Long Term Services and Supports by an authorized administrator of USM Digital Commons. For more information, please contact jessica.c.hovey@maine.edu.

Research & Policy Brief

Maine Rural Health Research Center • Institute for Health Policy

August, 1998

Does Access to Mental Health Services Available for Rural and Urban Nursing Home Residents with Depression Differ?

The results of this study suggest that rural location affects the availability and type of mental health services available to nursing home residents with depression. Left untreated, depression is associated with higher levels of impairment in physical function and cognition, increased use of health care resources, and higher mortality rates. Depression among older adults is treatable, yet studies show that nursing home residents with depression have had less than a 10 percent chance of receiving mental health services. For rural residents there may be greater disadvantages in accessing mental health services due to the smaller size of rural nursing facilities and the limited availability of mental health specialists in rural areas. To better understand potential urban-rural differences in the types of services offered to nursing facility residents with depression, telephone interviews were conducted with Directors of Nursing in 121 Maine nursing facilities (91 percent response rate) to probe the level of screening for depression; facility staff training on depression; availability of mental health specialists; and perceived barriers to mental health service access.

Mental health services in Maine nursing homes are limited, and rural facilities face greater challenges in accessing mental health services than their urban counterparts. Fewer than half (44 percent) of all facilities routinely screen residents for symptoms of depression using a standardized instrument. Rural facilities were less likely to employ or contract with mental health providers (40 percent) than their urban counterparts (62 percent). Among facilities which employ or contract for mental health providers, rural facilities were less likely to have agree-

ments with psychiatrists and psychiatric nurses. Rural facilities were also less likely to offer in-service training on mental health topics than were their urban counterparts. Rural providers were more likely than urban facilities to report frequent problems with lack of available services, distance to services, and long waits for appointments. The barriers reported by rural facilities may reflect underlying problems in the supply of mental health specialists in rural areas.

Current federal mandates to provide mental health services to nursing home residents may not be sufficient to overcome rural barriers to obtaining mental health specialists' services. Policy options discussed in this paper include: state-sponsored programs supporting interdisciplinary teams, with "circuit-riding" specialists, state-sponsored mental health training for primary care providers and nursing facility staff, using telemedicine and distance learning techniques, and outreach programs to extend community mental health services to nursing home residents.

Untreated symptoms of depression may serve as the proverbial "canary" for identifying facilities that fail to adequately provide for the mental health needs of residents. State policy makers should recognize the importance of state-sponsored initiatives in expanding effective mental health services to rural nursing facility residents. Such improvements will both improve the quality of life for residents, and reduce excess use of health care resources through amelioration of the secondary effects of depression.

Elise J. Bolda, Ph.D., Robert G. Keith, Ph.D., Andrew F. Coburn, Ph.D., Patricia Dushuttle, M.A., Katherine Bridges, M.A.

This study was funded by a grant from the Federal Office of Rural Health Policy, Health Resources and Services Administration, DHHS (Cooperative Agreement # CSUR00003-02-0). The conclusions and opinions expressed in the paper are the authors' and no endorsement by the University of Southern Maine, or the funding source is intended or should be inferred. Working Paper # 11, *Does Access to Mental Health Services Available for Rural and Urban Nursing Home Residents with Depression Differ?* describes the policy and research background, methods and findings in depth, and is available from the Maine Rural Health Research Center.

Maine Rural Health Research Center
Edmund S. Muskie School of Public Service
96 Falmouth Street
P.O. Box 9300
Portland, Maine 04104-9300

Nonprofit Org.
U.S. Postage
P A I D
Portland, Maine 04101
Permit No. 370



Research & Policy Brief

Maine Rural Health Research Center • Institute for Health Policy

AUGUST, 1998

**Does Access to Mental Health Services
for Rural and Urban Nursing Home
Residents with Depression Differ?**

Established in 1992, the Maine Rural Health Research Center (MRHRC) is one of five national rural health services research and policy analysis centers funded by the federal Office of Rural Health Policy. The Center is also one of five rural managed care centers funded by the federal Agency for Health Care Policy and Research (AHCPR). The Center has three areas of special interest in its research agenda: (1) the availability, organization, and financing of rural mental health services, (2) institutional and community-based services for rural elders, and (3) changes in the organization and financing of rural health services.

*Edmund S. Muskie School of Public Service • 96 Falmouth Street, P. O. Box 9300, Portland, Maine 04104-9300
Tel: (207) 780-4430 • Fax: (207) 780-4417 • TDD: (207) 780-5646 • www.muskie.usm.maine.edu/mrhrc*

Recently Published and Forthcoming Working Papers:

- How Do Primary Care Practitioners Manage Depression: Treatment or Referral? (#7)
- Differences in Nursing Home Discharge Rates for Urban and Rural Nursing Facility Residents with Hip Fracture (#8)
- Mental Health Carve Outs Under Medicaid Managed Care: Impact on the Rural Mental Health Delivery System (#9)
- Rural Models for Integrating and Managing Acute and Long-Term Care Services (#10)
- Diagnosis, Treatment and Outcomes of Rural and Urban Nursing Home Residents with Depression (#12 Forthcoming, Fall 1998)
- Urban-Rural Differences in Employer-based Health Insurance Coverage of Workers (#13)
- How Do Community-Residing Older Rural Medicaid Beneficiaries Access Mental Health Services? (#14 Forthcoming, Fall 1998)