This is a "preproof" accepted article for *Journal of Clinical and Translational Science*. This version may be subject to change during the production process. 10.1017/cts.2023.525

Are Researchers in Academic Medicine Flourishing? A Survey of Midcareer Ph.D. and Physician Investigators

Linda H. Pololi, MBBS, FRCP¹, Arthur T. Evans, MD, MPH², Janet T. Civian, EdD³, Lisa Cooper, MD, MPH, FACP⁴, Brian K. Gibbs, PhD, MPA⁵, Kacy Ninteau, BS⁶, Rada K. Dagher, PhD, MPH⁷, Kimberly Bloom-Feshbach, MD⁸, Robert T. Brennan, EdD⁹

¹Distinguished Research Scientist, Brandeis University; Director, National Initiative on Gender, Culture and Leadership in Medicine: C-Change, Brandeis University, Waltham, Mass.

Corresponding author: Linda Pololi, MBBS, FRCP, Distinguished Research Scientist, Brandeis University, Director, National Initiative on Gender, Culture and Leadership in Medicine: C-Change, Resident Scholar, Women's Studies Research Center, Brandeis University, Mailstop 079, Waltham, MA 02454-9110, lpololi@brandeis.edu, Tel: 781 736 8120

The authors have no conflicts of interest

This is an Open Access article, distributed under the terms of the Creative Commons Attribution-NonCommercial-NoDerivatives licence (http://creativecommons.org/licenses/by-nc-nd/4.0/), which permits non-commercial re-use, distribution, and reproduction in any medium, provided the original work is unaltered and is properly cited. The written permission of Cambridge University Press must be obtained for commercial re-use or in order to create a derivative work.

²Professor of Medicine and Chief, Section of Hospital Medicine, Weill Cornell Medical College ³Senior Research Associate, Brandeis University

⁴Bloomberg Distinguished Professor and James F. Fries Professor of Medicine, John Hopkins

University School of Medicine and Bloomberg School of Public Health

⁵Vice President and Chief Diversity, Equity and Inclusion Officer - UMass Memorial Health Care ⁶Research Assistant, Brandeis University

⁷Scientific Program Director, National Institute on Minority Health Disparities (Division of Clinical and Health Services Research), National Institutes of health.

⁸Assistant Professor of Medicine, Weill Cornell College of Medicine

⁹Senior Research Scientist, Brandeis University

ABSTRACT

Introduction: Midcareer research faculty are a vital part of the advancement of science in U.S. medical schools, but there are troubling trends in recruitment, retention, and burnout rates.

Methods: The primary sampling frame for this online survey was recipients of a single R01 or equivalent and/or K award from 2013–2019. Inclusion criteria were 3–14 years at a U.S. medical school and rank of associate professor or two or more years as assistant professor. Forty physician investigators and Ph.D. scientists volunteered for a faculty development program, and 106 were propensity-matched controls. Survey items covered: self-efficacy in career, research, work-life; vitality/burnout; relationships, inclusion, trust; diversity; intention to leave academic medicine.

Results: The majority (52%) reported receiving poor mentoring; 40% experienced high burnout and 41% low vitality, which, in turn, predicted leaving intention (P<0.0005). Women were more likely to report high burnout (P=0.01) and low self-efficacy managing work and personal life (P=0.01) and to be seriously considering leaving academic medicine than men (P=0.003). Mentoring quality (P<0.0005) and poor relationships, inclusion, and trust (P<0.0005) predicted leaving intention. Non-underrepresented men were very likely to report low identity self-awareness (65%) and valuing differences (24%) versus underrepresented men (25% and 0%; P<0.0005). Ph.D.s had lower career advancement self-efficacy than M.D.s (P<.0005).

Conclusions: Midcareer Ph.D. and physician investigators faced significant career challenges. Experiences diverged by underrepresentation, gender, and degree. Poor quality mentoring was an issue for most. Effective mentoring could address the concerns of this vital component of the biomedical workforce.

INTRODUCTION

Physician investigators and Ph.D. scientists are critically important for scientific discovery and its translation and application to the care of patients. Exploration and assessment of the vitality of research faculty has received scant attention, even though there are several troubling trends among research faculty in U.S. medical schools. The average age for both physician investigators and all recipients of National Institutes of Health (NIH) research project grants has been steadily increasing (i.e., first entry into the independent research workforce), and about 40% of recipients of first R01 grants do not continue their research careers with federal funding. The proportion of funded physician investigators in the biomedical research workforce has been steadily decreasing. Of increasing concern are burnout rates and structural barriers that have historically limited appropriate representation by gender, race, and ethnicity.

Reasons for some of these untoward trends include: difficulty in obtaining research funding; balancing clinical, research, and education responsibilities; loan repayment; discriminatory behaviors and experiences; integrating work and personal roles; and insufficient mentoring.^{3,4} Recently, studies have highlighted the stress and differential impact of the SARS-CoV-2 pandemic on underrepresented physician investigators (Doyle et al. 2021) and on female faculty.⁶

Multiple studies have found burnout rates among medical faculty above 40%.^{7,12} Whereas burnout's causes and effects in physicians generally have been studied, there has been less focus on burnout among physician investigators and Ph.D. scientists. High burnout rates have been reported among early career clinical investigators. A 2014 study of physician scientists who received new K08 and K23 awards from NIH between 2006 and 2009, reported 41% burnout among women and 32% among men.^{14,15}

The NIH have reported that in fiscal year 2021, three quarters of awards were given to White investigators and one in five to Asian investigators.¹ There has been little growth in Black/African American (3% of principal investigators) and Native American awardees (0.02% of principal investigators).¹ Women received 34% of NIH R01 awards in FY 2021, ¹ and of 34%

of CTSA Program principal investigators in FY 2020 were women.¹⁵ Since its 2014 report,² the NIH have sought to address the decreased numbers of physician investigators,¹⁶ and the disproportionately low numbers of women and members of underrepresented racial and ethnic groups among awardees.¹⁷⁻²¹ For example, in 2022, the NIH UNITE initiative launched a new program to award up to \$20 million per year to underrepresented scientists.²²

Our purpose in this study of research faculty is to identify aspects of investigator experiences in need of attention in order to sustain faculty vitality and accomplishments and assess whether these challenges differ across demographic subgroups.

METHODS

Recruitment of study participants

We received NIH funding to test a mentoring intervention to improve the vitality and career advancement of midcareer researchers at U.S. medical schools. We used the baseline measurements for that randomized controlled trial as the data for this study.

We recruited a purposefully diverse non-random sample of eligible midcareer researchers to participate in the mentoring intervention. Inclusion criteria were: 1) appointment for 3 to 14 years at a U.S. medical school or teaching hospital; 2) rank of assistant professor (for at least 2 years) or associate professor; and 3) demonstrated research success, defined as current or recent first-time NIH R01 or R01-equivalent award; R21 or R34 award; HRSA, ARHQ or other federal agency major grant; K training grant; or recent major foundation or professional organization grant.

To obtain the sampling frame, NIH RePORTER²³ was searched for all awardees receiving qualifying grants from 2013 to 2019. Awardees who had received a prior R01 or comparable grant were omitted. Because the trial design required 50% participation by those in NIH-designated underrepresented racial and ethnic groups (Black/African American, Hispanic/Latinx, Native American, Alaska Native, or Pacific Islander),²⁴ additional methods were used to recruit

this population, including contacting deans and others with responsibility for diversity at medical schools to enlist their help.

Through email and personalized letters, we invited 5,555 individuals to submit applications to participate in a mentoring intervention that involved quarterly, in-person, two-day meetings. Of 270 received, 99 applicants met all inclusion criteria and 40 were offered places in the mentoring program. A stratified randomized selection process was designed to assure nearly equal numbers of men and women, in terms of race and ethnicity, roughly half underrepresented in medicine as defined by NIH and half non-underrepresented, and nearly equal numbers of Ph.D. and M.D. or M.D./Ph.D. Figure 1 displays the recruitment and allocation process for the mentoring intervention subjects as well as for external control subjects described next.

We conducted a second recruitment—this time for external control subjects—using the database created to recruit intervention subjects. Emails were sent to 5,108 researchers who were invited to participate in the study and offered financial incentives to complete surveys. We received 838 applications and selected 120 faculty who were statistically matched to the attributes of the 40 intervention subjects using an optimal matching propensity procedure using MatchIt²⁵ in R²⁶ (Figure 1). Optimal matching, as opposed to nearest neighbor, minimizes total distances between treated and untreated subjects and their matches. While 120 applicants were matched, five failed to enroll in the study and seven were excluded from this investigation because they were deemed too senior (i.e., more than 1 R01 or rank of professor), for a sample size of 108 external controls. Including intervention and external control subjects, the sample totaled 146.

Survey Instrument and Data Collection

Drawing on items from the widely used nationally validated C-Change Faculty Survey, ^{9,11} we used scales to assess faculty regarding their: vitality; relationships, inclusion, and trust; self-efficacy in the three domains of career advancement, research, and work-life integration; and the adequacy and quality of mentoring received by the faculty. Two additional measures assessed burnout (a single item) and intention to leave academic medicine. To understand faculty awareness, beliefs, and behaviors related to cross-cultural issues, we developed new items exploring identity self-awareness, valuing diversity with a focus on recruitment and workplace

interactions, and anti-sexism and anti-racism skills. Table 1 shows the properties of these measures. Although all variables were analyzed taking full advantage of their ordinal or continuous characteristics, we simplified presentation of results by dichotomizing at a threshold that the authors/investigators considered as representing dysfunctional, problematic, inadequate, or clearly unsatisfactory conditions (Table 1, columns 3 and 4).

The survey was distributed to all subjects in late fall 2020. Nonrespondents were sent twice-weekly email reminders with follow-ups by SMS or phone from an external survey data collection center.

Analysis

Existing study scales were tabulated and their psychometric properties assessed by item correlation and Cronbach alpha (Table 1) using SAS/STAT Version 9.4 for Windows, 2006 (SAS Institute: Cary, North Carolina).^{27,28} New survey items were reviewed in conceptual groups and examined by classical item analysis, factor analysis, and IRT modeling to arrive at a final set of three cross-cultural scales: identity self-awareness, valuing diversity (attitudes and recruitment) and anti-sexism/anti-racism skills (Table 1).

For each of the 11 domains described in Table 1, we tested subgroup differences along three dimensions: gender (women vs. men), degree (Ph.D. vs. M.D. or M.D./Ph.D.), and race and ethnicity (underrepresented in medicine by NIH criteria vs. non-underrepresented). We conducted nonparametric statistical tests (e.g., Mann-Whitney rank sum) using the full range of scale values to assess for subgroup differences. Because we conducted 33 statistical tests (11 domains x 3 dimensions, excluding regression analyses), the risk of a "false-positive" statistically significant result increases. With 33 statistical tests, we would expect up to two false-positive tests with P < 0.05 (i.e., 5% of 33 will have a significant P-value by chance alone given there is truly no difference between subgroups). However, for test results of P < 0.01, there is a 1% chance (less than one of the 33 tests) of a false-positive result under the assumption of no subgroup differences. Besides acknowledging the magnitude of risk of a Type 1 error (false positive), we did not adjust for multiple comparisons.

When nonparametric tests for ordinal data demonstrated a difference across subgroups (P<0.05), we sought to simplify the presentation of results by dichotomizing the scale or item (Table 1 and Figure 2). With the exception of seriously considering leaving academic medicine, the dichotomized data were used only to make comprehension easier, as statistical analyses were always performed on the full response scale.

To examine predictors of seriously considering leaving academic medicine, we dichotomized the measure into "likely" (*somewhat agree* and *strongly agree*) and "unlikely" (*strongly disagree*, *somewhat disagree*, and *neither agree not disagree*), and used Poisson regression with robust standard errors (rather than logistic regression) because of the relatively high prevalence of the outcome and because the procedure provides relative risks rather than odds ratios.²⁹

For the three ordinal cross-cultural variables—identity self-awareness, valuing diversity, and anti-sexism/anti-racism skills—we used ordinal logistic regression with robust standard errors to assess the combined effect of gender and race and ethnicity.

All inferential statistics were estimated using Stata 14.2 or 15 (StataCorp: College Station, TX).³⁰ Brandeis University Human Subjects Protection IRB approved this study (IRB #19127R-E).

RESULTS

Among the 148 individuals selected to participate in the study, 146 completed the baseline survey (Table 2). There were 60 subjects (41%) with an M.D. or M.D./Ph.D. degree and the remainder had Ph.D. or equivalent degree only. The eligibility criteria for research success were satisfied when the participant was the principal investigator on: a K-award only (n=47), an NIH R01 or R01-equivalent only (n=43), both a K-award and R01 (n=29), or a substantial non-NIH research grant (n=27). None had two or more R01 or R01-equivalent grants and none held the rank of instructor or professor. Participants represented 58 medical schools in 29 states. Our efforts to oversample from racial and ethnic groups considered underrepresented in medicine yielded a subgroup of 45 (31%).

We have organized the presentation of results into 4 sections: 1) perceptions of mentoring; 2) self-efficacy in the domains of career advancement, research, and work-life integration; 3) attitudes and experiences at work, including intention to leave academic medicine; and 4) cross-culture issues. Within each section, we describe any differences found across the 3 dimensions of gender, race and ethnicity, and degree.

Mentoring

Mentoring quality was poor for 76 of 145 respondents (52%; 95% CI: 44% to 61%). There were no statistically significant differences in mentoring quality by gender, race and ethnicity, or degree. Among the 10 items that comprise the mentoring quality scale³¹ (Table 3), the mentoring activity rated lowest was help in assessing how well your professional activities align with personal values, with 75% responding *not at all, to a very small extent*, or *to a small extent*. In comparison, 45% had poor mentoring in planning how to achieve research goals, and 56% had poor mentoring in learning the skills needed to succeed in their careers.

Self-efficacy in Career Advancement

Low self-efficacy in career advancement was evident for 56 of 145 (39%; 95% CI: 31% to 47%). For example, one scale item asked whether respondents felt confident in their ability to overcome potential professional career barriers. Fifty percent responded that this statement was either *completely false*, *somewhat false*, *slightly false*, *neutral*, or *slightly true*. Lower career self-efficacy was more common among women than men (rank sum, P=0.04), with an even larger difference between Ph.D. scientists and physician investigators (rank sum, P<0.0005). Among Ph.D. scientists, 49% had low self-efficacy in career advancement, compared with 24% of physician investigators.

Self-efficacy in Research Success

Respondents had more confidence in their research success than in career advancement. Only 45 of 146 (31%; 95% CI: 23% to 39%) had low self-efficacy in research success. For example, for the item asking about confidence in securing research funding, 38% responded they were *not at all confident*, *slightly confident*, or *somewhat confident*. For this domain (unlike for self-efficacy in career advancement) there were no subgroup differences among the three groups we tested,

with P=0.61 for the rank sum test of the difference between Ph.D. researchers and physician investigators.

Self-efficacy in Work-life Integration

A large percentage of respondents had low self-efficacy in their ability to successfully manage responsibilities at work and outside work: 65 of 146 (45%; 95% CI: 37% to 53%). Women were less confident than men (rank sum, P=0.01). For example, for the item measuring confidence in succeeding at work without sacrificing personal or family commitments, 52% of women and 29% of men responded they were *not at all confident* or *slightly confident*.

Attitudes and Experiences at Work

- Vitality and Burnout

Low levels of vitality were reported by 60 of the 146 participants (41%; 95% CI: 33% to 50%). For example, 38% of faculty reported *never* or *only occasionally* looking forward to going to work. High levels of burnout were also common: 40% (95% CI: 32% to 49%) reported feeling burnt out *frequently* or *very frequently*. Although burnout and vitality were certainly associated (Spearman r=-0.44, P<0.0005), they are not synonymous, as only 25% (36 of 146) had both low vitality and high burnout.

There were no differences in vitality by gender (rank sum, P=0.12). Women, however, reported more burnout than men (rank sum, P=0.01). Women were four times as likely to endorse the maximum response option for burnout (*very frequently*) compared to men (20% vs. 5%).

- Relationships, Inclusion, and Trust

On the scale measuring relationships with colleagues and feelings of inclusion and trust, 39 of 145 (27%; 95% CI: 20% to 35%) had scores indicating poor relationships, lack of feeling included, and mistrust. Women had worse scores on this scale than men (rank sum, P=0.02). For example, for one of the scale items, 35% of women reported *frequently* or *very frequently* needing to hide what they really think, compared with 22% of men.

- Intention to Leave Academic Medicine

Among the 146 respondents, 35 (24%; 95% CI: 17% to 32%) had seriously considered leaving academic medicine within the prior 12 months. Women were more likely than men to have seriously considered leaving academic medicine (rank sum, P=.003). There were no significant differences by degree or by race and ethnicity.

- Predictors of Seriously Considering Leaving Academic Medicine

There was a strong dose-response relationship between amount of burnout and likelihood of seriously considering leaving academic medicine (rank sum, P<0.0005), ranging from 0% among those with the lowest burnout (response options 1 or 2 on 6-point single-item response scale) to 60% among those with the highest burnout (response option 6 out of 6).

The relationship between vitality and the likelihood of seriously considering leaving academic medicine was even stronger (rank sum, P<0.0005): for every one-point decrease (worse) in the six-point vitality scale, the probability of seriously considering leaving academic medicine more than doubled, ranging from 4% among those with highest vitality score (5.75–6) to 80% among those with the lowest vitality scores (1–3.25).

When considered jointly in Poisson regression modeling, both burnout and vitality were independent predictors of seriously considering leaving academic medicine, illustrating that they are related, but separate, concepts. After adjusting for burnout, those with low vitality (< 5 on vitality scale) were three times (95% CI: 1.4 to 6.4) as likely to seriously consider leaving academic medicine compared with those with high vitality (P=0.006). And after adjusting for vitality, those with high burnout (5 or 6 on 6-point response scale) were 2.6 times (95% CI: 1.3 to 5.5) as likely (P=0.01) to seriously consider leaving academic medicine compared to those with low burnout.

Two other variables were strong predictors of seriously considering leaving academic medicine: mentoring quality and the measure of relationships, inclusion, and trust (as single predictors, each P<0.0005 in a Poisson regression). For every one-point improvement in mentoring quality score, there was a 30% (95% CI: 15% to 42%) reduction in the probability of seriously

considering leaving academic medicine. For every one-point improvement in the scale measuring relationships, inclusion, and trust, there was a 41% (95% CI: 24% to 53%) reduction in the probability of seriously considering leaving academic medicine.

Cross-cultural Issues

- Identity Self-awareness

Identity self-awareness is a crucial step in minimizing sexism, racism, and marginalization, but 63 of 146 faculty (43%; 95% CI: 35% to 52%) had low levels of identify self-awareness. Non-underrepresented men were much less likely to have thought about their own cultural identity compared with non-underrepresented women (ordinal regression, P<0.0005) and compared with underrepresented racial and ethnic groups (P<0.0005), with a significant gender by race and ethnicity interaction (P=0.03). For example, 65% of non-underrepresented men had low self-awareness, compared to 40% of non-underrepresented women, 28% of underrepresented women, and 25% of underrepresented men.

- Valuing Diversity

Only 14 of 144 (10%; 95% CI: 5% to 16%) respondents had scores indicating they placed a low value on diversity. Non-underrepresented men reported valuing diversity less than non-underrepresented women (ordinal regression, P<0.0005), and much less than underrepresented men and women (P<0.0005), with a significant gender by race and ethnicity interaction (P=0.02). For example, 24% of non-underrepresented men put a low value on diversity, compared to 7% of non-underrepresented women and 0% of underrepresented men and women.

- Anti-Sexism and Anti-Racism Skills

Sixty three of 146 (43%; 95% CI: 35% to 52%) respondents felt ineffective at identifying and responding to gender inequities and race or ethnicity inequities. Those from non-underrepresented race and ethnicity groups reported lower anti-sexism and anti-racism skills compared with those from underrepresented groups (rank sum, P=0.0007). For example, 51% of respondents from non-underrepresented groups felt ill-prepared to identify and respond to sexism or racism compared to 27% of those from underrepresented groups. There were no significant gender differences (rank sum, P=0.30).

DISCUSSION

These findings reveal that the U.S. may be at risk of losing already successful medical school research faculty. Our results show that this risk is related to the nonrelational culture in medical schools, inadequate mentoring, burnout, and low vitality. In presenting these results, we focus on the percent of faculty reporting unfavorable experiences that can be barriers to advancing their research careers. These areas of concern represent opportunities to sustain and vitalize promising midcareer investigators.

Lack of high-quality mentoring

Although mentoring is considered a gateway to success, the literature corroborates a concerning lack of effective mentoring for research faculty.³⁴ Our prior research has demonstrated the association between inadequate mentoring and lower self-efficacy in career advancement; lower sense of relationships, inclusion, and trust; increased consideration of leaving one's institution; and lack of values alignment.^{11,31,34} Particularly worrisome is that Ph.D. scientists have lower self confidence in their career advancement than physician investigators. Mentoring initiatives that include both Ph.D. and physician investigators may be one approach to mitigating this.³⁵⁻³⁷ Training programs for mentors may help ensure the application of evidence-based practices, promote a culture of mentoring in medical schools, and help sustain a flourishing and diverse research faculty.

We found that research faculty receive mentoring that is lacking in both quantity and quality. In addition to receiving little help for achieving research goals and learning skills to succeed in one's career, over a quarter of faculty from underrepresented groups and half of faculty from non-underrepresented groups reported that values alignment had not been addressed at all in their mentoring experience. Prior research has shown that values alignment is closely correlated with vitality. Clarification of values and their alignment can shift the mentoring paradigm to focus on the mentee and necessitates welcoming the mentee's identities and values, which may be different from their advisors and mentors.

Sample representativeness

Our sample has important strengths, including its national scope, comprising faculty from 58 medical schools in 29 states. The sample represents midcareer faculty with demonstrated research acumen by virtue of success in acquiring substantial extramural research funding as principal investigator.

The purpose of the sample was to conduct a randomized trial and then a longitudinal cohort study to test the effectiveness of our faculty development intervention over five years. It is impossible to know either the direction or strength of volunteer bias on any of the variables studied. Those who volunteered because they were attracted to the intervention might on average be high achievers looking to further advance their careers or they might be struggling with their career choices and hoping for a boost. Nonetheless, to our knowledge, no similar comprehensive study of midcareer investigators exists.

In our comparison of underrepresented and non-underrepresented groups across the 11 domains, there were no differences in mentoring received, vitality, burnout, trustworthy relationships among faculty, self-efficacy, or intention to leave academic medicine. One possible explanation may be the extensive cultural diversity among faculty *not* considered underrepresented by the NIH categorization, which includes immigrants and faculty of color, particularly those of historically excluded Asian and Southeast Asian groups, as well as Arab American/Middle Eastern groups. The dichotomy proposed by the NIH—based on whether the simplistic race and ethnicity characteristic in medicine is proportional to the U.S. population—does not capture other axes of marginalization, such as inequity on the basis of national origin, skin color, gender identity, and sexual orientation, among other identities (e.g., immigrant/refugee status). The members of the non-underrepresented group comprised both historically included (White) and historically excluded (e.g., Asian, Middle Eastern) groups. We hypothesize that experiences of discrimination and intersectional identities impact faculty. Our findings highlight the need for more rigor in assessing diversity in medical school research faculty.

Retaining diverse research faculty

Our prior work showed that intention to leave academic medicine for all faculty was associated with significant ethical and moral distress, and a lower sense of relatedness and inclusion expressed as feeling isolated and invisible. The current finding that nearly half of research faculty experienced conflict between their personal values and professional activities aligns with prior research. Furthermore, our data show that the risk of losing faculty is particularly high among women. This gender gap was related to faculty dissatisfaction and not to personal or family reasons suggesting the need for further research into women's dissatisfaction. Our findings of limited self-awareness of cultural identity and low ability to identify and respond to gender, race and ethnicity inequity in our sample, which was particularly striking in non-underrepresented male faculty, highlights the need for activities to improve cultural awareness and anti-racism and anti-sexism skills in medical schools.

The "minority tax"³³ may be doubly levied upon faculty identifying both as women and from underrepresented groups, thus contributing to dissatisfaction and lowering vitality. This underscores the need for mentoring initiatives that recognize and seek to combat racism, sexism, and other forms of systemic injustice. Education and training are needed to ensure faculty are equipped to promote inclusion and equity, particularly in mentoring relationships. To address such issues, the NIH have initiated the Plan for Enhancing Diverse Perspectives requirement for research proposals with the goal of increasing the diversity of research teams that the NIH fund.¹⁷

Conclusion

Vitality, burnout, quality of mentoring, relationships, feelings of inclusion, and trust were all independently linked to the consideration of leaving academic medicine. The linkage of burnout and intention to leave academic medicine aligns with prior studies in a single academic institution. Our findings strongly suggest that efforts to retain and sustain faculty—creating a setting in which they can flourish—must involve structural changes to mitigate burnout along with efforts to nurture vitality by fostering a relational culture within the workplace and effective mentoring.

REFERENCES

- 1. National Institutes of Health. The NIH Data Book. https://report.nih.gov/nihdatabook/.
- National Institutes of Health. Physician-Scientist Workforce Working Group Report. Published June 2014. https://acd.od.nih.gov/documents/reports/PSW_Report_ACD_06042014.pdf
- 3. Kwan JM, Daye D, Schmidt ML, et al. Exploring intentions of physician-scientist trainees: factors influencing MD and MD/PhD. interest in research careers. *BMC Med Educ*. 2017;17(1):115. Published 2017 Jul 11. doi:10.1186/s12909-017-0954-8
- 4. McKinney RE Jr. The Daunting Career of the Physician-Investigator. *Acad Med.* 2017;92(10):1368-1370. doi:10.1097/ACM.000000000001869
- Doyle JM, Morone NE, Proulx CN, et al. The impact of the COVID-19 pandemic on underrepresented early-career PhD and physician scientists. *J Clin Transl Sci*.
 2021;5(1):e174. Published 2021 Sep 14. doi:10.1017/cts.2021.851
- Fassiotto M, Valantine H, Shanafelt T, Maldonado Y. Everyday heroism: maintaining organizational cultures of excellence and inclusive excellence amid simultaneous pandemics. *Acad Med.* 2020. Doi:10.1097/ACM00000000003905
- 7. Shanafelt TD, Sloan JA, Habermann TM. The well-being of physicians. *Am J Med*. 2003;114(6):513-519. doi:10.1016/s0002-9343(03)00117-7
- 8. West CP, Dyrbye LN, Erwin PJ, Shanafelt TD. Interventions to prevent and reduce physician burnout: a systematic review and meta-analysis. *Lancet*. 2016;388(10057):2272-2281. doi:10.1016/S0140-6736(16)31279-X

- 9. Pololi LH, Krupat E, Civian JT, Ash AS, Brennan RT. Why are a quarter of faculty considering leaving academic medicine? A study of their perceptions of institutional culture and intentions to leave at 26 representative U.S. medical schools. *Acad Med*. 2012;87(7):859-869. doi:10.1097/ACM.0b013e3182582b18
- 10. West CP, Dyrbye LN, Shanafelt TD. Physician burnout: contributors, consequences and solutions. *J Intern Med.* 2018;283(6):516-529. doi:10.1111/joim.12752
- 11. Pololi LH, Evans AT, Civian JT, Gibbs BK, Coplit LD, Gillum LH, Brennan RT. Faculty Vitality-Surviving the Challenges Facing Academic Health Centers: A National Survey of Medical Faculty. *Acad Med.* 2015;90(7):930-936. doi:10.1097/ACM.00000000000000674
- 12. Hamidi MS, Bohman B, Sandborg C, et al. Estimating institutional physician turnover attributable to self-reported burnout and associated financial burden: a case study. *BMC Health Serv Res.* 2018;18(1):851. doi:10.1186/s12913-018-3663-z
- 13. Primack BA, Dilmore TC, Switzer GE, Bryce Cl, Selzer DL, Jie L, Landsittel DP, Kapoor WN, Rubio DM. Burnout among early career clinical investigators. *Clin Transl Sci*. 2010;3(4):186-188. doi:10.1111/j.1752-8062.2010.00202.x
- 14. Perumalswami CR, Griffith KA, Jones RD, Stewart A, Ubel PA, Jagsi R. Patterns of Work-Related Burnout in Physician-Scientists Receiving Career Development Awards from the National Institutes of Health. *JAMA Intern Med.* 2020;180(1):150–153.
- 15. Rubio M, Baker HL, Doyle JM. Demographic Composition of National Institutes of Health Clinical and Translational Science Awards (CTSA) Program Principal Investigators, Scholars, and Trainees. *J Clin Transl Sci.* 2022:1-21. doi:10.1017/cts.2022.491
- 16. Andriole DA, Wolfson RK. The Physician-Investigator Workforce: Looking Ahead. *Acad Med.* 2021;96(4):486-489. doi:10.1097/ACM.000000000003944

- 17. National Institutes of Health. Plan for Enhancing Diverse Perspectives (PEDP). Updated July 21, 2021. https://braininitiative.nih.gov/about/plan-enhancing-diverse-perspectives-pedp)
- 18. Richardson RR, Crawford DC, Ngai J, Beckel-Mitchener AC. Advancing scientific excellence through inclusivity in the NIH BRAIN Initiative. *Neuron*. 2021;109(21):3361-3364. doi:10.1016/j.neuron.2021.10.021
- Faculty Institutional Recruitment for Sustainable Transformation. National Institutes of Health Office Strategic Coordination. Updated October 20, 2022. https://commonfund.nih.gov/first
- 20. Enhancing the Diversity of the NIH Workforce. https://nigms.nih.gov/training/dpc/Pages/default.aspx
- Valantine HA, Collins FS. National Institutes of Health addresses the science of diversity. *Proc Natl Acad Sci USA*. 2015;112(40):12240-12242. doi:10.1073/pnas.1515612112
- 22. Kaiser J. NIH launches grant program aimed at closing the funding rate gap between Black and white investigators. Science. Published June 17, 2022. https://www.science.org/content/article/nih-launches-grant-program-aimed-closing-funding-rate-gap-between-black-and-white
- 23. NIH RePORTER. https://reporter.nih.gov/
- 24. Notice of NIH's Interest in Diversity. National Institutes of Health, Office of Extramural Resources. Updated November 22, 2019. https://grants.nih.gov/grants/guide/notice-files/NOT-OD-20-031.html

- 25. Ho, D, Imai, K, King, G, Stuart, EA. MatchIt: Nonparametric Preprocessing for Parametric Causal Inference. *J Stat Soft.* 2011;42(8), 1–28. https://doi.org/10.18637/jss.v042.i08
- 26. R Core Team. R: A Language and Environment for Statistical Computing. 2020
 R Foundation for Statistical Computing, Vienna, Austria. https://www.R-project.org/
- 27. Preprocessing for Parametric Causal Inference. *J Stat Soft.* 2011;42(8), 1–28. https://doi.org/10.18637/jss.v042.i08
- 28. SAS Institute. STAT-SAS, Version 9.4. SAS Institute, Cary, North Carolina. (2010).
- 29. Chen W, Shi J, Qian L, Azen SP. Comparison of robustness to outliers between robust poisson models and log-binomial models when estimating relative risks for common binary outcomes: a simulation study. *BMC Med Res Methodol*. 2014;14:82. doi:10.1186/1471-2288-14-82
- StataCorp. Stata Statistical Software: Release 15. College Station, TX: StataCorp LLC. (2017).
- 31. Pololi LH, Evans AT, Civian JT, Gibbs BK, Gillum LH, Brennan RT. A Novel Measure of "Good" Mentoring: Testing Its Reliability and Validity in Four Academic Health Centers. *J Contin Educ Health Prof.* 2016;36(4):263-268. doi:10.1097/CEH.000000000000114
- 32. Pololi LH, Kern DE, Carr P, Conrad P, Knight S. The culture of academic medicine: faculty perceptions of the alignment between individual and institutional values. *J Gen Intern Med.* 2009;24:1289-95.
- 33. Rodríguez JE, Campbell KM, Pololi LH. Addressing disparities in academic medicine: what of the minority tax?. *BMC Med Educ*. 2015;15:6. doi:10.1186/s12909-015-0290-9

- 34. Pololi LH, Evans AT, Civian JT, Vasiliou V, Gibbs BK, Coplit LD, Gillum LH, Brennan RT. Mentoring Faculty: A U.S. National Survey of Its Adequacy and Linkage to Culture in Academic Health Centers. *J Contin Educ Health Prof.* 2015;35(3):176-184. doi:10.1002/chp.21294
- 35. Pololi LH, Evans, AT. Group peer mentoring: An answer to the faculty mentoring problem? A successful program at a large academic department of medicine. *J Cont Educ Health Prof.* 2015;35: 192-200.
- 36. Choi AMK, Moon JE, Steinecke A, Prescott JE. Developing a Culture of Mentorship to Strengthen Academic Medical Centers. *Acad Med.* 2019;94(5):630-633. doi:10.1097/ACM.0000000000002498
- 37. Sambunjak D, Straus SE, Marusic AJ. <u>A systematic review of qualitative research on the meaning and characteristics of mentoring in academic medicine.</u> *J Gen Intern Med.* 2010 Jan;25(1):72-8. doi: 10.1007/s11606-009-1165-8. Epub 2009 Nov 19.PMID: 19924490

ACKNOWLEDGMENTS

We thank the faculty who participated in this survey study both as Fellows in the C-Change Mentoring and Leadership Institute and those who dedicated their precious time as external control subjects. This study was funded by the NIH Common Fund through the Office of Strategic Coordination/Office of the Director, administered by the National Institute of General Medical Sciences, under award number U01GM132367. (LP, AE, JC, LC, BG, KN, KBF, RB) We are grateful for the support and encouragement of our NIH program officials: Patrick Brown and Mercedes Rubio.

Table 1. Description, number of items, response scale, definition of individual mean scores of concern, and reliability of C-Change assessment scales.

		Individual scale scores of concern		Estimated
				Cronbach
				alpha
	Response	Cut	Included Responses	
Scale Description (number of items)	scale	Point		
Mentoring Quality (10)	1-6	< 3.5	Not at all, to a very	.97
Helpfulness of mentoring received	Extent		small extent, to a	
			small extent	
Self-Efficacy: Career Advancement (4)	1-7	≤ 5	Completely false,	.83
Perceived ability to advance in career	False/True		somewhat false,	
			slightly false, neutral,	
			slightly true	
Self-Efficacy: Research (4)	1-6	≤ 3.5	Not at all confident,	.87
Self-confidence in ability to be	Confidence		slightly confident,	
successful in research			somewhat confident	
Self-Efficacy: Work/Life Integration (5)	1-6	≤ 3.5	Not at all confident,	.90
Self-confidence in ability to manage	Confidence		slightly confident,	
work and personal responsibilities			somewhat confident	
Vitality (4)	1-6	< 5	Never, very rarely,	.89
Find work energizing and personally	Frequency		rarely, occasionally	
meaningful				
Burnout (1)	1-6	≥ 5	Frequently, very	
Frequency of feeling burnt out	Frequency		frequently	
Relationships/Inclusion/Trust (5)	1-6	≤ 2.5	Never, very rarely	.89
Faculty relationships, feelings of	Frequency			
inclusion and trust				
Intention to Leave Academic Medicine (1)	1-5	≥ 4	Somewhat agree,	
Seriously considered leaving academic	Agreement		strongly agree	
medicine in last 12 months				
	1			<u> </u>

Identity Self-Awareness (4)	1-6	≤ 3.5	Never, very rarely,	.82
Frequency of considering one's	Frequency		rarely	
identities and cultural lens				
Valuing Diversity: Attitudes and	1-6	≤ 3.5	Very untrue, mostly	.89
Recruitment (9)	Untrue/true		untrue, somewhat	
Valuing diversity in work teams,	of what I		untrue	
recruitment, and advancement	believe			
Anti-Sexism & Anti-Racism Skills (4)	1-7	≤ 5	Completely false,	.84
Ability to identify and respond to	False/True		somewhat false,	
gender, race, and ethnicity inequity			slightly false, neutral,	
			slightly true	

Table 2. Characteristics of 146 midcareer biomedical researchers completing the C-Change Participant Survey in fall 2020.

	Percent (n)
Gender	
Men	43% (63)
Women	57% (83)
Race and ethnicity	
Underrepresented in medicine*	31% (45)
Non-underrepresented in medicine*	69% (101)
Race and ethnicity by gender	
URM men	14% (20)
URM women	17% (25)
Non-URM men	29% (43)
Non-URM women	40% (58)
Degree	
Ph.D.	59% (86)
M.D.	31% (45)
M.D., Ph.D.	10% (15)
Rank	
Assistant professor	52% (76)
Associate professor	48% (70)
Research award	
NIH K award recipients	32% (47)
NIH R01 or equivalent award recipients	29% (43)
Both NIH K and R01 awards	20% (29)
Non-NIH major award	18% (27)
Median percent time conducting research (<i>IQR</i>)	75% (50-90)
Median years since first academic appointment (IQR)	8 (6-11)
Median number of publications (IQR)	29 (18-42)

IQR: interquartile range

URM: underrepresented in medicine

Non-URM: adequately represented in medicine

* Non-underrepresented and underrepresented in medicine: Individuals from racial and ethnic groups that are adequately represented and have low representation, respectively, in the health-related sciences and STEM fields on a national basis, as designated by the National Institutes of Health and the National Science Foundation.

Table 3. C-Change mentoring quality assessment scale components included on the C-Change Participant Survey.

"In the past 12 months in your current position at your institution, to what extent has mentoring helped you ..."

formulate your career goals?

formulate your research goals?

plan how to achieve your career goals?

plan how to achieve your research goals?

learn the skills needed to succeed in your career goals?

learn the skills needed to succeed in your research goals?


find the resources you need?

have a sponsor/champion/network to advance your career or your work?

plan how to achieve your personal goals?


assess how well your professional activities align with your personal values?

Figure 1. Recruitment and allocation of study subjects.



* Matching was done using an optimal matching propensity procedure with eight standardized variables collected from applications: gender, underrepresentation, rank, years of experience, number of publications, number of grants (weighted by type), M.D. vs. Ph.D., and number of R01 or equivalent grants.

Figure 2. Percent of subjects reporting individual scores of concern on C-Change assessment scales among 146 midcareer biomedical researchers completing the C-Change Participant Survey in fall 2020.



LEGEND:

•	All respondents	PhD	Ph.D.
Q	Women	Q Ò	Underrepresented men and women
ď	Men	Q	Underrepresented women
URM	Underrepresented in medicine	o	Underrepresented men
Non- URM	Non-underrepresented in medicine	Q	Non-underrepresented women
MD	M.D. & M.D./Ph.D.	ď	Non-underrepresented men

Non-URM and URM: Non-underrepresented and underrepresented in medicine. Individuals from racial and ethnic groups that are adequately represented and have low representation, respectively, in the health-related sciences and STEM fields on a national basis, as designated by the National Institutes of Health and the National Science Foundation.