

University of Groningen

Salt-marsh sediment

de Groot, Alma Vimala

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2009

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

de Groot, A. V. (2009). *Salt-marsh sediment: Natural γ -radioactivity and spatial patterns*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

References

References

- Aagaard, T., Nielsen, N. and Nielsen, J., 1995. Skallingen - Origin and Evolution of a Barrier Spit. Institute of Geography, University of Copenhagen, Copenhagen
- Adam, P., 1990. Saltmarsh ecology. Cambridge University Press, Cambridge
- Allen, J. R. L., 1990. Salt-Marsh Growth and Stratification - A Numerical-Model with Special Reference to the Severn Estuary, Southwest Britain. *Marine Geology*, 95 (2), 77-96
- Allen, J. R. L., 2000. Morphodynamics of Holocene salt marshes: a review sketch from the Atlantic and Southern North Sea coasts of Europe. *Quaternary Science Reviews*, 19 (12), 1155-1231
- Allen, J. R. L. and Haslett, S. K., 2002. Buried salt-marsh edges and tide-level cycles in the mid-Holocene of the Caldicot Level (Gwent), South Wales, UK. *Holocene*, 12 (3), 303-324
- Anjos, R. M., Veiga, R., Carvalho, C., Macario, K. D., and Gomes, P. R. S., 2007. Geological provenance of Quaternary deposits from the southeastern Brazilian coast. *Nuclear Physics A*, 787, 642C-647C
- Anjos, R. M., Veiga, R., Macario, K., Carvalho, C., Sanches, N., Bastos, J., and Gomes, P. R. S., 2006. Radiometric analysis of Quaternary deposits from the southeastern Brazilian coast. *Marine Geology*, 229 (1-2), 29-43
- Armstrong, M., 1998. Basic linear geostatistics. Springer, Berlin
- B**
- Bakker, J. P., 1989. Nature management by grazing and cutting: on the ecological significance of grazing and cutting regimes applied to restore former species-rich grassland communities in the Netherlands. Kluwer Academic Publishers, Dordrecht
- Bakker, J. P., Bunje, J., Dijkema, K. S., Frikke, J., Hecker, N., Kers, A. S., Körber, P., Kohlus, J., and Stock, M., 2005. Salt marshes. In: Essink, K., Dettmann, H., Farke, H., Laursen, K., Lüerßen, G., Marencic, H., and Wiersinga, W., Wadden Sea Quality Status Report, 2004. Common Wadden Sea Secretariat, Wilhelmshaven, 163 - 179
- Bartholdy, J., Christiansen, C., and Kunzendorf, H., 2004. Long term variations in backbarrier salt marsh deposition on the Skallingen peninsula - the Danish Wadden Sea. *Marine Geology*, 203 (1-2), 1-21
- Bartholdy, J. and Madsen, P. P., 1985. Accumulation of Fine-Grained Material in A Danish Tidal Area. *Marine Geology*, 67 (1-2), 121-137
- Berger, M. J., Hubbell, J. H., Seltzer, S. M., Chang, J., Coursey, J. S., Sukumar, R., and Zucker, D. S., 2007. XCOM: Photon Cross Section Database (version 1.3). [Online] Available: <http://physics.nist.gov/xcom>
- Brampton, A. H., 1992. Engineering significance of British saltmarshes. In: Allen, J. R. L. and Pye, K., Saltmarshes. Morphodynamics, Conservation and Engineering significance. Cambridge University Press, Cambridge, 115 - 122
- Briesmeister, J. F., eds., 2000. MCNP TM - A General Monte Carlo N-Particle Transport Code, Version 4C. Los Alamos National Laboratory
- Browne, E. and Firestone, R. B., 1986. Table of radioactive isotopes. John Wiley & Sons, Inc., New York
- Burrough, P. A. and McDonnel, R. A., 1998. Principles of geographical information systems. Oxford University Press, New York
- C**
- Cahoon, D. R., Day, J. W., and Reed, D. J., 1999. The influence of surface and shallow subsurface soil processes on wetland elevation: a synthesis. *Current Topics in Wetland Biochemistry*, 3, 72-88
- CCRX, 1986. De radioactieve besmetting in Nederland ten gevolge van het kernreactor ongeval in Tsjernobyl. Coördinatie-commissie voor Metingen van Radioactiviteit en Xenobiotische Stoffen ; CCRX-secretaris voor radioactieve stoffen. Ministerie van Volkshuisvesting, Ruimtelijke Ordening en Milieubeheer, Den Haag
- Christiansen, C., Pejrup, M., Kepp, R. R., Nielsen, A., Volund, G., and Pedersen, J. B. T., 2004.

- Tidal and meteorological induced nutrient (N, P) dynamics in the micro-tidal Ho Bugt, Danish Wadden Sea. *Danish Journal of Geography*, 104 (1), 87-96
- Dausse, A., Merot, P., Bouzille, J. B., Bonis, A., and Lefeuvre, J. C., 2005. Variability of nutrient and particulate matter fluxes between the sea and a polder after partial tidal restoration, Northwestern France. *Estuarine Coastal and Shelf Science*, 64 (2-3), 295-306
- De Groot, A. V., 2005. Gamma radioactivity on two tidal marshes in the Westerschelde: a pilot study. KVI Internal report Z-118, Kernfysisch Versneller Instituut, Groningen
- De Leeuw, C. C., Grootjans, A. P., Lammerts, E. J., Esselink, P., Stal, L., Stuyfzand, P. J., Van Turnhout, C., Ten Haaf, M. E., and Verbeek, S. K., 2008. Ecologische effecten van duinboog- en washoverherstel. Rijksuniversiteit Groningen, Groningen
- De Leeuw, J., Demunck, W., Oloff, H., and Bakker, J. P., 1993. Does Zonation Reflect the Succession of Salt-Marsh Vegetation - A Comparison of An Estuarine and A Coastal Bar Island Marsh in the Netherlands. *Acta Botanica Neerlandica*, 42 (4), 435-445
- De Meijer, R. J., 1998. Heavy minerals: from 'Edelstein' to Einstein. *Journal of Geochemical Exploration*, 62 (1-3), 81-103
- De Meijer, R. J., 2003. Model for radiometric determination of layer thickness and layer composition. KVI Internal report PAN-006, Kernfysisch Versneller Instituut, Groningen
- De Meijer, R. J. and Donoghue, J. F., 1995. Radiometric Fingerprinting of Sediments on the Dutch, German and Danish Coasts. *Quaternary International*, 26, 43-47
- De Meijer, R. J., James, I. R., Jennings, P. J., and Koeys, J. E., 2001. Cluster analysis of radionuclide concentrations in beach sand. *Applied Radiation and Isotopes*, 54 (3), 535-542
- De Meijer, R. J., Lesscher, H. M. E., Schuiling, R. D., and Elburg, M. E., 1990. Estimate of the Heavy Mineral-Content in Sand and Its Provenance by Radiometric Methods. *Nuclear Geophysics*, 4 (4), 455-460
- De Meijer, R. J., Put, L. W., Schuiling, R. D., de Reus, J. H., and Wiersma, J., 1989. Natural radioactive heavy minerals in sediments along the Dutch coast. *Proceedings KNGMG Symposium 'Coastal Lowlands, Geology and Geotechnology'*, Kluwer Academic Publishers, Dordrecht, the Netherlands, 1987, 355-361
- De Meijer, R. J., Stapel, C., Rozendaal, A., Macdonald, W. G., and Donoghue, J. F., 1997. New approaches to radiometry in heavy mineral exploration and processing. *Heavy Minerals 1997*, South African Institute of Mining and Metallurgy, Johannesburg, 187-196
- De Meijer, R. J., Tanczos, I. C., and Stapel, C., 1994. Radiometric Techniques in Heavy Mineral Exploration and Exploitation. *Exploration and Mining Geology*, 3 (4), 389-398
- Debertin, K. and Helmer, R. G., 1988. Gamma- and X-ray spectrometry with semiconductor detectors. Elsevier Science Publishers B.V., Amsterdam
- Dijkema, K. S., 1987a. Changes in salt-marsh area in the Netherlands Wadden Sea after 1600. In: Huiskes, A., Blom, C. W. P. M., and Rozema, J., *Vegetation between land and sea*. Dr. W. Junk Publishers, Dordrecht/Boston/Lancaster, 42-49
- Dijkema, K. S., 1987b. Geography of Salt Marshes in Europe. *Zeitschrift für Geomorphologie*, 31 (4), 489-499
- Dijkema, K. S., Bossinade, J. H., Bouwsema, P., and De Glopper, R. J., 1990. Salt marshes in the Netherlands Wadden Sea: rising high-tide levels and accretion enhancement. In: Beukema, J. J. and et al., *Expected Effects of Climatic Change on Marine Coastal Ecosystems*. Kluwer Academic Publishers, 173 - 188
- Donnelly, C., Kraus, N., and Larson, M., 2006. State of knowledge on measurement and modeling of coastal overwash. *Journal of Coastal Research*, 22 (4), 965-991
- Doody, J. P., 2008. *Saltmarsh conservation, management and restoration*. Springer
- Dyer, F. M., Thomson, J., Croudace, I. W., Cox, R., and Wadsworth, R. A., 2002. Records of change in salt marshes: A radiochronological study of three Westerschelde (SW Netherlands) marshes. *Environmental Science & Technology*, 36 (5), 854-861

References

E

- Ehlers, J., 1988a. Morphologische Veränderungen der Wattseite der Barriere-Inseln des Wattenmeeres. *Die Küste Archiv für Forschung und Technik an der Nord und Ostsee*, 47
- Ehlers, J., 1988b. *The morphodynamics of the Wadden Sea*. Balkema, Rotterdam
- Ehlers, J., Nagorny, K., Schmidt, P., Stieve, B., and Zietlow, K., 1993. Storm-Surge Deposits in North-Sea Salt Marshes Dated by Cs-134 and Cs-137 Determination. *Journal of Coastal Research*, 9 (3), 698-701
- Eisma, D. and Dijkema, K. S., 1997. *The influence of salt marsh vegetation on sedimentation. Intertidal deposits: river mouths, tidal flats and coastal lagoons*. CRC Press, Boca Raton, 403-414
- Eleveld, M. A., 1999. *Exploring coastal morphodynamics of Ameland (the Netherlands) with remote sensing techniques and dynamic modelling in GIS*. PhD-thesis, Universiteit van Amsterdam
- Esselink, P., Dijkema, K. S., Reents, S., and Hageman, G., 1998. Vertical accretion and profile changes in abandoned man-made tidal marshes in the Dollard estuary, the Netherlands. *Journal of Coastal Research*, 14 (2), 570-582
- Esselink, P., Zijlstra, W., Dijkema, K. S., and Van Diggelen, R., 2000. The effects of decreased management on plant-species distribution patterns in a salt marsh nature reserve in the Wadden Sea. *Biological Conservation*, 93 (1), 61-76
- Evans, R. D., 1969. *The Atomic Nucleus*. McGraw-Hill

F

- Feenstra, R., 2000. *Medusa Data Logger, version Version 3.0 build 25*, www.medusa-online.com
- Fehrenbacher, G., Meckbach, R., and Jacob, P., 1996. Unfolding the response of a Ge detector used for in-situ gamma-ray spectrometry. *Nuclear Instruments & Methods in Physics Research Section A-Accelerators Spectrometers Detectors and Associated Equipment*, 383 (2-3), 454-462
- Field, A., 2005. *Discovering statistics using SPSS*. SAGE Publications Ltd, London
- Flemming, B. W. and Davis, R. A. Jr., 1994. Holocene Evolution, Morphodynamics and Sedimentology of the Spiekeroog Barrier Island System (Southern North Sea). *Senckenbergiana maritima*, 24, 117-155
- Flemming, B. W. and Delafontaine, M. T., 2000. Mass physical properties of muddy intertidal sediments: some applications, misapplications and non-applications. *Continental Shelf Research*, 20 (10-11), 1179-1197
- French, J. R., 2006. Tidal marsh sedimentation and resilience to environmental change: Exploratory modelling of tidal, sea-level and sediment supply forcing in predominantly allochthonous systems. *Marine Geology*, 235 (1-4), 119-136
- French, J. R. and Spencer, T., 1993. Dynamics of Sedimentation in A Tide-Dominated Backbarrier Salt-Marsh, Norfolk, Uk. *Marine Geology*, 110 (3-4), 315-331
- French, J. R., Spencer, T., Murray, A. L., and Arnold, N. S., 1995. Geostatistical Analysis of Sediment Deposition in Two Small Tidal Wetlands, Norfolk, UK. *Journal of Coastal Research*, 11 (2), 308-321
- Friedrichs, C. T. and Perry, J. E., 2001. Tidal salt marsh morphodynamics: a synthesis. *Journal of Coastal Research*, SI, No. 27, 7-37

G

- Gering, F., Kiefer, P., Fesenko, S., and Voigt, G., 2002. In situ gamma-ray spectrometry in forests: Determination of kerma rate in air from Cs-137. *Journal of Environmental Radioactivity*, 61 (1), 75-89
- Godfrey, P. J. and Godfrey, M. M., 1974. The role of overwash and inlet dynamics in the formation of salt marshes on North Carolina barrier islands. In: Reimold, R. J. and Queen, W. H., *Ecology of Halophytes*. Academic Press, New York, 407-427
- Golden Software, I., 1999. *Surfer User's Guide; Contouring and 3D Surface Mapping for*

- Scientists and Engineers. Golden Software, inc., Golden, Colorado
- Greenfield, M. B., De Meijer, R. J., Put, L. W., Wiersma, J., and Donoghue, J. F., 1989. Monitoring Beach Sand Transport by Use of Radiogenic Heavy Minerals. *Nuclear Geophysics*, 3 (3), 231-244
- H**
- Harvey, M. M., Hansom, J. D., and MacKenzie, A. B., 2007. Constraints on the use of anthropogenic radionuclide-derived chronologies for saltmarsh sediments. *Journal of Environmental Radioactivity*, 95 (2-3), 126-148
- Helmer, R. G., Gehrke, R. J., and Carpenter, M. V., 1999. Three types of photon detectors for in situ measurements. *Nuclear Instruments & Methods in Physics Research Section A-Accelerators Spectrometers Detectors and Associated Equipment*, 422 (1-3), 826-831
- Hendriks, P. H. G. M., 2003. In-depth γ -ray studies; Borehole measurements. PhD-thesis, University of Groningen
- Hendriks, P. H. G. M., Limburg, J., and De Meijer, R. J., 2001a. Full-spectrum analysis of natural gamma-ray spectra. *Journal of Environmental Radioactivity*, 53 (3), 365-380
- Hendriks, P. H. G. M., Maučec, M., and De Meijer, R. J., 2001b. Sediment-Density Dependence of Natural Gamma Ray Spectra in a Borehole Geometry. *Proceedings, International conference on advanced Monte Carlo for radiation physics, particle transport simulation and applications, MC 2000, Lisbon, Portugal, 2000b*, 893 - 898
- Hendriks, P. H. G. M., Maučec, M., and De Meijer, R. J., 2002. MCNP modelling of scintillation-detector gamma-ray spectra from natural radionuclides. *Applied Radiation and Isotopes*, 57 (3), 449-457
- Hengl, T., 2007. A practical guide to geostatistical mapping of environmental variables. EUR 22904 EN-2007, European Commission, Joint Research Centre, Institute for Environment and Sustainability, Luxembourg: Office for Official Publications of the European Communities
- J**
- Jones, D. G., 2001. Development and application of marine gamma-ray measurements: a review. *Journal of Environmental Radioactivity*, 53 (3), 313-333
- K**
- Kers, A. S., Van der Brug, S. R., Schoen, L., Bos, D., and Bakker, J. P., 1998. Vegetatiekartering Oost-Schiermonnikoog, 1993 - 1996. Laboratorium voor Plantenecologie, Rijksuniversiteit Groningen
- Kirwan, M. L. and Murray, A. B., 2007. A coupled geomorphic and ecological model of tidal marsh evolution. *Proceedings of the National Academy of Sciences of the United States of America*, 104 (15), 6118-6122
- Kluson, J., 2001. Environmental monitoring and in situ gamma spectrometry. *Radiation Physics and Chemistry*, 61 (3-6), 209-216
- Knoll, G. F., 2000. *Radiation Detection and Measurement*. John Wiley and Sons, Inc.
- Koomans, R. L., 2008. Bepaling slibfractie en dichtheid waterbodem. Medusa Innovatie Notitie MIN 8a, Medusa Explorations BV, Groningen
- Kuijper, D. P. J., 2004. Small herbivores losing control: Plant-herbivore interactions along a natural productivity gradient. PhD-thesis, University of Groningen
- Kuijper, D. P. J. and Bakker, J. P., 2003. Large-scale effects of a small herbivore on salt-marsh vegetation succession, a comparative study. *Journal of Coastal Conservation*, 9, 179-188
- L**
- Langlois, E., Bonis, A., and Bouzille, J. B., 2003. Sediment and plant dynamics in saltmarshes pioneer zone: *Puccinellia maritima* as a key species? *Estuarine Coastal and Shelf Science*, 56 (2), 239-249
- Lassen, H., 1989. Ortliche und Zeitliche Variationen des Meeresspiegels in der südöstlichen Nordsee. *Die Küste. Archiv für Forschung und Technik an der Nord und Ostsee*, 50, 65-96

References

- Ligero, R. A., Ramos-Lerate, I., Barrera, M., and Casas-Ruiz, M., 2001. Relationships between sea-bed radionuclide activities and some sedimentological variables. *Journal of Environmental Radioactivity*, 57 (1), 7-19
- Limburg, J., 2003. MEDUSA Post Analysis, MPA 2002, www.medusa-online.com
- M**
- Macdonald, W. G., Rozendaal, A., and De Meijer, R. J., 1997. Radiometric characteristics of heavy mineral deposits along the west coast of South Africa. *Mineralium Deposita*, 32 (4), 371-381
- Madsen, A. T., Murray, A. S., Andersen, T. J., Pejrup, M., and Breuning-Madsen, H., 2005. Optically stimulated luminescence dating of young estuarine sediments: a comparison with Pb-210 and Cs-137 dating. *Marine Geology*, 214 (1-3), 251-268
- Maučec, M., De Meijer, R. J., Rigollet, C., Hendriks, P. H. G. M., and Jones, D. G., 2004a. Detection of radioactive particles offshore by gamma-ray spectrometry - Part I: Monte Carlo assessment of detection depth limits. *Nuclear Instruments & Methods in Physics Research Section A-Accelerators Spectrometers Detectors and Associated Equipment*, 525, 593-609
- Maučec, M., De Meijer, R. J., Van der Klis, M. M. I. P., Hendriks, P. H. G. M., and Jones, D. G., 2004b. Detection of radioactive particles offshore by gamma-ray spectrometry - Part II: Monte Carlo assessment of acquisition times. *Nuclear Instruments & Methods in Physics Research Section A-Accelerators Spectrometers Detectors and Associated Equipment*, 525 (3), 610-622
- Medusa Explorations, 2000. Medusa Data Synchronizer, version MDS_2000, www.medusa-online.com
- Mitsch, W. J., eds., 1994. *Global wetlands: old world and new*. Elsevier, Amsterdam
- Möller, I., Spencer, T., French, J. R., Leggett, D. J., and Dixon, M., 1999. Wave transformation over salt marshes: A field and numerical modelling study from north Norfolk, England. *Estuarine Coastal and Shelf Science*, 49 (3), 411-426
- N**
- Nederbragt, G. and Koomans, R. L., 2005. Nourishment of the slope of a tidal channel. From experiment to practice. *Proceedings of the Fifth Coastal Dynamics International Conference*, Barcelona, Spain, April 4-8, 2005,
- Nederlands Normalisatie-instituut, 2002. *Nederlandse Norm NEN 5623 (nl); Radioactiviteitsmetingen - Bepaling van de activiteit van gammastraling uitzendende nucliden in een telmonster met halfgeleider-gammaspectrometrie*. ICS 17.240-10, Delft
- Neumeier, U. and Amos, C. L., 2006. The influence of vegetation on turbulence and flow velocities in European salt-marshes. *Sedimentology*, 53 (2), 259-277
- Nielsen, J. and Nielsen, N., 2006a. Washover geomorphology on a barrier spit, Skallingen, Denmark. *Journal of Coastal Research*, Special Issue 39, 678-681
- Nielsen, N. and Nielsen, J., 2006b. Development of a washover fan on a transgressive barrier, Skallingen, Denmark. *Journal of Coastal Research*, Special Issue 39, 107-111
- O**
- Oloff, H., De Leeuw, J., Bakker, J. P., Platerink, R. J., Van Wijnen, H. J., and De Munck, W., 1997. Vegetation succession and herbivory in a salt marsh: changes induced by sea level rise and silt deposition along an elevational gradient. *Journal of Ecology*, 85 (6), 799-814
- Oost, A. P., 1995. *Dynamics and sedimentary development of the Dutch Wadden Sea with emphasis on the Frisian inlet*. PhD-thesis, Universiteit Utrecht
- Oost, A. P., 1998. *The influence of selective transport and provenance on the radiometric fingerprint method*. KVI Internal report Kernfysisch Versneller Instituut, Groningen
- Oost, A. P. and De Boer, P. L., 1994. *Sedimentology and Development of Barrier Islands, Ebb-tidal Deltas, Inlets and Backbarrier Areas of the Dutch Wadden Sea*. *Senckenbergiana maritima*, 24, 65-115

- Oxford Instruments Inc. Nuclear Measurements Group, 1993. GammaTrac Version 1.21 Operation Manual.
- P**
- Paridaens, J., 2006. Development of a low cost, GPS-based upgrade to a standard handheld gamma detector for mapping environmental radioactive contamination. *Applied Radiation and Isotopes*, 64 (2), 264-271
- Pedersen, J. B. T. and Bartholdy, J., 2007. Exposed salt marsh morphodynamics: An example from the Danish Wadden Sea. *Geomorphology*, 90, 115-125
- Pelowitz, D. P., eds., 2005. MCNPXTM User's Manual, version 2.5.0. Los Alamos National Laboratory
- Perrin, J., Carrier, F., and Guillot, L., 2006. Determination of the vertical distribution of radioelements (K, U, Th, Cs) in soils from portable HP-Ge spectrometer measurements: A tool for soil erosion studies. *Applied Radiation and Isotopes*, 64 (7), 830-843
- Pethick, J. S., 1992. Saltmarsh geomorphology. In: Allen, J. R. L. and Pye, K., *Saltmarshes. Morphodynamics, conservation and engineering significance*. Cambridge University Press, Cambridge, 41 - 62
- Philander, C., Rozendaal, A., and De Meijer, R. J., 1999. Characteristics of zircon in placer deposits along the west coast of South Africa. *South African Journal of Science*, 95 (9), 381-386
- Plamboeck, A. H., Nylén, T., and Agren, G., 2006. Comparative estimations of Cs-137 distribution in a boreal forest in northern Sweden using a traditional sampling approach and a portable NaI detector. *Journal of Environmental Radioactivity*, 90 (2), 100-109
- Postma, H., 1961. Transport and accumulation of suspended matter in the Dutch Wadden Sea. *Netherlands Journal of Sea Research*, 1, 148-190
- Postma, H., 1967. Sediment transport and sedimentation in the estuarine environment. In: Lauff, G. A., *Estuaries*. American Association for the Advancement of Science, Washington D.C., 158 - 179
- Pringle, A. W., 1995. Erosion of A Cyclic Salt-Marsh in Morecambe Bay, North-West England. *Earth Surface Processes and Landforms*, 20 (5), 387-405
- Q**
- Qual, W., 2003. Vegetationsmosaik auf der Insel Schiermonnikoog; Kleinmaßstäbliche Wechselwirkungen zwischen Vegetation, Höhenlage, Sedimentation und Herbivorie. TU München-Weihenstephan
- R**
- Reineck, H. E. and Gerdes, G., 1996. A seaward prograding siliciclastic sequence from upper tidal flats to salt marsh facies (southern North Sea). *Facies*, 34, 209-218
- Reitsma, D. T. and Bakker, J. P., 1986. Landgebruik op Schiermonnikoog, vroeger en nu. *Waddenbulletin*, 21, 94-100
- Rijkswaterstaat, 2008. WaterStat. <http://www.waterstat.nl/>
- Rijkswaterstaat Directie Friesland and Rijkswaterstaat Meetkundige dienst, 1991. Handleiding bij de vegetatiekaart van Schiermonnikoog.
- Rijkswaterstaat RIKZ Haren, 1998. Sedimentatlas Waddenzee. www.waddenzee.nl/sedimentatlas.729.0.html
- Roozen, A. J. M. and Westhoff, V., 1985. A Study on Long-Term Salt-Marsh Succession Using Permanent Plots. *Vegetatio*, 61 (1-3), 23-32
- Royal Netherlands Navy Hydrographic Service, 2003. PCTrans, version Version 3.2.e
- S**
- Saito, K. and Jacob, P., 1995. Gamma-Ray Fields in the Air Due to Sources in the Ground. *Radiation Protection Dosimetry*, 58 (1), 29-45
- Samenwerkingsverband Het Tijn Geleerd, 2007a. Het Tijn Geleerd; Achtergrondrapport.
- Samenwerkingsverband Het Tijn Geleerd, 2007b. Het Tijn Geleerd; Natuurherstel en onderzoek in

References

- het waddengebied. www.hettijgeleerd.nl
- Schimmack, W., Steindl, H., and Bunzl, K., 1998. Variability of water content and of depth profiles of global fallout Cs-137 in grassland soils and the resulting external gamma-dose rates. *Radiation and Environmental Biophysics*, 37 (1), 27-33
- Schoorl, H., 2000. De Convexe Kustboog; Texel - Vlieland - Terschelling; Bijdragen tot de kennis van het westelijk Waddengebied en de eilanden Texel, Vlieland en Terschelling. Deel 4; De Convexe Kustboog en het eiland Terschelling. Pirola, Schoorl
- Scintrex Limited, Manual Scintrex GIS-5 Integrating Gamma Spectrometer.
- Stapel, C., Tanczos, I. C., and De Meijer, R. J., 1992. IJking van de Scintrex GIS-5. KVI Internal report Z-17, Kernfysisch Versneller Instituut, Groningen
- Stoddart, D. R., Reed, D. J., and French, J. R., 1989. Understanding Salt-Marsh Accretion, Scolt Head Island, Norfolk, England. *Estuaries*, 12 (4), 228-236
- ### T
- Temmerman, S., Bouma, T. J., Govers, G., and Lauwaet, D., 2005a. Flow paths of water and sediment in a tidal marsh: Relations with marsh developmental stage and tidal inundation height. *Estuaries*, 28 (3), 338-352
- Temmerman, S., Bouma, T. J., Govers, G., Wang, Z. B., De Vries, M. B., and Herman, P. M. J., 2005b. Impact of vegetation on flow routing and sedimentation patterns: Three-dimensional modeling for a tidal marsh. *Journal of Geophysical Research-Earth Surface*, 110 (F4)
- Temmerman, S., Bouma, T. J., Van de Koppel, J., Van der Wal, D. D., De Vries, M. B., and Herman, P. M. J., 2007. Vegetation causes channel erosion in a tidal landscape. *Geology*, 35 (7), 631-634
- Temmerman, S., Govers, G., Wartel, S., and Meire, P., 2003. Spatial and temporal factors controlling short-term sedimentation in a salt and freshwater tidal marsh, Scheldt estuary, Belgium, SW Netherlands. *Earth Surface Processes and Landforms*, 28 (7), 739-755
- Temmerman, S., Govers, G., Wartel, S., and Meire, P., 2004. Modelling estuarine variations in tidal marsh sedimentation: response to changing sea level and suspended sediment concentrations 11. *Marine Geology*, 212 (1-4), 1-19
- Ten Haaf, M. E. and Buijs, P., 2008. Verdiepende Studies Morfologie: Morfologie, hydraulica en ecologie van washoversystemen. Universiteit Utrecht
- Thummerer, S. and Jacob, P., 1998. Determination of depth distributions of natural radionuclides with in situ gamma-ray spectrometry. *Nuclear Instruments & Methods in Physics Research Section A-Accelerators Spectrometers Detectors and Associated Equipment*, 416 (1), 161-178
- Torres, R., Fagherazzi, S., Van Proosdij, D., and Hopkinson, C., 2006. Salt marsh geomorphology: Physical and ecological effects on landform. *Estuarine Coastal and Shelf Science*, 69 (3-4), 309-310
- Tsabarlis, C., Eleftheriou, G., Kapsimalis, V., Anagnostou, C., Vlastou, R., Durmishi, C., Kedhi, M., and Kalfas, C. A., 2007. Radioactivity levels of recent sediments in the Butrint Lagoon and the adjacent coast of Albania. *Applied Radiation and Isotopes*, 65 (4), 445-453
- Tyler, A. N., 1999. Monitoring anthropogenic radioactivity in salt marsh environments through in situ gamma-ray spectrometry. *Journal of Environmental Radioactivity*, 45 (3), 235-252
- Tyler, A. N., Davidson, D. A., and Grieve, I. C., 2001. In situ radiometric mapping of soil erosion and field-moist bulk density on cultivated fields. *Soil Use and Management*, 17 (2), 88-96
- Tyler, A. N., Sanderson, D. C. W., and Scott, E. M., 1996. Estimating and accounting for Cs-137 source burial through in-situ gamma spectrometry in salt marsh environments. *Journal of Environmental Radioactivity*, 33 (3), 195-212
- ### V
- Van de Koppel, J., Van der Wal, D., Bakker, J. P., and Herman, P. M. J., 2005. Self-organization and vegetation collapse in salt marsh ecosystems. *The American Naturalist*, 165 (1), E1-E12
- Van der Graaf, E. R., Rigollet, C., Maleka, P. P., and Jones, D. G., 2007. Testing and assessment of

- a large BGO detector for beach monitoring of radioactive particles. *Nuclear Instruments & Methods in Physics Research Section A-Accelerators Spectrometers Detectors and Associated Equipment*, 575 (3), 507-518
- Van der Graaf, E. R., Van der Klis, M. M. I. P., De Meijer, R. J., and Bolk, H. J. N. A., 2004. Novel technique for in-situ determination of composition and thickness of asphalt layers. *Proceedings of the 3rd Eurasphalt and Eurobitume congress, Vienna 2004*,
- Van der Klis, M. M. I. P., 2002. Test and calibration of PANDORA, a large volume BGO detector for the in situ measurement of environmental radioactivity. KVI Internal report PAN-002, Kernfysisch Versneller Instituut, Groningen
- Van der Wal, D., Wielemaker-Van den Dool, A., and Herman, P. M. J., 2008. Spatial patterns, rates and mechanisms of saltmarsh cycles (Westerschelde, The Netherlands). *Estuarine Coastal and Shelf Science*, 76 (2), 357-368
- Van Duin, W. E., Dijkema, K. S., and Zegers, J., 1997. Veranderingen in bodemhoogte (opslibbing, erosie en inklink) in de Peazemerlannen. IBN-rapport 326, Instituut voor Bos- en Natuuronderzoek, Wageningen
- Van Proosdij, D., Davidson-Arnott, R. G. D., and Ollerhead, J., 2006. Controls on spatial patterns of sediment deposition across a macro-tidal salt marsh surface over single tidal cycles. *Estuarine Coastal and Shelf Science*, 69 (1-2), 64-86
- Van Straaten, L. M. J. U., 1954. Composition and structure of recent marine sediments in the Netherlands. *Leidse Geologische Mededelingen*, XIX, 4-96
- Van Straaten, L. M. J. U. and Kuenen, P. H., 1958. Tidal action as a cause of clay accumulation. *Journal of Sedimentary Research*, 28 (4), 406-413
- Van Wijnen, H. J. and Bakker, J. P., 2001. Long-term surface elevation change in salt marshes: a prediction of marsh response to future sea-level rise. *Estuarine Coastal and Shelf Science*, 52 (3), 381-390
- Van Wijngaarden, M., Venema, L. B., and De Meijer, R. J., 2002a. Radiometric sand mud characterisation in the Rhine-Meuse estuary part B. In situ mapping. *Geomorphology*, 43 (1-2), 103-116
- Van Wijngaarden, M., Venema, L. B., De Meijer, R. J., Zwolsman, J. J. G., Van Os, B., and Gieske, J. M. J., 2002b. Radiometric sand-mud characterisation in the Rhine-Meuse estuary part A. Fingerprinting. *Geomorphology*, 43 (1-2), 87-101
- Venema, L. B. and De Meijer, R. J., 2001. Natural radionuclides as tracers of the dispersal of dredge spoil dumped at sea. *Journal of Environmental Radioactivity*, 55 (3), 221-239
- Vos, P. C. and Van Kesteren, W. P., 2000. The long-term evolution of intertidal mudflats in the northern Netherlands during the Holocene; natural and anthropogenic processes. *Continental Shelf Research*, 20 (12-13), 1687-1710
- W**
- Wackernagel, H., 1995. *Multivariate geostatistics*. Springer Verlag, Berlin
- Walling, D. E. and He, Q., 1997. Use of fallout Cs-137 in investigations of overbank sediment deposition on river floodplains. *Catena*, 29 (3-4), 263-282
- Wheeler, A. J., Orford, J. D., and Dardis, O., 1999. Saltmarsh deposition and its relationship to coastal forcing over the last century on the north-west coast of Ireland. *Geologie en Mijnbouw-Netherlands Journal of Geosciences*, 77 (3-4), 295-310
- Z**
- Zwarts, L., 2004. *Bodemgesteldheid en mechanische kokkelvisserij in de Waddenzee*. Rapport RIZA/2004.028, Ministerie van Verkeer en Waterstaat