

International Grassland Congress Proceedings

XX International Grassland Congress

Gene Discovery and Molecular Dissection of Lignin Biosynthesis in Perennial Ryegrass (Lolium Perenne)

A. Lidgett La Trobe University, Australia

M. Emmerling Molecular Plant Breeding Cooperative Research Centre, Australia

R. Heath La Trobe University, Australia

R. McInnes La Trobe University, Australia

D. Lynch La Trobe University, Australia

See next page for additional authors Follow this and additional works at: https://uknowledge.uky.edu/igc

Part of the Agricultural Science Commons, Agronomy and Crop Sciences Commons, Plant Biology Commons, Plant Pathology Commons, Soil Science Commons, and the Weed Science Commons
This document is available at https://uknowledge.uky.edu/igc/20/satellitesymposium5/82
The XX International Grassland Congress took place in Ireland and the UK in June-July 2005.
The main congress took place in Dublin from 26 June to 1 July and was followed by post congress satellite workshops in Aberystwyth, Belfast, Cork, Glasgow and Oxford. The meeting was hosted by the Irish Grassland Association and the British Grassland Society.
Proceedings Editor: D. A. McGilloway
Publisher: Wageningen Academic Publishers, The Netherlands
Wageningen Academic Publishers, The Netherlands, 2005
The copyright holder has granted the permission for posting the proceedings here.

This Event is brought to you for free and open access by the Plant and Soil Sciences at UKnowledge. It has been accepted for inclusion in International Grassland Congress Proceedings by an authorized administrator of UKnowledge. For more information, please contact UKnowledge@lsv.uky.edu.

Presenter Information

A. Lidgett, M. Emmerling, R. Heath, R. McInnes, D. Lynch, A. Bartkowski, K. Fulgueras, T. Sawbridge, E. K. Ong, K. F. Smith, A. Mouradov, and G. C. Spangenberg

This event is available at UKnowledge: https://uknowledge.uky.edu/igc/20/satellitesymposium5/82

Gene discovery and molecular dissection of lignin biosynthesis in perennial ryegrass (*Lolium perenne*)

A. Lidgett^{1,2}, M. Emmerling^{1,2}, R. Heath^{1,2}, R. McInnes^{1,2}, D. Lynch^{1,2}, A. Bartkowski^{1,2}, K. Fulgueras^{1,2}, T. Sawbridge¹, E.K. Ong^{1,3}, K.F. Smith^{2,4}, A. Mouradov^{1,2} and G.C. Spangenberg^{1,2}

¹Primary Industries Research Victoria, Plant Biotechnology Centre, La Trobe University, Bundoora, Victoria 3086, Australia ²Molecular Plant Breeding Cooperative Research Centre, Australia ³Department of Botany, La Trobe University, Bundoora, Victoria 3086, Australia ⁴Primary Industries Research Victoria, Hamilton Centre, Hamilton, Victoria 3300, Australia Email: german.spangenberg@dpi.vic.gov.au

Keywords: perennial ryegrass, lignin biosynthesis, transgenic plants, herbage quality

Introduction Lignification of plant cell walls has been identified as a major factor limiting forage digestibility. It limits the amount of digestible energy available to livestock, resulting in an incomplete utilisation of cellulose and hemicellulose by ruminant animals. Modification of the lignin profile of ryegrasses (*Lolium* spp.) and fescues (*Festuca* spp.) is undertaken through modulating the expression of genes encoding enzymes involved in the biosynthesis of monolignols.

Materials and methods A targeted gene discovery program in perennial ryegrass (*L. perenne* L.) has led to the isolation and characterisation of cDNA and genomic clones encoding the following enzymes involved in the biosynthesis of the monolignol precursors and their extracellular polymerisation to yield lignins: phenyl alanine ammonia lyase (PAL), cinnamate-4-hydroxylase (C4H), ferulate-5-hydroxylase (F5H), caffeic acid *O*-methyltransferase (OMT), 4-coumarate-CoA ligase (4CL), caffeoyl-CoA 3-*O*-methyltransferase (CCA), cinnamyl alcohol dehydrogenase (CAD), peroxidase (PER) and laccase (LAC) (Figure 1).

Results and conclusions Following sequence analyses, expression profiles (i.e. organ specificity, developmental regulation and wound-inducibility) of these lignification genes in perennial ryegrass were determined using microarray-based and northern hybridisation analyses. Gene organisation, copy number and genetic map location using RFLPs were determined for LpPAL, LpC4H, LpF5H, LpOMT, Lp4CL, LpCCoAOMT, LpCCR, LpCAD and LpPER. Functional analysis *in planta* was undertaken following production of transgenic model (i.e. arabidopsis, tobacco) plants for overexpression of chimeric target lignification genes under control of the CaMV35S promoter and the generation of transgenic ryegrass plants for overexpression and down-regulation of the chimeric genes under control of constitutive and xylem-specific promoters. This provided the basis for a molecular dissection of the biosynthesis of monolignol precursors in perennial ryegrass to enhance the understanding of lignin monomeric composition and properties in grasses. It furthermore underpinned the design of transgenic elite perennial ryegrass genotypes carrying modular vectors with a combinatorial modulation of key target lignification genes using exclusively ryegrass gene sequences for improved forage quality and nutritive value.



Figure 1 Hypothetical pathways of lignin biosynthesis in perennial ryegrass