BMJ Open Cross-sectional health centre and community-based evaluation of the impact of pneumococcal and malaria vaccination on antibiotic prescription and usage, febrile illness and antimicrobial resistance in young children in Malawi: the IVAR study protocol

David Singleton ^(b), ¹ Ana Ibarz-Pavon, ^{1,2} Todd D Swarthout ^(b), ^{3,4} Farouck Bonomali, ² Jennifer Cornick, ^{1,2} Akuzike Kalizang'oma, ^{2,4} Noah Ntiza, ² Comfort Brown, ² Raphael Chipatala, ⁵ Wongani Nyangulu, ⁵ James Chirombo, ² Gift Kawalazira, ⁶ Henry Chibowa, ⁷ Charles Mwansambo, ⁸ Kenneth Mphatso Maleta, ⁵ Neil French, ¹ Robert S Heyderman ^(b) ⁴

ABSTRACT

To cite: Singleton D, Ibarz-Pavon A, Swarthout TD, *et al.* Cross-sectional health centre and communitybased evaluation of the impact of pneumococcal and malaria vaccination on antibiotic prescription and usage, febrile illness and antimicrobial resistance in young children in Malawi: the IVAR study protocol. *BMJ Open* 2023;**13**:e069560. doi:10.1136/ bmjopen-2022-069560

Prepublication history and additional supplemental material for this paper are available online. To view these files, please visit the journal online (http://dx.doi.org/10.1136/ bmjopen-2022-069560).

DS and AI-P contributed equally. NF and RSH contributed equally.

Received 26 October 2022 Accepted 25 April 2023

Check for updates

© Author(s) (or their employer(s)) 2023. Re-use permitted under CC BY. Published by BMJ.

For numbered affiliations see end of article.

Correspondence to Dr David Singleton; D.A.Singleton@liverpool.ac.uk Introduction Vaccination is a potentially critical component of efforts to arrest development and dissemination of antimicrobial resistance (AMR), though little is known about vaccination impact within low-income and middle-income countries. This study will evaluate the impact of vaccination on reducing carriage prevalence of resistant *Streptococcus pneumoniae* and extended spectrum beta-lactamase-producing *Escherichia coli* and *Klebsiella* species. We will leverage two large ongoing cluster-randomised vaccine evaluations in Malawi assessing; first, adding a booster dose to the 13-valent pneumococcal conjugate vaccine (PCV13) schedule, and second, introduction of the RTS,S/AS01 malaria vaccine.

Methods and analysis Six cross-sectional surveys will be implemented within primary healthcare centres (n=3000 users of outpatient facilities per survey) and their local communities (n=700 healthy children per survey): three surveys in Blantyre district (PCV13 component) and three surveys in Mangochi district (RTS,S/AS01 component). We will evaluate antibiotic prescription practices and AMR carriage in children ≤3 years. For the PCV13 component, surveys will be conducted 9, 18 and 33 months following a 3+0 to 2+1 schedule change. For the RTS,S/AS01 component, surveys will be conducted 32, 44 and 56 months post-RTS,S/AS01 introduction. Six health centres in each study component will be randomly selected for study inclusion. Between intervention arms, the primary outcome will be the difference in penicillin non-susceptibility prevalence among S. pneumoniae nasopharyngeal carriage isolates in healthy children. The study is powered to detect an absolute change of 13 percentage points (ie, 35% vs 22% penicillin nonsusceptibility).

STRENGTHS AND LIMITATIONS OF THIS STUDY

- ⇒ The study builds on two large-scale vaccine evaluations, leveraging the infrastructure, methodology and community engagement developed by such evaluations.
- ⇒ The study expands on a range of studies in Malawi evaluating antibiotic exposure and development of antibiotic resistant pathogen carriage, while also developing new methods using established methods as comparators.
- ⇒ The study will enable methodologies to be evaluated against two vaccine delivery scenarios: (1) adaptation of delivery schedule of a pre-existing vaccine (13-valent pneumococcal conjugate vaccine) and (2) introduction of a new vaccine (RTS,S/AS01).
- ⇒ Though our study design may limit representativeness, we have opted for a largely pragmatic design due to operational challenges in this setting.
- ⇒ Despite monitoring throughout the study, there is nevertheless a risk of contamination between intervention and non-intervention arms (ie, children receiving an RTS,S/AS01 vaccine who relocate to a zone where RTS,S/AS01 is not being introduced or vice versa).

Ethics and dissemination This study has been approved by the Kamuzu University of Health Sciences (Ref: P01-21-3249), University College London (Ref: 18331/002) and University of Liverpool (Ref: 9908) Research Ethics Committees. Parental/caregiver verbal or written informed consent will be obtained prior to inclusion or recruitment in the health centre-based and community-based activities, respectively. Results will be disseminated via the Malawi Ministry of Health, WHO, peer-reviewed publications and conference presentations.

INTRODUCTION

Antimicrobial resistance (AMR) is a leading global health threat,¹ with 1.27 million deaths being attributable to AMR in 2019 alone.² AMR development is thought to be primarily driven by antimicrobial exposure,³ but with resistant genes and their host bacteria capable of passing between people, animals and the environment⁴ multifaceted approaches are needed if we are to curb AMR development and dissemination.⁴ In 2016, a global review on AMR set out 10 recommendations for tackling this global pandemic,⁵ 1 of which was vaccination.⁵⁶

Vaccines may directly and indirectly impact on AMR.⁷ Directly, vaccines target bacterial species with emerging clinical resistance issues (eg, *Streptococcus pneumoniae, Salmonella typhi*).⁸⁻¹⁰ However, vaccines that target viruses and parasites may also deliver an indirect effect on AMR.^{7 11} This may be via (1) removal of a 'gateway' pathogen for bacterial infection, (2) improving general health or (3) reducing frequency of symptoms commonly associated with antibiotic prescription (eg, fever),¹² thereby reducing selection pressure for AMR development.^{7 11} Conversely, vaccines may also exert a resistance selection pressure on target and/or 'bystander' pathogens.^{13 14} Thus, for us to understand these complex interactions more fully, it is crucial that the putative impact of vaccines on AMR is evaluated in a systematic manner.

Varying responses to vaccination have been observed between high-income (HIC) and low-income and middleincome countries (LMICs), with vaccines frequently underperforming expectations in LMICs despite high vaccine coverage rates.¹⁵ However, many LMICs also have severely limited access to diagnostics and appropriate antibiotics,¹⁶ with empirical and potentially unnecessary antibiotic prescriptions being a common reality of clinical practice.¹⁷ Hence, while there is an intrinsic need to conduct vaccine impact evaluations in both HICs and LMICs, there is also a need to evaluate whether vaccination can play a cost-effective¹⁸ role in assisting equitable provision of antibiotics to those at greatest need.

Pneumococcal conjugate vaccines (PCVs) have arguably received the most attention of any vaccine regarding their potential to reduce AMR.⁷ In the USA and the UK, the introduction of 7-valent (PCV7) and, later, 13-valent (PCV13) vaccines were associated with considerable reductions in resistant pneumococcal infections.^{19–21} Malawi introduced PCV13 in November 2011 using a 3+0 delivery schedule (1 dose at 6, 10 and 14 weeks of age), with vaccine coverage exceeding 90%.²² Though introduction was associated with significant reductions in invasive pneumococcal disease²³ and all-cause mortality,²⁴ vaccine serotype carriage has remained persistently high,²⁵ and penicillin non-susceptibility in both carriage^{15–26} and disease samples²⁷ has not decreased, particularly in non-vaccine serotypes.¹⁵ Hence, some have queried whether

PCV13 delivery can be further optimised.²⁸ The two PCV13 delivery schedules recommended by WHO include a 3+0 and a 2+1 (1 dose at 6 and 14 weeks of age and a booster at 9 months of age) schedule.²⁹ Given that some countries reporting reductions in AMR following PCV13 introduction use a booster dose,¹⁹⁻²¹ it is important to evaluate the role of a booster dose in reducing pneumococcal carriage, disease, antibiotic prescriptions and, ultimately, AMR. In 2021, a pragmatic, cluster-randomised evaluation on the impact on pneumococcal carriage of changing the existing 3+0 PCV13 delivery schedule to a 2+1 schedule was implemented in the Blantyre district of Malawi (known as the 'PAVE' study)³⁰; our study will leverage the PAVE study to also assess the impact of delivery schedule change on AMR.

In 2021, RTS,S/AS01 became the first malaria vaccine to be recommended by the WHO for widespread use in young children.³¹ A subunit vaccine targeting Plasmodium falciparum, it is delivered via three doses at 5, 6 and 7 months of age followed by a fourth dose at 18-21 months of age.³² Phase III trials indicated that the RTS,S/ AS01 vaccine was effective at reducing clinical malaria.³³ However, although rare, increases in febrile convulsions, meningitis, cerebral malaria and mortality rates in RTS,S/ AS01 vaccinated individuals³⁴ led to a recommendation for further safety profiling and impact assessment.³² Following this, the WHO announced phase IV evaluations in selected areas in Ghana, Kenya and Malawi.³² We hypothesised that reductions in malaria-associated febrile illness in young children may be associated with reductions in antibiotic exposure and therefore AMR.¹² RTS,S/ AS01 vaccination may also be associated with generalised improvements in health, reducing antibiotic exposure,^{7 11 12} and this study will work in conjunction with the ongoing phase IV evaluations in the Mangochi district of Malawi³² to assess these hypotheses.

Hence, the 'Impact of Vaccines on Antimicrobial Resistance' (IVAR) study aims to leverage the PAVE and phase IV RTS,S/AS01 evaluations to assess the impact of (1) changing from a 3+0 to a 2+1 PCV13 delivery schedule and (2) introducing a novel non-bacterial vaccine (RTS,S/AS01) on antibiotic prescription, febrile illness and AMR carriage in children \leq 3 years of age in Malawi. The IVAR study will also deploy methods for measuring antibiotic prescription and exposure in primary healthcare and community settings. As such, this study addresses three key research questions:

- 1. Can vaccination reduce the prevalence of antibioticresistant pneumococcal and extended spectrum beta-lactamase-producing (ESBL) *Escherichia coli* and *Klebsiella* species carriage in healthy children?
- 2. Can vaccination reduce incidence of febrile illness?
- 3. Can vaccination reduce incidence of antibiotic prescription?



Figure 1 Malawi split by 28 district and city regions. Red shading indicates the Mangochi (bordering Lake Malawi, shaded in blue) and Blantyre districts (central Southern Malawi) where the IVAR study will be conducted. IVAR, Impact of Vaccines on Antimicrobial Resistance.

METHODS AND ANALYSIS Study setting

The IVAR study, in conjunction with the PAVE study³⁰ (ClinicalTrials.gov NCT04078997, implemented 16 March 2021), will evaluate the impact on AMR of changing the 3+0 to a 2+1 delivery schedule in children \leq 3 years of age in the Blantyre District, southern Malawi (figure 1).³⁰ Blantyre district is a mixed urban and rural setting composed of 1.3 million residents over 1800 km², with children under the age of 5 comprising 16% of

the population.³⁵ Throughout the district there are 28 governmental primary care health centres (HCs)³⁰ which serve defined catchment areas (figure 2). The Malawi Ministry of Health and Blantyre District Health Office (DHO) randomly selected 10 HCs to implement a WHO-approved 2+1 PCV13 delivery schedule (intervention arm), with 10 other HCs randomly selected to continue the 3+0 schedule and serve as the comparator arm³⁰; the IVAR study will work with a random selection of these HCs.

The IVAR study, in collaboration with an ongoing RTS,S/AS01 phase IV evaluation (ClinicalTrials.gov NCT03806465; RTS,S/AS01 introduced April 2019), will also work to evaluate the impact of RTS,S/AS01 on AMR in Mangochi district, southern Malawi (figure 1). Mangochi district is predominantly rural and is composed of 1.1 million residents over 6700 km², with children under the age of 5 comprising 18% of the population.³⁵ Throughout the district there are 29 governmental primary care HCs³⁶ which serve defined catchment areas (figure 3). Within this setting, RTS,S/AS01-exposed (n=5 HCs) and non-exposed (n=3 HCs) clusters have already been selected as part of a separate RTS,S/AS01 introduction evaluation³²; the IVAR study will work with a random selection of these HCs. Vaccine-exposed HCs were geographically adjacent to each other (ie, exposed HCs are in Mangochi township itself or within <13 miles of the town, whereas non-exposed HCs are 14-38 miles outside of Mangochi township).³²

Study site selection

For the PCV13 component of this study, we will randomly select 6 HCs for IVAR study inclusion, including n=3 HCs switching to 2+1 and n=3 HCs continuing to provide 3+0, stratified by setting (urban, periurban and rural HCs) (figure 2). These will be selected from the ten 2+1 and ten 3+0 HCs that have already been selected for inclusion in the aforementioned PCV13 schedule change evaluation. Of note, a 3+1 PCV13 schedule was implemented among a subset of children following the schedule change, targeting children living in the catchment area of a 2+1 HC and who had received their first or second PCV13 primary doses prior to the HC implementing the schedule change.³⁰ These children will be eligible for recruitment.

For the RTS,S/AS01 component of this study, we will randomly select 6 HCs for IVAR study inclusion (n=3 RTS,S/AS01-exposed and n=3 non-exposed HCs) from the five RTS,S/AS01 exposed and three non-exposed HCs,³² stratified by setting (urban, peri-urban and rural HCs) (figure 3).

Study design

There will be 6 HC-based and community-based cross-sectional surveys, split between the PCV13 (n=3 surveys) and the RTS,S/AS01 component (n=3 surveys) evaluations. For the PCV13 component, surveys will be conducted 9 months, 18 months and 33 months



Figure 2 Blantyre district with boundaries of 28 health centre catchment areas. Red cross=health centre. Blue and red shading indicate 2+1 and 3+0 PVC13 schedule areas randomly selected for this study, respectively. Green areas are non-inhabited (including mountains, industrial zones and other regions administratively declared not for habitation). Adapted from Swarthout *et al.*³⁰ PVC13, 13-valent pneumococcal conjugate vaccine.

post-schedule change implementation. For the RTS,S/ AS01 component, surveys will be conducted 32, 44 and 56 months post-introduction. The surveys will be composed of two concurrent data collection activities. First, a community-based carriage survey of healthy children will be implemented, with collection of biological samples (nasopharyngeal and rectal swabs) and collection of information pertaining to the history of the child's febrile illness, malaria and antibiotic prescription history. Second, we will implement an anonymised audit of malaria rapid diagnostic test (mRDT) use and medicinal prescriptions (with a focus on antibiotics) in children presenting unwell to the outpatient department (OPD) of HCs, as recorded within each child's health passport (HP). While for all surveys the HC audit will summarise children \leq 3 years of age, the age-based eligibility of the community carriage survey will vary according to survey and vaccine evaluation; a study sampling frame is included in figure 4. Data collection for this study was initiated in December 2021 and is scheduled to complete in March 2024.



and yellow shading indicate RTS,S/AS01 malaria vaccine exposed and unexposed areas randomly selected for this study, respectively. Blue shading corresponds to Lake Malawi and Lake Malombe. Green areas are protected zones (eg, wildlife reserves and national parks).

Primary objectives

The primary objective is to evaluate the reduction in carriage prevalence of penicillin resistant S. pneumoniae (see 'Community carriage survey: Inclusion and exclusion criteria' for further details), ESBL E. coli and Klebsiella species following a PCV13 schedule change (Blantvre district) and, separately, following RTS,S/AS01 vaccine introduction (Mangochi district). This will answer the question of whether vaccines can play a role in reducing the carriage prevalence of resistant pathogens in young children in LMICs.

Secondary objectives

The secondary objectives are to evaluate (A) incidence of febrile illness and antibiotic prescription and exposure (thus providing a mechanism for any reduction in AMR), (B) incidence of macrolide, tetracycline and trimethoprim-sulfamethoxazole non-susceptibility in S. pneumoniae and (C) changes to the wider upper respiratory tract and gastrointestinal resistome variation following PCV13 schedule change and RTS,S/AS01 vaccine introduction.

Data collection activities

Data will be collected on vaccine cluster designation (ie, receiving intervention or not), vaccine schedule compliance, medicines prescribed and febrile illness presentation (using mRDT use as a proxy) during that visit via review of the child's HP. This audit is intended to assess the impact of PCV13 schedule change or RTS,S/AS01 introduction on mRDT use and antibiotic prescription frequency.

Population and sampling

The audit will include children ≤ 3 years of age presenting to the OPD of selected HCs. Each HC will be assessed over at least 2weeks during each survey; HCs in opposing study arms (*ie*, 2+1 vs 3+0; RTS,S/AS01 vs no RTS,S/AS01)



Figure 4 IVAR study sampling frame. IVAR, Impact of Vaccines on Antimicrobial Resistance; PCV, pneumococcal conjugate vaccine; RDT, rapid diagnostic test.

will be paired according to setting and will be surveyed concurrently or on adjacent weeks depending on staff availability and local conditions (including weather patterns and related accessibility). Children's HPs will be reviewed on HC exit. Study teams will aim to review the HP of every eligible child; however, to avoid disrupting HC workflow, during busy periods study teams will not request that potentially eligible children wait until a member of the study team is available to review their HP.

Inclusion and exclusion criteria

Inclusion criteria will be: (1) \leq 3 years of age, (2) HC OPD attendance for investigation and/or treatment of ill health, (3) verbal consent has been provided by parent/ caregiver for HP review and (4) HP available for review. Exclusion criteria will be: (1) HC attendance for vaccination and (2) HC attendance for routine health examination (eg, weighing) and found to be well. As HPs are reviewed anonymously and HPs are reviewed on a per visit basis, children may be recorded more than once within each survey.

Intervention

Children's HPs will be reviewed on children exiting selected HCs, having presented to the OPD.

Expected outcomes

The primary outcome will be the difference in antibiotic prescription incidence between intervention arms, measured as a proportion of total OPD visits of children ≤3 years of age within each surveyed period. A secondary outcome will be difference in mRDT use, again as a proportion of total OPD visits. In this study, we use mRDT as a proxy for febrile illness. Additional outcomes include subanalyses by specific antibiotic agent/class. Depending on availability of current census data, analyses may also encompass overall OPD visit incidence relative to paediatric populations within each health centre's catchment area.

Study power and sample size calculation

A previous HC OPD review estimated that 70% of children under 5years of age were prescribed antibiotics (Priyanka Patel, Malawi-Liverpool-Wellcome (MLW), personal communication). Hence, the primary outcome is powered to detect a difference of 5% in antibiotic prescription incidence between intervention groups (65% vs 70%). Two-tailed sample sizes were calculated setting confidence at 95% and power at 80%, indicating that 1417 HPs would be required in each study arm. Hence, we will review 3000 HPs per survey (n=18000 for total study). HC-level sample sizes will be weighted according to estimated or actual population sizes within their respective calculated.

Informed consent process

Due to an anticipated high participation rate, we have developed a method, approved by the relevant research ethic committees, to maximise efficiency in attaining verbal consent and capturing the needed information. Parents/caregivers will receive verbal (and written if they wish) information about the study activity, and will have the opportunity to ask questions and express their doubts and concerns before accepting to take part. Verbal parent/caregiver consent will then be provided voluntarily if they choose to participate.

Data collection, management and anonymisation procedures

Data from a questionnaire will be collected by passwordprotected electronic data capture (online supplemental file 1). Participation will be completely anonymised, with no personal data collected. Data will be uploaded daily to a secured on-site server, which is backed up daily to both local and off-site facilities.

Statistical analyses

Only categorical variables will be collected; these will be defined by frequency distributions. Descriptive analyses encompassing both outcomes and vaccination status will be performed. Mixed effects logistic regression models investigating presence of (1) antibiotic prescription and (2) mRDT use on the day of HC attendance in individual children as outcome variables will be implemented. HC will be modelled as a random effect, with findings being balanced against the opposing outcome variable; vaccination status; other medicinal prescriptions; HC setting and month of HC visit. Individual antibiotic classes/agents may also be explored as subanalyses. Data collected here will be anonymously compared against routine attendance registry data collected by selected HCs.

Community carriage survey

The community carriage surveys will focus on healthy children (figure 4). Nasopharyngeal and rectal swab samples will be collected in addition to demographic data, vaccine compliance, febrile illness, history of mRDT use and medicine prescription and exposure history. These data will be informed via direct parent/caregiver questioning, review of the child's HP, and an antibiotic provision recall exercise known as the 'drug bag method'.¹⁶

Population and sampling

A stratified convenience sampling approach will be applied, making use of available local census data and utilising networks of Health Surveillance Assistants (HSAs) and health volunteers when needed. The sampling approach is intended to maximise efficiency in recruiting children who have received the appropriate intervention for the HC catchment area in which they reside. Hence, sampling will identify villages that are most proximal to HCs and will work to recruit all eligible children within those villages. Additional villages will be approached if needed until sampling targets are met.

PCV13 component

Children aged 4–9 months will be sampled in the first survey to establish the baseline difference between children provided with three (3+0 schedule) or two (2+1 schedule) primary PCV13 doses. Children residing in 2+1 catchment areas and who have received three primary PCV13 doses (referred to as '3+1 children') will be eligible for study inclusion. In the second and third surveys, children 15–24 months of age will be sampled to compare children who have received a booster dose (2+1) against those who have not (3+0).

There are limited census data available in these settings. Thus, we will work closely with local HSAs and health volunteers who will assist with development of community engagement strategies (including communication with community leaders), identify eligible children, locate targeted households and facilitate communication with household members.

RTS,S/AS01 component

Children aged 18–24 months of age will be sampled across all three surveys to compare children who have received the RTS,S/AS01 vaccine to unvaccinated children. Recent censuses have been completed to support the RTS,S/AS01 evaluation,³² providing greater confidence in local population estimates. Hence, parents/ caregivers of potentially eligible children will be located and contacted directly by study teams.

Inclusion and exclusion criteria

For both the PCV13 and RTS,S/AS01 components, inclusion criteria include (1) age of child within the range determined by the particular survey (figure 4), (2) permanent residence in the relevant study site, (3) parent/caregiver providing written informed consent, (4) evidence of having received a full initial (primary dose/s) vaccine course particular to evaluation and study arm and (5) that the child is healthy at time of sampling.

Exclusion criteria include (1) child having received antibiotics within the previous 14 days, (2) child currently receiving tuberculosis treatment, (3) child having been hospitalised for pneumonia within the previous 14 days, (4) presence of gross respiratory pathology, (5) child having a terminal illness, (6) child previously recruited into the current survey and (7) parent/caregiver not providing informed written consent.

For the second and third surveys of the PCV13 component, children residing in 2+1 clusters must have received the booster PCV13 dose. For the RTS,S/AS01 component, receipt of the booster dose is not a requirement in all three surveys, though provision will be recorded. Children may only be included in each survey once; however, if they fulfil the inclusion criteria they may be enrolled in subsequent surveys.

For both the PCV13 and RTS,S/AS01 components, sample collection will include nasopharyngeal and rectal swabs from each participant. Following previously described WHO recommendations,^{25 37} nasopharyngeal swabs will be collected in skim milk-tryptone-glucose-glycerine medium and rectal swabs will be collected in Cary-Blair medium, both being stored in -80°C freezers at the MLW Research Programme laboratory in Blantyre

within 10 hours of collection for later batch-testing. Samples collected in Mangochi District will initially be taken to the Public Health and Nutrition Research Group laboratory, collocated to the Mangochi District Hospital, for storage prior to transport to MLW. Samples will be cultured to isolate and characterise *S. pneumoniae*, ESBL *E. coli* and *Klebsiella* species at MLW. Isolates will then be sent to the UK for whole genome sequencing (WGS).

For *S. pneumoniae*, penicillin non-susceptibility will be defined genotypically, as a minimum inhibitory concentration (MIC) over 0.06 mL/L; 200 genotypically non-susceptible isolates will be phenotypically tested to confirm genotypic findings. Non-susceptibility to macrolides (azithromycin, MIC 0.25 < mg/L), tetracyclines (doxycycline, MIC 1.00 < mg/ML) and trimethoprim-sulfamethoxazole (MIC 1.00 < mg/ML) will also be examined genotypically with phenotypic confirmation as secondary objectives. Subanalyses will include determining serotype of *S. pneumoniae isolates*. A total of 800 carriage samples will be selected for broader resistome analyses.

E. coli and *Klebsiella* species ESBL status will be determined phenotypically via chromogenic ESBL media. Depending on resource availability, a proportion of isolates will also undergo WGS and broader resistome analyses.

Data collection

A range of demographic, mRDT use and medicine exposure history will be collected from the participants' HP. These data will be supplemented with direct parent/ caregiver questioning. The drug bag method will also be used; this has previously been deployed in Malawi¹⁶ and we will repurpose this approach to assist parent/caregiver recall in identifying the different antibiotics given to the participating child. In brief, prior to study initiation the study team will obtain antibiotics routinely used for systemic administration (including multiple formulations of the same agent where obtainable) and available for dispensing or sale in the community (including HCs, hospitals, private pharmacies and informal sources). Parents/caregivers will be asked if they recognise individual antibiotics (presented as pictures, example in figure 5). For recognised antibiotics, parents/caregivers will be asked whether they have ever given the antibiotic to the participating child. If yes, they will be asked whether the antibiotic was given in the 12 months, 3 months or 14 days prior to recruitment (figure 6). Findings from direct questioning, HP review and the drug bag exercise will be compared and combined to provide a more complete history of a participant's antibiotic exposure.

Study questionnaires are available in online supplemental file 2 (PCV13 component, survey 1) (online supplemental file 3) (PCV13 component, surveys 2 and 3) and online supplemental file 4 (RTS,S/AS01 component, all surveys).

Azithromycin

Azileb-200



Figure 5 Example of an antibiotic picture (azithromycin) which will be used in the drug bag exercise as part of the community carriage survey. Method adapted from Dixon et al.¹⁶

Primary and secondary outcomes

Carriage isolates

4.

The primary outcome will be the difference in prevalence of penicillin non-susceptibility among S. pneumoniae carriage isolates, comparing (1) the 2+1 vs 3+0 intervention arms of the PCV13 component) and (2) the RTS,S/AS01 vs no-RTS,S/AS01 intervention arms of the RTS,S/AS01 component. Secondary outcomes will also encompass macrolide, tetracycline and trimethoprimsulfamethoxazole non-susceptibility.

Rectal swabs

The primary outcome will be the difference in prevalence of ESBL E. coli and Klebsiella species carriage comparing (1) the 2+1 vs 3+0 arms of the PCV13 component) and (2) the RTS,S/AS01 vs no-RTS,S/AS01 arms of the RTS,S/ AS01 component.

Antibiotic usage

The primary outcome will be the difference in incidence of antibiotic prescription intended for systemic administration from 14 days to 3 months prior to recruitment, comparing (1) the 2+1 vs 3+0 arms of the PCV13 component) and (2) the RTS,S/AS01 vs no-RTS,S/AS01 arms of the RTS,S/AS01 component. Additional outcomes will include subanalyses by specific antibiotic agent/class and length of treatment.

Febrile illness

A secondary outcome will be the difference in incidence of febrile illness from 14 days to 3 months prior to recruitment, comparing (1) the 2+1 vs 3+0 arms of the PCV13 component) and (2) the RTS,S/AS01 vs no-RTS,S/ AS01 arms of the RTS,S/AS01 component. Additional secondary outcomes will include subanalyses of mRDT use and results (including multiple positive tests per individual) and antimalarial treatment, comparing respective study arms.

Study power and sample size calculation

Previous surveys have indicated a minimum pneumococcus carriage prevalence of 60% in children under the age of 5^{25} with 35% of such isolates expected to display penicillin non-susceptibility (unpublished data). Hence, the primary outcome is powered to detect a crude absolute decrease of 13 percentage points (13%) in penicillin non-susceptibility (ie, 35% vs 22%). Two-tailed sample sizes were calculated setting confidence at 95% and power at 80%, indicating that 204 pneumococcus isolates would be required in each study arm per survey. Hence, allowing for a 60% carriage prevalence, 700 samples will be collected per component per survey (n=4200 for total study). HC-level sample sizes will be weighted according to estimated or actual population sizes within their respective catchment areas.

A previous survey has indicated a minimum ESBL E. coli carriage of 25% in Blantyre (Nicholas Feasey, MLW, personal communication). Hence, the sample size per survey noted above will allow a crude absolute difference of 8 percentage points (8%) to be detected (ie, 25% vs 17%) between study arms.

Informed consent process

Participant's parents/caregivers will receive written and verbal information about the study, and will have the opportunity to ask questions, express their doubts and concerns, and have time to reflect before deciding to take part or not. An informed consent form will be signed and dated by the participant's parent/caregiver and a member of the research team, a copy of which will be retained by the parent/caregiver. Participant's parents/ caregivers may withdraw consent at any point without need to provide a reason, and without penalty.

Data collection, management and anonymisation procedures

Data will be collected using password-protected electronic data capturing. Each participant will be assigned a unique participant identification number (PID) at recruitment. This PID will be used in all datasheets and files, and will



Figure 6 Flow diagram of questionnaire workflow of the 'drug bag' component of the community carriage survey. Each orange number corresponds to a round of questioning, starting with all locally identified, available antibiotics being presented to participant's parents/caregivers. The pool of antibiotics available for review is expected to diminish in each successive round, with the final round (round 5) being included as a final check that no child has been given antibiotics within the 14 days prior to sampling, which would render them ineligible for survey participation.

be linked to laboratory data, thus, only anonymised data will be used for analyses. A logbook containing identifiable information (including name) will be kept separately in a secured location and will only be accessed by authorised study team members. This will allow the study team to recover any missing epidemiological information, if necessary, later (eg, missing vaccination dates), and to facilitate any participant's parents/caregivers who wish to withdraw consent.

Statistical analyses

Continuous variables will be expressed as means and SD, or medians and IQRs. Categorical variables will be defined by frequency distributions. Descriptive analyses encompassing primary, secondary and additional outcomes, and vaccination status, will be performed. Mixed effects logistic regression models investigating prevalence of penicillin non-susceptible *S. pneumoniae* across all pneumococcus carriage isolates as an outcome variable will form the primary analysis. HC will be modelled as a random effect, with findings being balanced against key demographic variables (ie, age, sex), vaccination status, antibiotic and febrile illness history, rurality and the month in which sampling was completed. This approach will be repeated for other antibiotic classes, and for ESBL *E. coli* and *Klebsiella* species. We will also descriptively analyse antibiotic prescription and febrile illness history (using mRDT usage as a proxy), and may progress to inferential statistics if justified.

Patient and public involvement

Prior to development of the protocol, key stakeholders were informed of the study, including the selected HCs and their surrounding communities, the DHO, Ministry of Health and the Ministry of Education. We actively sought and incorporated input from these stakeholders into the study objectives and overall design. Given that this study collaborates closely with two existing vaccine evaluations, pre-existing community engagement and sensitisation will strengthen community trust at the onset of this study. Especially in light of COVID-19, we envisage expanded community engagement prior to start of data collection, encompassing HCs, community leaders, HSAs, health volunteers and members of the communities themselves in information-providing activities. We will repeat community engagement activities prior to each survey and provide feedback on prior surveys where possible.

Ethics and dissemination

Ethical approval

This study has been approved by the Research Ethic Committees (REC) of Kamuzu University of Health Sciences (Ref: P01-21-3249), University College London (Ref: 18331/002) and the University of Liverpool (Ref: 9908) Research Ethics Committees. Parental/caregiver verbal (health centre audit) or written (household carriage survey) informed consent will be obtained prior to inclusion or participation, as described earlier.

Dissemination policy and plans

Study results will be shared with local communities and stakeholders, the Malawi Ministry of Health, other relevant policy-makers and decision-making stakeholders, and published in peer-reviewed journals. Findings will be presented at international conferences and meetings. Copies of all published materials and reports will be shared with the research ethics committees and collaborators. Procedures for strain exchange, data sharing and ownership will follow Nagoya protocol standards.³⁸

DISCUSSION

To date, attempts to define an impact of vaccination on antimicrobial exposure and resistance patterns have largely been restricted to randomised controlled trials (RCTs) and postauthorisation retrospective analyses,⁷³⁹⁴⁰ generally within HICs.³⁹ However, of note, Lewnard *et al* used LMIC household survey data collected 2006–2018 to demonstrate significant reductions in antibiotic exposure associated with introduction of childhood pneumococcal and rotavirus vaccines.⁴¹ While promising, such impacts may be reduced in the longer term, particularly in high carriage prevalence settings⁴² or via serotype replacement.⁴³ Indeed, following PCV13 introduction in Malawi, high residual pneumococcal carriage has been observed 8years post-PCV13 introduction,²⁵ along with emergence of resistant serotypes.¹⁵ Thus, there is a need to conduct a thorough evaluation in a high carriage, low-income setting.

Here, we have leveraged two existing evaluations,^{30 32} seeking to define impact following vaccine intervention in Malawi. Though this has enabled more efficient study preparation, it does mean that we are dependent on existing evaluation methodologies. For example, both evaluations use a cluster randomised approach. This is a reasonable approach to take in a country where population censuses are infrequent and where individual, blinded randomisation would prove impractical to deliver within HCs. However, cluster randomisation does carry a risk of contamination between clusters.⁴⁴ To minimise this risk, we have opted to stratify our clusters into zones proximate to and more distant from HCs, and only sample from the HC proximate zones. Nonetheless, we do acknowledge this more limited sampling frame may limit representativeness.

It must be remembered that primary care in Malawi is a system under stress.¹⁷ Although HC-level records are used, these might be in electronic or paper-based forms, the latter being vulnerable to illegibility, damage and loss.⁴⁵ Thus, to further understand primary care antibiotic prescribing, a robust study method is needed which minimises disruption for already overstretched HC staff, while also enabling rapid informed consenting and data collection. For this reason, we sought to establish and optimise an ethical approach of verbally consented rapid HP review on exiting HCs.

Though not yet formally quantified, antibiotics are frequently informally (eg, private pharmacies and the local market) acquired in Malawi.⁴⁶ Thus, patient-held health records likely only represent a partial picture of a patient's disease history and antibiotic exposure.^{16 45} For the community-based component of this study, we will implement visual recall methods previously utilised in this setting.¹⁶ However, it should be remembered that we will remain reliant on participant recall. Similarly, while incidence of malaria would be the optimal endpoint, due to uncertainties surrounding access to diagnostic services, we are using febrile illness as a proxy. However, where recorded, we will also consider mRDT use and findings. To assist with this aim for both antibiotic exposure and febrile illness, we hope to also gain access to patient-held health records. This will enable comparisons to be made which will at least partially negate these limitations.

Considering further limitations, due to resource constraints the surveys will be cross-sectional, meaning that we will not be able to gain detailed understanding of seasonal variation in prescribing practices nor AMR. We will be able to manually summarise longitudinal prescription and mRDT use from largely paper-based HC-level health records; however, this will be resource intensive and does not represent a sustainable long-term approach. Finally, in the likely absence of reliable population data, we are reliant on using proportional outcome measures, though census data will be used where possible. It is possible that such proportional measures may mask wider variation between intervention arms, for example, highly positive vaccine effects leading to absolute reductions in disease incidence.

To conclude, we present a protocol for a robust, pragmatic evaluation of pneumococcal and malaria vaccine impact on antimicrobial exposure, febrile illness and AMR carriage in young children, which considers the structural challenges of conducting such studies in a lowincome country. Limitations considered, we are confident that this will provide a blueprint for wider evaluations to be conducted in other age groups and countries.

Author affiliations

6

¹Department of Clinical Infection, Microbiology & Immunology, Institute of Infection, Veterinary and Ecological Sciences, University of Liverpool, Liverpool, UK ²Malawi-Liverpool-Wellcome Trust Clinical Research Programme, Kamuzu

University of Health Sciences, Blantyre, Malawi

³Julius Center for Health Sciences and Primary Care, University Medical Centre Utrecht, Utrecht, The Netherlands

⁴Research Department of Infection, Division of Infection and Immunity, UCL, London, UK

⁵Department of Public Health, Kamuzu University of Health Sciences, Blantyre, Malawi

⁶Ministry of Health, Blantyre, Malawi

⁷Mangochi District Council, Mangochi, Malawi

⁸Ministry of Health, Lilongwe, Malawi

Acknowledgements The authors thank the MLW laboratory management team, led by Brigitte Denis and George Selemani. We also thank the MLW data management team, and would especially like to commemorate the memory of Clemens Masesa who led this team until his passing. We are further appreciative of the guidance and advice provided by Andrea Gori, Eleanor MacPherson, Priyanka Patel, Derek Cocker and Nicholas Feasey. We would also like to thank a range of supporting team members at MLW and KUHeS, particularly Mernani Kaonga and our data collection teams, in addition to the many HC team members, HSAs, health volunteers, community leaders and community members who without their kind support and time this study would not be possible.

Contributors RSH, NF, KMM, TDS and JeC conceived the study. DS, AI-P, RSH, NF, KMM, TDS, JeC and AK designed the study, with contributions from FB, NN, CG, RC, AK and WN. AI-P, TDS, JeC, CB and DS oversaw development of laboratory methods. DS, AI-P, FB and JeC designed study documents. JaC conducted community mapping exercises. GK, HC and CM provided public health oversight and facilitated access to study sites. DS and AI-P jointly wrote the first draft. All authors have read and approved the final manuscript.

Funding This work was funded by the Wellcome Trust (Ref: 219900/Z/19/Z) to RSH. The MLW Research Programme is supported by a Strategic Award from the Wellcome Trust, UK (206545/Z/17/Z). RSH is a National Institute of Health Research (NIHR) Senior Investigator.

Disclaimer The views expressed in this publication are those of the authors and not necessarily those of the NIHR or the UK Department of Health and Social Care.

Map disclaimer The inclusion of any map (including the depiction of any boundaries therein), or of any geographic or locational reference, does not imply the expression of any opinion whatsoever on the part of BMJ concerning the legal status of any country, territory, jurisdiction or area or of its authorities. Any such expression remains solely that of the relevant source and is not endorsed by BMJ. Maps are provided without any warranty of any kind, either express or implied.

Competing interests None declared.

Patient and public involvement Patients and/or the public were involved in the design, or conduct, or reporting, or dissemination plans of this research. Refer to the Methods section for further details.

Patient consent for publication Not applicable.

Provenance and peer review Not commissioned; externally peer reviewed.

Supplemental material This content has been supplied by the author(s). It has not been vetted by BMJ Publishing Group Limited (BMJ) and may not have been

peer-reviewed. Any opinions or recommendations discussed are solely those of the author(s) and are not endorsed by BMJ. BMJ disclaims all liability and responsibility arising from any reliance placed on the content. Where the content includes any translated material, BMJ does not warrant the accuracy and reliability of the translations (including but not limited to local regulations, clinical guidelines, terminology, drug names and drug dosages), and is not responsible for any error and/or omissions arising from translation and adaptation or otherwise.

Open access This is an open access article distributed in accordance with the Creative Commons Attribution 4.0 Unported (CC BY 4.0) license, which permits others to copy, redistribute, remix, transform and build upon this work for any purpose, provided the original work is properly cited, a link to the licence is given, and indication of whether changes were made. See: https://creativecommons.org/ licenses/by/4.0/.

ORCID iDs

David Singleton http://orcid.org/0000-0002-1980-5410 Todd D Swarthout http://orcid.org/0000-0001-5285-7039 Robert S Heyderman http://orcid.org/0000-0003-4573-449X

REFERENCES

- 1 WHO. 10 global health issues to track in 2021. Available: https:// www.who.int/news-room/spotlight/10-global-health-issues-to-trackin-2021 [Accessed 28 Feb 2022].
- 2 Murray ČJL, Ikuta KS, Sharara F. Global burden of bacterial antimicrobial resistance in 2019: a systematic analysis. *Lancet* 2022;399:629–55.
- 3 Cantón R, Bryan J. Global antimicrobial resistance: from surveillance to stewardship. Part 1: surveillance and risk factors for resistance. *Expert Rev Anti Infect Ther* 2012;10:1269–71.
- 4 Wernli D, Jørgensen PS, Parmley EJ, et al. Evidence for action: a one health learning platform on interventions to tackle antimicrobial resistance. Lancet Infect Dis 2020;20:e307–11.
- 5 O'Neill J. Tackling drug-resistant infections globally: final report and recommendations. 2016. Available: http://amr-review.org/home
- 6 WHO. Resolution 72 5-antimicrobial resistance. 2019. Available: https://apps.who.int/gb/ebwha/pdf_files/WHA72/A72_R5-en.pdf [Accessed 11 May 2022].
- 7 Micoli F, Bagnoli F, Rappuoli R, *et al*. The role of vaccines in combatting antimicrobial resistance. *Nat Rev Microbiol* 2021;19:287–302.
- 8 Patel PD, Patel P, Liang Y, et al. Safety and efficacy of a typhoid conjugate vaccine in Malawian children. N Engl J Med 2021;385:1104–15.
- 9 Britto CD, Wong VK, Dougan G, et al. A systematic review of antimicrobial resistance in Salmonella enterica serovar typhi, the etiological agent of typhoid. *PLoS Negl Trop Dis* 2018;12:e0006779.
- 10 Watkins ER, Kalizang'Oma A, Gori A, *et al.* Factors affecting antimicrobial resistance in Streptococcus pneumoniae following vaccination introduction. *Trends Microbiol* 2022;30:1135–45.
- 11 Lipsitch M, Siber GR, Klugman KP, et al. How can vaccines contribute to solving the antimicrobial resistance problem? *MBio* 2016;7:e00428–16.
- 12 Maze MJ, Bassat Q, Feasey NA, et al. The epidemiology of febrile illness in sub-Saharan Africa: implications for diagnosis and management. *Clin Microbiol Infect* 2018;24:808–14.
- 13 Tedijanto C, Olesen SW, Grad YH, *et al.* Estimating the proportion of bystander selection for antibiotic resistance among potentially pathogenic bacterial flora. *Proc Natl Acad Sci USA* 2018;115:E11988–95.
- 14 Cassiolato AP, Almeida SCG, Andrade AL, et al. Expansion of the multidrug-resistant clonal complex 320 among invasive Streptococcus pneumoniae serotype 19A after the introduction of a ten-valent pneumococcal conjugate vaccine in Brazil. PLoS One 2018;13:e0208211.
- 15 Gori A, Obolski U, Swarthout TD, et al. The metabolic, virulence and antimicrobial resistance profiles of colonizing Streptococcus pneumoniae shift after pneumococcal vaccine introduction in urban Malawi. Infectious Diseases (except HIV/AIDS) [Preprint] 2021.
- 16 Dixon J, MacPherson E, Manyau S, et al. The 'drug bag' method: lessons from anthropological studies of antibiotic use in Africa and south-east Asia. Glob Health Action 2019;12:1639388.
- 17 MacPherson EE, Reynolds J, Sanudi E, et al. Understanding antimicrobial resistance through the lens of antibiotic vulnerabilities in primary health care in rural Malawi. Glob Public Health 2022;17:2630–46.

- 18 Sevilla JP, Bloom DE, Cadarette D, *et al.* Toward economic evaluation of the value of vaccines and other health technologies in addressing AMR. *Proc Natl Acad Sci U S A* 2018;115:12911–9.
- 19 Kyaw MH, Lynfield R, Schaffner W, et al. Effect of introduction of the pneumococcal conjugate vaccine on drug-resistant Streptococcus pneumoniae. N Engl J Med 2006;354:1455–63.
- 20 Ladhani SN, Slack MPE, Andrews NJ, et al. Invasive pneumococcal disease after routine pneumococcal conjugate vaccination in children, England and Wales. Emerg Infect Dis 2013;19:61–8.
- 21 Moore MR, Link-Gelles R, Schaffner W, et al. Effect of use of 13-valent pneumococcal conjugate vaccine in children on invasive pneumococcal disease in children and adults in the USA: analysis of multisite, population-based surveillance. *Lancet Infect Dis* 2015;15:301–9.
- 22 Tsega A, Hausi H, Chriwa G, et al. Vaccination coverage and timely vaccination with valid doses in Malawi. Vaccine Reports 2016;6:8–12.
- 23 Bar-Zeev N, Swarthout TD, Everett DB, et al. Impact and effectiveness of 13-valent pneumococcal conjugate vaccine on population incidence of vaccine and non-vaccine serotype invasive pneumococcal disease in Blantyre, Malawi, 2006-18: prospective observational time-series and case-control studies. *Lancet Glob Health* 2021;9:e989–98.
- 24 King C, Bar-Zeev N, Phiri T, et al. Population impact and effectiveness of sequential 13-valent pneumococcal conjugate and monovalent rotavirus vaccine introduction on infant mortality: prospective birth cohort studies from Malawi. *BMJ Glob Health* 2020;5:e002669.
- 25 Swarthout TD, Fronterre C, Lourenço J, et al. High residual carriage of vaccine-serotype Streptococcus pneumoniae after introduction of pneumococcal conjugate vaccine in Malawi. Nat Commun 2020;11:2222.
- 26 Lo SW, Gladstone RA, van Tonder AJ, *et al.* Pneumococcal lineages associated with serotype replacement and antibiotic resistance in childhood invasive pneumococcal disease in the post-PCV13 era: an international whole-genome sequencing study. *Lancet Infect Dis* 2019;19:759–69.
- 27 Musicha P, Cornick JE, Bar-Zeev N, et al. Trends in antimicrobial resistance in bloodstream infection isolates at a large urban hospital in Malawi (1998-2016): a surveillance study. Lancet Infect Dis 2017;17:1042–52.
- 28 Lourenço J, Obolski U, Swarthout TD, *et al*. Determinants of high residual post-PCV13 pneumococcal vaccine-type carriage in Blantyre, Malawi: a modelling study. *BMC Med* 2019;17:219.
- 29 WHO Publication. Pneumococcal vaccines who position paper-2012recommendations. *Vaccine* 2012;30:4717–8.
- 30 Swarthout TD, Ibarz-Pavon A, Kawalazira G, *et al.* A pragmatic health centre-based evaluation comparing the effectiveness of a PCV13 schedule change from 3+0 to 2+1 in a high pneumococcal carriage and disease burden setting in Malawi: a study protocol. *BMJ Open* 2021;11:e050312.
- 31 WHO. WHO recommends groundbreaking malaria vaccine for children at risk. Available: 2021.https://www.who.int/news/item/

06-10-2021-who-recommends-groundbreaking-malaria-vaccine-forchildren-at-risk [Accessed 12 May 2022].

- 32 Praet N, Asante KP, Bozonnat M-C, et al. Assessing the safety, impact and effectiveness of RTS, S/AS01E malaria vaccine following its introduction in three sub-Saharan African countries: methodological approaches and study set-up. *Malar J* 2022;21:132.
- 33 RTS,S Clinical Trials Partnership. Efficacy and safety of RTS, S/ AS01 malaria vaccine with or without a booster dose in infants and children in Africa: final results of a phase 3, individually randomised, controlled trial. *Lancet* 2015;386:31–45.
- 34 Guerra Mendoza Y, Garric E, Leach A, *et al.* Safety profile of the RTS, S/AS01 malaria vaccine in infants and children: additional data from a phase III randomized controlled trial in sub-Saharan Africa. *Hum Vaccin Immunother* 2019;15:2386–98.
- 35 National Statistical Office. 2018 Malawi population and housing census. 2019. Available: https://malawi.unfpa.org/sites/default/files/ resource-pdf/2018 Malawi Population and Housing Census Main Report %281%29.pdf [Accessed 04 Jul 2022].
- 36 Mamba KC, Muula AS, Stones W. Facility-imposed barriers to early utilization of focused antenatal care services in mangochi district, malawi-a mixed methods assessment. *BMC Pregnancy Childbirth* 2017;17:444.
- 37 Satzke C, Turner P, Virolainen-Julkunen A, et al. Standard method for detecting upper respiratory carriage of Streptococcus pneumoniae: updated recommendations from the world Health organization pneumococcal carriage Working group. *Vaccine* 2013;32:165–79.
- 38 United Nations. Nagoya protocol on access to genetic resources and the fair and equitable sharing of benefits arising from their utilization (ABS) to the convention on biological diversity. 2022. Available: https://www.cbd.int/abs/about/ [Accessed 07 Oct 2022].
- 39 Buckley BS, Henschke N, Bergman H, et al. Impact of vaccination on antibiotic usage: a systematic review and meta-analysis. *Clin Microbiol Infect* 2019;25:1213–25.
- 40 Jansen KU, Gruber WC, Simon R, et al. The impact of human vaccines on bacterial antimicrobial resistance. A review. Environ Chem Lett 2021;19:4031–62.
- 41 Lewnard JA, Lo NC, Arinaminpathy N, *et al.* Childhood vaccines and antibiotic use in low- and middle-income countries. *Nature* 2020;581:94–9.
- 42 Davies NG, Flasche S, Jit M, *et al.* Modeling the effect of vaccination on selection for antibiotic resistance in Streptococcus pneumonia E. *Sci Transl Med* 2021;13:eaaz8690.
- 43 Weinberger DM, Malley R, Lipsitch M. Serotype replacement in disease after pneumococcal vaccination. Lancet 2011;378:1962–73.
- 44 Torgerson DJ. Contamination in trials: is cluster randomisation the answer? *BMJ* 2001;322:355–7.
- 45 Neville R, Neville J. What can health care professionals in the United Kingdom learn from Malawi? *Hum Resour Health* 2009;7:26.
- 46 Khuluza F, Haefele-Abah C. The availability, prices and affordability of essential medicines in Malawi: a cross-sectional study. *PLoS One* 2019;14:e0212125.

Case Report Form – Health Center Audit

Questionnaire ID. Label

	SCREENING	
1	Today's date (dd-mmm-yyyy)	- - 2 0
2	Health Center name	

Enumerator: The following questions should be answered using the child's Health Passport. If not available, the child is *ineligible* for study participation.

Inclusion Criteria

3	Is the child's health passport available for review?	No	Yes	UNK
4	Is the child aged 3 years of age or younger?	No	Yes	UNK
5	Has the child presented today for investigation and/or treatment of ill health?	No	Yes	UNK

Exclusion Criteria

6	Has the child presented today for a routine health check?	No	Yes	UNK
7	Has the child presented today for a vaccination?	No	Yes	UNK

Health Passport

Vaccine status

8	Enumerator		
	Is the child eligible, including:		
	Health passport available for review	No	Vec
	• Aged 3 years of age or under	NO	Tes
	• Presenting at the health center for investigation and/or treatment of ill health		
	Note: If no, stop review and explain why not eligible.		

CONSENT

9	Has the carer had the opportunity to read (or had read to them) the study information sheet?	No	Yes
10	Has the carer had the opportunity to ask questions about this study?	No	Yes
11	Has verbal consent been obtained from carer?	No	Yes

HEALTH PASSPORT

• • • •					
12	Has the child received at least the initial course (3 doses) of the RTS,S/AS01 malaria vaccination?	No	Yes	Not yet eligible	UNK
13	Has the child received the RTS,S/AS01 malaria booster vaccination?	No	Yes	Not yet eligible	UNK
14	Which PCV13 vaccination schedule is the child in?	3+0		2+1	UNK
15	Has the child received all PCV13 vaccinations that they are currently eligible for (according to their age)?	No		Yes	UNK

TODAY'S VISIT

The following questions ask about the child's visit to the health center today.

Malaria rapid diagnostic test use:

20 Was a malaria rapid diagnostic test (RDT) performed today?	No	Yes	UNK
Medicinal prescription:			
²¹ Is there any recorded medicinal prescription in today's visit?	No	Yes	UNK

If yes, please record medicine(s) prescribed:

IVAR Study, version 1.0

04th August 2021

Page 1 of 2

Case Report Form – Health Center Audit

	Medicine prescribed	Route of administration	Course length (days)
22	Form completed by (Enumerator Code):	Code	
23	Form completed by:	Signature	•

IVAR Study, version 1.0

04th August 2021

Page 2 of 2

Case Report Form – Blantyre Survey 1

	Study ID No. Label	a b ID No Label		
	SCREENING			
	Today's date (dd-mmm-yyyy)	_ - 2	0	_
1	What is your child's date of birth? (dd-mmm-yyyy)	_ - 2 	0	_
1a	(Note to enumerator: If date of birth unknown)			
2	Enumerator: Which PCV vaccine schedule is offered in this cluster?	3+0	2+1	UNK
Inclu	usion Criteria			
3	Has your child received a full initial course of the PCV vaccine?	No	Yes	UNK
4	Is your child healthy?	No	Yes	UNK
Excl	usion Criteria			
5	Has your child received (any) antibiotics within the previous 14 days?	No	Yes	UNK
5	Is your child currently on TB treatment?	No	Yes	UNK
7	Has your child been hospitalized for pneumonia within the previous 14 days?	No	Yes	UNK
,	Does your child have a (gross) respiratory tract nathology?	No	Yes	UNK
δ		No	Yes	UNK
9	Does your child nave a terminal illness?	No	Voc	
10	Has your child been previously recruited into this study during this survey?	NO	res	UNK
	Enumerator: For children in the 2+1 cluster alone:			
11	Has your child been given the booster PCV vaccine?	No	Yes	UNK
Неа	Ith Passport			
12	Enumerator			
	Is the child eligible, including:			
	• Agea 4-9 months			

- Permanent resident in Blantyre District .
- Evidence of having received a full initial course (2 or 3 doses) of PCV vaccination No
- No antibiotic use/pneumonia in last 14 days
- Not currently on TB treatment
- For children in the 2+1 vaccine cluster, they must **NOT** yet have received the booster vaccination

Note: If no, stop interview and explain why not eligible.

RECRUITMENT - PRELIMINARY DATA

Was consent obtained from carer? No Yes 14 If yes, scan the barcode for Participant ID EVAL - 1 - _ If scanner not available, write the Participant ID

IVAR Study, version 5.0

13

15

04th August 2021

Page 1 of 9

Yes

Supplementary file 2:Case Report Form – Blantyre Survey 1

16	Has this child been previously recruited into this study at any time?	No	Yes	UNK
	(Enumerator: A participant cannot be recruited into study during same survey)			

RECRUITMENT - METADATA

Child	Chara	octeris	tics

17	What is the sex of this child?	Ma	e Fe	male
18	Has the child ever tested positive for HIV?	No	Yes	UNK

Mother's HIV status (if mother is the carer consenting)

19	Have you ever tested positive for HIV? Enumerator: Only ask this question if interviewing the mother.	No	Yes	UNK	N/A
	Was your HIV-infection confirmed before the recruited child was born? <i>Enumerator: Only ask this question if date not known.</i>	No	o Ye	es U	NK

The following questions are about vaccines your child may have received as part of the routine EPI.

21	Do you have the child's Health Passport with you?	No	Yes
2	2 Enumerator: Are you able to confirm PCV vaccination dates by Health Passport?	No	Yes
2	3 Enumerator: If yes, take a photo of the vaccination page of Health passport	Not Done	Done

Vaccine status

	Vaccines Vaccine received (Circle answer)			Date of Vaccination (dd-mmm-yyyy)
	Birth / first contai	ct		
24a	BCG	No Y	es UNK	24b // - // - // - // //
25a	OPVO O	No Y	es UNK	25b ///-//-//-///
	6 weeks of age			
26a	OPV1	No Y	es UNK	26b // - // - // - ///
27a	Rota1	No Y	es UNK	27b // - // - // - //
28a	DPT-HepB-Hib1	No Y	es UNK	28b // - // - // - ////
29a	PCV1	No Y	es UNK	29b // - // - // - ///
	10 weeks of age			
30a	OPV2	No Y	es UNK	30b //-/-//-//-/-//-//_//_//
31a	Rota2	No Y	es UNK	31b ///-//-//-//
32a	DPT-HepB-Hib	No Y	es UNK	32b // - // - // - //
33a	PCV2 (not in 2+1)	No Y	es UNK	33b // - // - // - ////
	14 weeks of age			
34a	OPV3	No Y	es UNK	34b // - // / - // - //
35a	DPT-HepB-Hib 3	No Y	es UNK	35b //-/-//-/-//_/_/_/
36a	PCV 3 (2 in 2+1)	No Y	es UNK	36b //-/-//-//_/_/_/_/_/

IVAR Study, version 5.0

04th August 2021

Page 2 of 9

Case Report Form – Blantyre Survey 1

37a	IPV	No	Yes	UNK	37b	1_	/	_/ - /_	/	_/	_/ - /	/	_/	_/	_/
	5-7 months of age	е													
38a	Malaria 1	No	Yes	UNK	38b	1_	_/_	_1 - 1_	_/_	_/	_1 - 1_	_/	_/_	_/_	_/
39a	Malaria 2	No	Yes	UNK	39b	1_	_/_	_1 - 1_	_/_	_/_	_1 - 1_	_/_	_/_	_/_	_/
40a	Malaria 3	No	Yes	UNK	40b	1_		_1 - 1_	_/_	_/	_1 - 1_	_/	_/	_/	_/
	9-11 months of a	ge													
41a	Measle+Rubella 1	No	Yes	UNK	41b	1		_/ - /_			-	_/			_/
43a	PCV 3 <mark>(2+1)</mark>	No	Yes	UNK	43b	1		-	1		-				_/
	15-23 months of	age													
442	Measles+Ruhella 2	No	Yes	UNK	44b	1	1	1 - 1	1	1	1 - 1	1	1	1	1
46a	Malaria 4	No	Yes	υΝΚ	46b		/	_, , -	' 	_'	_, , -		_'		
											_ , _ ,				

Household information

The following questions will be about the house your child lives in, including who lives in the home and its location.

47	GPS coordinates	lat _ . _ . _/_/_/	′long . .
47a	Enumerator: If no GPS coordinates	s available, record why not available	

48	How many bedrooms does the child's main house have?	
49	How many adults (16+ years of age) live in the main house?	
50	How many children 5-15 years of age live in the main house, including child recruited today?	
51	How many children 0-4 years of age live in the main house?	

Smoking

Г

52	Does anybody in the child's household smoke tobacco (cigarettes, pipes, or cigars)?					
The	following questions ask a	bout the type of house the	child lives in.			
53	What type of exterior w					
	1Burnt brick2Unburnt brick3Pounded thick mud	 <u>4</u> Plastered thin mud <u>5</u> Bamboo <u>6</u> Grass or no walls 	 <u>7</u> Iron sheets <u>8</u> Concrete blocks <u>99</u> Other, specify: 			
54	What type of roof does	the house have?				
	<u>1</u> Grass or leaves <u>2</u> Grass+Iron sheets	<u>3</u> Grass+plastic sheet <u>4</u> Iron sheets or tiles				
55	What is the condition of	the roof?				
	<u>1</u> Good	2 Poor (leaks water)				
56	What type of floor does	the house have inside?				
	<u>1</u> Mud	<u>3</u> Tiles				
	2 Concrete/ cement	<u>99</u> other (specify):				
57	What type of toilet does	s the house have?				
	<u>1</u> Simple pit latrine	<u>3</u> Water toilet				

IVAR Study, version 5.0

04th August 2021

Page 3 of 9

Case Report Form – Blantyre Survey 1

	<u>2</u> VIP	<u>3</u> None (including use the ne	ighbour's toilet)						
58	What source of electricity does the house have?								
	<u>1</u> Escom <u>2</u> Solar	<u>3</u> None							
59	What source of drinking water does the house have?								
	<u>1</u> Tap to house	<u>3</u> Bore hole	<u>5</u> Open well						
	2 Shared communal tap	<u>4</u> Covered well	<u>6</u> River						
60	Does the house have glass windows?								
	<u>0</u> No	<u>1</u> Yes							

Possessions

The following questions ask about some possessions you may have. We are not able to give you any of these items, even if you report not having them.

61	Are you comfortable answering questions about items owned by people in your	No	Voc	
	household?	NO	res	

Does anyone in the household possess any of the following working items?

62	Watch or clock	No	Yes	73	Bed	No	Yes		
63	Radio	No	Yes	74	Upholstered chair/sofa	No	Yes		
64	Bank account (or bank book)	No	Yes	75	Table	No	Yes		
65	Charcoal iron	No	Yes	76	Bicycle	No	Yes		
66	Sewing machine	No	Yes	77	Motorbike	No	Yes		
67	Mobile phone	No	Yes	78	Car	No	Yes		
68	Tape/CD player	No	Yes	79	Television	No	Yes		
69	Fan, electric	No	Yes	80	Refrigerator	No	Yes		
70	Mosquito net	No	Yes	81	Other electric items	No	Yes		
71	Number of mosquito nets			82	If other working electrical items, specify:				
72	Mattress	No	Yes						

Education

The following questions ask about the head of your household's education. It maybe you, or it may be someone else

⁸³ 4	Are you comfortable education?	No Yes		
84	What is the highe			
	<u>1</u> None	<u>3</u> JCE	5 Non-university diploma	7 Postgraduate degree
	2 PSLCE	<u>4</u> MSCE	6 University diploma/degree	
85	Is the household	head able to read and writ	e in English?	

MALARIA, FEBRILE ILLNESS & MEDICINE USE

The following questions ask about your child's history of malaria and/or febrile illness, and their use of medicines.

Body temperature history and malaria rapid diagnostic test use:

<u>2</u> Yes

86	Enumerator: If the child's Health Passport is available, are there any occasions		Vec	
	where their body temperature has been recorded?	NO	res	

IVAR Study, version 5.0

<u>1</u> No

04th August 2021

Page 4 of 9

Case Report Form – Blantyre Survey 1

Date of recording (dd-mmm-yyyy)	Temperature Recorded (°C)
// - / _ / _ / _ / _ / _ / _ / _ / _	
- - -	
- - -	
///-///-///	
// - / _ / _ / _ / - / _ / _ / _ /	
<u> </u>	
- - - -	

numerator: If the child's Health Passport is available, are thei sages of malaria rapid diagnostic tests (RDT) ?	re any recorded	No	Yes
If yes, please record date(s) of malaria rapid diagnostic test(s):		
Date of malaria RDT (dd-mmm-yyyy)		Result	
// - /// - ////	Negative	Positive	UNK
// - / _ / _ / _ / - / _ / _ / _ / _	Negative	Positive	UNK
///-//_/-/////	Negative	Positive	UNK
///-//_/-/////	Negative	Positive	UNK
///-//_/-/////	Negative	Positive	UNK
// - / _ / _ / _ / - / / / /	Negative	Positive	UNK
///-//_/-/////	Negative	Positive	UNK
// - / _ / _ / _ / - / _ / _ / _ / _	Negative	Positive	UNK

Enumerator: The following questions are to be directly asked to the questionnaire respondent.

When did your child last suffer from a fever?			
Has your child suffered from fever in the last 14 days?	No	Yes	UNK
If yes, how many times?			
If yes, how many times did they need to see a doctor for a fever in the last 14 days?			
If yes, how many times did they have to stay in hospital for fever in the last 14 days?			
Has your child suffered from fever in the last 14 days to 3 months?	No	Yes	UNK
If yes, how many times?			
If yes, how many times did they need to see a doctor for a fever in the last 14 days to 3 months?			
If yes, how many times did they have to stay in hospital for fever in the last 14 days to 3 months?			
Has your child suffered from fever in the last 3 to 12 months?	No	Yes	UNK

IVAR Study, version 5.0

04th August 2021

Page 5 of 9

Case Report Form – Blantyre Survey 1

93a	If yes, how many times?	
93b	If yes, how many times did they need to see a doctor for a fever in the last 3 to 12 months?	
	If yes, how many times did they have to stay in hospital for fever in the last 3 to 12	
93c	months?	

Medicine use:

f yes, please record date(s) of medicin	e prescription:			
Date of medicine prescription (dd-mmm-yyyy)	Medicine prescribed	Diagnosis (if stated)	Route of administration	Course length (days,
<u> </u>				
1				
- - - -				

Enumerator: The following questions are to be directly asked to the questionnaire respondent

96	Other than those listed within your child's health passport, have you ever given your child any other medicines ?	No	Yes	UNK
96a	If yes, what medicines have you given?			
	Enumerator: If the health passport is NOT available, the following questions are to be o the questionnaire respondent:	direct	ly aske	ed to
97	Has your child been given antibiotics in the last 14 days to 3 months?	^	lo	Yes
97a	If yes, what antibiotics (active substance)?			
97b	<i>If yes, how many courses (prescriptions) of antibiotics have they received in the last</i> 14 days to 3 months?			
97c	Why was your child given antibiotics?			
98	Has your child been given antibiotics in the last 3 to 12 months?	^	lo	Yes
98a	If yes, what antibiotics (active substance)?			
98b	If yes, how many courses (prescriptions) of antibiotics have they received in the last 3 to 12 months?			
98c	Why was your child given antibiotics?			

Antibiotic drug bag capture method:

Enumerator: These questions are to be asked to ALL study participants.

⁹⁹ We would now like to ask you further questions about **antibiotics**, and would like to show you some **antibiotics** that we have brought with us (Enumerator: Present antibiotic library to responder). We will

IVAR Study, version 5.0

04th August 2021

Page 6 of 9

Case Report Form – Blantyre Survey 1

be asking you to sort these antibiotics into different piles. This is not a test of your knowledge, but to find out whether you recognise these drugs, and whether you have given them to your child. We are carrying out this exercise to help you remember which ones you might have given to your child.

100

Which of the antibiotics in front of you do you **recognise**? Please pick the ones you **recognise** and put them into one pile.

Enumerator: The list below is representative of potentially available antibiotics; the actual list will vary according to local availability.

Antibiotic (Formulation)	Reco	gnise	Antibiotic (Formulation)	Reco	gnise
Amoxicillin (Tablets)	No	Yes	Cloxacillin (Tablets)	No	Yes
Amoxicillin (Suspension)	No	Yes	Cloxacillin (Suspension)	No	Yes
Ampicillin (Tablets)	No	Yes	Cotrimoxazole (Tablets)	No	Yes
Azithromycin (Tablets)	No	Yes	Cotrimoxazole (Suspension)	No	Yes
Benzathene Penicillin (Injectable)	No	Yes	Doxycycline (Tablets)	No	Yes
Benzylpenicillin (Injectable)	No	Yes	Erythromycin (Tablets)	No	Yes
Cefalexin (Tablets)	No	Yes	Erythromycin (Suspension)	No	Yes
Cefixime (Tablets)	No	Yes	Flucloxacillin (Tablets)	No	Yes
Ceftriaxone (Injectable)	No	Yes	Flucloxacillin / amoxicillin (Tablets)	No	Yes
Cefuroxime (Tablets)	No	Yes	Gentamicin (Injectable)	No	Yes
Chloramphenicol (Tablets)	No	Yes	Levofloxacin (Tablets)	No	Yes
Chloramphenicol (Injectable)	No	Yes	Metronidazole (Tablets)	No	Yes
Ciprofloxacin (Tablets)	No	Yes	Metronidazole (Suspension)	No	Yes
Clarithromycin (Tablets)	No	Yes	Norfloxacin / metronidazole (Tablets)	No	Yes
Amoxicillin / clavulanic acid (Tablets)	No	Yes	Ofloxacin / ornidazole (Tablets)	No	Yes
Clindamycin (Tablets)	No	Yes	Phenoxymethylpenicillin (Tablets)	No	Yes
Clindamycin (Injectable)	No	Yes	Tetracycline (Tablets)	No	Yes

Enumerator: Remove the unrecognised pile and put the recognised pile in front of the respondent.

¹⁰¹ Which of the antibiotics in front of you have you **ever given** to your child? Please pick the ones you have **ever given** to your child and put them into one pile.

j j j					
Antibiotic (Formulation)	Reco	gnise	Antibiotic (Formulation)	Reco	gnise
Amoxicillin (Tablets)	No	Yes	Cloxacillin (Tablets)	No	Yes
Amoxicillin (Suspension)	No	Yes	Cloxacillin (Suspension)	No	Yes
Ampicillin (Tablets)	No	Yes	Cotrimoxazole (Tablets)	No	Yes
Azithromycin (Tablets)	No	Yes	Cotrimoxazole (Suspension)	No	Yes
Benzathene Penicillin (Injectable)	No	Yes	Doxycycline (Tablets)	No	Yes
Benzylpenicillin (Injectable)	No	Yes	Erythromycin (Tablets)	No	Yes
Cefalexin (Tablets)	No	Yes	Erythromycin (Suspension)	No	Yes
Cefixime (Tablets)	No	Yes	Flucloxacillin (Tablets)	No	Yes
Ceftriaxone (Injectable)	No	Yes	Flucloxacillin / amoxicillin (Tablets)	No	Yes
Cefuroxime (Tablets)	No	Yes	Gentamicin (Injectable)	No	Yes
Chloramphenicol (Tablets)	No	Yes	Levofloxacin (Tablets)	No	Yes
Chloramphenicol (Injectable)	No	Yes	Metronidazole (Tablets)	No	Yes
Ciprofloxacin (Tablets)	No	Yes	Metronidazole (Suspension)	No	Yes
Clarithromycin (Tablets)	No	Yes	Norfloxacin / metronidazole (Tablets)	No	Yes
Amoxicillin / clavulanic acid (Tablets)	No	Yes	Ofloxacin / ornidazole (Tablets)	No	Yes
Clindamycin (Tablets)	No	Yes	Phenoxymethylpenicillin (Tablets)	No	Yes

IVAR Study, version 5.0

04th August 2021

Page 7 of 9

Case Report Form – Blantyre Survey 1

	Clindamycin (Injectable)	No	Yes	Tetracycline (Tablets)	No	Yes
	Enumerator: Remove the unused ant	ibiotic	s and p	out the used antibiotics in front of the res	ponden	t.
102	Which of the antibiotics in front of you	have y	you to	your child in the last 12 months ? Please	pick the	ones
	you have given to your child in the last	12 ma	onths (and put them into one pile.		
	Antibiotic (Formulation)	Reco	gnise	Antibiotic (Formulation)	Reco	gnise
	Amoxicillin (Tablets)	No	Yes	Cloxacillin (Tablets)	No	Yes
	Amoxicillin (Suspension)	No	Yes	Cloxacillin (Suspension)	No	Yes
	Ampicillin (Tablets)	No	Yes	Cotrimoxazole (Tablets)	No	Yes
	Azithromycin (Tablets)	No	Yes	Cotrimoxazole (Suspension)	No	Yes
	Benzathene Penicillin (Injectable)	No	Yes	Doxycycline (Tablets)	No	Yes
	Benzylpenicillin (Injectable)	No	Yes	Erythromycin (Tablets)	No	Yes
	Cefalexin (Tablets)	No	Yes	Erythromycin (Suspension)	No	Yes
	Cefixime (Tablets)	No	Yes	Flucloxacillin (Tablets)	No	Yes
	Ceftriaxone (Injectable)	No	Yes	Flucloxacillin / amoxicillin (Tablets)	No	Yes
	Cefuroxime (Tablets)	No	Yes	Gentamicin (Injectable)	No	Yes
	Chloramphenicol (Tablets)	No	Yes	Levofloxacin (Tablets)	No	Yes
	Chloramphenicol (Injectable)	No	Yes	Metronidazole (Tablets)	No	Yes
	Ciprofloxacin (Tablets)	No	Yes	Metronidazole (Suspension)	No	Yes
	Clarithromycin (Tablets)	No	Yes	Norfloxacin / metronidazole (Tablets)	No	Yes
	Amoxicillin / clavulanic acid (Tablets)	No	Yes	Ofloxacin / ornidazole (Tablets)	No	Yes
	Clindamycin (Tablets)	No	Yes	Phenoxymethylpenicillin (Tablets)	No	Yes
	Clindamycin (Injectable)	No	Yes	Tetracycline (Tablets)	No	Yes
	Enumerator: Remove the unused ant	ibiotic	s and p	out the used antibiotics in front of the res	ponden	it.
103	Which of the antibiotics in front of you	have y	you to	your child in the last 3 months? Please pl	ick the	ones
	you have given to your child in the last	3 mor	nths ar	nd put them into one pile.		
	Antibiotic (Formulation)	Reco	gnise	Antibiotic (Formulation)	Reco	gnise
	Amoxicillin (Tablets)	No	Yes	Cloxacillin (Tablets)	No	Yes
	Amoxicillin (Suspension)	No	Yes	Cloxacillin (Suspension)	No	Yes
	Ampicillin (Tablets)	No	Yes	Cotrimoxazole (Tablets)	No	Yes
	Azithromycin (Tablets)	No	Yes	Cotrimoxazole (Suspension)	No	Yes
	Benzathene Penicillin (Injectable)	No	Yes	Doxycycline (Tablets)	No	Yes
	Benzylpenicillin (Injectable)	No	Yes	Erythromycin (Tablets)	No	Yes
	Cefalexin (Tablets)	No	Yes	Erythromycin (Suspension)	No	Yes
	Cefixime (Tablets)	No	Yes	Flucloxacillin (Tablets)	No	Yes
	Ceftriaxone (Injectable)	No	Yes	Flucloxacillin / amoxicillin (Tablets)	No	Yes
	Cefuroxime (Tablets)	No	Yes	Gentamicin (Injectable)	No	Yes
	Chloramphenicol (Tablets)	No	Yes	Levofloxacin (Tablets)	No	Yes
	Chloramphenicol (Injectable)	No	Yes	Metronidazole (Tablets)	No	Yes
	Ciprofloxacin (Tablets)	No	Yes	Metronidazole (Suspension)	No	Yes
	Clarithromycin (Tablets)	No	Yes	Norfloxacin / metronidazole (Tablets)	No	Yes
	Amoxicillin / clavulanic acid (Tablets)	No	Yes	Ofloxacin / ornidazole (Tablets)	No	Yes
	Clindamycin (Tablets)	No	Yes	Phenoxymethylpenicillin (Tablets)	No	Yes

Clindamycin (Injectable) Tetracycline (Tablets) Enumerator: Remove the unused antibiotics and put the used antibiotics in front of the respondent.

IVAR Study, version 5.0

04th August 2021

Yes

No

Page 8 of 9

No

Yes

Case Report Form – Blantyre Survey 1

Antibiotic (Formulation)	Reco	gnise	Antibiotic (Formulation)	Reco	gnise
Amoxicillin (Tablets)	No	Yes	Cloxacillin (Tablets)	No	Yes
Amoxicillin (Suspension)	No	Yes	Cloxacillin (Suspension)	No	Yes
Ampicillin (Tablets)	No	Yes	Cotrimoxazole (Tablets)	No	Yes
Azithromycin (Tablets)	No	Yes	Cotrimoxazole (Suspension)	No	Yes
Benzathene Penicillin (Injectable)	No	Yes	Doxycycline (Tablets)	No	Yes
Benzylpenicillin (Injectable)	No	Yes	Erythromycin (Tablets)	No	Yes
Cefalexin (Tablets)	No	Yes	Erythromycin (Suspension)	No	Yes
Cefixime (Tablets)	No	Yes	Flucloxacillin (Tablets)	No	Yes
Ceftriaxone (Injectable)	No	Yes	Flucloxacillin / amoxicillin (Tablets)	No	Yes
Cefuroxime (Tablets)	No	Yes	Gentamicin (Injectable)	No	Yes
Chloramphenicol (Tablets)	No	Yes	Levofloxacin (Tablets)	No	Yes
Chloramphenicol (Injectable)	No	Yes	Metronidazole (Tablets)	No	Yes
Ciprofloxacin (Tablets)	No	Yes	Metronidazole (Suspension)	No	Yes
Clarithromycin (Tablets)	No	Yes	Norfloxacin / metronidazole (Tablets)	No	Yes
Amoxicillin / clavulanic acid (Tablets)	No	Yes	Ofloxacin / ornidazole (Tablets)	No	Yes
Clindamycin (Tablets)	No	Yes	Phenoxymethylpenicillin (Tablets)	No	Yes
Clindamycin (Injectable)	No	Yes	Tetracycline (Tablets)	No	Yes

Nasal Sample Collection:

105	NP swab collected?	No	Yes
106	If no swab was collected, specify why not.		
	Was the sample you collected 'adequate'?	No	Vos
107	(Adequate: swab passed to the back of nasopharynx for at least 3 seconds and twisted 360°)	NU	Tes
108	Is there nasal mucus on swab?	No	Yes
r			

109 *Scan/enter the Lab barcode*

Rectal Sample Collection:

110	Rectal swab collected?	No	Yes
111	If no swab was collected, specify why not.		
	Was the sample you collected 'adequate'?	No	Vec
112	(Adequate: swab passed to the rectum for at least 3 seconds and twisted 360°)	NO	res
113	Is there faeces on swab?	No	Yes

114	Scan/enter the Lab barcode					
115	Form completed by (Enumerator Code):	Code	1	1	1	1
116	Form completed by:	Sianature	_/	_/	_/	/

IVAR Study, version 5.0

04th August 2021

Page 9 of 9

Case Report Form – Blantyre Surveys 2 & 3

	Study ID No. Label) ID No Label).							
	SCREENING									
	Today's date (dd-mmm-yyyy)	- 2	0	<u> </u>						
1	What is your child's date of birth? (dd-mmm-yyyy)	<u> - 2</u>	0	<u> </u>						
1a	(Note to enumerator: If date of birth unknown)									
2	Enumerator: Which PCV vaccine schedule is offered in this cluster?	3+0	2+1	UNK						
Inclu	usion Criteria									
3	Has your child received a full course of the PCV vaccine?	No	Yes	UNK						
	Enumerator: For children in the 2+1 cluster alone:	No	Vac							
4		No	Vec							
5	Is your child healthy?	NO	res	UINK						
Excl	usion Criteria									
6	Has your child received (any) antibiotics within the previous 14 days?	No	Yes	UNK						
7	Is your child currently on TB treatment?	No	Yes	UNK						
8	Has your child been hospitalized for pneumonia within the previous 14 days?	No	Yes	UNK						
9	Does your child have a (gross) respiratory tract pathology?	No	Yes	UNK						
10	Does your child have a terminal illness?	No	Yes	UNK						
11	Has your child been previously recruited into this study during this survey?	No	Yes	UNK						
Heal	Health Passport									
Hea	Enumerator									
	Is the child eligible, including:									
	Aged 15-24 months									
	Permanent resident in Blantyre District Evidence of herving received a full schedule of DCV upperingtion									
	 Evidence of naving received a juli schedule of PCV vaccination No antibiotic use/pneumonia in last 14 days 		No	Yes						
	 Not currently on TB treatment 									
	 For children in the 2+1 vaccine cluster, they MUST have received the booster. 									
	vaccination									
	Note: If no, stop interview and explain why not eligible.									

IVAR Study, version 5.0

04th August 2021

Page 1 of 9

.

Supplementary file 3: C

Case Report Form – Blantyre Surveys 2 & 3

(Enumerator: A participant cannot be recruited into study during same survey)

RECRUITMENT - METADATA

Child Characteristics

17	What is the sex of this child?	Mal	e F	emale	
18	Has the child ever tested positive for HIV?	No	Yes	UNK	

Mother's HIV status (if mother is the carer consenting)

Have you ever tested positive for HIV?

19	Enumerator: Only ask this question if interviewing the mother.	NO	Yes	UNK	N/A
	Was your HIV-infection confirmed before the recruited child was born?	No	Vo	c IINI	ĸ
	20 Enumerator: Only ask this question if date not known.			5 011	•

The following questions are about vaccines your child may have received as part of the routine EPI.

21	Do you have the child's Health Passport with you?	No	Yes
2	2 Enumerator: Are you able to confirm PCV vaccination dates by Health Passport?	No	Yes
2	Enumerator: If yes, take a photo of the vaccination page of Health passport	Not Done	Done

Vaccine status

	Vaccine	Vacci (Cir	nes received		Date of Vaccination (dd-mmm-www)
	Birth / first cont	act			
24a	BCG	No	Yes UNK	24b	- - - - - - -
25a	OPV0	No	Yes UNK	25b	
	6 weeks of age				
26a	OPV1	No	Yes UNK	26b	-
27a	Rota1	No	Yes UNK	27b	///-///-//-//
28a	DPT-HepB-Hib 1	No	Yes UNK	28b	///-///-//-//
29a	PCV1	No	Yes UNK	29b	- - - -
	10 weeks of age				
30a	OPV2	No	Yes UNK	30b	///-///-//-//
31a	Rota2	No	Yes UNK	31b	- - - -
32a	DPT-HepB-Hib 2	No	Yes UNK	32b	///-//-////
33a	PCV2 <mark>(Not in2+1)</mark>	No	Yes UNK	33b	
	14 weeks of age				
34a	OPV3	No	Yes UNK	34b	
35a	DPT-HepB-Hib 3	No	Yes UNK	35b	
36a	PCV 3 <mark>(2 in 2+1)</mark>	No	Yes UNK	36b	- - - -
37a	IPV	No	Yes UNK	37b	- - -
	5-7 months of a	ge			
38a	Malaria 1	No	Yes UNK	38b	<u> _ _ - _ _ - _ </u>

IVAR Study, version 5.0

04th August 2021

Page 2 of 9

Case Report Form – Blantyre Surveys 2 & 3

39a	Malaria 2	No	Yes	UNK	39b // - // - // - //
40a	Malaria 3	No	Yes	UNK	40b // - // - // - //
	9-11 months of a	age			
41a	Measles-Rubella1	No	Yes	UNK	41b // - // - // - //
43a	PCV 3 <mark>(2+1)</mark>	No	Yes	UNK	43b // - // - // - //
	15-23 months of	fage			
44a	Measles-Rubella2	No	Yes	UNK	44b // - // - // - //
46a	Malaria 4	No	Yes	UNK	46b //_/-/_/-/_/-/_//

Household information

The following questions will be about the house <u>your child lives in</u>, including who lives in the home and its location.

47	GPS coordinates	lat . / long .						
47a	Enumerator: If no GPS coordinates available, record why not available.							
48	How many bedrooms does the child's main house have?							
49	How many adults (16+ years of age) live in the main house?							
50	How many children 5-15 years of age live in the main house, including child recruited today?							
51	How many children 0-4 years of ag	ge live in the main house?						

Smoking

52	Does anybody in the child's household smoke tobacco (cigarettes, pipes, or cigars)?	No	Yes
		-	

The following questions ask about the type of house the child lives in.

53 What type of exterior wall does the house have? 1 Burnt brick 4 Plastered thin mud 7 Iron sheets 2 Unburnt brick 5 Bamboo 8 Concrete blocks <u>3</u> Pounded thick mud 6 Grass or no walls 99 Other, specify: 54 What type of roof does the house have? 1 Grass or leaves 3 Grass+plastic sheet 2 Grass+Iron sheets 4 Iron sheets or tiles 55 What is the condition of the roof? 2 Poor (leaks water) <u>1</u> Good 56 What type of floor does the house have inside? <u>1</u> Mud 3 Tiles 2 Concrete/ cement 99 other (specify): 57 What type of toilet does the house have? <u>1</u> Simple pit latrine 3 Water toilet 3 None (including use the neighbour's toilet) 2 VIP What source of electricity does the house have? 58 1 Escom 3 None 2 Solar 59 What source of drinking water does the house have?

IVAR Study, version 5.0

04th August 2021

Page 3 of 9

Case Report Form – Blantyre Surveys 2 & 3

	<u>1</u> Tap to house	<u>3</u> Bore hole	<u>5 Open well</u>	
	<u>2</u> Shared communal tap	<u>4</u> Covered well	<u>6</u> River	
60	Does the house have glas	ss windows?		
	<u>0</u> No	<u>1</u> Yes		

Possessions

The following questions ask about some possessions you may have. We are not able to give you any of these items, even if you report not having them.

⁶¹ Are you comfortable answering questions about items owned by people in your household? **No Yes**

Does anyone in the household possess any of the following working items?

62	Watch or clock	No	Yes	73	Bed	No	Yes		
63	Radio	No	Yes	74	Upholstered chair/sofa	No	Yes		
64	Bank account (or bank book)	No	Yes	75	Table	No	Yes		
65	Charcoal iron	No	Yes	76	Bicycle	No	Yes		
66	Sewing machine	No	Yes	77	Motorbike	No	Yes		
67	Mobile phone	No	Yes	78	Car	No	Yes		
68	Tape/CD player	No	Yes	79	Television	No	Yes		
69	Fan, electric	No	Yes	80	Refrigerator	No	Yes		
70	Mosquito net	No	Yes	81	Other electric items	No	Yes		
71	Number of mosquito nets			82	If other working electrical items, specify:				
72	Mattress	No	Yes						

Education

The following questions ask about the head of your household's education. It maybe you, or it may be someone else

	³ Are you comfortable answering questions about the head of your household's education?	No Y	(es
--	--	------	-----

84	What is the highe	st educational qualification	n the household head has acquired?	
	<u>1</u> None	<u>3</u> JCE	<u>5</u> Non-university diploma <u>7</u> Postgraduate degre	e
	<u>2</u> PSLCE	<u>4</u> MSCE	<u>6</u> University diploma/degree	
85	Is the household h	nead able to read and writ	e in English?	
	<u>1</u> No	<u>2</u> Yes		

MALARIA, FEBRILE ILLNESS & MEDICINE USE

The following questions ask about your child's history of malaria and/or febrile illness, and their use of medicines.

Body temperature history and malaria rapid diagnostic test use:

Enumerator: If the child's Health Passport is available, are where their body temperature has been recorded?	e there any occasions	No Yes
If yes, please record date(s) of recording(s) and temperative	ture:	
Date of recording (dd-mmm-yyyy)	Temperature Recorded (°C)	
- - _ - - - - - - - - -	1	
- - - - -		

IVAR Study, version 5.0

04th August 2021

Case Report Form – Blantyre Surveys 2 & 3

- - -	
- -	
- _ _ _ - _ _ _ _	
- -	
11 - 11 - 11 - 11 - 11	
/ <u> </u>	

88	Enumerator: If the child's Health Passport is available, are there usages of malaria rapid diagnostic tests (RDT) ?	No	Yes	
39	If yes, please record date(s) of malaria rapid diagnostic test(s):	,		
	Date of malaria RDT (dd-mmm-yyyy)	F	Result	
	- - - -	Negative	Positive	UNK
	- - _ - - -	Negative	Positive	UNK
	- - _ - - -	Negative	Positive	UNK
	<u> - - _ - - </u>	Negative	Positive	UNK
	<u> - - _ - - </u>	Negative	Positive	UNK
	<u> - - _ - - </u>	Negative	Positive	UNK
	<u> </u>	Negative	Positive	UNK
	<u> </u>	Negative	Positive	UNK

Enumerator: The following questions are to be directly asked to the questionnaire respondent.

When did your child last suffer from a fever?			
Has your child suffered from fever in the last 14 days?	No	Yes	UNK
If yes, how many times?			
If yes, how many times did they need to see a doctor for a fever in the last 14 days?			
If yes, how many times did they have to stay in hospital for fever in the last 14 days?			
Has your child suffered from fever in the last 14 days to 3 months?	No	Yes	UNK
If yes, how many times?			
If yes, how many times did they need to see a doctor for a fever in the last 14 days to 3 months?			
<i>If yes, how many times did they have to stay in hospital for fever in the last</i> 14 days to 3 months?			
Has your child suffered from fever in the last 3 to 12 months?	No	Yes	UNK
If yes, how many times?			
If yes, how many times did they need to see a doctor for a fever in the last 3 to 12 months?			
If yes, how many times did they have to stay in hospital for fever in the last 3 to 12 <i>months</i> ?			
	When did your child last suffer from a fever? Has your child suffered from fever in the last 14 days? If yes, how many times? If yes, how many times did they need to see a doctor for a fever in the last 14 days? If yes, how many times did they have to stay in hospital for fever in the last 14 days? Has your child suffered from fever in the last 14 days to 3 months? If yes, how many times did they need to see a doctor for a fever in the last 14 days to 3 months? If yes, how many times did they need to see a doctor for a fever in the last 14 days to 3 months? If yes, how many times did they need to see a doctor for a fever in the last 14 days to 3 months? If yes, how many times did they have to stay in hospital for fever in the last 14 days to 3 months? Has your child suffered from fever in the last 3 to 12 months? If yes, how many times did they need to see a doctor for a fever in the last 3 to 12 months? If yes, how many times did they need to see a doctor for a fever in the last 3 to 12 months? If yes, how many times did they need to see a doctor for a fever in the last 3 to 12 months? If yes, how many times did they need to see a doctor for a fever in the last 3 to 12 months? If yes, how many times did they need to see a doctor for a fever in the last 3 to 12 months? If yes, how many times did they need to see a doctor for a fever in the last 3 to 12 months? If yes, how many times did they need to see a doctor for a fever in the last 3 to 12 months? If yes, how many times did they need to see a doctor for a fever in the last 3 to 12 months? If yes, how many times did they need to see a doctor for a fever in the last 3 to 12 months? If yes, how many times did they need to stay in hospital for fever in the last 3 to 12 months?	When did your child last suffer from a fever?NoHas your child suffered from fever in the last 14 days?NoIf yes, how many times?IIf yes, how many times did they need to see a doctor for a fever in the last 14 days?IIf yes, how many times did they have to stay in hospital for fever in the last 14 days?NoHas your child suffered from fever in the last 14 days to 3 months?NoIf yes, how many times?IIf yes, how many times did they need to see a doctor for a fever in the last 14 days to 3 months?NoIf yes, how many times did they need to see a doctor for a fever in the last 14 days to 3 months?IIf yes, how many times did they need to see a doctor for a fever in the last 14 days to 3 months?IIf yes, how many times did they have to stay in hospital for fever in the last 14 days to 3 months?NoIf yes, how many times did they need to see a doctor for a fever in the last 14 days to 3 months?IIf yes, how many times did they need to see a doctor for a fever in the last 14 days to 3 months?NoIf yes, how many times did they need to see a doctor for a fever in the last 3 to 12 months?IIf yes, how many times did they need to see a doctor for a fever in the last 3 to 12 months?IIf yes, how many times did they need to see a doctor for a fever in the last 3 to 12 months?IIf yes, how many times did they need to see a doctor for a fever in the last 3 to 12 months?IIf yes, how many times did they have to stay in hospital for fever in the last 3 to 12 months?IIf yes, how many times did they have to stay in hospital for fever in the last 3 to 12 m	When did your child last suffer from a fever?NoYesHas your child suffered from fever in the last 14 days?NoYesIf yes, how many times?IIIf yes, how many times did they need to see a doctor for a fever in the last 14 days?IIf yes, how many times did they have to stay in hospital for fever in the last 14 days?NoYesHas your child suffered from fever in the last 14 days to 3 months?NoYesIf yes, how many times?IIIIf yes, how many times did they need to see a doctor for a fever in the last 14 days to 3 months?NoYesIf yes, how many times did they need to see a doctor for a fever in the last 14 days to 3 months?IIIf yes, how many times did they have to stay in hospital for fever in the last 14 days to 3 months?NoYesHas your child suffered from fever in the last 3 to 12 months?NoYesIf yes, how many times did they need to see a doctor for a fever in the last 3 to 12

Medicine use:

IVAR Study, version 5.0

04th August 2021

Page 5 of 9

Supplementary file 3: Case Report Form – Blantyre Surveys 2 & 3

t yes, please record date(s) of medicine	e prescription:			
Date of medicine prescription (dd-mmm-yyyy)	Medicine prescribed	Diagnosis (if stated)	Route of administration	Course length (days)
<u> </u>				
<u> </u>				
<u> </u>				
<u> - - </u>				
<u> </u>				
<u> </u>				
<u> </u>				

Enumerator: The following questions are to be directly asked to the questionnaire respondent

96	Other than those listed within your child's health passport, have you ever given your child any other medicines ?	No	Yes	UNK
96a	If yes, what medicines have you given?			
	Enumerator: If the health passport is NOT available, the following questions are to be o the questionnaire respondent:	direct	ly ask	ed to
97	Has your child been given antibiotics in the last 14 days to 3 months?	ſ	Vo	Yes
97a	If yes, what antibiotics (active substance)?			
97b	<i>If yes, how many courses (prescriptions) of antibiotics have they received in the last</i> 14 days to 3 months?			
97c	Why was your child given antibiotics?			
98	Has your child been given antibiotics in the last 3 to 12 months?	ſ	Vo	Yes
98a	If yes, what antibiotics (active substance)?			
98b	If yes, how many courses (prescriptions) of antibiotics have they received in the last 3 to 12 months?			
98c	Why was your child given antibiotics?			

Antibiotic drug bag capture method:

Enumerator: These questions are to be asked to ALL study participants.

⁹⁹ We would now like to ask you further questions about **antibiotics**, and would like to show you some **antibiotics** that we have brought with us (Enumerator: Present antibiotic library to responder). We will be asking you to sort these antibiotics into different piles. This is not a test of your knowledge, but to find out whether you recognise these drugs, and whether you have given them to your child. We are carrying out this exercise to help you remember which ones you might have given to your child.

¹⁰⁰ Which of the antibiotics in front of you do you recognise? Please pick the ones you recognise and put them into one pile.
 Enumerator: The list below is representative of potentially available antibiotics; the actual list will vary according to local availability.
 Antibiotic (Formulation)
 Recognise
 Antibiotic (Formulation)

IVAR Study, version 5.0

04th August 2021

Page 6 of 9

Case Report Form – Blantyre Surveys 2 & 3

Amoxicillin (Tablets)	No	Yes	Cloxacillin (Tablets)	No	Yes
Amoxicillin (Suspension)	No	Yes	Cloxacillin (Suspension)	No	Yes
Ampicillin (Tablets)	No	Yes	Cotrimoxazole (Tablets)	No	Yes
Azithromycin (Tablets)	No	Yes	Cotrimoxazole (Suspension)	No	Yes
Benzathene Penicillin (Injectable)	No	Yes	Doxycycline (Tablets)	No	Yes
Benzylpenicillin (Injectable)	No	Yes	Erythromycin (Tablets)	No	Yes
Cefalexin (Tablets)	No	Yes	Erythromycin (Suspension)	No	Yes
Cefixime (Tablets)	No	Yes	Flucloxacillin (Tablets)	No	Yes
Ceftriaxone (Injectable)	No	Yes	Flucloxacillin / amoxicillin (Tablets)	No	Yes
Cefuroxime (Tablets)	No	Yes	Gentamicin (Injectable)	No	Yes
Chloramphenicol (Tablets)	No	Yes	Levofloxacin (Tablets)	No	Yes
Chloramphenicol (Injectable)	No	Yes	Metronidazole (Tablets)	No	Yes
Ciprofloxacin (Tablets)	No	Yes	Metronidazole (Suspension)	No	Yes
Clarithromycin (Tablets)	No	Yes	Norfloxacin / metronidazole (Tablets)	No	Yes
Amoxicillin / clavulanic acid (Tablets)	No	Yes	Ofloxacin / ornidazole (Tablets)	No	Yes
Clindamycin (Tablets)	No	Yes	Phenoxymethylpenicillin (Tablets)	No	Yes
Clindamycin (Injectable)	No	Yes	Tetracycline (Tablets)	No	Yes

Enumerator: Remove the unrecognised pile and put the recognised pile in front of the respondent.

¹⁰¹ Which of the antibiotics in front of you have you **ever given** to your child? Please pick the ones you have **ever given** to your child and put them into one pile.

Antibiotic (Formulation)	Reco	anise	Antibiotic (Formulation)	Reco	anise
Amoxicillin (Tablets)	No	Yes	Cloxacillin (Tablets)	No	Yes
Amoxicillin (Suspension)	No	Yes	Cloxacillin (Suspension)	No	Yes
Ampicillin (Tablets)	No	Yes	Cotrimoxazole (Tablets)	No	Yes
Azithromycin (Tablets)	No	Yes	Cotrimoxazole (Suspension)	No	Yes
Benzathene Penicillin (Injectable)	No	Yes	Doxycycline (Tablets)	No	Yes
Benzylpenicillin (Injectable)	No	Yes	Erythromycin (Tablets)	No	Yes
Cefalexin (Tablets)	No	Yes	Erythromycin (Suspension)	No	Yes
Cefixime (Tablets)	No	Yes	Flucloxacillin (Tablets)	No	Yes
Ceftriaxone (Injectable)	No	Yes	Flucloxacillin / amoxicillin (Tablets)	No	Yes
Cefuroxime (Tablets)	No	Yes	Gentamicin (Injectable)	No	Yes
Chloramphenicol (Tablets)	No	Yes	Levofloxacin (Tablets)	No	Yes
Chloramphenicol (Injectable)	No	Yes	Metronidazole (Tablets)	No	Yes
Ciprofloxacin (Tablets)	No	Yes	Metronidazole (Suspension)	No	Yes
Clarithromycin (Tablets)	No	Yes	Norfloxacin / metronidazole (Tablets)	No	Yes
Amoxicillin / clavulanic acid (Tablets)	No	Yes	Ofloxacin / ornidazole (Tablets)	No	Yes
Clindamycin (Tablets)	No	Yes	Phenoxymethylpenicillin (Tablets)	No	Yes
Clindamycin (Injectable)	No	Yes	Tetracycline (Tablets)	No	Yes

Enumerator: Remove the unused antibiotics and put the used antibiotics in front of the respondent.

102 Which of the antibiotics in front of you have you to your child in the **last 12 months**? Please pick the ones you have given to your child in the last 12 months and put them into one pile. Recognise Antibiotic (Formulation) Antibiotic (Formulation) Recognise Amoxicillin (Tablets) No Yes Cloxacillin (Tablets) No Yes Amoxicillin (Suspension) No Yes Cloxacillin (Suspension) No Yes Ampicillin (Tablets) No Cotrimoxazole (Tablets) No Yes Yes Azithromycin (Tablets) Cotrimoxazole (Suspension) No Yes No Yes

IVAR Study, version 5.0

04th August 2021

Case Report Form – Blantyre Surveys 2 & 3

	Benzathene Penicillin (Injectable)	No	Yes	Doxycycline (Tablets)	No	Yes
	Benzylpenicillin (Injectable)	No	Yes	Erythromycin (Tablets)	No	Yes
	Cefalexin (Tablets)	No	Yes	Erythromycin (Suspension)	No	Yes
	Cefixime (Tablets)	No	Yes	Flucloxacillin (Tablets)	No	Yes
	Ceftriaxone (Injectable)	No	Yes	Flucloxacillin / amoxicillin (Tablets)	No	Yes
	Cefuroxime (Tablets)	No	Yes	Gentamicin (Injectable)	No	Yes
	Chloramphenicol (Tablets)	No	Yes	Levofloxacin (Tablets)	No	Yes
	Chloramphenicol (Injectable)	No	Yes	Metronidazole (Tablets)	No	Yes
	Ciprofloxacin (Tablets)	No	Yes	Metronidazole (Suspension)	No	Yes
	Clarithromycin (Tablets)	No	Yes	Norfloxacin / metronidazole (Tablets)	No	Yes
	Amoxicillin / clavulanic acid (Tablets)	No	Yes	Ofloxacin / ornidazole (Tablets)	No	Yes
	Clindamycin (Tablets)	No	Yes	Phenoxymethylpenicillin (Tablets)	No	Yes
	Clindamycin (Injectable)	No	Yes	Tetracycline (Tablets)	No	Yes
	Enumerator: Remove the unused ant	ibiotics	s and p	out the used antibiotics in front of the resp	oonden	<i>t</i> .
103	Which of the antibiotics in front of you	have y	ou to	your child in the last 3 months ? Please pi	ck the o	ones
	you have given to your child in the last	3 mor	ths ar	nd put them into one pile.		
	Antibiotic (Formulation)	Reco	gnise	Antibiotic (Formulation)	Recognise	
	Amoxicillin (Tablets)	No	Yes	Cloxacillin (Tablets)	No	Yes
	Amoxicillin (Suspension)	No	Yes	Cloxacillin (Suspension)	No	Yes
	Ampicillin (Tablets)	No	Yes	Cotrimoxazole (Tablets)	No	Yes
	Azithromycin (Tablets)	No	Yes	Cotrimoxazole (Suspension)	No	Yes
	Benzathene Penicillin (Injectable)	No	Yes	Doxycycline (Tablets)	No	Yes
	Benzylpenicillin (Injectable)	No	Yes	Erythromycin (Tablets)	No	Yes
	Cefalexin (Tablets)	No	Yes	Erythromycin (Suspension)	No	Yes
	Cefixime (Tablets)	No	Yes	Flucloxacillin (Tablets)	No	Yes
	Ceftriaxone (Injectable)	No	Yes	Flucloxacillin / amoxicillin (Tablets)	No	Yes
	Cefuroxime (Tablets)	No	Yes	Gentamicin (Injectable)	No	Yes
	Chloramphenicol (Tablets)	No	Yes	Levofloxacin (Tablets)	No	Yes
	Chloramphenicol (Injectable)	No	Yes	Metronidazole (Tablets)	No	Yes
	Ciprofloxacin (Tablets)	No	Yes	Metronidazole (Suspension)	No	Yes
	Clarithromycin (Tablets)	No	Yes	Norfloxacin / metronidazole (Tablets)	No	Yes
	Amoxicillin / clavulanic acid (Tablets)	No	Yes	Ofloxacin / ornidazole (Tablets)	No	Yes
	Clindamycin (Tablets)	No	Yes	Phenoxymethylpenicillin (Tablets)	No	Yes
	Clindamycin (Injectable)	No	Yes	Tetracycline (Tablets)	No	Yes
	Enumerator: Remove the unused ant	ibiotics	s and p	out the used antibiotics in front of the resp	oonden	<i>t</i> .
404						

¹⁰⁴ Which of the antibiotics in front of you have you to your child in the **last 14 days**? Please pick the ones

Antibiotic (Formulation)	Reco	gnise	Antibiotic (Formulation)	Reco	gnise
Amoxicillin (Tablets)	No	Yes	Cloxacillin (Tablets)	No	Yes
Amoxicillin (Suspension)	No	Yes	Cloxacillin (Suspension)	No	Yes
Ampicillin (Tablets)	No	Yes	Cotrimoxazole (Tablets)	No	Yes
Azithromycin (Tablets)	No	Yes	Cotrimoxazole (Suspension)	No	Yes
Benzathene Penicillin (Injectable)	No	Yes	Doxycycline (Tablets)	No	Yes
Benzylpenicillin (Injectable)	No	Yes	Erythromycin (Tablets)	No	Yes
Cefalexin (Tablets)	No	Yes	Erythromycin (Suspension)	No	Yes
Cefixime (Tablets)	No	Yes	Flucloxacillin (Tablets)	No	Yes

IVAR Study, version 5.0

04th August 2021

Case Report Form – Blantyre Surveys 2 & 3

Ceftriaxone (Injectable)	No	Yes	Flucloxacillin / amoxicillin (Tablets)	No	Yes
Cefuroxime (Tablets)	No	Yes	Gentamicin (Injectable)	No	Yes
Chloramphenicol (Tablets)	No	Yes	Levofloxacin (Tablets)	No	Yes
Chloramphenicol (Injectable)	No	Yes	Metronidazole (Tablets)	No	Yes
Ciprofloxacin (Tablets)	No	Yes	Metronidazole (Suspension)	No	Yes
Clarithromycin (Tablets)	No	Yes	Norfloxacin / metronidazole (Tablets)	No	Yes
Amoxicillin / clavulanic acid (Tablets)	No	Yes	Ofloxacin / ornidazole (Tablets)	No	Yes
Clindamycin (Tablets)	No	Yes	Phenoxymethylpenicillin (Tablets)	No	Yes
Clindamycin (Injectable)	No	Yes	Tetracycline (Tablets)	No	Yes
If any antibiotics are in the given in the	e last 1	4 days	pile, the child is ineligible for study partie	cipatio	7.

Nasal Sample Collection:

105	NP swab collected?		No	Yes		
106	If no swab was collected, specify why not.					
	Was the sample you collected 'adequate'?		No	Vac		
107	(Adequate: swab passed to the back of nasopharynx	quate: swab passed to the back of nasopharynx for at least 3 seconds and twisted 360°)				
108	Is there nasal mucus on swab?		No	Yes		
r						

109 *Scan/enter the Lab barcode*

Rectal Sample Collection:

110	Rectal swab collected?	No	Yes
111	If no swab was collected, specify why not.		
	Was the sample you collected 'adequate'?	No	Vac
112	(Adequate: swab passed to the rectum for at least 3 seconds and twisted 360°)	NO	res
113	Is there faeces on swab?	No	Yes

114	Scan/enter the Lab barcode					
115	Form completed by (Enumerator Code):	Code	1	1	1	1
116	Form completed by:	Signature				_'

04th August 2021

Case Report Form – Mangochi Survey

No Yes UNK No Yes UNK No Yes UNK
NoYesUNKNoYesUNKNoYesUNK
No Yes UNK No Yes UNK
No Yes UNK No Yes UNK
No Yes UNK
No Yes UNK

- Not currently on TB treatment
- For children in the RTS,S/AS01 vaccine cluster, they **MUST** have received the full initial vaccination course, but are **NOT** required to have received the booster vaccination

Note: If no, stop interview and explain why not eligible.

RECRUITMENT - PRELIMINARY DATA

12	Was consent obtained from carer?	N	lo [°]	Yes
13	If yes, scan the barcode for Participant ID			
14	If scanner not available, write the Participant ID	EVAL - 1		
15	Has this child been recruited during a previous survey? (Enumerator: A participant cannot be recruited into study during same survey)	No	Yes	UNK

IVAR Study, version 5.0

04th August 2021

Page 1 of 9

Case Report Form – Mangochi Survey

RECRUITMENT - METADATA

Chil	d Characteristics			
16	What is the sex of this child?	Mal	e Fe	emale
17	Has the child ever tested positive for HIV?	No	Yes	UNK

Mother's HIV status (if mother is the carer consenting)

18	Have you ever tested positive for HIV? Enumerator: Only ask this question if interviewing the mother.	No	Yes	UNK	N/A
	Was your HIV-infection confirmed before the recruited child was born? <i>Enumerator: Only ask this question if date not known.</i>	N	o Ye	s Ul	NK

The following questions are about vaccines your child may have received as part of the routine EPI.

20	Do you have the child's Health Passport with you?	No	Yes
2	1 Enumerator: Are you able to confirm RTS,S/AS01 vaccination dates by Health Passport?	No	Yes
2	2 Enumerator: If yes, take a photo of the vaccination page of Health passport	Not Done	Done

Vaccine status

	Vaccine	Vaccines received	Date of Vaccination (dd-mmm-www)
	Birth / first contac	t	
23a	BCG	No Yes UNK	23b //-/-//-//-///
24a	OPV 0	No Yes UNK	24b //-/-//-//-///
	6 weeks of age		
25a	OPV 1	No Yes UNK	25b //-/-//-//-///
26a	Rota1	No Yes UNK	26b //-/-//-//-///
27a	DPT-HepB-Hib1	No Yes UNK	27b //_/-/_//_//_//_//_/
28a	PCV1	No Yes UNK	28b / / / / / / / / / / / / / / / / / / /
	10 weeks of age		
29a	OPV22	No Yes UNK	29b / / / - / / / - / / / / / / / / / / /
30a	Rota2	No Yes UNK	30b //_/-/_/_/_/_/_/_/_/_/_/_/
31a	DPT-HepB-Hib2	No Yes UNK	31b //-/-//-//-///
32a	PCV2	No Yes UNK	32b //-/-//-//-//
	14 weeks of age		
33a	OPV33	No Yes UNK	33b / / / - / / / / / / /
34a	DPT-HepB-Hib3	No Yes UNK	34b / / / - / / / / / / /
35a	PCV3	No Yes UNK	35b / / / / / / / / / / / /
36a	IPV	No Yes UNK	36b //_/-/_/_/_/_/_/_/_/_/_/
	5-7 months of age	•	

IVAR Study, version 5.0

04th August 2021

Page 2 of 9

Case Report Form – Mangochi Survey

37a	Malaria RTS,S/AS01 1	No	Yes	UNK	37b // - // - // - //
38a	Malaria RTS,S/AS01 2	No	Yes	υΝΚ	38b // - // - // - ///
39a	Malaria RTS,S/AS01 3	No	Yes	υΝΚ	39b // - // - // - //
	9-11 months of age				
40a	Measles-Rubella1	No	Yes	UNK	40b // - // - // - //
	15-23 months of ag	е			
42a	Measles-Rubella2	No	Yes	UNK	42b // - // - // - //
44a	Malaria RTS,S/AS01 4	No	Yes	UNK	44b //-/-//-/-//_/

Household information

The following questions will be about the house the child lives in, including who lives in the home and its location

45	GPS coordinates	lat . _/	long .
45a	Enumerator: If no GPS coordinate	s available, record why not available.	

46	How many bedrooms does the child's main house have?	
47	How many adults (16+ years of age) live in the main house?	
48	How many children 5-15 years of age live in the main house, including child recruited today?	
49	How many children 0-4 years of age live in the main house?	

Smoking

50	Does anybody in the child's household smoke tobacco (cigarettes, pipes, or cigars)?	No	Yes
----	---	----	-----

The following questions ask about the type of house the child lives in.

51	What type of exterior w	all does the house have?			
	1 Burnt brick	4 Plastered thin mud	7 Iron sheets		
	2 Unburnt brick	<u>5</u> Bamboo	8 Concrete blocks		
	3 Pounded thick mud	6 Grass or no walls	<u>99</u> Other, specify:		
52	What type of roof does	the house have?			
	<u>1</u> Grass or leaves	3 Grass+plastic sheet			
	2 Grass+Iron sheets	<u>4</u> Iron sheets or tiles			
53	What is the condition of	f the roof?			
	<u>1</u> Good	<u>2</u> Poor (leaks water)			
54	What type of floor does the house have inside?				
	<u>1</u> Mud	<u>3</u> Tiles			
	2 Concrete/ cement	<u>99</u> other (specify):			
55	What type of toilet doe	s the house have?			
	<u>1</u> Simple pit latrine	<u>3</u> Water toilet			
	<u>2</u> VIP	<u>3</u> None (including use the r	neighbour's toilet)		
56	What source of electrici	ty does the house have?			
	<u>1</u> Escom	<u>3</u> None			
	<u>2</u> Solar				
57	What source of drinking	g water does the house have?)		
	~ I · - ~	o ath a second	\mathbf{D}_{1}		

IVAR Study, version 5.0

04th August 2021

Case Report Form – Mangochi Survey

	<u>1</u> Tap to house	<u>3</u> Bore hole	<u>5</u> Open well
	2 Shared communal tap	<u>4</u> Covered well	<u>6</u> River
58	Does the house have glas	s windows?	
	<u>0</u> No	<u>1</u> Yes	

Possessions

The following questions ask about some possessions you may have. We are not able to give you any of these items, even if you report not having them.

⁵⁹ Are you comfortable answering questions about items owned by people in your household? **No Yes**

Does anyone in the household possess any of the following working items?

60	Watch or clock	No	Yes	71	Bed	No	Yes
61	Radio	No	Yes	72	Upholstered chair/sofa	No	Yes
62	Bank account (or bank book)	No	Yes	73	Table	No	Yes
63	Charcoal iron	No	Yes	74	Bicycle	No	Yes
64	Sewing machine	No	Yes	75	Motorbike	No	Yes
65	Mobile phone	No	Yes	76	Car	No	Yes
66	Tape/CD player	No	Yes	77	Television	No	Yes
67	Fan, electric	No	Yes	78	Refrigerator	No	Yes
68	Mosquito net	No	Yes	79	Other electric items	No	Yes
69	Number of mosquito nets			80	If other working electrical items, spe	cify:	
70	Mattress	No	Yes				

Education

The following questions ask about the head of your household's education. It maybe you, or it may be someone else

¹ Are you comfortable answering questions about the head of your household's education?	No	Yes

82	What is the highe	st educational qualificatio	n the household head has acquired?	
	<u>1</u> None	<u>3</u> JCE	<u>5</u> Non-university diploma <u>7</u> Postgraduate degre	e
	<u>2</u> PSLCE	<u>4</u> MSCE	<u>6</u> University diploma/degree	
83	Is the household I	nead able to read and writ	e in English?	
	<u>1</u> No	<u>2</u> Yes		

MALARIA, FEBRILE ILLNESS & MEDICINE USE

The following questions ask about your child's history of malaria and/or febrile illness, and their use of medicines.

Body temperature history and malaria rapid diagnostic test use:

Enumerator: If the child's Health Passport is available, are there any occasions where their body temperature has been recorded?			
If yes, please record date(s) of recording(s) and temperature:			
Date of recording (dd-mmm-yyyy)	Temperature Recorded (°C)		
- -			
- - -			

IVAR Study, version 5.0

04th August 2021

Page 4 of 9

Case Report Form – Mangochi Survey

- _ _ _ - _ _ _ _	
- _ _ _ - _ _ _ _	
- _ _ _ - _ _ _ _	
- -	
- _ _ _ - _ _ _ _	
<u> </u>	

inumerator: If the child's Health Passport is available, are the Isages of malaria rapid diagnostic tests (RDT) ?	ere any recorded	No	Yes
If yes, please record date(s) of malaria rapid diagnostic test(s):		
Date of malaria RDT (dd-mmm-yyyy)		Result	
- - -	Negative	Positive	UNK
- - -	Negative	Positive	UNK
// - // - // - ///	Negative	Positive	UNK
// - // - // - ////	Negative	Positive	UNK
// - // - // - ////	Negative	Positive	UNK
// - // - // - ////	Negative	Positive	UNK
// - // - // - ////	Negative	Positive	UNK
- - -	Negative	Positive	UNK

Enumerator: The following questions are to be directly asked to the questionnaire respondent.

88	When did your child last suffer from a fever?			
89	Has your child suffered from fever in the last 14 days?	No	Yes	UNK
89a	If yes, how many times?			
89b	If yes, how many times did they need to see a doctor for a fever in the last 14 days?			
89c	If yes, how many times did they have to stay in hospital for fever in the last 14 days?			
90	Has your child suffered from fever in the last 14 days to 3 months?	No	Yes	UNK
90a	If yes, how many times?			
	If yes, how many times did they need to see a doctor for a fever in the last 14 days to			
90b	3 months?			
	If yes, how many times did they have to stay in hospital for fever in the last 14 days to			
90c	5 11011(115?			
91	Has your child suffered from fever in the last 3 to 12 months?	No	Yes	UNK
91a	If yes, how many times?			
	If yes, how many times did they need to see a doctor for a fever in the last 3 to 12			
91b	months?			
91c	If yes, how many times did they have to stay in hospital for fever in the last 3 to 12 months?			
•				

Medicine use:

IVAR Study, version 5.0

04th August 2021

Page 5 of 9

Case Report Form – Mangochi Survey

If yes, please record date(s) of medicin	e prescription:					
Date of medicine prescription	Medicine	Diagnosis	Route o	of	Сс	ourse
(dd-mmm-yyyy)	prescribed	(if stated)	administra	tion	lengt	h (days)
<u> _ _ - _ _ - _ </u>						
<u> _ _ - _ _ - _ </u>						
<u> _ _ - _ _ - _ </u>						
<u> _ _ - _ _ - _ </u>						
<u> _ _ - _ _ - _ </u>						
<u> _ _ - _ _ - _ </u>						
<u> _ _ - _ _ - _ </u>						
Other than those listed within your chi child any other medicines ?	ld's health passpo	rt, have you ever	given your	No	Yes	UNK
Other than those listed within your chi child any other medicines ? If yes, what medicines have you given Enumerator: If the health passport is N the questionnaire respondent:	ld's health passpo ? ' OT available, the J	rt, have you ever following questio	given your	No	Yes y aske	UNK od to
Other than those listed within your chi child any other medicines ? If yes, what medicines have you given. Enumerator: If the health passport is N the questionnaire respondent: Has your child been given antibiotics in	ld's health passpo ? ' OT available, the j n the last 14 days	rt, have you ever following questio to 3 months?	given your	No directl	Yes ly aske	UNK od to Yes
Other than those listed within your chi child any other medicines ? If yes, what medicines have you given Enumerator: If the health passport is N the questionnaire respondent: Has your child been given antibiotics in If yes, what antibiotics (active substan	ld's health passpo ? OT available, the f n the last 14 days ce)?	rt, have you ever ^F ollowing questio to 3 months?	given your	No directl	Yes ly aske lo	UNK od to Yes
Other than those listed within your chi child any other medicines ? If yes, what medicines have you given Enumerator: If the health passport is N the questionnaire respondent: Has your child been given antibiotics in If yes, what antibiotics (active substan If yes, how many courses (prescription. 14 days to 3 months?	ld's health passpo ? OT available, the f n the last 14 days ce)? s) of antibiotics ha	rt, have you ever Following questio to 3 months? ve they received	given your	No directl	Yes ly aske	UNK od to Yes
Other than those listed within your chi child any other medicines ? If yes, what medicines have you given Enumerator: If the health passport is N the questionnaire respondent: Has your child been given antibiotics in If yes, what antibiotics (active substan If yes, how many courses (prescriptions 14 days to 3 months ? Why was your child given antibiotics?	ld's health passpo ? OT available, the f n the last 14 days ce)? s) of antibiotics ha	rt, have you ever following questio to 3 months? ve they received	given your	No directl	Yes ^I y aske Io	UNK ed to Yes

96a	If yes, what antibiotics (active substance)?	
	If yes, how many courses (prescriptions) of antibiotics have they received in the last 3	
96b	to 12 months?	
	When was your shild siven antibiotics?	

96c Why was your child given antibiotics?

Antibiotic drug bag capture method:

Enumerator: These questions are to be asked to ALL study participants.

- ⁹⁷ We would now like to ask you further questions about **antibiotics**, and would like to show you some **antibiotics** that we have brought with us (Enumerator: Present antibiotic library to responder). We will be asking you to sort these antibiotics into different piles. This is not a test of your knowledge, but to find out whether you recognise these drugs, and whether you have given them to your child. We are carrying out this exercise to help you remember which ones you might have given to your child.
- ⁹⁸ Which of the antibiotics in front of you do you recognise? Please pick the ones you recognise and put them into one pile.
 Enumerator: The list below is representative of potentially available antibiotics; the actual list will vary according to local availability.

according to local availability.						
Antibiotic (Formulation)	Recognise	Antibiotic (Formulation)	Recognise			
Amoxicillin (Tablets)	No Yes	Cloxacillin (Tablets)	No Yes			

IVAR Study, version 5.0

04th August 2021

Ampicillin (Tablets)

IVAR Study, version 5.0

Azithromycin (Tablets)

Benzathene Penicillin (Injectable)

Case Report Form – Mangochi Survey

	Amoxicillin (Suspension)	No	Yes	Cloxacillin (Suspension)	No	Yes		
	Ampicillin (Tablets)	No	Yes	Cotrimoxazole (Tablets)	No	Yes		
	Azithromycin (Tablets)	No	Yes	Cotrimoxazole (Suspension)	No	Yes		
	Benzathene Penicillin (Injectable)	No	Yes	Doxycycline (Tablets)	No	Yes		
	Benzylpenicillin (Injectable)	No	Yes	Erythromycin (Tablets)	No	Yes		
	Cefalexin (Tablets)	No	Yes	Erythromycin (Suspension)	No	Yes		
	Cefixime (Tablets)	No	Yes	Flucloxacillin (Tablets)	No	Yes		
	Ceftriaxone (Injectable)	No	Yes	Flucloxacillin / amoxicillin (Tablets)	No	Yes		
	Cefuroxime (Tablets)	No	Yes	Gentamicin (Injectable)	No	Yes		
	Chloramphenicol (Tablets)	No	Yes	Levofloxacin (Tablets)	No	Yes		
	Chloramphenicol (Injectable)	No	Yes	Metronidazole (Tablets)	No	Yes		
	Ciprofloxacin (Tablets)	No	Yes	Metronidazole (Suspension)	No	Yes		
	Clarithromycin (Tablets)	No	Yes	Norfloxacin / metronidazole (Tablets)	No	Yes		
	Amoxicillin / clavulanic acid (Tablets)	No	Yes	Ofloxacin / ornidazole (Tablets)	No	Yes		
	Clindamycin (Tablets)	No	Yes	Phenoxymethylpenicillin (Tablets)	No	Yes		
	Clindamycin (Injectable)	No	Yes	Tetracycline (Tablets)	No	Yes		
	Enumerator: Remove the unrecognised pile and put the recognised pile in front of the respondent.							
99	Which of the antibiotics in front of you have you ever given to your child? Please pick the ones you have							
	ever given to your child and put them into one pile.							
	Antibiotic (Formulation)	Reco	gnise	Antibiotic (Formulation)	Reco	gnise		
	Amoxicillin (Tablets)	No	Yes	Cloxacillin (Tablets)	No	Yes		
	Amoxicillin (Suspension)	No	Yes	Cloxacillin (Suspension)	No	Yes		
	Ampicillin (Tablets)	No	Yes	Cotrimoxazole (Tablets)	No	Yes		
	Azithromycin (Tablets)	No	Yes	Cotrimoxazole (Suspension)	No	Yes		
	Benzathene Penicillin (Injectable)	No	Yes	Doxycycline (Tablets)	No	Yes		
	Benzylpenicillin (Injectable)	No	Yes	Erythromycin (Tablets)	No	Yes		
	Cefalexin (Tablets)	No	Yes	Erythromycin (Suspension)	No	Yes		
	Cefixime (Tablets)	No	Yes	Flucloxacillin (Tablets)	No	Yes		
	Ceftriaxone (Injectable)	No	Yes	Flucloxacillin / amoxicillin (Tablets)	No	Yes		
	Cefuroxime (Tablets)	No	Yes	Gentamicin (Injectable)	No	Yes		
	Chloramphenicol (Tablets)	No	Yes	Levofloxacin (Tablets)	No	Yes		
	Chloramphenicol (Injectable)	No	Yes	Metronidazole (Tablets)	No	Yes		
	Ciprofloxacin (Tablets)	No	Yes	Metronidazole (Suspension)	No	Yes		
	Clarithromycin (Tablets)	No	Yes	Norfloxacin / metronidazole (Tablets)	No	Yes		
	Amoxicillin / clavulanic acid (Tablets)	No	Yes	Ofloxacin / ornidazole (Tablets)	No	Yes		
	Clindamycin (Tablets)	No	Yes	Phenoxymethylpenicillin (Tablets)	No	Yes		
	Clindamycin (Injectable)	No	Yes	Tetracycline (Tablets)	No	Yes		
	Enumerator: Remove the unused antibiotics and put the used antibiotics in front of the respondent.							
100	Which of the antibiotics in front of you have you to your child in the last 12 months ? Please pick the ones							
	you have given to your child in the last 12 months and put them into one pile.							
	Antibiotic (Formulation)	Reco	gnise	Antibiotic (Formulation)	Reco	gnise		
	Amoxicillin (Tablets)	No	Yes	Cloxacillin (Tablets)	No	Yes		
	Amoxicillin (Suspension)	No	Yes	Cloxacillin (Suspension)	No	Yes		

Page 7 of 9

No

No

No

Yes

Yes

Yes

Cotrimoxazole (Tablets)

Doxycycline (Tablets)

Cotrimoxazole (Suspension)

No

No

No

04th August 2021

Yes

Yes

Yes

Case Report Form – Mangochi Survey

	Benzylpenicillin (Injectable)	No	Yes	Erythromycin (Tablets)	No	Yes
	Cefalexin (Tablets)	No	Yes	Erythromycin (Suspension)	No	Yes
	Cefixime (Tablets)	No	Yes	Flucloxacillin (Tablets)	No	Yes
	Ceftriaxone (Injectable)	No	Yes	Flucloxacillin / amoxicillin (Tablets)	No	Yes
	Cefuroxime (Tablets)	No	Yes	Gentamicin (Injectable)	No	Yes
	Chloramphenicol (Tablets)	No	Yes	Levofloxacin (Tablets)	No	Yes
	Chloramphenicol (Injectable)	No	Yes	Metronidazole (Tablets)	No	Yes
	Ciprofloxacin (Tablets)	No	Yes	Metronidazole (Suspension)	No	Yes
	Clarithromycin (Tablets)	No	Yes	Norfloxacin / metronidazole (Tablets)	No	Yes
	Amoxicillin / clavulanic acid (Tablets)	No	Yes	Ofloxacin / ornidazole (Tablets)	No	Yes
	Clindamycin (Tablets)	No	Yes	Phenoxymethylpenicillin (Tablets)	No	Yes
	Clindamycin (Injectable)	No	Yes	Tetracycline (Tablets)	No	Yes
	Enumerator: Remove the unused ant	ibiotic	s and p	out the used antibiotics in front of the res	oonden	t.
101	Which of the antibiotics in front of you	have y	ou to	your child in the last 3 months ? Please pi	ck the d	ones
	you have given to your child in the last	3 mor	nths an	d put them into one pile.		
	Antibiotic (Formulation)	Reco	gnise	Antibiotic (Formulation)	Reco	gnise
	Amoxicillin (Tablets)	No	Yes	Cloxacillin (Tablets)	No	Yes
	Amoxicillin (Suspension)	No	Yes	Cloxacillin (Suspension)	No	Yes
	Ampicillin (Tablets)	No	Yes	Cotrimoxazole (Tablets)	No	Yes
	Azithromycin (Tablets)	No	Yes	Cotrimoxazole (Suspension)	No	Yes
	Benzathene Penicillin (Injectable)	No	Yes	Doxycycline (Tablets)	No	Yes
	Benzylpenicillin (Injectable)	No	Yes	Erythromycin (Tablets)	No	Yes
	Cefalexin (Tablets)	No	Yes	Erythromycin (Suspension)	No	Yes
	Cefixime (Tablets)	No	Yes	Flucloxacillin (Tablets)	No	Yes
	Ceftriaxone (Injectable)	No	Yes	Flucloxacillin / amoxicillin (Tablets)	No	Yes
	Cefuroxime (Tablets)	No	Yes	Gentamicin (Injectable)	No	Yes
	Chloramphenicol (Tablets)	No	Yes	Levofloxacin (Tablets)	No	Yes
	Chloramphenicol (Injectable)	No	Yes	Metronidazole (Tablets)	No	Yes
	Ciprofloxacin (Tablets)	No	Yes	Metronidazole (Suspension)	No	Yes
	Clarithromycin (Tablets)	No	Yes	Norfloxacin / metronidazole (Tablets)	No	Yes
	Amoxicillin / clavulanic acid (Tablets)	No	Yes	Ofloxacin / ornidazole (Tablets)	No	Yes
	Clindamycin (Tablets)	No	Yes	Phenoxymethylpenicillin (Tablets)	No	Yes
	Clindamycin (Injectable)	No	Yes	Tetracycline (Tablets)	No	Yes
	Enumerator: Remove the unused ant	ibiotic	s and p	out the used antibiotics in front of the resp	oonden	<i>t</i> .
102	Which of the antibiotics in front of you	have y	ou to	your child in the last 14 days ? Please pick	the on	ies
	you have given to your child in the last	14 da	ys and	put them into one pile.		
	Antibiotic (Formulation)	Reco	gnise	Antibiotic (Formulation)	Reco	gnise
	Amoxicillin (Tablets)	No	Yes	Cloxacillin (Tablets)	No	Yes
	Amoxicillin (Suspension)	No	Yes	Cloxacillin (Suspension)	No	Yes
	Ampicillin (Tablets)	No	Yes	Cotrimoxazole (Tablets)	No	Yes
	Azithromycin (Tablets)	No	Yes	Cotrimoxazole (Suspension)	No	Yes
	Benzathene Penicillin (Injectable)	No	Yes	Doxycycline (Tablets)	No	Yes
	Benzylpenicillin (Injectable)	No	Yes	Erythromycin (Tablets)	No	Yes
	Cefalexin (Tablets)	No	Yes	Erythromycin (Suspension)	No	Yes
	Cefixime (Tablets)	No	Yes	Flucloxacillin (Tablets)	No	Yes
	Ceftriaxone (Injectable)	No	Yes	Flucloxacillin / amoxicillin (Tablets)	No	Yes

IVAR Study, version 5.0

04th August 2021

Page 8 of 9

Case Report Form – Mangochi Survey

Cefuroxime (Tablets)	No	Yes	Gentamicin (Injectable)	No	Yes	
Chloramphenicol (Tablets)	No	Yes	Levofloxacin (Tablets)	No	Yes	
Chloramphenicol (Injectable)	No	Yes	Metronidazole (Tablets)	No	Yes	
Ciprofloxacin (Tablets)	No	Yes	Metronidazole (Suspension)	No	Yes	
Clarithromycin (Tablets)	No	Yes	Norfloxacin / metronidazole (Tablets)	No	Yes	
Amoxicillin / clavulanic acid (Tablets)	No	Yes	Ofloxacin / ornidazole (Tablets)	No	Yes	
Clindamycin (Tablets)	No	Yes	Phenoxymethylpenicillin (Tablets)	No	Yes	
Clindamycin (Injectable)	No	Yes	Tetracycline (Tablets)	No	Yes	
If any antibiotics are in the given in the last 14 days pile, the child is ineligible for study participation.						

Nasal Sample Collection:

103	NP swab collected?		Yes	
104	If no swab was collected, specify why not.			
	Was the sample you collected 'adequate'?			
105	(Adequate: swab passed to the back of nasopharynx for at least 3 seconds and twisted 360°)		125	
106	Is there nasal mucus on swab?			
107	Scan/enter the Lab barcode			

Rectal Sample Collection:

108	Rectal swab collected?	No	Yes
109	If no swab was collected, specify why not.		
	Was the sample you collected 'adequate'?	No	Vec
110	(Adequate: swab passed to the rectum for at least 3 seconds and	d twisted 360°)	res
111	Is there faeces on swab?		Yes
·			
112	Scan/enter the Lab barcode		

113	Form completed by (Enumerator Code):	Code			
114	Form completed by:	Signature			

IVAR Study, version 5.0

04th August 2021

Page 9 of 9