

This document only includes an excerpt of the corresponding thesis or dissertation. To request a digital scan of the full text, please contact the Ruth Lilly Medical Library's Interlibrary Loan Department (rlmlill@iu.edu).

**CHOLESTEROL'S ROLE IN THE MOLECULAR ARCHITECTURE OF
POLYUNSATURATED MODEL MEMBRANES**

Michael R. Brzustowicz

Submitted to the faculty of the University Graduate School
in partial fulfillment of the requirements

for the degree

Doctor of Philosophy

Medical Biophysics Program

Indiana University

December 2001

Accepted by the Graduate Faculty, Indiana University, in partial fulfillment of
the requirements for the degree of Doctor of Philosophy.

Doctoral Committee



Dr. Stephen R. Wassall, Ph.D., Chair



Dr. William Stillwell, Ph.D.



Dr. Fritz Kleinhans, Ph.D.



Dr. Richard Haak, Ph.D.



Dr. Thomas Hurley, Ph.D.

List of Abbreviations.....	x
List of Tables.....	xii
List of Figures.....	xiii
1 Structure and Organization of Biological Membranes	1-1
1.1 Introduction	1-1
1.2 Lipid Diversity	1-2
1.3 Chain Dynamics	1-4
1.4 Membrane Cholesterol.....	1-6
1.5 Hypothesis	1-7
1.6 Solid State ^2H NMR	1-9
1.7 Solid State ^{31}P NMR.....	1-12
1.8 X-ray Diffraction	1-13
1.9 Scope of Thesis	1-14
1.10 References	1-15
2 Molecular Organization of Cholesterol in a Polyunsaturated Model Membrane: a ^2H NMR Investigation.....	2-31
2.1 Introduction	2-31
2.2 Materials and Methods	2-33
2.2.1 Materials.....	2-33
2.2.2 Sample Preparation.....	2-33
2.2.3 NMR Spectroscopy	2-34
2.2.4 Theory.....	2-35

2.3	Results.....	2-37
2.4	Discussion	2-40
2.5	Acknowledgments	2-44
2.6	References	2-45
3	Molecular Organization of Cholesterol in Polyunsaturated Membranes: Microdomain Formation.....	3-53
3.1	Introduction	3-53
3.2	Materials and Methods	3-57
3.2.1	Materials.....	3-57
3.2.2	H-2 NMR	3-58
3.2.2.1	Cholesterol orientation within membrane	3-60
3.2.2.2	Membrane solubility of cholesterol.....	3-61
3.2.3	X-ray Diffraction	3-62
3.2.3.1	Form of membrane excluded cholesterol	3-65
3.2.3.2	Membrane solubility of cholesterol.....	3-65
3.3	Results.....	3-66
3.3.1	H-2 NMR	3-66
3.3.2	X-ray Diffraction	3-71
3.4	Discussion	3-73
3.4.1	Dipolyunsaturated Phospholipid Membranes	3-73
3.4.1.1	Cholesterol solubility.....	3-73
3.4.1.2	Cholesterol orientation.....	3-77

3.4.1.3 Cholesterol interaction with polyunsaturated vs. saturated chains	3-79
3.4.2 Mixed Phospholipid Membranes	3-83
3.4.2.1 Cholesterol induced lateral phase separation.....	3-83
3.4.2.2 Microdomain model	3-86
3.5 Conclusion	3-89
3.6 Acknowledgments	3-90
3.7 References	3-90
4 Molecular Organization of Cholesterol in 22:6-22:6PC Model Membranes ...	4-107
4.1 Introduction	4-107
4.2 Materials and Methods	4-110
4.2.1 Materials	4-110
4.2.2 Sample Preparation.....	4-111
4.2.3 X-ray Diffraction	4-112
4.2.4 Solid State NMR	4-113
4.3 Results.....	4-115
4.3.1 P-31 NMR	4-115
4.3.2 H-2 NMR	4-118
4.4 Discussion	4-121
4.4.1 Phase Behavior	4-121
4.4.2 Cholesterol solubility.....	4-123

4.4.3	Lateral organization and solubility	4-126
4.4.4	Cholesterol molecular orientation.....	4-128
4.4.5	Saturated vs. Polyunsaturated Acyl Chains	4-130
4.4.6	Membrane architecture	4-134
4.5	Conclusion	4-135
4.6	Acknowledgment.....	4-136
4.7	References	4-136
5	Membrane molecular architecture	5-150
5.1	Lipid molecular organization.....	5-150
5.2	Transmembrane receptor organization	5-157
5.3	References	5-160
6	Appendix A. Preparation of [3α - 2 H ₁]cholesterol	6-171
6.1	Reduction of Cholestenone (5-cholest-3-one)	6-171
6.2	Precipitation of Aluminum Oxides	6-171
6.3	Purification.....	6-172
6.4	Yield	6-172
6.5	References	6-172
7	Appendix B. Calculation of cholesterol orientation from molecular order parameter	7-174
7.1	Models for cholesterol orientation.....	7-174
7.2	References	7-179