



OPEN ACCESS

APPROVED BY
Frontiers Editorial Office,
Frontiers Media SA, Switzerland

*CORRESPONDENCE
Zhiwang Li
✉ lizhiwanghn@163.com

†These authors have contributed
equally to this work and share
first authorship

RECEIVED 08 June 2023
ACCEPTED 09 June 2023
PUBLISHED 20 June 2023

CITATION
Li P, Li T, Zhang Z, Dai X, Zeng B, Li Z
and Li Z (2023) Corrigendum:
Bioinformatics and system biology
approach to identify the influences
among COVID-19, ARDS and sepsis.
Front. Immunol. 14:1236992.
doi: 10.3389/fimmu.2023.1236992

COPYRIGHT
© 2023 Li, Li, Zhang, Dai, Zeng, Li and Li.
This is an open-access article distributed
under the terms of the [Creative Commons
Attribution License \(CC BY\)](#). The use,
distribution or reproduction in other
forums is permitted, provided the original
author(s) and the copyright owner(s) are
credited and that the original publication in
this journal is cited, in accordance with
accepted academic practice. No use,
distribution or reproduction is permitted
which does not comply with these terms.

Corrigendum: Bioinformatics and system biology approach to identify the influences among COVID-19, ARDS and sepsis

Peiyu Li^{1,2†}, Tao Li^{3,4†}, Zhiming Zhang⁵, Xingui Dai³, Bin Zeng⁵, Zhen Li⁵ and Zhiwang Li^{5*}

¹Department of Gastroenterology, The First People's Hospital of Chenzhou, Chenzhou, Hunan, China, ²The First Clinical Medical College of Jinan University, Guangzhou, Guangdong, China, ³Department of Critical Care Medicine, The First People's Hospital of Chenzhou, Chenzhou, Hunan, China, ⁴Hengyang Medical College, University of South China, Hengyang, Hunan, China, ⁵Department of Anesthesiology, The First People's Hospital of Chenzhou, Chenzhou, Hunan, China

KEYWORDS

COVID-19, ARDS, sepsis, differentially expressed genes, gene ontology, protein-protein interaction, drug molecule

A Corrigendum on

Bioinformatics and system biology approach to identify the influences among COVID-19, ARDS and sepsis

by Li P, Li T, Zhang Z, Dai X, Zeng B, Li Z and Li Z (2023). *Front. Immunol.* 14:1152186.
doi: 10.3389/fimmu.2023.1152186

In the published article, there was an error in affiliation 1. Instead of “Department of Gastroenterology, The First Peoples’s Hospital of Chenzhou, Chenzhou, Hunan, China.”, it should be “Department of Gastroenterology, The First Peoples’s Hospital of Chenzhou, Chenzhou, Hunan, China.”.

In the published article, there was an error in affiliation 3. Instead of “Department of Critical Care Medicine, The First Peoples’s Hospital of Chenzhou, Chenzhou, Hunan, China.”, it should be “Department of Critical Care Medicine, The First Peoples’s Hospital of Chenzhou, Chenzhou, Hunan, China.”.

In the published article, there was an error in affiliation 5. Instead of “Department of Anesthesiology, The First Peoples’s Hospital of Chenzhou, Chenzhou, Hunan, China.”, it should be “Department of Anesthesiology, The First People’s Hospital of Chenzhou, Chenzhou, Hunan, China.”.

In the published article, there was an error in the Funding statement. Instead of “National Science Foundation of Hunan Province” it should be “Natural Science Foundation of Hunan Province”. The correct Funding statement appears below.

Funding

This work was supported by the Natural Science Foundation of Hunan Province (No. 2022JJ40006) and the scientific research project of The First People’s Hospital of Chenzhou (No. N2021-14). This work was also supported by the scientific research project of The First People’s Hospital of Chenzhou (No. CZYY202207), the key research and development

project of chenzhou (No.2020013), the Technology Research and Development Center of chenzhou (2021) and the Science and Technology Key Development Project of Chenzhou City (No. ZDYF2020012).

The authors apologize for these errors and state that this does not change the scientific conclusions of the article in any way. The original article has been updated.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.