

Rowan University

Rowan Digital Works

Stratford Campus Research Day

27th Annual Research Day

May 4th, 12:00 AM

Assessing the Need for Mental Health Screenings in a Student-Run Free Clinic and a Family Medicine Office

Sahil Parikh
Rowan University

Emily Forester
Rowan University


Alisha Basak
Rowan University

Jennifer Walpow
Rowan University

Rebecca Chae
Rowan University

Follow this and additional works at: https://rdw.rowan.edu/stratford_research_day

See next page for additional authors

 Part of the [Community Health and Preventive Medicine Commons](#), [Health and Medical Administration Commons](#), [Health Services Research Commons](#), [Investigative Techniques Commons](#), and the [Psychiatric and Mental Health Commons](#)

Let us know how access to this document benefits you - share your thoughts on our [feedback form](#).

Parikh, Sahil; Forester, Emily; Basak, Alisha; Walpow, Jennifer; Chae, Rebecca; Gill, Sahiba; and Pellegrino, Tara, "Assessing the Need for Mental Health Screenings in a Student-Run Free Clinic and a Family Medicine Office" (2023). *Stratford Campus Research Day*. 18.

https://rdw.rowan.edu/stratford_research_day/2023/may4/18

This Poster is brought to you for free and open access by the Conferences, Events, and Symposia at Rowan Digital Works. It has been accepted for inclusion in Stratford Campus Research Day by an authorized administrator of Rowan Digital Works.

Author(s)

Sahil Parikh, Emily Forester, Alisha Basak, Jennifer Walpow, Rebecca Chae, Sahiba Gill, and Tara Pellegrino

Assessing the Need for Mental Health Screenings in a Student-Run Free Clinic & a Family Medicine Office

Sahil Parikh OMS-III¹, Emily Forester OMS-II¹, Alisha Basak OMS-I², Jennifer Walpow OMS-I²,
Rebecca Chae OMS-I², Sahiba Gill OMS-I², Tara Pellegrino DO

Background

The US Preventive Services Task Force provides strong evidence that early screening helps identify depression in primary care settings, promotes intervention, and facilitates treatment.¹

In a previous evaluation of a Student-Run Free Clinic (SRFC) in Buffalo, NY, patient demographics showed a majority of uninsured and low-income patients. The results of self-reports of mental health disorder compared to an assessment of possible presence of mental disorder suggests that anxiety and depression may be under-diagnosed in this population.²


University of California San Diego's (UCSD) student run clinic showed a 27.9 % prevalence of depression in their SRFC. This high prevalence of depression is a trend consistent with studies in underserved and minority settings.³

The Rowan Community Health Clinic (RCHC) in Lindenwold, NJ is a student-run free clinic who serves patients regardless of patient gender, race, income or insurance status.

This study aims to determine if there is a need to build internal infrastructure at RCHC for depression and anxiety management.

Methods

IRB-approved study began in June 2021. 49 total patients ranging in age from 18 to 65 years old. Data was collected from Rowan Community Health Center and Rowan Family Medicine patients.



Results

No significant difference in prevalence of minimal or mild-to-severe depression or anxiety based on:

- Income above or below the poverty line (p=0.16)
- Insurance status (p=1)
- Status of established care with a primary care physician (p=0.624)
- Gender (p=0.222)
- Primary language spoken (p=0.59)
- Location of care: RCHC vs FM office (p=0.662)

P-value determined using Fisher Exact Test

PHQ9 Score	Depression Risk	RCHC	FM
0-4	Minimal	30/40	7/9
5-9	Mild	3/40	1/9
10-14	Moderate	3/40	1/9
15-19	Mod-to-Severe	3/40	0/9
20-27	Severe	1/40	0/9

Figure 1: Proportion of patients from each location of care based on PHQ-9 score

GAD7 Score	Anxiety Risk	RCHC	FM
0-4	Minimal	30/40	8/9
5-9	Mild	2/40	1/9
10-14	Moderate	7/40	0/9
>15	Severe	1/40	0/9

Figure 2: Proportion of patients from each location of care based on GAD-7 score

Conclusion

Due to the limited amount of data available about mental health care at student-run free clinics, we are collecting data in this study to determine if the quality of mental-health care at the RCHC is comparable to insured practices

At this time, the data is showing a snapshot of our ongoing study. Therefore, we can capture current proportions of patients with specific mental health screening scores, but we cannot draw any significant conclusions at this time. Currently, none of the data is statistically significant due to the small sample size, especially in the Family Medicine office.

In this study, there are limitations regarding sample size. This can be attributed to language barriers, patients' discomfort with discussing mental health, and limited patients due to people being unaware of the services offered at the RCHC.

In the future, data should continue to be collected at both the RCHC and Family Medicine offices utilizing the GAD-2/GAD-7 and PHQ-2/PHQ-9.

References

1. Siu AL; US Preventive Services Task Force (USPSTF), Bibbins-Domingo K, et al. Screening for Depression in Adults: US Preventive Services Task Force Recommendation Statement. JAMA. 2016;315(4):380-387. doi:10.1001/jama.2015.18392
2. Cadzow, R. B., Servoss, T. J., & Fox, C. H. (2007). The health status of patients of a student-run free medical clinic in inner-city Buffalo, NY. The Journal of the American Board of Family Medicine, 20(6), 572-580. https://doi.org/10.3122/jabfm.2007.06.070036
3. Soltani M, Smith S, Beck E, Johnson M. Universal depression screening, diagnosis, management, and outcomes at a student-run free clinic. Acad Psychiatry. 2015;39(3):259-266. doi:10.1007/s40596-014-0257-x