



## Corrigendum to “MR and PET-CT monitoring of tissue-engineered vascular grafts in the ovine carotid artery” [Biomaterials 216 (2019) 119228]

Frederic Wolf<sup>a</sup>, Vera Paefgen<sup>b</sup>, Oliver Winz<sup>c</sup>, Marianne Mertens<sup>b</sup>, Sabine Koch<sup>a</sup>,  
Nicolas Gross-Weege<sup>b</sup>, Agnieszka Morgenroth<sup>c</sup>, Anne Rix<sup>b</sup>, Heike Schnoering<sup>d</sup>,  
Khaled Chalabi<sup>e</sup>, Stefan Jockenhoevel<sup>a</sup>, Twan Lammers<sup>b,f</sup>, Felix Mottaghy<sup>c,g,1</sup>,  
Fabian Kiessling<sup>b,1</sup>, Petra Mela<sup>a,\*,1</sup>

<sup>a</sup> Dept. of Biohybrid & Medical Textiles (BioTex), Institute of Applied Medical Engineering (AME), Helmholtz Institute Aachen and Institute for Textiles Engineering (ITA), RWTH Aachen University, Forckenbeckstr. 55, 52074, Aachen, Germany

<sup>b</sup> Institute for Experimental Molecular Imaging, RWTH Aachen University Clinic, Forckenbeckstr. 55, 52074, Aachen, Germany

<sup>c</sup> Department of Nuclear Medicine, University Hospital RWTH Aachen, Pauwelsstr. 30, 52074, Aachen, Germany

<sup>d</sup> Clinic for Thoracic and Cardiovascular Surgery, University Hospital RWTH Aachen, Pauwelsstr. 30, 52074, Aachen, Germany

<sup>e</sup> Institut National de Chirurgie Cardiaque et de Cardiologie Interventionnelle, 2A, rue Nicolas Ernest Barblé, 1210, Luxembourg, Luxembourg

<sup>f</sup> Department of Targeted Therapeutics, University of Twente, PO Box 217, 7500 AE, Enschede, the Netherlands

<sup>g</sup> Department of Radiology and Nuclear Medicine, Maastricht University Medical Center (MUMC+), P.O. Box 5800, 6202 AZ, Maastricht, the Netherlands

The authors regret that a statement on author contributions was not correctly formulated. With this corrigendum we provide the corrected version.

### Author contributions

FW and SK prepared the tissue-engineered vascular grafts and were responsible of the study's coordination. FW, SK, AR and PM performed the tissue analysis and interpretation. SJ, TL, FM and FK were responsible for the study design. VF, MM and NG-W performed the in vitro and

in vivo MR monitoring of grafts and the MRI data analysis together with TL, FK, PM and FW. OW and AM performed the PET-CT monitoring of grafts and the data analysis together with FM, PM and FW. HS and KC were responsible for the surgical implantation of the grafts. FW drafted the original manuscript; PM, TL and FK critically revised it. All authors discussed the results and approved the final version of the manuscript.

The authors would like to apologise for any inconvenience caused.

DOI of original article: <https://doi.org/10.1016/j.biomaterials.2019.119228>.

\* Corresponding author.

E-mail address: [mela@ame.rwth-aachen.de](mailto:mela@ame.rwth-aachen.de) (P. Mela).

<sup>1</sup> Equal contribution.

<https://doi.org/10.1016/j.biomaterials.2021.120723>

Available online 23 February 2021

0142-9612/© 2021 Elsevier Ltd. All rights reserved.