

Bowdoin College

Bowdoin Digital Commons

Biology Faculty Publications

Faculty Scholarship and Creative Work

7-1-1991

Chloroplasts of *Arabidopsis thaliana* homozygous for the ch-1 locus lack chlorophyll b, lack stable LHCP II and have stacked thylakoids

David L. Murray
Duke University

Bruce D. Kohorn
Duke University

Follow this and additional works at: <https://digitalcommons.bowdoin.edu/biology-faculty-publications>

Recommended Citation

Murray, David L. and Kohorn, Bruce D., "Chloroplasts of *Arabidopsis thaliana* homozygous for the ch-1 locus lack chlorophyll b, lack stable LHCP II and have stacked thylakoids" (1991). *Biology Faculty Publications*. 178.

<https://digitalcommons.bowdoin.edu/biology-faculty-publications/178>

This Article is brought to you for free and open access by the Faculty Scholarship and Creative Work at Bowdoin Digital Commons. It has been accepted for inclusion in Biology Faculty Publications by an authorized administrator of Bowdoin Digital Commons. For more information, please contact mdoyle@bowdoin.edu, a.sauer@bowdoin.edu.

Erratum

Chloroplasts of *Arabidopsis thaliana* homozygous for the ch-1 locus lack chlorophyll *b*, lack stable LHCPII and have stacked thylakoids

David L. Murray and Bruce D. Kohorn*

*Botany Department, Duke University, Durham, NC 27707, USA (*author for correspondence)*

Plant Molecular Biology 16: 71–79, 1991.

In Fig. 6 on page 76 of the above article, panel A is incorrect. Overleaf we present the figure and caption with the correct panel A.




Fig. 6. Ultra-structure of normal and *ch-1* chloroplasts. Thin sections of wild-type (panels A and C) and mutant (panels B and D) leaves from tissue of equal age and light exposure. Bar represents 0.5 μm in panels A and B, and 0.1 μm in panels C and D.