



Contents lists available at ScienceDirect

Physics Letters B

www.elsevier.com/locate/physletb



A search for resonances decaying into a Higgs boson and a new particle X in the $XH \rightarrow qqbb$ final state with the ATLAS detector

The ATLAS Collaboration *

ARTICLE INFO

Article history:

Received 21 September 2017
 Received in revised form 10 January 2018
 Accepted 16 January 2018
 Available online xxxxx
 Editor: M. Doser

ABSTRACT

A search for heavy resonances decaying into a Higgs boson (H) and a new particle (X) is reported, utilizing 36.1 fb^{-1} of proton–proton collision data at $\sqrt{s} = 13 \text{ TeV}$ collected during 2015 and 2016 with the ATLAS detector at the CERN Large Hadron Collider. The particle X is assumed to decay to a pair of light quarks, and the fully hadronic final state $XH \rightarrow q\bar{q}b\bar{b}$ is analysed. The search considers the regime of high XH resonance masses, where the X and H bosons are both highly Lorentz-boosted and are each reconstructed using a single jet with large radius parameter. A two-dimensional phase space of XH mass versus X mass is scanned for evidence of a signal, over a range of XH resonance mass values between 1 TeV and 4 TeV, and for X particles with masses from 50 GeV to 1000 GeV. All search results are consistent with the expectations for the background due to Standard Model processes, and 95% CL upper limits are set, as a function of XH and X masses, on the production cross-section of the $XH \rightarrow q\bar{q}b\bar{b}$ resonance.

© 2018 The Author(s). Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.

1. Introduction

The Standard Model (SM), including the recently discovered Higgs boson [1,2], describes collider phenomenology for energy scales up to a few hundred GeV. However, a number of issues with the SM, including sensitivity of the Higgs boson mass to radiative corrections, indicate either extreme fine-tuning or the presence of new physics at an energy scale not far above the Higgs boson mass. Many theoretical extensions to the SM predict the existence of new particles around the TeV scale, and it is natural to expect such particles to exhibit significant coupling to the Higgs boson (H). Examples of previous studies at the CERN Large Hadron Collider (LHC) which are motivated by these considerations include ATLAS [3,4] and CMS [5–8] searches for new resonances decaying into VH , where V denotes a W or Z boson, as well as ATLAS [9] and CMS [10,11] searches for resonances decaying into HH .

This Letter presents a new and more general search for heavy resonances which decay into the SM Higgs boson and a new particle (X), utilizing a data sample corresponding to 36.1 fb^{-1} of proton–proton (pp) collisions at $\sqrt{s} = 13 \text{ TeV}$ collected during 2015 and 2016 with the ATLAS detector. Since the hypothetical particle X has not yet been detected, it has unknown properties. It is assumed that X decays hadronically into a pair of light quarks, $X \rightarrow q\bar{q}'$, and has a natural width which is narrow compared to the detector resolution. It is also assumed that single X produc-

tion is sufficiently rare that it has not been observed by analyses such as the ATLAS and CMS searches for dijet resonances [12–14].

Examples of theories of physics beyond the SM which predict the existence of XH resonances include pseudo Nambu–Goldstone models [15], extended Higgs sectors [16] and extra-dimension frameworks with warped compactifications [17]. For simplicity, such XH resonances are hereafter denoted by Y . It is assumed that the new resonance Y is narrow. This study analyses the decay chain $Y \rightarrow XH \rightarrow q\bar{q}b\bar{b}$, and considers the regime of high Y masses, in the range between 1 TeV and 4 TeV, with $m(Y) \gg m(X)$, which implies that the X and H bosons are both highly Lorentz-boosted. The X and H boson candidates are each reconstructed in a single jet with large radius parameter; these jets are called “large- R jets” throughout this Letter and are denoted by J . Jet substructure techniques and b -tagging are used to suppress the dominant background from multijet events, to enhance the sensitivity to the dominant $H \rightarrow b\bar{b}$ decay mode, and to distinguish between the two bosons.

Given their assumed decay modes, both X and Y must be bosons. However, the search does not impose explicit requirements on their electric charge, spin or polarization states, and utilizes a simple event selection that does not seek to exploit angular correlations or other variables that would be sensitive to particular spin states. The analysis utilizes the reconstructed Y mass as the final discriminant, searching for an excess due to a resonance in the $Y \rightarrow XH \rightarrow JJ$ mass distribution, separately in a large number of overlapping ranges of X mass.

* E-mail address: atlas.publications@cern.ch.

<https://doi.org/10.1016/j.physletb.2018.01.042>

0370–2693/© 2018 The Author(s). Published by Elsevier B.V. This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>). Funded by SCOAP³.

A modified form of the benchmark heavy vector triplet (HVT) model [18,19] is used to provide a measure of the implications of the results of the search within one particular theoretical framework. The HVT model provides a simplified phenomenological Lagrangian that predicts heavy spin-1 resonances which are produced via $q\bar{q}$ annihilation, and which can have significant branching ratios for decays into boson pairs, with longitudinally polarized bosons. The search results are used to set limits on the production cross-section $\sigma(pp \rightarrow Y \rightarrow XH \rightarrow q\bar{q}b\bar{b})$ within the HVT theoretical framework, to provide an interpretation in the case where both X and Y have spin 1. The search overlaps with the VH and HH searches, when the X mass window extends around the V and H mass values, respectively, in which cases the results are found to be compatible with those analyses. However, the current search considers a much wider range of X masses, from 50 GeV to 1000 GeV.

2. ATLAS detector

The ATLAS detector [20] is a general-purpose particle physics detector used to investigate a broad range of physics processes. ATLAS includes an inner detector (ID) surrounded by a superconducting solenoid, electromagnetic (EM) and hadronic calorimeters, and a muon spectrometer (MS). The ID consists of a silicon pixel detector, including the insertable B-layer [21] installed after Run 1 of the LHC, a silicon microstrip detector and a straw-tube tracker. The ID is immersed inside a 2 T axial magnetic field from the solenoid and provides precision tracking of charged particles with pseudorapidity¹ $|\eta| < 2.5$. The straw-tube tracker also provides transition radiation measurements for electron identification. The calorimeter system consists of finely segmented sampling calorimeters using lead/liquid-argon for the detection of EM showers up to $|\eta| = 3.2$, and copper or tungsten/liquid-argon for hadronic showers for $1.5 < |\eta| < 4.9$. In the central region ($|\eta| < 1.7$), a steel/scintillator hadronic calorimeter is used. Outside the calorimeters, the MS incorporates multiple layers of trigger and tracking chambers within a magnetic field produced by a system of superconducting toroids, enabling an independent precise measurement of muon track momenta for $|\eta| < 2.7$. The ATLAS detector has a two-level trigger system. The first-level (L1) trigger is implemented in hardware and uses the calorimeter and muon systems to reduce the accepted event rate to 100 kHz. The L1 trigger is followed by a software-based high-level trigger to reduce the accepted event rate to approximately 1 kHz for offline analysis [22].

3. Signal and background simulation

Samples of simulated signal and background events are used to optimize the event selection and to estimate the background contributions from various SM processes.

The $Y \rightarrow XH$ signal was simulated by modifying the HVT [18, 19] configuration for $W' \rightarrow WH$ decays, replacing the W' boson with a narrow resonance Y , and the W boson by X . The new X boson was assumed to have spin 1, a natural width of 2 GeV, and a branching ratio (B) of 100% for decays $X \rightarrow u\bar{d}$. The properties of the Higgs boson were assumed to be as described in the SM, with its mass set to 125.5 GeV and decays into $b\bar{b}$ and $c\bar{c}$ enabled

¹ ATLAS uses a right-handed coordinate system with its origin at the nominal interaction point (IP) in the centre of the detector and the z -axis along the beam pipe. The x -axis points from the IP to the centre of the LHC ring, and the y -axis points upwards. Cylindrical coordinates (r, ϕ) are used in the transverse plane, ϕ being the azimuthal angle around the beam pipe. The pseudorapidity is defined in terms of the polar angle θ as $\eta = -\ln \tan(\theta/2)$. Angular distance is measured in units of $\Delta R \equiv \sqrt{(\Delta\eta)^2 + (\Delta\phi)^2}$.

in the simulation. Given the SM branching ratios and the relevant experimental performance factors, Higgs boson decays to $b\bar{b}$ dominate the signal efficiency. The signal samples were generated with MADGRAPH5_aMC@NLO 2.2.2 [23] interfaced to PYTHIA 8.186 [24] for parton shower and hadronization, with the NNPDF2.3 next-to-leading-order (NLO) parton distribution function (PDF) set [25] and the ATLAS A14 set of tuned parameters (tune) [26] for the underlying event. Approximately 100 signal samples were generated, each with individual values of Y and X masses, chosen in a two-dimensional grid of values ranging from 1 TeV to 4 TeV for $m(Y)$ and from 50 GeV to 1000 GeV for $m(X)$. The requirements $m(Y) > 1$ TeV and $m(Y) \gg m(X)$ were applied, to focus on the kinematic regime where the X and H bosons are highly Lorentz-boosted.

The dominant SM background is due to multijet processes and, as described in Section 7, is evaluated using data-driven techniques. Some cross-checks were performed using simulated multijet events generated with PYTHIA 8.186, with the NNPDF2.3 NLO PDF and the ATLAS A14 tune.

Minor background contributions, which are estimated using simulated samples, are due to $t\bar{t}$ production and to vector boson production in association with jets (V +jets). The $t\bar{t}$ samples were generated with POWHEG-Box v2 [27] with the CT10 PDF set [28], interfaced with PYTHIA 6.428 [29] and the Perugia 2012 tune for the parton shower [30] using the CTEQ6L1 PDF set [31]. The cross-section of the $t\bar{t}$ process was normalized to the result of a QCD calculation at next-to-next-leading order and next-to-next-leading logarithmic accuracy (NNLO+NNLL), as implemented in TOP++ 2.0 [32]. The V +jets background samples were generated with SHERPA 2.1.1 [33] interfaced with the CT10 PDF set, including only hadronic V decays. Matrix elements of up to four extra partons were calculated at leading order in QCD. The V +jets events are normalized to the NNLO cross-sections [34].

For all simulated samples except those produced using SHERPA, EVTGEN v1.2.0 [35] was used to model the properties of bottom and charm hadron decays. The effect of multiple pp interactions in the same and neighbouring bunch crossings (pile-up) was included by overlaying minimum-bias events simulated with PYTHIA 8.186 on each generated event [36]. The detector response was simulated with a GEANT4 [37] based framework [38] and the events were processed with the same reconstruction software as that used for data.

4. Event reconstruction

The reconstruction and identification of hadronically decaying bosons is performed using jets. Large- R jets are reconstructed with the anti- k_t algorithm [39,40] with radius parameter $R = 1.0$ from three-dimensional topological clusters of energy deposits in the calorimeter [41]. The large- R jets are required to have transverse momentum $p_T > 250$ GeV and $|\eta| < 2.0$.

Track-jets are formed from charged-particle tracks with $p_T > 0.4$ GeV and $|\eta| < 2.5$ that satisfy a set of hit and impact parameter criteria to reduce the contamination from pile-up interactions, and are clustered using the anti- k_t algorithm with $R = 0.2$ [42]. Only track-jets with $p_T > 25$ GeV that are constructed from at least two tracks are considered in this analysis.

To mitigate pile-up effects and soft radiation, the large- R jets are trimmed [43], and then are subsequently reclustered into sub-jets using the k_t algorithm [44]. To compensate for the limited angular resolution of the calorimeter, the mass of large- R jets is computed using a combination of calorimeter and tracking information [45]. The combined jet mass is defined as

$$m_J \equiv w_{\text{calo}} \times m_J^{\text{calo}} + w_{\text{track}} \times \left(m_J^{\text{track}} \frac{p_{\text{T}}^{\text{calo}}}{p_{\text{T}}^{\text{track}}} \right),$$

where m_J^{calo} is the calorimeter-only estimate of the jet mass. The variable m_J^{track} is the jet mass estimated via tracks with $p_{\text{T}} > 0.4$ GeV associated with the large- R jet using “ghost association” [39], and is scaled in the combined mass formula by the ratio of calorimeter to track p_{T} estimates in order to account for the missing neutral-particle component in the track-jet. The ghost association technique relies on repeating the jet clustering process with the addition of measured tracks that have the same direction but infinitesimally small p_{T} , so that the jet properties remain unaffected. A track is associated with a jet if it is contained in the jet after this re-clustering procedure. The weighting factors w_{calo} and w_{track} depend on p_{T} satisfy $w_{\text{calo}} + w_{\text{track}} = 1$, and are used to optimize the combined mass resolution. To partially account for the energy carried by muons from semileptonic b -hadron decays, the four-momentum of the closest muon candidate satisfying “Tight” muon identification criteria [46] with $p_{\text{T}} > 4$ GeV and $|\eta| < 2.5$ that is within $\Delta R = 0.2$ of a track-jet that is b -tagged is added to the calorimeter jet four-momentum [47]. In this study, only large- R jets with $m_J > 50$ GeV are considered for further analysis.

Identifying a large- R jet as a hadronically decaying Higgs boson candidate is aided by using track-jets matched via ghost association to the large- R jet [48]. The identification of b -hadrons relies on a multivariate b -tagging algorithm [49] applied to a set of tracks in a region of interest around each track-jet axis. The b -tagging requirements result in an efficiency of 77% for track-jets containing b -hadrons, and the misidentification rate is $\sim 2\%$ ($\sim 24\%$) for light-flavour (charm) jets. These were determined in a sample of simulated $t\bar{t}$ events. For simulated samples the b -tagging efficiencies are corrected, based on the jet p_{T} , to match those measured in data [50].

Identifying a large- R jet as a hadronically decaying $X \rightarrow q\bar{q}'$ boson candidate is aided by using jet substructure techniques. The variable D_2 is defined² as a ratio of two- and three-point energy correlation functions [51,52], which are based on the energies and pairwise angular distances of particles within a jet. This variable is optimized [53] to distinguish between jets originating from a single parton and those from the two-body decay of a heavy particle. A detailed description of the optimization, performed using simulated V decays, can be found in Refs. [54,55]. Studies of boosted W boson decays [54] demonstrate that the D_2 variable is well modelled, with good agreement observed between data and simulation.

“Loose” electrons and muons are reconstructed and identified as described in Refs. [46,56]. These leptons have $p_{\text{T}} > 7$ GeV, $|\eta| < 2.5$ (2.47) for muons (electrons), $|d_0|/\sigma_{d_0} < 3$ (5) and $|z_0 \sin\theta| < 0.5$ mm, where d_0 is transverse impact parameter with respect to the beam line, σ_{d_0} is the corresponding uncertainty, and z_0 is the distance between the longitudinal position of the track along the beam line at the point where d_0 is measured and the longitudinal position of the primary vertex. An isolation criterion is also applied. Specifically, within a cone of size $\Delta R = 0.2$ (0.3) around an electron (muon), the scalar sum of transverse momenta of tracks divided by the lepton p_{T} is required to be less than a cut-off value, chosen to provide a constant efficiency of around 99% as a function of p_{T} and $|\eta|$.

5. Event selection

Events are selected from the 2015 (2016) running period using a trigger that requires a single large- R jet with $p_{\text{T}} >$




Fig. 1. Illustration of the definitions of the various mutually exclusive data regions. The data are divided into Low Sidebands (LSB), Signal Regions (SR), and High Sidebands (HSB) according to the mass of the candidate Higgs jet. Each region is subdivided further according to the number of b -tagged jets associated with the candidate Higgs jet. The 0-tag sample satisfying the SR mass cut is denoted by CR0 to emphasize its use as a control region in the background determination, rather than as an additional signal region.

360 (420) GeV. Selected events are required to have at least one primary vertex (PV) that has at least two associated tracks, each with transverse momentum $p_{\text{T}} > 0.4$ GeV. For events with more than one PV candidate, the one with the largest track $\sum p_{\text{T}}^2$ is chosen as the hard-scatter PV. To select a hadronic final state, events with one or more “Loose” charged leptons (electrons or muons) are vetoed.

Events are kept only if they contain at least two large- R jets. For events with more than two large- R jets, only the two “leading” jets, namely those with highest p_{T} , are considered as possible X and H candidates. To ensure high and uniform trigger efficiency, the leading large- R jet must satisfy $p_{\text{T}} > 450$ GeV.

Additional requirements are imposed to distinguish hadronically decaying boson candidates from background jets. To be identified as a Higgs jet candidate, the combined mass of the jet is required to satisfy $75 \text{ GeV} < m_J < 145 \text{ GeV}$, a criterion that is $\sim 90\%$ efficient for Higgs boson jets. The number of b -tagged jets inside the Higgs jet is used to categorize the events in two orthogonal signal regions: the “1-tag” signal region (SR1) and “2-tag” signal region (SR2) definitions require Higgs candidates to contain exactly one and two b -tagged jets, respectively. The SR1 region recovers some efficiency loss in the high Y mass region where the angular separation between the two b -quarks from the Higgs decay is small and the fragmentation products are merged [47]. As depicted in Fig. 1 and described in Section 7, a number of different samples of events are selected to be used as part of the background estimation strategy. These samples include events with the Higgs jet candidate with a mass in the so-called “high sideband” (HSB) region with $145 \text{ GeV} < m_J < 200 \text{ GeV}$, as well as events in a “low sideband” (LSB) region with $50 \text{ GeV} < m_J < 75 \text{ GeV}$. In addition, “0-tag” samples, with Higgs candidates that pass these various mass requirements but have no associated b -tagged jets, are also selected. The 0-tag sideband samples are denoted by LSB0 and HSB0. The 0-tag sample satisfying the SR mass cut is denoted by CR0 to emphasize its use as a control region in the background determination (see Section 7), rather than as an additional signal region.

If both large- R jets fulfil the Higgs mass requirement, the jet with the highest number of associated b -tagged jets is chosen as the Higgs candidate. In case both have the same number of b -tagged jets, the ambiguity is resolved by assigning the leading p_{T} large- R jet as the Higgs candidate. Studies of signal samples with $m(X) = 110$ GeV demonstrate that, in the lower $m(Y)$ region, the probability to correctly identify the H and X jets is 98.8%. This

² The angular exponent β , defined in Ref. [51], is set to unity.




Fig. 2. Efficiencies, as a function of $m(Y)$ and $m(X)$ for all the generated signal samples, for the selection defining (a) the 1-tag signal region (SR1) and (b) the 2-tag signal region (SR2). (For interpretation of the references to colour in this figure, the reader is referred to the web version of this article.)

value decreases to 89.5% for $m(Y) = 4$ TeV, due to the falling efficiency in the very high mass region to tag two separate b -tagged jets within the H jet.

The large- R jet which is not chosen as the Higgs candidate is assigned to the X hypothesis. The jet substructure variable D_2 , described previously, is used to check whether the X candidate jet is compatible with the two-prong structure expected due to its assumed $X \rightarrow q\bar{q}'$ decay. The requirement on the value of D_2 corresponds to that defined in Refs. [54,55] to provide a constant efficiency of 50% for selecting hadronic V decays, when applied along with an associated requirement that m_J lies within a window around the V mass. Given that the X mass is a priori unknown, the event selection does not make any requirement on the mass of the X candidate jet beyond the $m_J > 50$ GeV restriction applied to all large- R jets, however the data are interpreted in windows of m_X .

The mass of the $Y \rightarrow XH$ candidate is required to be larger than 1 TeV. The efficiencies for the 1-tag and 2-tag signal region selections are presented as a function of $m(Y)$ and $m(X)$ in Fig. 2 for the various signal samples. No signal samples with $m(Y) > 4$ TeV were simulated, due to the low expected sensitivity for such high masses with the current data sample. However, data events with higher reconstructed Y mass values are included in the overflow bin in the mass distributions.

6. Signal modelling

The signal search in the two-dimensional space of $m(Y)$ versus $m(X)$ employs a sliding-window technique to the m_J spectrum of the X candidate jet, dividing the data into a series of overlapping m_J ranges. As described in Section 9, for each m_J window of the X candidate jet, the corresponding m_{JJ} distribution is examined for evidence of an excess due to a signal, where m_{JJ} denotes the invariant mass of the system formed by the H and X candidate large- R jets.

The reconstructed X mass resolution varies from 12 GeV to 40 GeV. The widths of the overlapping m_J windows for the X candidate jet are chosen to be around twice the X mass resolution, but also take into account the limited number of data events. The central values of neighbouring m_J windows are shifted by roughly half of the X mass resolution, ensuring that they overlap and do not leave gaps in the search coverage. Studies in which simulated

signals were injected at various mass values were used to demonstrate the reasonableness of the window choices.

The reconstructed $Y \rightarrow XH$ mass resolution varies from about 65 GeV to 100 GeV. For each m_J window of the X candidate jet, the binning for the corresponding m_{JJ} distribution is chosen to be at least as large as the Y mass resolution, dependent on the size of the data sample.

Given the large number of possible $m(Y)$ and $m(X)$ values in the ranges considered, a parameterization of the signal is used to interpolate between the mass values for which signal samples were generated. Probability distribution functions for the m_{JJ} and m_J shapes are built using the `RoofKeysPdf` class of the `Roofit` package [57]. Multidimensional morphing methods, implemented in the `RoofMomentMorphND` class [58], are subsequently applied to parameterize grid points using the surrounding four nearby points. The normalization of the parameterized signals is estimated using linear interpolation.

7. Background estimation

After the event selection, over 96% of the SM background originates from multijet processes. A data-driven method is used to determine the shape of the dominant multijet background, with its normalization in the signal regions being determined with the fit procedure described in Section 9. The small additional background contributions from $t\bar{t}$ and V +jets production are estimated via simulation. The background determination is performed separately in each of the m_J windows considered for the X candidate jet mass.

As depicted in Fig. 1, the event sample, before any specific requirements are made on the mass of the X candidate jet, is separated into mutually exclusive categories according to the mass and number of b -tagged jets of the Higgs boson candidate. The SR1 and SR2 regions are used to perform the signal search, while the other seven regions are used as control regions to develop and validate the background model. The multijet background component in each of the seven control regions is determined by subtracting from the data the $t\bar{t}$ and V +jets contributions predicted by simulation.

The modelling of the dominant multijet background in the SR1 and SR2 signal regions starts from the CR0 sample, for which the candidate Higgs jet satisfies the SR requirement on the jet mass but has no associated b -tagged jets. The CR0 sample should contain negligible signal contamination. The basic strategy is to use




Fig. 3. The m_{JJ} mass distributions in the m_J window of the X candidate jet from 133 GeV to 171 GeV after the likelihood fit for events in (a) the 1-tag signal region (SR1) and (b) the 2-tag signal region (SR2). The highest mass bin includes any overflows. The background expectation is given by the filled histograms and the ratio of the observed data to the background (Data/Bkg) is shown in the lower panel. The uncertainties shown are those after the fit described in the text. One particular example of a possible signal model, namely with $m(X) = 152$ GeV and $m(Y) = 1.8$ TeV, is overlaid with an arbitrary overall normalization, illustrating the corresponding contributions that would be expected in the SR1 and SR2 regions. Panel (c) shows the resultant 95% CL upper limit on the production cross-section, $\sigma(pp \rightarrow Y \rightarrow XH \rightarrow qq'bb)$. (For interpretation of the references to colour in this figure, the reader is referred to the web version of this article.)

events in the CR0 sample with at least one (two) track-jet(s) associated with the Higgs jet to model the shape of the multijet background in the SR1 (SR2) signal region. However, sources of possible differences between the multijet components of CR0 versus SR1 and SR2 include changes in the underlying event populations due to the absence or presence of b -quarks as well as kinematic differences arising from the application of b -tagging, since the b -tagging efficiency depends on the p_T and η of the track-jet. The corrections required to take these differences into account are extracted from the HSB events. In each of the HSB regions with different number of b -tags (HSB0, HSB1, HSB2), a pair of two-dimensional histograms is filled, one of p_T versus η for the leading track-jet, and the other for the subleading track-jet. Subsequently, leading and subleading track jet reweighting maps are created by dividing the HSB1 and HSB2 histograms by the corresponding HSB0 histogram. A Gaussian kernel, similar to that applied in Ref. [59], is used to smooth out statistical fluctuations by taking a weighted sum of neighbouring bins. The weight is inversely proportional to the width of the Gaussian kernel and depends on the statistical

uncertainty of each bin. The result is a reduction of statistical fluctuations, while adding negligible bias to the distributions.

To describe the SR multijet background shapes, the CR0 events are reweighted using the maps in bins of track-jet p_T and η extracted from the sideband. The reweighting is performed only for the 2-tag samples, as the modelling of the shape of the multijet background in the 1-tag sideband regions without reweighting is observed to be adequate. Due to the correlations between the kinematic variables of the two leading track-jets used for the reweighting, multiple reweighting iterations are performed, until the track-jet properties, p_T and η , are matched within statistical uncertainties.

The background modelling is validated by using the same method to predict the background in the LSB regions in the low mass sidebands, and then comparing with the data and obtaining good agreement. Agreement is also confirmed in the signal region by integrating over all values of the mass of the X candidate jet, thereby diluting any possible signal contamination to a negligible level.




Fig. 4. The m_{JJ} mass distributions in the m_J window of the X candidate jet from 288 GeV to 340 GeV after the likelihood fit for events in (a) the 1-tag signal region (SR1) and (b) the 2-tag signal region (SR2). The highest mass bin includes any overflows. The background expectation is given by the filled histograms and the ratio of the observed data to the background (Data/Bkg) is shown in the lower panel. The uncertainties shown are those after the fit described in the text. One particular example of a possible signal model, namely with $m(X) = 314$ GeV and $m(Y) = 2.3$ TeV, is overlaid with an arbitrary overall normalization, illustrating the corresponding contributions that would be expected in the SR1 and SR2 regions. Panel (c) shows the resultant 95% CL upper limit on the production cross-section, $\sigma(pp \rightarrow Y \rightarrow XH \rightarrow q\bar{q}b\bar{b})$. (For interpretation of the references to colour in this figure, the reader is referred to the web version of this article.)

8. Systematic uncertainties

The main systematic uncertainty in the background estimate arises from the potential mis-modelling of the background processes. As described in Section 7, the multijet background shapes in the two signal regions are estimated directly from data using sideband regions. To determine the systematic uncertainty in this method, the multijet background shapes in the HSB1 and HSB2 regions are compared, in each m_J window of the X candidate jet, to those of the reweighted HSB0 multijet distributions. The differences, in bins of m_{JJ} , fitted with a line are used as the multijet modelling systematic uncertainties. The largest observed shape difference is found to be approximately 12%, while the smallest is 3%. A normalization uncertainty of 30% is assigned to the small $t\bar{t}$ background, based on the ATLAS $t\bar{t}$ differential cross-section measurement [60]. The same uncertainty is conservatively applied to the small V +jets background component.

The uncertainty in the combined 2015+2016 integrated luminosity is 2.1%. It is derived, following a methodology similar to that detailed in Ref. [61], from a calibration of the luminosity scale

using x - y beam-separation scans performed in August 2015 and May 2016. This uncertainty is applied to the yields of both the signal and the small $t\bar{t}$ and V +jets backgrounds, which are not determined from data.

Additional systematic uncertainties in the signal acceptance arise from the choice of PDF set and the uncertainty in the amount of initial- and final-state radiation. For all the two-dimensional mass grid points, a constant 5% uncertainty is applied and covers both effects.

Uncertainties related to the signal parameterization method are estimated by comparing the mass distributions of generated signal points to those predicted from morphing nearby points in the two-dimensional space of $m(Y)$ versus $m(X)$. The largest observed normalization deviation is $\sim 8\%$, while differences in the signal shape also reach levels up to $\sim 8\%$. Both effects are included as uniform uncorrelated systematic uncertainties.

Systematic uncertainties which account for experimental effects on the signal shape include the large- R jet mass scale and mass resolution, as well as D_2 and the b -tagging. The impact of each of these effects is evaluated by shifting each variable accord-




Fig. 5. The m_J mass distributions in the m_J window of the X candidate jet from 500 GeV to 584 GeV after the likelihood fit for events in (a) the 1-tag signal region (SR1) and (b) the 2-tag signal region (SR2). The highest mass bin includes any overflows. The background expectation is given by the filled histograms and the ratio of the observed data to the background (Data/Bkg) is shown in the lower panel. The uncertainties shown are those after the fit described in the text. One particular example of a possible signal model, namely with $m(X) = 542$ GeV and $m(Y) = 2.9$ TeV, is overlaid with an arbitrary overall normalization, illustrating the corresponding contributions that would be expected in the SR1 and SR2 regions. Panel (c) shows the resultant 95% CL upper limit on the production cross-section, $\sigma(pp \rightarrow Y \rightarrow XH \rightarrow qq'bb)$. (For interpretation of the references to colour in this figure, the reader is referred to the web version of this article.)




Fig. 6. The (a) expected and (b) observed 95% CL limits on the production cross-section $\sigma(pp \rightarrow Y \rightarrow XH \rightarrow qq'bb)$ (z-axis) in the two-dimensional space of $m(Y)$ versus $m(X)$. (For interpretation of the references to colour in this figure, the reader is referred to the web version of this article.)

ing to these systematic uncertainties and then re-performing the signal parameterization. Based on the measurements documented in Refs. [55,62], a 2% uncertainty is assigned for the large- R jets p_T scale, while uncertainties of 20% and 15%, respectively, are assigned for the large- R jet mass resolution and D_2 resolution. Uncertainties in the correction factors for the b -tagging are applied to the simulated event samples by looking at dedicated flavour-enriched samples in data. An additional term is included to extrapolate the measured uncertainties to the high- p_T region of interest. This term is calculated from simulated events by considering variations of the quantities affecting the b -tagging performance such as the impact parameter resolution, percentage of poorly measured tracks, description of the detector material, and track multiplicity per jet. The dominant effect on the uncertainty when extrapolating to high p_T is related to the change in tagging efficiency when smearing the track impact parameters based on the resolution measured in data and simulation. The uncertainty in the b -tagging efficiency is measured as a function of b -jet p_T and η for track-jets with $p_T < 250$ GeV, while for higher p_T values it is extrapolated using simulation [50]. These uncertainties vary between 2% and 8% in the lower p_T range, and rise to approximately 9% for track-jets with $p_T > 400$ GeV.

9. Statistical treatment and results

The signal search in the two-dimensional space of $m(Y)$ versus $m(X)$ is performed by applying a sliding-window technique to the m_J spectrum of the X candidate jet, which divides the data into a series of overlapping m_J ranges. For each m_J window, a binned maximum-likelihood fit is then performed to the resultant m_{JJ} distributions in both SR1 and SR2 signal regions simultaneously. A test statistic based on the profile likelihood ratio [63] is used to test hypothesized values of the global signal strength (μ), corresponding to the HVT model. The systematic uncertainties, described previously, are modelled with Gaussian or log-normal constraint terms (nuisance parameters) in the definition of the likelihood function.

Each m_J window of the X candidate jet is fitted independently, but as the mass ranges overlap, the fit results are correlated. In each fit, the normalizations of the multijet backgrounds in the SR1 and SR2 signal regions are treated as free parameters. All of the systematic uncertainties are treated as correlated between the two signal regions.

The data distributions and fit results are shown for three example m_J windows of the X candidate jet in Figs. 3–5. In each case, the left (right) upper plot shows the m_{JJ} distribution in the SR1 (SR2) signal region, and the results of the simultaneous fit are superimposed on the plots. Examples of possible signal models are also shown, with arbitrary overall normalization, illustrating the corresponding contributions that would be expected in the SR1 and SR2 regions. The data distributions are well described by the fitted SM background, and there is no significant evidence of a signal. The same conclusion is valid for all m_J windows of the X candidate jet.

The fits to the data are used to set upper limits on the production cross-section, $\sigma(pp \rightarrow Y \rightarrow XH \rightarrow q\bar{q}b\bar{b})$. Exclusion limits are computed using the CL_s method [64], with a value of μ regarded as excluded at the 95% confidence level (CL) when CL_s is less than 5%. The corresponding limit plots are included in panel (c) of Figs. 3–5.

A summary of the expected and observed 95% CL limits on the production cross-section, $\sigma(pp \rightarrow Y \rightarrow XH \rightarrow q\bar{q}b\bar{b})$, is given in the two-dimensional plane of $m(Y)$ versus $m(X)$ in Fig. 6. For X mass windows around the V and Higgs boson mass values, the results are found to be compatible with the dedicated ATLAS VH




Fig. 7. Differences between the observed and the expected 95% CL limits on the resonance production cross-section $\sigma(pp \rightarrow Y \rightarrow XH \rightarrow q\bar{q}b\bar{b})$, expressed in terms of multiples of σ , the equivalent Gaussian significance. (For interpretation of the references to colour in this figure, the reader is referred to the web version of this article.)

and HH searches reported in Refs. [4] and [9], respectively. To visualize both the magnitude and the sign of discrepancies between the expected and observed limits, Fig. 7 presents the differences between the expected and observed limits, expressed in multiples of σ , the equivalent Gaussian significance. The maximum observed deviation has a local significance of about 2.5σ , corresponding to a global deviation of 1.2σ .

10. Conclusion

A search for new heavy resonances Y decaying into a Higgs boson and a new particle X was carried out using 36.1 fb^{-1} of pp collision data collected at $\sqrt{s} = 13$ TeV by ATLAS during the 2015 and 2016 runs of the CERN Large Hadron Collider. The $Y \rightarrow XH \rightarrow q\bar{q}b\bar{b}$ channel was studied using a generic approach in the topological regime where both bosons are highly Lorentz-boosted, and each is reconstructed as a single jet with a large radius parameter. Jet substructure and b -tagging techniques are exploited to tag the X and Higgs bosons and to reduce the dominant multijet background. Values of Y (X) mass in the range of 1 TeV to 4 TeV (50 GeV to 1000 GeV) were considered.

A search for evidence of an excess in the XH mass spectrum was made in a large number of overlapping sliding windows in the mass of the X particle. The data are found to be in agreement with the Standard Model background expectations and only small deviations are observed, with local (global) significance of no more than 2.5σ (1.2σ). Within the framework of a modified Heavy Vector Triplet model, upper limits on the resonance production cross-section $\sigma(pp \rightarrow Y \rightarrow XH \rightarrow q\bar{q}b\bar{b})$ were set at 95% CL in the two-dimensional space of the Y mass versus the X mass.

Acknowledgements

We thank CERN for the very successful operation of the LHC, as well as the support staff from our institutions without whom ATLAS could not be operated efficiently.

We acknowledge the support of ANPCyT, Argentina; YerPhI, Armenia; ARC, Australia; BMWFW and FWF, Austria; ANAS, Azerbaijan; SSTC, Belarus; CNPq and FAPESP, Brazil; NSERC, NRC and CFI, Canada; CERN; CONICYT, Chile; CAS, MOST and NSFC, China; COLCIENCIAS, Colombia; MSMT CR, MPO CR and VSC CR, Czech Republic; DNRF and DNSRC, Denmark; IN2P3-CNRS, CEA-DRF/IRFU, France; SRNSF, Georgia; BMBF, HGF, and MPG, Germany; GSRT, Greece; RGC, Hong Kong SAR, China; ISF, I-CORE and Benoziyo Center, Israel; INFN, Italy; MEXT and JSPS, Japan; CNRST, Morocco;

1 NWO, Netherlands; RCN, Norway; MNiSW and NCN, Poland; FCT,
2 Portugal; MNE/IFA, Romania; MES of Russia and NRC KI, Russian
3 Federation; JINR; MESTD, Serbia; MSSR, Slovakia; ARRS and MIZŠ,
4 Slovenia; DST/NRF, South Africa; MINECO, Spain; SRC and Wallen-
5 berg Foundation, Sweden; SERI, SNSF and Cantons of Bern and
6 Geneva, Switzerland; MOST, Taiwan; TAEK, Turkey; STFC, United
7 Kingdom; DOE and NSF, United States of America. In addition, in-
8 dividual groups and members have received support from BCKDF,
9 the Canada Council, Canarie, CRC, Compute Canada, FQRNT, and the
10 Ontario Innovation Trust, Canada; EPLANET, ERC, ERDF, FP7, Hori-
11 zon 2020 and Marie Skłodowska-Curie Actions, European Union;
12 Investissements d'Avenir Labex and Idex, ANR, Région Auvergne
13 and Fondation Partager le Savoir, France; DFG and AvH Foundation,
14 Germany; Herakleitos, Thales and Aristeia programmes co-financed
15 by EU-ESF and the Greek NSRF; BSF, GIF and Minerva, Israel; BRF,
16 Norway; CERCA Programme Generalitat de Catalunya, Generalitat
17 Valenciana, Spain; the Royal Society and Leverhulme Trust, United
18 Kingdom.

19 The crucial computing support from all WLCG partners is ac-
20 knowledged gratefully, in particular from CERN, the ATLAS Tier-
21 1 facilities at TRIUMF (Canada), NDGF (Denmark, Norway, Swe-
22 den), CC-IN2P3 (France), KIT/GridKA (Germany), INFN-CNAF (Italy),
23 NL-T1 (Netherlands), PIC (Spain), ASGC (Taiwan), RAL (UK) and BNL
24 (USA), the Tier-2 facilities worldwide and large non-WLCG resource
25 providers. Major contributors of computing resources are listed in
26 Ref. [65].

References

- [1] ATLAS Collaboration, Observation of a new particle in the search for the Standard Model Higgs boson with the ATLAS detector at the LHC, Phys. Lett. B 716 (2012) 1, arXiv:1207.7214 [hep-ex].
- [2] CMS Collaboration, Observation of a new boson at a mass of 125 GeV with the CMS experiment at the LHC, Phys. Lett. B 716 (2012) 30, arXiv:1207.7235 [hep-ex].
- [3] ATLAS Collaboration, Search for new resonances decaying to a W or Z boson and a Higgs boson in the $\ell^+\ell^-b\bar{b}$, $\ell\nu b\bar{b}$, and $\nu\bar{\nu}b\bar{b}$ channels with pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Lett. B 765 (2017) 32, arXiv:1607.05621 [hep-ex].
- [4] ATLAS Collaboration, Search for heavy resonances decaying to a W or Z boson and a Higgs boson in the $q\bar{q}(\ell)\ell b\bar{b}$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, arXiv:1707.06958 [hep-ex], 2017.
- [5] C. Collaboration, Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C 77 (2017) 636, arXiv:1707.01303 [hep-ex].
- [6] CMS Collaboration, Search for a massive resonance decaying into a Higgs boson and a W or Z boson in hadronic final states in proton–proton collisions at $\sqrt{s} = 8$ TeV, J. High Energy Phys. 02 (2016) 145, arXiv:1506.01443 [hep-ex].
- [7] CMS Collaboration, Search for massive WH resonances decaying into the $\ell\nu b\bar{b}$ final state at $\sqrt{s} = 8$ TeV, Eur. Phys. J. C 76 (2016) 237, arXiv:1601.06431 [hep-ex].
- [8] CMS Collaboration, Search for narrow high-mass resonances in proton–proton collisions at $\sqrt{s} = 8$ TeV decaying to a Z and a Higgs boson, Phys. Lett. B 748 (2015) 255, arXiv:1502.04994 [hep-ex].
- [9] ATLAS Collaboration, Search for pair production of Higgs bosons in the $b\bar{b}b\bar{b}$ final state using proton–proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Rev. D 94 (2016) 052002, arXiv:1606.04782 [hep-ex].
- [10] CMS Collaboration, Search for heavy resonances decaying to two Higgs bosons in final states containing four b quarks, Eur. Phys. J. C 76 (2016) 371, arXiv:1602.08762 [hep-ex].
- [11] CMS Collaboration, Search for resonant pair production of Higgs bosons decaying to two bottom quark–antiquark pairs in proton–proton collisions at 8 TeV, Phys. Lett. B 749 (2015) 560, arXiv:1503.04114 [hep-ex].
- [12] ATLAS Collaboration, Search for new phenomena in dijet events using 37 fb $^{-1}$ of pp collision data collected at $\sqrt{s} = 13$ TeV with the ATLAS detector, Phys. Rev. D 96 (2017) 052004, arXiv:1703.09127 [hep-ex].
- [13] CMS Collaboration, Search for dijet resonances in proton–proton collisions at $\sqrt{s} = 13$ TeV and constraints on dark matter and other models, Phys. Lett. B 769 (2017) 520, arXiv:1611.03568 [hep-ex].
- [14] C. Collaboration, Search for low mass vector resonances decaying into quark–antiquark pairs in proton–proton collisions at $\sqrt{s} = 13$ TeV, arXiv:1710.00159 [hep-ex], 2017.
- [15] J. Galloway, A.L. Kagan, A. Martin, A UV complete partially composite-pNGB Higgs, Phys. Rev. D 95 (2017) 035038, arXiv:1609.05883 [hep-ph].
- [16] U. Ellwanger, M. Rodriguez-Vazquez, Simultaneous search for extra light and heavy Higgs bosons via cascade decays, arXiv:1707.08522 [hep-ph], 2017.
- [17] K.S. Agashe, et al., LHC signals from cascade decays of warped vector resonances, J. High Energy Phys. 05 (2017) 078, arXiv:1612.00047 [hep-ph].
- [18] D. Pappadopulo, A. Thamm, R. Torre, A. Wulzer, Heavy vector triplets: bridging theory and data, J. High Energy Phys. 09 (2014) 060, arXiv:1402.4431 [hep-ph].
- [19] J. de Blas, J.M. Lizana, M. Perez-Victoria, Combining searches of Z' and W' bosons, J. High Energy Phys. 01 (2013) 166, arXiv:1211.2229 [hep-ph].
- [20] ATLAS Collaboration, The ATLAS experiment at the CERN Large Hadron Collider, J. Instrum. 3 (2008) S08003.
- [21] ATLAS Collaboration, ATLAS insertable B-layer technical design report, ATLAS-TDR-19, URL: <https://cds.cern.ch/record/1291633>; ATLAS insertable B-layer technical design report addendum, ATLAS-TDR-19-ADD-1, URL: <https://cds.cern.ch/record/1451888>.
- [22] ATLAS Collaboration, Performance of the ATLAS trigger system in 2015, Eur. Phys. J. C 77 (2017) 317, arXiv:1611.09661 [hep-ex].
- [23] J. Alwall, et al., The automated computation of tree-level and next-to-leading order differential cross sections, and their matching to parton shower simulations, J. High Energy Phys. 07 (2014) 079, arXiv:1405.0301 [hep-ph].
- [24] T. Sjöstrand, S. Mrenna, P.Z. Skands, A brief introduction to PYTHIA 8.1, Comput. Phys. Commun. 178 (2008) 852, arXiv:0710.3820 [hep-ph].
- [25] R.D. Ball, et al., Parton distributions with LHC data, Nucl. Phys. B 867 (2013) 244, arXiv:1207.1303 [hep-ph].
- [26] ATLAS Collaboration, ATLAS Pythia 8 tunes to 7 TeV data, ATL-PHYS-PUB-2014-021, URL: <https://cds.cern.ch/record/1966419>, 2014.
- [27] S. Frixione, B.R. Webber, Matching NLO QCD computations and parton shower simulations, J. High Energy Phys. 06 (2002) 029, arXiv:hep-ph/0204244.
- [28] H.-L. Lai, et al., New parton distributions for collider physics, Phys. Rev. D 82 (2010) 074024, arXiv:1007.2241 [hep-ph].
- [29] T. Sjöstrand, S. Mrenna, P.Z. Skands, PYTHIA 6.4 Physics and Manual, J. High Energy Phys. 05 (2006) 026, arXiv:hep-ph/0603175.
- [30] P.Z. Skands, Tuning Monte Carlo generators: the Perugia tunes, Phys. Rev. D 82 (2010) 074018, arXiv:1005.3457 [hep-ph].
- [31] J. Pumplin, et al., New generation of parton distributions with uncertainties from global QCD analysis, J. High Energy Phys. 07 (2002) 012, arXiv:hep-ph/0201195.
- [32] M. Czakon, A. Mitov, Top++: a program for the calculation of the top-pair cross-section at hadron colliders, Comput. Phys. Commun. 185 (2014) 2930, arXiv:1112.5675 [hep-ph].
- [33] T. Gleisberg, et al., Event generation with SHERPA 1.1, J. High Energy Phys. 02 (2009) 007, arXiv:0811.4622 [hep-ph].
- [34] C. Anastasiou, L.J. Dixon, K. Melnikov, F. Petriello, High precision QCD at hadron colliders: electroweak gauge boson rapidity distributions at NNLO, Phys. Rev. D 69 (2004) 094008, arXiv:hep-ph/0312266.
- [35] D.J. Lange, The EvtGen particle decay simulation package, Nucl. Instrum. Methods A 462 (2001) 152.
- [36] ATLAS Collaboration, Detector level leading track underlying event distributions at 13 TeV measured in ATLAS, ATL-PHYS-PUB-2015-019, URL: <https://cds.cern.ch/record/2037684>, 2015.
- [37] S. Agostinelli, et al., GEANT4: a simulation toolkit, Nucl. Instrum. Methods A 506 (2003) 250.
- [38] ATLAS Collaboration, The ATLAS simulation infrastructure, Eur. Phys. J. C 70 (2010) 823, arXiv:1005.4568 [hep-ex].
- [39] M. Cacciari, G.P. Salam, G. Soyez, The anti- k_t jet clustering algorithm, J. High Energy Phys. 04 (2008) 063, arXiv:0802.1189 [hep-ph].
- [40] M. Cacciari, G.P. Salam, G. Soyez, FastJet user manual, Eur. Phys. J. C 72 (2012) 1896, arXiv:1111.6097 [hep-ph].
- [41] ATLAS Collaboration, Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1, arXiv:1603.02934 [hep-ex], 2016.
- [42] ATLAS Collaboration, Expected performance of boosted Higgs ($\rightarrow b\bar{b}$) boson identification with the ATLAS detector at $\sqrt{s} = 13$ TeV, ATL-PHYS-PUB-2015-035, URL: <https://cds.cern.ch/record/2042155>, 2015.
- [43] D. Krohn, J. Thaler, L.-T. Wang, Jet trimming, J. High Energy Phys. 02 (2010) 084, arXiv:0912.1342 [hep-ph].
- [44] S. Catani, Y.L. Dokshitzer, M.H. Seymour, B.R. Webber, Longitudinally invariant K_t clustering algorithms for hadron hadron collisions, Nucl. Phys. B 406 (1993) 187.
- [45] ATLAS Collaboration, Jet mass reconstruction with the ATLAS detector in early Run 2 data, ATLAS-CONF-2016-035, URL: <https://cds.cern.ch/record/2200211>, 2016.
- [46] ATLAS Collaboration, Muon reconstruction performance of the ATLAS detector in proton–proton collision data at $\sqrt{s} = 13$ TeV, Eur. Phys. J. C 76 (2016) 292, arXiv:1603.05598 [hep-ex].
- [47] ATLAS Collaboration, Boosted Higgs ($\rightarrow b\bar{b}$) boson identification with the ATLAS detector at $\sqrt{s} = 13$ TeV, ATLAS-CONF-2016-039, URL: <https://cds.cern.ch/record/2206038>, 2016.

- [48] ATLAS Collaboration, Flavor tagging with track-jets in boosted topologies with the ATLAS detector, ATL-PHYS-PUB-2014-013, URL: <https://atlas.web.cern.ch/Atlas/GROUPS/PHYSICS/PUBNOTES/ATL-PHYS-PUB-2014-013>, 2014.
- [49] ATLAS Collaboration, Optimisation of the ATLAS b -tagging performance for the 2016 LHC run, ATL-PHYS-PUB-2016-012, URL: <https://cds.cern.ch/record/2160731>, 2016.
- [50] ATLAS Collaboration, Performance of b -jet identification in the ATLAS experiment, J. Instrum. 11 (2016) P04008, arXiv:1512.01094 [hep-ex].
- [51] A.J. Larkoski, I. Moul, D. Neill, Power counting to better jet observables, J. High Energy Phys. 12 (2014) 009, arXiv:1409.6298 [hep-ph].
- [52] A.J. Larkoski, I. Moul, D. Neill, Analytic boosted boson discrimination, J. High Energy Phys. 05 (2016) 117, arXiv:1507.03018 [hep-ph].
- [53] ATLAS Collaboration, Performance of top quark and W boson tagging in Run 2 with ATLAS, ATLAS-CONF-2017-064, URL: <https://cds.cern.ch/record/2281054>, 2017.
- [54] ATLAS Collaboration, Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8$ TeV, Eur. Phys. J. C 76 (2016) 154, arXiv:1510.05821 [hep-ex].
- [55] ATLAS Collaboration, Identification of boosted, hadronically-decaying W and Z bosons in $\sqrt{s} = 13$ TeV Monte Carlo simulations for ATLAS, ATL-PHYS-PUB-2015-033, URL: <https://cds.cern.ch/record/2041461>, 2015.
- [56] ATLAS Collaboration, Electron efficiency measurements with the ATLAS detector using the 2015 LHC proton-proton collision data, ATLAS-CONF-2016-024, URL: <https://cds.cern.ch/record/2157687>, 2016.
- [57] W. Verkerke, D. Kirkby, The RooFit toolkit for data modeling, arXiv:physics/0306116 [physics.data-an], 2003.
- [58] M. Baak, S. Gadatsch, R. Harrington, W. Verkerke, Interpolation between multi-dimensional histograms using a new non-linear moment morphing method, Nucl. Instrum. Methods A 771 (2015) 39, arXiv:1410.7388 [physics.data-an].
- [59] ATLAS Collaboration, Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector, Eur. Phys. J. C 75 (2015) 17, arXiv:1406.0076 [hep-ex].
- [60] ATLAS Collaboration, Measurement of the differential cross-section of highly boosted top quarks as a function of their transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions using the ATLAS detector, Phys. Rev. D 93 (2016) 032009, arXiv:1510.03818 [hep-ex].
- [61] ATLAS Collaboration, Luminosity determination in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector at the LHC, Eur. Phys. J. C 76 (2016) 653, arXiv:1608.03953 [hep-ex].
- [62] ATLAS Collaboration, Performance of jet substructure techniques for large- R jets in proton-proton collisions at $\sqrt{s} = 7$ TeV using the ATLAS detector, J. High Energy Phys. 09 (2013) 076, arXiv:1306.4945 [hep-ex].
- [63] Glen Cowan, Kyle Cranmer, Eilam Gross, Ofer Vitells, Asymptotic formulae for likelihood-based tests of new physics, Eur. Phys. J. C 71 (2011) 1554, arXiv:1007.1727 [physics.data-an], Erratum: Eur. Phys. J. C 73 (2013) 2501.
- [64] A.L. Read, Presentation of search results: the CL(s) technique, J. Phys. G 28 (2002) 2693.
- [65] ATLAS Collaboration, ATLAS computing acknowledgements 2016–2017, ATLAS-CONF-2016-002, URL: <https://cds.cern.ch/record/2202407>.

The ATLAS Collaboration

M. Aaboud^{137d}, G. Aad⁸⁸, B. Abbott¹¹⁵, O. Abdinov^{12,*}, B. Abeloos¹¹⁹, S.H. Abidi¹⁶¹, O.S. AbouZeid¹³⁹, N.L. Abraham¹⁵¹, H. Abramowicz¹⁵⁵, H. Abreu¹⁵⁴, R. Abreu¹¹⁸, Y. Abulaiti^{148a,148b}, B.S. Acharya^{167a,167b,a}, S. Adachi¹⁵⁷, L. Adamczyk^{41a}, J. Adelman¹¹⁰, M. Adersberger¹⁰², T. Adye¹³³, A.A. Affolder¹³⁹, Y. Afik¹⁵⁴, C. Agheorghiesei^{28c}, J.A. Aguilar-Saavedra^{128a,128f}, S.P. Ahlen²⁴, F. Ahmadov^{68,b}, G. Aielli^{135a,135b}, S. Akatsuka⁷¹, H. Akerstedt^{148a,148b}, T.P.A. Åkesson⁸⁴, E. Akilli⁵², A.V. Akimov⁹⁸, G.L. Alberghi^{22a,22b}, J. Albert¹⁷², P. Albicocco⁵⁰, M.J. Alconada Verzini⁷⁴, S.C. Alderweireldt¹⁰⁸, M. Aleksa³², I.N. Aleksandrov⁶⁸, C. Alexa^{28b}, G. Alexander¹⁵⁵, T. Alexopoulos¹⁰, M. Alhroob¹¹⁵, B. Ali¹³⁰, M. Aliev^{76a,76b}, G. Alimonti^{94a}, J. Alison³³, S.P. Alkire³⁸, B.M.M. Allbrooke¹⁵¹, B.W. Allen¹¹⁸, P.P. Allport¹⁹, A. Aloisio^{106a,106b}, A. Alonso³⁹, F. Alonso⁷⁴, C. Alpigiani¹⁴⁰, A.A. Alshehri⁵⁶, M.I. Alstary⁸⁸, B. Alvarez Gonzalez³², D. Álvarez Piqueras¹⁷⁰, M.G. Alvigi^{106a,106b}, B.T. Amadio¹⁶, Y. Amaral Coutinho^{26a}, C. Amelung²⁵, D. Amidei⁹², S.P. Amor Dos Santos^{128a,128c}, S. Amoroso³², C. Anastopoulos¹⁴¹, L.S. Ancu⁵², N. Andari¹⁹, T. Andeen¹¹, C.F. Anders^{60b}, J.K. Anders⁷⁷, K.J. Anderson³³, A. Andreazza^{94a,94b}, V. Andrei^{60a}, S. Angelidakis³⁷, I. Angelozzi¹⁰⁹, A. Angerami³⁸, A.V. Anisenkov^{111,c}, N. Anjos¹³, A. Annovi^{126a,126b}, C. Antel^{60a}, M. Antonelli⁵⁰, A. Antonov^{100,*}, D.J. Antrim¹⁶⁶, F. Anulli^{134a}, M. Aoki⁶⁹, L. Aperio Bella³², G. Arabidze⁹³, Y. Arai⁶⁹, J.P. Araque^{128a}, V. Araujo Ferraz^{26a}, A.T.H. Arce⁴⁸, R.E. Ardell⁸⁰, F.A. Arduh⁷⁴, J-F. Arguin⁹⁷, S. Argyropoulos⁶⁶, M. Arik^{20a}, A.J. Armbruster³², L.J. Armitage⁷⁹, O. Arnaez¹⁶¹, H. Arnold⁵¹, M. Arratia³⁰, O. Arslan²³, A. Artamonov^{99,*}, G. Artoni¹²², S. Artz⁸⁶, S. Asai¹⁵⁷, N. Asbah⁴⁵, A. Ashkenazi¹⁵⁵, L. Asquith¹⁵¹, K. Assamagan²⁷, R. Astalos^{146a}, M. Atkinson¹⁶⁹, N.B. Atlay¹⁴³, K. Augsten¹³⁰, G. Avolio³², B. Axen¹⁶, M.K. Ayoub^{35a}, G. Azuelos^{97,d}, A.E. Baas^{60a}, M.J. Baca¹⁹, H. Bachacou¹³⁸, K. Bachas^{76a,76b}, M. Backes¹²², P. Bagnaia^{134a,134b}, M. Bahmani⁴², H. Bahrasemani¹⁴⁴, J.T. Baines¹³³, M. Bajic³⁹, O.K. Baker¹⁷⁹, P.J. Bakker¹⁰⁹, E.M. Baldin^{111,c}, P. Balek¹⁷⁵, F. Balli¹³⁸, W.K. Balunas¹²⁴, E. Banas⁴², A. Bandyopadhyay²³, Sw. Banerjee^{176,e}, A.A.E. Bannoura¹⁷⁸, L. Barak¹⁵⁵, E.L. Barberio⁹¹, D. Barberis^{53a,53b}, M. Barbero⁸⁸, T. Barillari¹⁰³, M-S Barisits⁶⁵, J.T. Barkeloo¹¹⁸, T. Barklow¹⁴⁵, N. Barlow³⁰, S.L. Barnes^{36c}, B.M. Barnett¹³³, R.M. Barnett¹⁶, Z. Barnovska-Blenessy^{36a}, A. Baroncelli^{136a}, G. Barone²⁵, A.J. Barr¹²², L. Barranco Navarro¹⁷⁰, F. Barreiro⁸⁵, J. Barreiro Guimarães da Costa^{35a}, R. Bartoldus¹⁴⁵, A.E. Barton⁷⁵, P. Bartos^{146a}, A. Basalae¹²⁵, A. Bassalat^{119,f}, R.L. Bates⁵⁶, S.J. Batista¹⁶¹, J.R. Batley³⁰, M. Battaglia¹³⁹, M. Baucé^{134a,134b}, F. Bauer¹³⁸, K.T. Bauer¹⁶⁶, H.S. Bawa^{145,g}, J.B. Beacham¹¹³, M.D. Beattie⁷⁵, T. Beau⁸³, P.H. Beauchemin¹⁶⁵, P. Bechtel²³, H.P. Beck^{18,h}, H.C. Beck⁵⁷, K. Becker¹²², M. Becker⁸⁶, C. Becot¹¹², A.J. Beddall^{20e}, A. Beddall^{20b}, V.A. Bednyakov⁶⁸, M. Bedognetti¹⁰⁹, C.P. Bee¹⁵⁰, T.A. Beermann³², M. Begalli^{26a}, M. Begel²⁷, J.K. Behr⁴⁵, A.S. Bell⁸¹, G. Bella¹⁵⁵, L. Bellagamba^{22a}, A. Bellerive³¹, M. Bellomo¹⁵⁴, K. Belotskiy¹⁰⁰, O. Beltramello³², N.L. Belyaev¹⁰⁰, O. Benary^{155,*}, D. Benchekroun^{137a}, M. Bender¹⁰², N. Benekos¹⁰, Y. Benhammou¹⁵⁵,

1 E. Benhar Noccioli ¹⁷⁹, J. Benitez ⁶⁶, D.P. Benjamin ⁴⁸, M. Benoit ⁵², J.R. Bensinger ²⁵, S. Bentvelsen ¹⁰⁹,
 2 L. Beresford ¹²², M. Beretta ⁵⁰, D. Berge ¹⁰⁹, E. Bergeaas Kuutmann ¹⁶⁸, N. Berger ⁵, L.J. Bergsten ²⁵,
 3 J. Beringer ¹⁶, S. Berlendis ⁵⁸, N.R. Bernard ⁸⁹, G. Bernardi ⁸³, C. Bernius ¹⁴⁵, F.U. Bernlochner ²³, T. Berry ⁸⁰,
 4 P. Berta ⁸⁶, C. Bertella ^{35a}, G. Bertoli ^{148a,148b}, I.A. Bertram ⁷⁵, C. Bertsche ⁴⁵, G.J. Besjes ³⁹,
 5 O. Bessidskaia Bylund ^{148a,148b}, M. Bessner ⁴⁵, N. Besson ¹³⁸, A. Bethani ⁸⁷, S. Bethke ¹⁰³, A. Betti ²³,
 6 A.J. Bevan ⁷⁹, J. Beyer ¹⁰³, R.M. Bianchi ¹²⁷, O. Biebel ¹⁰², D. Biedermann ¹⁷, R. Bielski ⁸⁷, K. Bierwagen ⁸⁶,
 7 N.V. Biesuz ^{126a,126b}, M. Biglietti ^{136a}, T.R.V. Billoud ⁹⁷, H. Bilokon ⁵⁰, M. Bindi ⁵⁷, A. Bingul ^{20b},
 8 C. Bini ^{134a,134b}, S. Biondi ^{22a,22b}, T. Bisanz ⁵⁷, C. Bittrich ⁴⁷, D.M. Bjergaard ⁴⁸, J.E. Black ¹⁴⁵, K.M. Black ²⁴,
 9 R.E. Blair ⁶, T. Blazek ^{146a}, I. Bloch ⁴⁵, C. Blocker ²⁵, A. Blue ⁵⁶, U. Blumenschein ⁷⁹, S. Blunier ^{34a},
 10 G.J. Bobbink ¹⁰⁹, V.S. Bobrovnikov ^{111,c}, S.S. Bocchetta ⁸⁴, A. Bocci ⁴⁸, C. Bock ¹⁰², M. Boehler ⁵¹,
 11 D. Boerner ¹⁷⁸, D. Bogavac ¹⁰², A.G. Bogdanchikov ¹¹¹, C. Boehm ^{148a}, V. Boisvert ⁸⁰, P. Bokal ^{168,i},
 12 T. Bold ^{41a}, A.S. Boldyrev ¹⁰¹, A.E. Bolz ^{60b}, M. Bomben ⁸³, M. Bona ⁷⁹, M. Boonekamp ¹³⁸, A. Borisov ¹³²,
 13 G. Borissov ⁷⁵, J. Bortfeldt ³², D. Bortoletto ¹²², V. Bortolotto ^{62a}, D. Boscherini ^{22a}, M. Bosman ¹³,
 14 J.D. Bossio Sola ²⁹, J. Boudreau ¹²⁷, E.V. Bouhova-Thacker ⁷⁵, D. Boumediene ³⁷, C. Bourdarios ¹¹⁹,
 15 S.K. Boutle ⁵⁶, A. Boveia ¹¹³, J. Boyd ³², I.R. Boyko ⁶⁸, A.J. Bozson ⁸⁰, J. Bracinik ¹⁹, A. Brandt ⁸, G. Brandt ⁵⁷,
 16 O. Brandt ^{60a}, F. Braren ⁴⁵, U. Bratzler ¹⁵⁸, B. Brau ⁸⁹, J.E. Brau ¹¹⁸, W.D. Breaden Madden ⁵⁶,
 17 K. Brendlinger ⁴⁵, A.J. Brennan ⁹¹, L. Brenner ¹⁰⁹, R. Brenner ¹⁶⁸, S. Bressler ¹⁷⁵, D.L. Briglin ¹⁹,
 18 T.M. Bristow ⁴⁹, D. Britton ⁵⁶, D. Britzger ⁴⁵, F.M. Brochu ³⁰, I. Brock ²³, R. Brock ⁹³, G. Brooijmans ³⁸,
 19 T. Brooks ⁸⁰, W.K. Brooks ^{34b}, E. Brost ¹¹⁰, J.H. Broughton ¹⁹, P.A. Bruckman de Renstrom ⁴²,
 20 D. Bruncko ^{146b}, A. Bruni ^{22a}, G. Bruni ^{22a}, L.S. Bruni ¹⁰⁹, S. Bruno ^{135a,135b}, B.H. Brunt ³⁰, M. Bruschi ^{22a},
 21 N. Bruscino ¹²⁷, P. Bryant ³³, L. Bryngemark ⁴⁵, T. Buanes ¹⁵, Q. Buat ¹⁴⁴, P. Buchholz ¹⁴³, A.G. Buckley ⁵⁶,
 22 I.A. Budagov ⁶⁸, F. Buehrer ⁵¹, M.K. Bugge ¹²¹, O. Bulekov ¹⁰⁰, D. Bullock ⁸, T.J. Burch ¹¹⁰, S. Burdin ⁷⁷,
 23 C.D. Burgard ¹⁰⁹, A.M. Burger ⁵, B. Burghgrave ¹¹⁰, K. Burka ⁴², S. Burke ¹³³, I. Burmeister ⁴⁶, J.T.P. Burr ¹²²,
 24 D. Büscher ⁵¹, V. Büscher ⁸⁶, P. Bussey ⁵⁶, J.M. Butler ²⁴, C.M. Buttar ⁵⁶, J.M. Butterworth ⁸¹, P. Butti ³²,
 25 W. Buttinger ²⁷, A. Buzatu ¹⁵³, A.R. Buzykaev ^{111,c}, C.-Q. Changqiao ^{36a}, S. Cabrera Urbán ¹⁷⁰,
 26 D. Caforio ¹³⁰, H. Cai ¹⁶⁹, V.M. Cairo ^{40a,40b}, O. Cakir ^{4a}, N. Calace ⁵², P. Calafiura ¹⁶, A. Calandri ⁸⁸,
 27 G. Calderini ⁸³, P. Calfayan ⁶⁴, G. Callea ^{40a,40b}, L.P. Caloba ^{26a}, S. Calvente Lopez ⁸⁵, D. Calvet ³⁷,
 28 S. Calvet ³⁷, T.P. Calvet ⁸⁸, R. Camacho Toro ³³, S. Camarda ³², P. Camarri ^{135a,135b}, D. Cameron ¹²¹,
 29 R. Caminal Armadans ¹⁶⁹, C. Camincher ⁵⁸, S. Campana ³², M. Campanelli ⁸¹, A. Camplani ^{94a,94b},
 30 A. Campoverde ¹⁴³, V. Canale ^{106a,106b}, M. Cano Bret ^{36c}, J. Cantero ¹¹⁶, T. Cao ¹⁵⁵,
 31 M.D.M. Capeans Garrido ³², I. Caprini ^{28b}, M. Caprini ^{28b}, M. Capua ^{40a,40b}, R.M. Carbone ³⁸,
 32 R. Cardarelli ^{135a}, F. Cardillo ⁵¹, I. Carli ¹³¹, T. Carli ³², G. Carlino ^{106a}, B.T. Carlson ¹²⁷, L. Carminati ^{94a,94b},
 33 R.M.D. Carney ^{148a,148b}, S. Caron ¹⁰⁸, E. Carquin ^{34b}, S. Carrá ^{94a,94b}, G.D. Carrillo-Montoya ³², D. Casadei ¹⁹,
 34 M.P. Casado ^{13,j}, A.F. Casha ¹⁶¹, M. Casolino ¹³, D.W. Casper ¹⁶⁶, R. Castelijm ¹⁰⁹, V. Castillo Gimenez ¹⁷⁰,
 35 N.F. Castro ^{128a,k}, A. Catinaccio ³², J.R. Catmore ¹²¹, A. Cattai ³², J. Caudron ²³, V. Cavaliere ¹⁶⁹,
 36 E. Cavallaro ¹³, D. Cavalli ^{94a}, M. Cavalli-Sforza ¹³, V. Cavasinni ^{126a,126b}, E. Celebi ^{20d}, F. Ceradini ^{136a,136b},
 37 L. Cerda Alberich ¹⁷⁰, A.S. Cerqueira ^{26b}, A. Cerri ¹⁵¹, L. Cerrito ^{135a,135b}, F. Cerutti ¹⁶, A. Cervelli ^{22a,22b},
 38 S.A. Cetin ^{20d}, A. Chafaq ^{137a}, D. Chakraborty ¹¹⁰, S.K. Chan ⁵⁹, W.S. Chan ¹⁰⁹, Y.L. Chan ^{62a}, P. Chang ¹⁶⁹,
 39 J.D. Chapman ³⁰, D.G. Charlton ¹⁹, C.C. Chau ³¹, C.A. Chavez Barajas ¹⁵¹, S. Che ¹¹³, S. Cheatham ^{167a,167c},
 40 A. Chegwidden ⁹³, S. Chekanov ⁶, S.V. Chekulaev ^{163a}, G.A. Chelkov ^{68,l}, M.A. Chelstowska ³², C. Chen ^{36a},
 41 C. Chen ⁶⁷, H. Chen ²⁷, J. Chen ^{36a}, S. Chen ^{35b}, S. Chen ¹⁵⁷, X. Chen ^{35c,m}, Y. Chen ⁷⁰, H.C. Cheng ⁹²,
 42 H.J. Cheng ^{35a,35d}, A. Cheplakov ⁶⁸, E. Cheremushkina ¹³², R. Cherkaoui El Moursli ^{137e}, E. Cheu ⁷,
 43 K. Cheung ⁶³, L. Chevalier ¹³⁸, V. Chiarella ⁵⁰, G. Chiarelli ^{126a,126b}, G. Chiodini ^{76a}, A.S. Chisholm ³²,
 44 A. Chitan ^{28b}, Y.H. Chiu ¹⁷², M.V. Chizhov ⁶⁸, K. Choi ⁶⁴, A.R. Chomont ³⁷, S. Chouridou ¹⁵⁶, Y.S. Chow ^{62a},
 45 V. Christodoulou ⁸¹, M.C. Chu ^{62a}, J. Chudoba ¹²⁹, A.J. Chuinard ⁹⁰, J.J. Chwastowski ⁴², L. Chytka ¹¹⁷,
 46 A.K. Ciftci ^{4a}, D. Cinca ⁴⁶, V. Cindro ⁷⁸, I.A. Cioara ²³, A. Ciocio ¹⁶, F. Ciotto ^{106a,106b}, Z.H. Citron ¹⁷⁵,
 47 M. Citterio ^{94a}, M. Ciubancan ^{28b}, A. Clark ⁵², M.R. Clark ³⁸, P.J. Clark ⁴⁹, R.N. Clarke ¹⁶, C. Clement ^{148a,148b},
 48 Y. Coadou ⁸⁸, M. Cokal ^{167a,167c}, A. Coccaro ⁵², J. Cochran ⁶⁷, L. Colasurdo ¹⁰⁸, B. Cole ³⁸, A.P. Colijn ¹⁰⁹,
 49 J. Collot ⁵⁸, T. Colombo ¹⁶⁶, P. Conde Muiño ^{128a,128b}, E. Coniavitis ⁵¹, S.H. Connell ^{147b}, I.A. Connelly ⁸⁷,
 50 S. Constantinescu ^{28b}, G. Conti ³², F. Conventi ^{106a,n}, M. Cooke ¹⁶, A.M. Cooper-Sarkar ¹²², F. Cormier ¹⁷¹,
 51 K.J.R. Cormier ¹⁶¹, M. Corradi ^{134a,134b}, E.E. Corrigan ⁸⁴, F. Corriveau ^{90,o}, A. Cortes-Gonzalez ³²,
 52 G. Costa ^{94a}, M.J. Costa ¹⁷⁰, D. Costanzo ¹⁴¹, G. Cottin ³⁰, G. Cowan ⁸⁰, B.E. Cox ⁸⁷, K. Cranmer ¹¹²,
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65

1 S.J. Crawley⁵⁶, R.A. Creager¹²⁴, G. Cree³¹, S. Crépé-Renaudin⁵⁸, F. Crescioli⁸³, W.A. Cribbs^{148a,148b}, 66
 2 M. Cristinziani²³, V. Croft¹¹², G. Crosetti^{40a,40b}, A. Cueto⁸⁵, T. Cuhadar Donszelmann¹⁴¹, 67
 3 A.R. Cukierman¹⁴⁵, J. Cummings¹⁷⁹, M. Curatolo⁵⁰, J. Cúth⁸⁶, S. Czekierda⁴², P. Czodrowski³², 68
 4 G. D'amen^{22a,22b}, S. D'Auria⁵⁶, L. D'eraimo⁸³, M. D'Onofrio⁷⁷, M.J. Da Cunha Sargedas De Sousa^{128a,128b}, 69
 5 C. Da Via⁸⁷, W. Dabrowski^{41a}, T. Dado^{146a}, T. Dai⁹², O. Dale¹⁵, F. Dallaire⁹⁷, C. Dallapiccola⁸⁹, 70
 6 M. Dam³⁹, J.R. Dandoy¹²⁴, M.F. Daneri²⁹, N.P. Dang¹⁷⁶, A.C. Daniells¹⁹, N.S. Dann⁸⁷, M. Danninger¹⁷¹, 71
 7 M. Dano Hoffmann¹³⁸, V. Dao¹⁵⁰, G. Darbo^{53a}, S. Darmora⁸, J. Dassoulas³, A. Dattagupta¹¹⁸, 72
 8 T. Daubney⁴⁵, W. Davey²³, C. David⁴⁵, T. Davidek¹³¹, D.R. Davis⁴⁸, P. Davison⁸¹, E. Dawe⁹¹, 73
 9 I. Dawson¹⁴¹, K. De⁸, R. de Asmundis^{106a}, A. De Benedetti¹¹⁵, S. De Castro^{22a,22b}, S. De Cecco⁸³, 74
 10 N. De Groot¹⁰⁸, P. de Jong¹⁰⁹, H. De la Torre⁹³, F. De Lorenzi⁶⁷, A. De Maria⁵⁷, D. De Pedis^{134a}, 75
 11 A. De Salvo^{134a}, U. De Sanctis^{135a,135b}, A. De Santo¹⁵¹, K. De Vasconcelos Corga⁸⁸, 76
 12 J.B. De Vivie De Regie¹¹⁹, R. Debbe²⁷, C. Debenedetti¹³⁹, D.V. Dedovich⁶⁸, N. Dehghanian³, 77
 13 I. Deigaard¹⁰⁹, M. Del Gaudio^{40a,40b}, J. Del Peso⁸⁵, D. Delgove¹¹⁹, F. Deliot¹³⁸, C.M. Delitzsch⁷, 78
 14 A. Dell'Acqua³², L. Dell'Asta²⁴, M. Dell'Orso^{126a,126b}, M. Della Pietra^{106a,106b}, D. della Volpe⁵², 79
 15 M. Delmastro⁵, C. Delporte¹¹⁹, P.A. Delsart⁵⁸, D.A. DeMarco¹⁶¹, S. Demers¹⁷⁹, M. Demichev⁶⁸, 80
 16 A. Demilly⁸³, S.P. Denisov¹³², D. Denysiuk¹³⁸, D. Derendarz⁴², J.E. Derkaoui^{137d}, F. Derue⁸³, 81
 17 P. Dervan⁷⁷, K. Desch²³, C. Deterre⁴⁵, K. Dette¹⁶¹, M.R. Devesa²⁹, P.O. Deviveiros³², A. Dewhurst¹³³, 82
 18 S. Dhaliwal²⁵, F.A. Di Bello⁵², A. Di Ciaccio^{135a,135b}, L. Di Ciaccio⁵, W.K. Di Clemente¹²⁴, 83
 19 C. Di Donato^{106a,106b}, A. Di Girolamo³², B. Di Girolamo³², B. Di Micco^{136a,136b}, R. Di Nardo³², 84
 20 K.F. Di Petrillo⁵⁹, A. Di Simone⁵¹, R. Di Sipio¹⁶¹, D. Di Valentino³¹, C. Diaconu⁸⁸, M. Diamond¹⁶¹, 85
 21 F.A. Dias³⁹, M.A. Diaz^{34a}, E.B. Diehl⁹², J. Dietrich¹⁷, S. Díez Cornell⁴⁵, A. Dimitrievska¹⁴, J. Dingfelder²³, 86
 22 P. Dita^{28b}, S. Dita^{28b}, F. Dittus³², F. Djama⁸⁸, T. Djobava^{54b}, J.I. Djuvsland^{60a}, M.A.B. do Vale^{26c}, 87
 23 M. Dobre^{28b}, D. Dodsworth²⁵, C. Doglioni⁸⁴, J. Dolejsi¹³¹, Z. Dolezal¹³¹, M. Donadelli^{26d}, 88
 24 S. Donati^{126a,126b}, J. Donini³⁷, J. Dopke¹³³, A. Doria^{106a}, M.T. Dova⁷⁴, A.T. Doyle⁵⁶, E. Drechsler⁵⁷, 89
 25 M. Dris¹⁰, Y. Du^{36b}, J. Duarte-Campderros¹⁵⁵, F. Dubinin⁹⁸, A. Dubreuil⁵², E. Duchovni¹⁷⁵, 90
 26 G. Duckeck¹⁰², A. Ducourthial⁸³, O.A. Ducu^{97,p}, D. Duda¹⁰⁹, A. Dudarev³², A. Chr. Dudder⁸⁶, 91
 27 E.M. Duffield¹⁶, L. Dufлот¹¹⁹, M. Dührssen³², C. Dulsen¹⁷⁸, M. Dumancic¹⁷⁵, A.E. Dumitriu^{28b}, 92
 28 A.K. Duncan⁵⁶, M. Dunford^{60a}, A. Duperrin⁸⁸, H. Duran Yildiz^{4a}, M. Düren⁵⁵, A. Durglishvili^{54b}, 93
 29 D. Duschinger⁴⁷, B. Dutta⁴⁵, D. Duvnjak¹, M. Dyndal⁴⁵, B.S. Dziedzic⁴², C. Eckardt⁴⁵, K.M. Ecker¹⁰³, 94
 30 R.C. Edgar⁹², T. Eifert³², G. Eigen¹⁵, K. Einsweiler¹⁶, T. Ekelof¹⁶⁸, M. El Kacimi^{137c}, R. El Kosseifi⁸⁸, 95
 31 V. Ellajosyula⁸⁸, M. Ellert¹⁶⁸, S. Elles⁵, F. Ellinghaus¹⁷⁸, A.A. Elliot¹⁷², N. Ellis³², J. Elmsheuser²⁷, 96
 32 M. Elsing³², D. Emelianov¹³³, A. Emerman³⁸, Y. Enari¹⁵⁷, J.S. Ennis¹⁷³, M.B. Epland⁴⁸, J. Erdmann⁴⁶, 97
 33 A. Ereditato¹⁸, M. Ernst²⁷, S. Errede¹⁶⁹, M. Escalier¹¹⁹, C. Escobar¹⁷⁰, B. Esposito⁵⁰, 98
 34 O. Estrada Pastor¹⁷⁰, A.I. Etiennevire¹³⁸, E. Etzion¹⁵⁵, H. Evans⁶⁴, A. Ezhilov¹²⁵, M. Ezzi^{137e}, 99
 35 F. Fabbri^{22a,22b}, L. Fabbri^{22a,22b}, V. Fabiani¹⁰⁸, G. Facini⁸¹, R.M. Fakhruddinov¹³², S. Falciano^{134a}, 100
 36 R.J. Falla⁸¹, J. Faltova³², Y. Fang^{35a}, M. Fanti^{94a,94b}, A. Farbin⁸, A. Farilla^{136a}, E.M. Farina^{123a,123b}, 101
 37 T. Farooque⁹³, S. Farrell¹⁶, S.M. Farrington¹⁷³, P. Farthouat³², F. Fassi^{137e}, P. Fassnacht³², 102
 38 D. Fassouliotis⁹, M. Fauci Giannelli⁴⁹, A. Favareto^{53a,53b}, W.J. Fawcett¹²², L. Fayard¹¹⁹, O.L. Fedin^{125,q}, 103
 39 W. Fedorko¹⁷¹, S. Feigl¹²¹, L. Felgioni⁸⁸, C. Feng^{36b}, E.J. Feng³², M. Feng⁴⁸, M.J. Fenton⁵⁶, 104
 40 A.B. Fenyuk¹³², L. Feremenga⁸, P. Fernandez Martinez¹⁷⁰, J. Ferrando⁴⁵, A. Ferrari¹⁶⁸, P. Ferrari¹⁰⁹, 105
 41 R. Ferrari^{123a}, D.E. Ferreira de Lima^{60b}, A. Ferrer¹⁷⁰, D. Ferrere⁵², C. Ferretti⁹², F. Fiedler⁸⁶, A. Filipčić⁷⁸, 106
 42 M. Filipuzzi⁴⁵, F. Filthaut¹⁰⁸, M. Fincke-Keeler¹⁷², K.D. Finelli²⁴, M.C.N. Fiolhais^{128a,128c,r}, L. Fiorini¹⁷⁰, 107
 43 A. Fischer², C. Fischer¹³, J. Fischer¹⁷⁸, W.C. Fisher⁹³, N. Flaschel⁴⁵, I. Fleck¹⁴³, P. Fleischmann⁹², 108
 44 R.R.M. Fletcher¹²⁴, T. Flick¹⁷⁸, B.M. Flierl¹⁰², L.R. Flores Castillo^{62a}, M.J. Flowerdew¹⁰³, G.T. Forcolin⁸⁷, 109
 45 A. Formica¹³⁸, F.A. Förster¹³, A. Forti⁸⁷, A.G. Foster¹⁹, D. Fournier¹¹⁹, H. Fox⁷⁵, S. Fracchia¹⁴¹, 110
 46 P. Francavilla^{126a,126b}, M. Franchini^{22a,22b}, S. Franchino^{60a}, D. Francis³², L. Franconi¹²¹, M. Franklin⁵⁹, 111
 47 M. Frate¹⁶⁶, M. Fraternali^{123a,123b}, D. Freeborn⁸¹, S.M. Fressard-Batraneanu³², B. Freund⁹⁷, 112
 48 D. Froidevaux³², J.A. Frost¹²², C. Fukunaga¹⁵⁸, T. Fusayasu¹⁰⁴, J. Fuster¹⁷⁰, O. Gabizon¹⁵⁴, 113
 49 A. Gabrielli^{22a,22b}, A. Gabrielli¹⁶, G.P. Gach^{41a}, S. Gadatsch³², S. Gadomski⁸⁰, G. Gagliardi^{53a,53b}, 114
 50 L.G. Gagnon⁹⁷, C. Galea¹⁰⁸, B. Galhardo^{128a,128c}, E.J. Gallas¹²², B.J. Gallop¹³³, P. Gallus¹³⁰, G. Galster³⁹, 115
 51 K.K. Gan¹¹³, S. Ganguly³⁷, Y. Gao⁷⁷, Y.S. Gao^{145,g}, F.M. Garay Walls^{34a}, C. García¹⁷⁰, 116
 52 J.E. García Navarro¹⁷⁰, J.A. García Pascual^{35a}, M. Garcia-Sciveres¹⁶, R.W. Gardner³³, N. Garelli¹⁴⁵, 117
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65

1 V. Garonne¹²¹, A. Gascon Bravo⁴⁵, K. Gasnikova⁴⁵, C. Gatti⁵⁰, A. Gaudiello^{53a,53b}, G. Gaudio^{123a}, 66
 2 I.L. Gavrilenko⁹⁸, C. Gay¹⁷¹, G. Gaycken²³, E.N. Gazis¹⁰, C.N.P. Gee¹³³, J. Geisen⁵⁷, M. Geisen⁸⁶, 67
 3 M.P. Geisler^{60a}, K. Gellerstedt^{148a,148b}, C. Gemme^{53a}, M.H. Genest⁵⁸, C. Geng⁹², S. Gentile^{134a,134b}, 68
 4 C. Gentsos¹⁵⁶, S. George⁸⁰, D. Gerbaudo¹³, G. Geßner⁴⁶, S. Ghasemi¹⁴³, M. Ghneimat²³, B. Giacobbe^{22a}, 69
 5 S. Giagu^{134a,134b}, N. Giangiacomi^{22a,22b}, P. Giannetti^{126a,126b}, S.M. Gibson⁸⁰, M. Gignac¹⁷¹, 70
 6 M. Gilchriese¹⁶, D. Gillberg³¹, G. Gilles¹⁷⁸, D.M. Gingrich^{3,d}, M.P. Giordani^{167a,167c}, F.M. Giorgi^{22a}, 71
 7 P.F. Giraud¹³⁸, P. Giromini⁵⁹, G. Giugliarelli^{167a,167c}, D. Giugni^{94a}, F. Giuli¹²², C. Giuliani¹⁰³, 72
 8 M. Giulini^{60b}, B.K. Gjelsten¹²¹, S. Gkaitatzis¹⁵⁶, I. Gkialas^{9,s}, E.L. Gkougkousis¹³, P. Gkoutoumis¹⁰, 73
 9 L.K. Gladilin¹⁰¹, C. Glasman⁸⁵, J. Glatzer¹³, P.C.F. Glaysheer⁴⁵, A. Glazov⁴⁵, M. Goblirsch-Kolb²⁵, 74
 10 J. Godlewski⁴², S. Goldfarb⁹¹, T. Golling⁵², D. Golubkov¹³², A. Gomes^{128a,128b,128d}, R. Gonçalves^{128a}, 75
 11 R. Goncalves Gama^{26a}, J. Goncalves Pinto Firmino Da Costa¹³⁸, G. Gonella⁵¹, L. Gonella¹⁹, 76
 12 A. Gongadze⁶⁸, J.L. Gonski⁵⁹, S. González de la Hoz¹⁷⁰, S. Gonzalez-Sevilla⁵², L. Goossens³², 77
 13 P.A. Gorbounov⁹⁹, H.A. Gordon²⁷, B. Gorini³², E. Gorini^{76a,76b}, A. Gorišek⁷⁸, A.T. Goshaw⁴⁸, 78
 14 C. Gössling⁴⁶, M.I. Gostkin⁶⁸, C.A. Gottardo²³, C.R. Goudet¹¹⁹, D. Goujdami^{137c}, A.G. Goussiou¹⁴⁰, 79
 15 N. Govender^{147b,t}, E. Gozani¹⁵⁴, I. Grabowska-Bold^{41a}, P.O.J. Gradin¹⁶⁸, E.C. Graham⁷⁷, J. Gramling¹⁶⁶, 80
 16 E. Gramstad¹²¹, S. Grancagnolo¹⁷, V. Gratchev¹²⁵, P.M. Gravila^{28f}, C. Gray⁵⁶, H.M. Gray¹⁶, 81
 17 Z.D. Greenwood^{82,u}, C. Grefe²³, K. Gregersen⁸¹, I.M. Gregor⁴⁵, P. Grenier¹⁴⁵, K. Grevtsov⁵, J. Griffiths⁸, 82
 18 A.A. Grillo¹³⁹, K. Grimm⁷⁵, S. Grinstein^{13,v}, Ph. Gris³⁷, J.-F. Grivaz¹¹⁹, S. Groh⁸⁶, E. Gross¹⁷⁵, 83
 19 J. Grosse-Knetter⁵⁷, G.C. Grossi⁸², Z.J. Grout⁸¹, A. Grummer¹⁰⁷, L. Guan⁹², W. Guan¹⁷⁶, J. Guenther³², 84
 20 F. Guescini^{163a}, D. Guest¹⁶⁶, O. Gueta¹⁵⁵, B. Gui¹¹³, E. Guido^{53a,53b}, T. Guillemin⁵, S. Guindon³², 85
 21 U. Gul⁵⁶, C. Gumpert³², J. Guo^{36c}, W. Guo⁹², Y. Guo^{36a,w}, R. Gupta⁴³, S. Gurbuz^{20a}, G. Gustavino¹¹⁵, 86
 22 B.J. Gutelman¹⁵⁴, P. Gutierrez¹¹⁵, N.G. Gutierrez Ortiz⁸¹, C. Gutschew⁸¹, C. Guyot¹³⁸, M.P. Guzik^{41a}, 87
 23 C. Gwenlan¹²², C.B. Gwilliam⁷⁷, A. Haas¹¹², C. Haber¹⁶, H.K. Hadavand⁸, N. Haddad^{137e}, A. Hader⁸⁸, 88
 24 S. Hageböck²³, M. Hagihara¹⁶⁴, H. Hakobyan^{180,*}, M. Haleem⁴⁵, J. Haley¹¹⁶, G. Halladjian⁹³, 89
 25 G.D. Hallewell⁸⁸, K. Hamacher¹⁷⁸, P. Hamal¹¹⁷, K. Hamano¹⁷², A. Hamilton^{147a}, G.N. Hamity¹⁴¹, 90
 26 P.G. Hamnett⁴⁵, K. Han^{36a,x}, L. Han^{36a}, S. Han^{35a,35d}, K. Hanagaki^{69,y}, K. Hanawa¹⁵⁷, M. Hance¹³⁹, 91
 27 D.M. Handl¹⁰², B. Haney¹²⁴, P. Hanke^{60a}, J.B. Hansen³⁹, J.D. Hansen³⁹, M.C. Hansen²³, P.H. Hansen³⁹, 92
 28 K. Hara¹⁶⁴, A.S. Hard¹⁷⁶, T. Harenberg¹⁷⁸, F. Hariri¹¹⁹, S. Harkusha⁹⁵, P.F. Harrison¹⁷³, 93
 29 N.M. Hartmann¹⁰², Y. Hasegawa¹⁴², A. Hasib⁴⁹, S. Hassani¹³⁸, S. Haug¹⁸, R. Hauser⁹³, L. Hauswald⁴⁷, 94
 30 L.B. Havener³⁸, M. Havranek¹³⁰, C.M. Hawkes¹⁹, R.J. Hawkings³², D. Hayden⁹³, C.P. Hays¹²², 95
 31 J.M. Hays⁷⁹, H.S. Hayward⁷⁷, S.J. Haywood¹³³, T. Heck⁸⁶, V. Hedberg⁸⁴, L. Heelan⁸, S. Heer²³, 96
 32 K.K. Heidegger⁵¹, S. Heim⁴⁵, T. Heim¹⁶, B. Heinemann^{45,z}, J.J. Heinrich¹⁰², L. Heinrich¹¹², C. Heinz⁵⁵, 97
 33 J. Hejbal¹²⁹, L. Helary³², A. Held¹⁷¹, S. Hellman^{148a,148b}, C. Helsens³², R.C.W. Henderson⁷⁵, Y. Heng¹⁷⁶, 98
 34 S. Henkelmann¹⁷¹, A.M. Henriques Correia³², S. Henrot-Versille¹¹⁹, G.H. Herbert¹⁷, H. Herde²⁵, 99
 35 V. Herget¹⁷⁷, Y. Hernández Jiménez^{147c}, H. Herr⁸⁶, G. Herten⁵¹, R. Hertenberger¹⁰², L. Hervas³², 100
 36 T.C. Herwig¹²⁴, G.G. Hesketh⁸¹, N.P. Hessey^{163a}, J.W. Hetherly⁴³, S. Higashino⁶⁹, E. Higón-Rodríguez¹⁷⁰, 101
 37 K. Hildebrand³³, E. Hill¹⁷², J.C. Hill³⁰, K.H. Hiller⁴⁵, S.J. Hillier¹⁹, M. Hils⁴⁷, I. Hinchliffe¹⁶, M. Hirose⁵¹, 102
 38 D. Hirschbuehl¹⁷⁸, B. Hiti⁷⁸, O. Hladik¹²⁹, D.R. Hlaluku^{147c}, X. Hoad⁴⁹, J. Hobbs¹⁵⁰, N. Hod^{163a}, 103
 39 M.C. Hodgkinson¹⁴¹, P. Hodgson¹⁴¹, A. Hoecker³², M.R. Hoferkamp¹⁰⁷, F. Hoenig¹⁰², D. Hohn²³, 104
 40 T.R. Holmes³³, M. Homann⁴⁶, S. Honda¹⁶⁴, T. Honda⁶⁹, T.M. Hong¹²⁷, B.H. Hooberman¹⁶⁹, 105
 41 W.H. Hopkins¹¹⁸, Y. Horii¹⁰⁵, A.J. Horton¹⁴⁴, J.-Y. Hostachy⁵⁸, A. Hostiuc¹⁴⁰, S. Hou¹⁵³, 106
 42 A. Hoummada^{137a}, J. Howarth⁸⁷, J. Hoya⁷⁴, M. Hrabovsky¹¹⁷, J. Hrdinka³², I. Hristova¹⁷, J. Hrivnac¹¹⁹, 107
 43 T. Hryn'ova⁵, A. Hrynevich⁹⁶, P.J. Hsu⁶³, S.-C. Hsu¹⁴⁰, Q. Hu²⁷, S. Hu^{36c}, Y. Huang^{35a}, Z. Hubacek¹³⁰, 108
 44 F. Hubaut⁸⁸, F. Huegging²³, T.B. Huffman¹²², E.W. Hughes³⁸, M. Huhtinen³², R.F.H. Hunter³¹, P. Huo¹⁵⁰, 109
 45 N. Huseynov^{68,b}, J. Huston⁹³, J. Huth⁵⁹, R. Hyneman⁹², G. Iacobucci⁵², G. Iakovidis²⁷, I. Ibragimov¹⁴³, 110
 46 L. Iconomidou-Fayard¹¹⁹, Z. Idrissi^{137e}, P. Iengo³², O. Igonkina^{109,aa}, T. Iizawa¹⁷⁴, Y. Ikegami⁶⁹, 111
 47 M. Ikeno⁶⁹, Y. Ilchenko^{11,ab}, D. Iliadis¹⁵⁶, N. Ilic¹⁴⁵, F. Iltzsche⁴⁷, G. Introzzi^{123a,123b}, P. Ioannou^{9,*}, 112
 48 M. Iodice^{136a}, K. Iordanidou³⁸, V. Ippolito⁵⁹, M.F. Isacson¹⁶⁸, N. Ishijima¹²⁰, M. Ishino¹⁵⁷, 113
 49 M. Ishitsuka¹⁵⁹, C. Issever¹²², S. Istin^{20a}, F. Ito¹⁶⁴, J.M. Iturbe Ponce^{62a}, R. Iuppa^{162a,162b}, H. Iwasaki⁶⁹, 114
 50 J.M. Izen⁴⁴, V. Izzo^{106a}, S. Jabbar³, P. Jackson¹, R.M. Jacobs²³, V. Jain², K.B. Jakobi⁸⁶, K. Jakobs⁵¹, 115
 51 S. Jakobsen⁶⁵, T. Jakoubek¹²⁹, D.O. Jamin¹¹⁶, D.K. Jana⁸², R. Jansky⁵², J. Janssen²³, M. Janus⁵⁷, 116
 52 P.A. Janus^{41a}, G. Jarlskog⁸⁴, N. Javadov^{68,b}, T. Javůrek⁵¹, M. Javurkova⁵¹, F. Jeanneau¹³⁸, L. Jeanty¹⁶, 117
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65

J. Jejelava^{54a,ac}, A. Jelinskas¹⁷³, P. Jenni^{51,ad}, C. Jeske¹⁷³, S. Jézéquel⁵, H. Ji¹⁷⁶, J. Jia¹⁵⁰, H. Jiang⁶⁷,
 Y. Jiang^{36a}, Z. Jiang¹⁴⁵, S. Jiggins⁸¹, J. Jimenez Pena¹⁷⁰, S. Jin^{35b}, A. Jinaru^{28b}, O. Jinnouchi¹⁵⁹,
 H. Jivan^{147c}, P. Johansson¹⁴¹, K.A. Johns⁷, C.A. Johnson⁶⁴, W.J. Johnson¹⁴⁰, K. Jon-And^{148a,148b},
 R.W.L. Jones⁷⁵, S.D. Jones¹⁵¹, S. Jones⁷, T.J. Jones⁷⁷, J. Jongmanns^{60a}, P.M. Jorge^{128a,128b}, J. Jovicevic^{163a},
 X. Ju¹⁷⁶, A. Juste Rozas^{13,v}, M.K. Köhler¹⁷⁵, A. Kaczmarska⁴², M. Kado¹¹⁹, H. Kagan¹¹³, M. Kagan¹⁴⁵,
 S.J. Kahn⁸⁸, T. Kaji¹⁷⁴, E. Kajomovitz¹⁵⁴, C.W. Kalderon⁸⁴, A. Kaluza⁸⁶, S. Kama⁴³,
 A. Kamenshchikov¹³², N. Kanaya¹⁵⁷, L. Kanjir⁷⁸, V.A. Kantserov¹⁰⁰, J. Kanzaki⁶⁹, B. Kaplan¹¹²,
 L.S. Kaplan¹⁷⁶, D. Kar^{147c}, K. Karakostas¹⁰, N. Karastathis¹⁰, M.J. Kareem^{163b}, E. Karentzos¹⁰,
 S.N. Karpov⁶⁸, Z.M. Karpova⁶⁸, V. Kartvelishvili⁷⁵, A.N. Karyukhin¹³², K. Kasahara¹⁶⁴, L. Kashif¹⁷⁶,
 R.D. Kass¹¹³, A. Kastanas¹⁴⁹, Y. Kataoka¹⁵⁷, C. Kato¹⁵⁷, A. Katre⁵², J. Katzy⁴⁵, K. Kawade⁷⁰,
 K. Kawagoe⁷³, T. Kawamoto¹⁵⁷, G. Kawamura⁵⁷, E.F. Kay⁷⁷, V.F. Kazanin^{111,c}, R. Keeler¹⁷², R. Kehoe⁴³,
 J.S. Keller³¹, E. Kellermann⁸⁴, J.J. Kempster⁸⁰, J. Kendrick¹⁹, H. Keoshkerian¹⁶¹, O. Kepka¹²⁹,
 B.P. Kerševan⁷⁸, S. Kersten¹⁷⁸, R.A. Keyes⁹⁰, M. Khader¹⁶⁹, F. Khalil-zada¹², A. Khanov¹¹⁶,
 A.G. Kharlamov^{111,c}, T. Kharlamova^{111,c}, A. Khodinov¹⁶⁰, T.J. Khoo⁵², V. Khovanskiy^{99,*}, E. Khranov⁶⁸,
 J. Khubua^{54b,ae}, S. Kido⁷⁰, C.R. Kilby⁸⁰, H.Y. Kim⁸, S.H. Kim¹⁶⁴, Y.K. Kim³³, N. Kimura¹⁵⁶, O.M. Kind¹⁷,
 B.T. King⁷⁷, D. Kirchmeier⁴⁷, J. Kirk¹³³, A.E. Kiryunin¹⁰³, T. Kishimoto¹⁵⁷, D. Kisielewska^{41a}, V. Kitali⁴⁵,
 O. Kivernyk⁵, E. Kladiva^{146b}, T. Klapdor-Kleingrothaus⁵¹, M.H. Klein⁹², M. Klein⁷⁷, U. Klein⁷⁷,
 K. Kleinknecht⁸⁶, P. Klimek¹¹⁰, A. Klimentov²⁷, R. Klingenberg^{46,*}, T. Klingl²³, T. Klioutchnikova³²,
 F.F. Klitzner¹⁰², E.-E. Kluge^{60a}, P. Kluit¹⁰⁹, S. Kluth¹⁰³, E. Kneringer⁶⁵, E.B.F.G. Knoops⁸⁸, A. Knue¹⁰³,
 A. Kobayashi¹⁵⁷, D. Kobayashi⁷³, T. Kobayashi¹⁵⁷, M. Kobel⁴⁷, M. Kocian¹⁴⁵, P. Kodys¹³¹, T. Koffas³¹,
 E. Koffeman¹⁰⁹, N.M. Köhler¹⁰³, T. Koi¹⁴⁵, M. Kolb^{60b}, I. Koletsou⁵, T. Kondo⁶⁹, N. Kondrashova^{36c},
 K. Köneke⁵¹, A.C. König¹⁰⁸, T. Kono^{69,af}, R. Konoplich^{112,ag}, N. Konstantinidis⁸¹, B. Konya⁸⁴,
 R. Kopeliansky⁶⁴, S. Koperny^{41a}, K. Korcyl⁴², K. Kordas¹⁵⁶, A. Korn⁸¹, I. Korolkov¹³, E.V. Korolkova¹⁴¹,
 O. Kortner¹⁰³, S. Kortner¹⁰³, T. Kosek¹³¹, V.V. Kostyukhin²³, A. Kotwal⁴⁸, A. Koulouris¹⁰,
 A. Kourkoumeli-Charalampidi^{123a,123b}, C. Kourkoumelis⁹, E. Kourlitis¹⁴¹, V. Kouskoura²⁷,
 A.B. Kowalewska⁴², R. Kowalewski¹⁷², T.Z. Kowalski^{41a}, C. Kozakai¹⁵⁷, W. Kozanecki¹³⁸, A.S. Kozhin¹³²,
 V.A. Kramarenko¹⁰¹, G. Kramberger⁷⁸, D. Krasnopevtsev¹⁰⁰, M.W. Krasny⁸³, A. Krasznahorkay³²,
 D. Krauss¹⁰³, J.A. Kremer^{41a}, J. Kretzschmar⁷⁷, K. Kreutzfeldt⁵⁵, P. Krieger¹⁶¹, K. Krizka¹⁶,
 K. Kroeninger⁴⁶, H. Kroha¹⁰³, J. Kroll¹²⁹, J. Kroll¹²⁴, J. Kroseberg²³, J. Krstic¹⁴, U. Kruchonak⁶⁸,
 H. Krüger²³, N. Krumnack⁶⁷, M.C. Kruse⁴⁸, T. Kubota⁹¹, H. Kucuk⁸¹, S. Kuday^{4b}, J.T. Kuechler¹⁷⁸,
 S. Kuehn³², A. Kugel^{60a}, F. Kuger¹⁷⁷, T. Kuhl⁴⁵, V. Kukhtin⁶⁸, R. Kukla⁸⁸, Y. Kulchitsky⁹⁵,
 S. Kuleshov^{34b}, Y.P. Kulinich¹⁶⁹, M. Kuna¹¹, T. Kunigo⁷¹, A. Kupco¹²⁹, T. Kupfer⁴⁶, O. Kuprash¹⁵⁵,
 H. Kurashige⁷⁰, L.L. Kurchaninov^{163a}, Y.A. Kurochkin⁹⁵, M.G. Kurth^{35a,35d}, E.S. Kuwertz¹⁷², M. Kuze¹⁵⁹,
 J. Kvita¹¹⁷, T. Kwan¹⁷², D. Kyriazopoulos¹⁴¹, A. La Rosa¹⁰³, J.L. La Rosa Navarro^{26d}, L. La Rotonda^{40a,40b},
 F. La Ruffa^{40a,40b}, C. Lacasta¹⁷⁰, F. Lacava^{134a,134b}, J. Lacey⁴⁵, D.P.J. Lack⁸⁷, H. Lacker¹⁷, D. Lacour⁸³,
 E. Ladygin⁶⁸, R. Lafaye⁵, B. Laforge⁸³, T. Lagouri¹⁷⁹, S. Lai⁵⁷, S. Lammers⁶⁴, W. Lampl⁷, E. Lançon²⁷,
 U. Landgraf⁵¹, M.P.J. Landon⁷⁹, M.C. Lanfermann⁵², V.S. Lang⁴⁵, J.C. Lange¹³, R.J. Langenberg³²,
 A.J. Lankford¹⁶⁶, F. Lanni²⁷, K. Lantsch²³, A. Lanza^{123a}, A. Lapertosa^{53a,53b}, S. Laplace⁸³, J.F. Laporte¹³⁸,
 T. Lari^{94a}, F. Lasagni Manghi^{22a,22b}, M. Lassnig³², T.S. Lau^{62a}, P. Laurelli⁵⁰, W. Lavrijsen¹⁶, A.T. Law¹³⁹,
 P. Laycock⁷⁷, T. Lazovich⁵⁹, M. Lazzaroni^{94a,94b}, B. Le⁹¹, O. Le Dortz⁸³, E. Le Guirriec⁸⁸,
 E.P. Le Quilleuc¹³⁸, M. LeBlanc⁷, T. LeCompte⁶, F. Ledroit-Guillon⁵⁸, C.A. Lee²⁷, G.R. Lee^{34a}, S.C. Lee¹⁵³,
 L. Lee⁵⁹, B. Lefebvre⁹⁰, G. Lefebvre⁸³, M. Lefebvre¹⁷², F. Legger¹⁰², C. Leggett¹⁶, G. Lehmann Miotto³²,
 X. Lei⁷, W.A. Light⁴⁵, M.A.L. Leite^{26d}, R. Leitner¹³¹, D. Lellouch¹⁷⁵, B. Lemmer⁵⁷, K.J.C. Leney⁸¹,
 T. Lenz²³, B. Lenzi³², R. Leone⁷, S. Leone^{126a,126b}, C. Leonidopoulos⁴⁹, G. Lerner¹⁵¹, C. Leroy⁹⁷,
 R. Les¹⁶¹, A.A.J. Lesage¹³⁸, C.G. Lester³⁰, M. Levchenko¹²⁵, J. Levêque⁵, D. Levin⁹², L.J. Levinson¹⁷⁵,
 M. Levy¹⁹, D. Lewis⁷⁹, B. Li^{36a,w}, H. Li¹⁵⁰, L. Li^{36c}, Q. Li^{35a,35d}, Q. Li^{36a}, S. Li⁴⁸, X. Li^{36c}, Y. Li¹⁴³,
 Z. Liang^{35a}, B. Liberti^{135a}, A. Liblong¹⁶¹, K. Lie^{62c}, W. Liebig¹⁵, A. Limosani¹⁵², C.Y. Lin³⁰, K. Lin⁹³,
 S.C. Lin¹⁸², T.H. Lin⁸⁶, R.A. Linck⁶⁴, B.E. Lindquist¹⁵⁰, A.E. Lioni⁵², E. Lipeles¹²⁴, A. Lipniacka¹⁵,
 M. Lisovsky^{60b}, T.M. Liss^{169,ah}, A. Lister¹⁷¹, A.M. Litke¹³⁹, B. Liu⁶⁷, H. Liu⁹², H. Liu²⁷, J.K.K. Liu¹²²,
 J. Liu^{36b}, J.B. Liu^{36a}, K. Liu⁸⁸, L. Liu¹⁶⁹, M. Liu^{36a}, Y.L. Liu^{36a}, Y. Liu^{36a}, M. Livan^{123a,123b}, A. Lleres⁵⁸,
 J. Llorente Merino^{35a}, S.L. Lloyd⁷⁹, C.Y. Lo^{62b}, F. Lo Sterzo⁴³, E.M. Lobodzinska⁴⁵, P. Loch⁷,
 F.K. Loebinger⁸⁷, A. Loesle⁵¹, K.M. Loew²⁵, T. Lohse¹⁷, K. Lohwasser¹⁴¹, M. Lokajicek¹²⁹, B.A. Long²⁴,

1 J.D. Long¹⁶⁹, R.E. Long⁷⁵, L. Longo^{76a,76b}, K.A. Looper¹¹³, J.A. Lopez^{34b}, I. Lopez Paz¹³, A. Lopez Solis⁸³, 66
 2 J. Lorenz¹⁰², N. Lorenzo Martinez⁵, M. Losada²¹, P.J. Lösel¹⁰², X. Lou^{35a}, A. Lounis¹¹⁹, J. Love⁶, 67
 3 P.A. Love⁷⁵, H. Lu^{62a}, N. Lu⁹², Y.J. Lu⁶³, H.J. Lubatti¹⁴⁰, C. Luci^{134a,134b}, A. Lucotte⁵⁸, C. Luedtke⁵¹, 68
 4 F. Luehring⁶⁴, W. Lukas⁶⁵, L. Luminari^{134a}, B. Lund-Jensen¹⁴⁹, M.S. Lutz⁸⁹, P.M. Luzi⁸³, D. Lynn²⁷, 69
 5 R. Lysak¹²⁹, E. Lytken⁸⁴, F. Lyu^{35a}, V. Lyubushkin⁶⁸, H. Ma²⁷, L.L. Ma^{36b}, Y. Ma^{36b}, G. Maccarrone⁵⁰, 70
 6 A. Macchiolo¹⁰³, C.M. Macdonald¹⁴¹, B. Maček⁷⁸, J. Machado Miguens^{124,128b}, D. Madaffari¹⁷⁰, 71
 7 R. Madar³⁷, W.F. Mader⁴⁷, A. Madsen⁴⁵, N. Madysa⁴⁷, J. Maeda⁷⁰, S. Maeland¹⁵, T. Maeno²⁷, 72
 8 A.S. Maevskiy¹⁰¹, V. Magerl⁵¹, C. Maiani¹¹⁹, C. Maidantchik^{26a}, T. Maier¹⁰², A. Maio^{128a,128b,128d}, 73
 9 O. Majersky^{146a}, S. Majewski¹¹⁸, Y. Makida⁶⁹, N. Makovec¹¹⁹, B. Malaescu⁸³, Pa. Malecki⁴², 74
 10 V.P. Maleev¹²⁵, F. Malek⁵⁸, U. Mallik⁶⁶, D. Malon⁶, C. Malone³⁰, S. Maltezos¹⁰, S. Malyukov³², 75
 11 J. Mamuzic¹⁷⁰, G. Mancini⁵⁰, I. Mandić⁷⁸, J. Maneira^{128a,128b}, L. Manhaes de Andrade Filho^{26b}, 76
 12 J. Manjarres Ramos⁴⁷, K.H. Mankinen⁸⁴, A. Mann¹⁰², A. Manousos³², B. Mansoulie¹³⁸, J.D. Mansour^{35a}, 77
 13 R. Mantifel⁹⁰, M. Mantoani⁵⁷, S. Manzoni^{94a,94b}, L. Mapelli³², G. Marceca²⁹, L. March⁵², 78
 14 L. Marchese¹²², G. Marchiori⁸³, M. Marcisovsky¹²⁹, C.A. Marin Tobon³², M. Marjanovic³⁷, 79
 15 D.E. Marley⁹², F. Marroquim^{26a}, S.P. Marsden⁸⁷, Z. Marshall¹⁶, M.U.F. Martensson¹⁶⁸, S. Marti-Garcia¹⁷⁰, 80
 16 C.B. Martin¹¹³, T.A. Martin¹⁷³, V.J. Martin⁴⁹, B. Martin dit Latour¹⁵, M. Martinez^{13,v}, 81
 17 V.I. Martinez Outschoorn¹⁶⁹, S. Martin-Haugh¹³³, V.S. Martoiu^{28b}, A.C. Martyniuk⁸¹, A. Marzin³², 82
 18 L. Masetti⁸⁶, T. Mashimo¹⁵⁷, R. Mashinistov⁹⁸, J. Masik⁸⁷, A.L. Maslennikov^{111,c}, L.H. Mason⁹¹, 83
 19 L. Massa^{135a,135b}, P. Mastrandrea⁵, A. Mastroberardino^{40a,40b}, T. Masubuchi¹⁵⁷, P. Mättig¹⁷⁸, 84
 20 J. Maurer^{28b}, S.J. Maxfield⁷⁷, D.A. Maximov^{111,c}, R. Mazini¹⁵³, I. Maznas¹⁵⁶, S.M. Mazza^{94a,94b}, 85
 21 N.C. Mc Fadden¹⁰⁷, G. Mc Goldrick¹⁶¹, S.P. Mc Kee⁹², A. McCarn⁹², R.L. McCarthy¹⁵⁰, T.G. McCarthy¹⁰³, 86
 22 L.I. McClymont⁸¹, E.F. McDonald⁹¹, J.A. Mcfayden³², G. Mchedlidze⁵⁷, S.J. McMahon¹³³, 87
 23 P.C. McNamara⁹¹, C.J. McNicol¹⁷³, R.A. McPherson^{172,o}, S. Meehan¹⁴⁰, T.J. Megy⁵¹, S. Mehlhase¹⁰², 88
 24 A. Mehta⁷⁷, T. Meideck⁵⁸, K. Meier^{60a}, B. Meirose⁴⁴, D. Melini^{170,ai}, B.R. Mellado Garcia^{147c}, 89
 25 J.D. Mellenthin⁵⁷, M. Melo^{146a}, F. Meloni¹⁸, A. Melzer²³, S.B. Menary⁸⁷, L. Meng⁷⁷, X.T. Meng⁹², 90
 26 A. Mengarelli^{22a,22b}, S. Menke¹⁰³, E. Meoni^{40a,40b}, S. Mergelmeyer¹⁷, C. Merlassino¹⁸, P. Mermod⁵², 91
 27 L. Merola^{106a,106b}, C. Meroni^{94a}, F.S. Merritt³³, A. Messina^{134a,134b}, J. Metcalfe⁶, A.S. Mete¹⁶⁶, 92
 28 C. Meyer¹²⁴, J.-P. Meyer¹³⁸, J. Meyer¹⁰⁹, H. Meyer Zu Theenhausen^{60a}, F. Miano¹⁵¹, R.P. Middleton¹³³, 93
 29 S. Miglioranza^{53a,53b}, L. Mijović⁴⁹, G. Mikenberg¹⁷⁵, M. Mikesikova¹²⁹, M. Mikuž⁷⁸, M. Milesi⁹¹, 94
 30 A. Milic¹⁶¹, D.A. Millar⁷⁹, D.W. Miller³³, C. Mills⁴⁹, A. Milov¹⁷⁵, D.A. Milstead^{148a,148b}, 95
 31 A.A. Minaenko¹³², Y. Minami¹⁵⁷, I.A. Minashvili^{54b}, A.I. Mincer¹¹², B. Mindur^{41a}, M. Mineev⁶⁸, 96
 32 Y. Minegishi¹⁵⁷, Y. Ming¹⁷⁶, L.M. Mir¹³, A. Mirto^{76a,76b}, K.P. Mistry¹²⁴, T. Mitani¹⁷⁴, J. Mitrevski¹⁰², 97
 33 V.A. Mitsou¹⁷⁰, A. Miucci¹⁸, P.S. Miyagawa¹⁴¹, A. Mizukami⁶⁹, J.U. Mjörnmark⁸⁴, T. Mkrtychyan¹⁸⁰, 98
 34 M. Mlynarikova¹³¹, T. Moa^{148a,148b}, K. Mochizuki⁹⁷, P. Mogg⁵¹, S. Mohapatra³⁸, S. Molander^{148a,148b}, 99
 35 R. Moles-Valls²³, M.C. Mondragon⁹³, K. Mönig⁴⁵, J. Monk³⁹, E. Monnier⁸⁸, A. Montalbano¹⁵⁰, 100
 36 J. Montejo Berlingen³², F. Monticelli⁷⁴, S. Monzani^{94a,94b}, R.W. Moore³, N. Morange¹¹⁹, D. Moreno²¹, 101
 37 M. Moreno Llácer³², P. Morettini^{53a}, M. Morgenstern¹⁰⁹, S. Morgenstern³², D. Mori¹⁴⁴, T. Mori¹⁵⁷, 102
 38 M. Morii⁵⁹, M. Morinaga¹⁷⁴, V. Morisbak¹²¹, A.K. Morley³², G. Mornacchi³², J.D. Morris⁷⁹, L. Morvaj¹⁵⁰, 103
 39 P. Moschovakos¹⁰, M. Mosidze^{54b}, H.J. Moss¹⁴¹, J. Moss^{145,aj}, K. Motohashi¹⁵⁹, R. Mount¹⁴⁵, 104
 40 E. Mountricha²⁷, E.J.W. Moyse⁸⁹, S. Muanza⁸⁸, F. Mueller¹⁰³, J. Mueller¹²⁷, R.S.P. Mueller¹⁰², 105
 41 D. Muenstermann⁷⁵, P. Mullen⁵⁶, G.A. Mullier¹⁸, F.J. Munoz Sanchez⁸⁷, W.J. Murray^{173,133}, 106
 42 H. Musheghyan³², M. Muškinja⁷⁸, C. Mwewa^{147a}, A.G. Myagkov^{132,ak}, M. Myska¹³⁰, B.P. Nachman¹⁶, 107
 43 O. Nackenhorst⁵², K. Nagai¹²², R. Nagai^{69,af}, K. Nagano⁶⁹, Y. Nagasaka⁶¹, K. Nagata¹⁶⁴, M. Nagel⁵¹, 108
 44 E. Nagy⁸⁸, A.M. Nairz³², Y. Nakahama¹⁰⁵, K. Nakamura⁶⁹, T. Nakamura¹⁵⁷, I. Nakano¹¹⁴, 109
 45 R.F. Naranjo Garcia⁴⁵, R. Narayan¹¹, D.I. Narrias Villar^{60a}, I. Naryshkin¹²⁵, T. Naumann⁴⁵, G. Navarro²¹, 110
 46 R. Nayyar⁷, H.A. Neal⁹², P.Yu. Nechaeva⁹⁸, T.J. Neep¹³⁸, A. Negri^{123a,123b}, M. Negrini^{22a}, 111
 47 S. Nektarijevic¹⁰⁸, C. Nellist⁵⁷, A. Nelson¹⁶⁶, M.E. Nelson¹²², S. Nemecek¹²⁹, P. Nemethy¹¹², 112
 48 M. Nessi^{32,al}, M.S. Neubauer¹⁶⁹, M. Neumann¹⁷⁸, P.R. Newman¹⁹, T.Y. Ng^{62c}, Y.S. Ng¹⁷, 113
 49 T. Nguyen Manh⁹⁷, R.B. Nickerson¹²², R. Nicolaidou¹³⁸, J. Nielsen¹³⁹, N. Nikiforou¹¹, 114
 50 V. Nikolaenko^{132,ak}, I. Nikolic-Audit⁸³, K. Nikolopoulos¹⁹, P. Nilsson²⁷, Y. Ninomiya⁶⁹, A. Nisati^{134a}, 115
 51 N. Nishu^{36c}, R. Nisius¹⁰³, I. Nitsche⁴⁶, T. Nitta¹⁷⁴, T. Nobe¹⁵⁷, Y. Noguchi⁷¹, M. Nomachi¹²⁰, 116
 52 I. Nomidis³¹, M.A. Nomura²⁷, T. Nooney⁷⁹, M. Nordberg³², N. Norjoharuddeen¹²², O. Novgorodova⁴⁷, 117
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65

1 M. Nozaki⁶⁹, L. Nozka¹¹⁷, K. Ntekas¹⁶⁶, E. Nurse⁸¹, F. Nuti⁹¹, K. O'connor²⁵, D.C. O'Neil¹⁴⁴,
 2 A.A. O'Rourke⁴⁵, V. O'Shea⁵⁶, F.G. Oakham^{31,d}, H. Oberlack¹⁰³, T. Obermann²³, J. Ocariz⁸³, A. Ochi⁷⁰,
 3 I. Ochoa³⁸, J.P. Ochoa-Ricoux^{34a}, S. Oda⁷³, S. Odaka⁶⁹, A. Oh⁸⁷, S.H. Oh⁴⁸, C.C. Ohm¹⁴⁹, H. Ohman¹⁶⁸,
 4 H. Oide^{53a,53b}, H. Okawa¹⁶⁴, Y. Okumura¹⁵⁷, T. Okuyama⁶⁹, A. Olariu^{28b}, L.F. Oleiro Seabra^{128a},
 5 S.A. Olivares Pino^{34a}, D. Oliveira Damazio²⁷, M.J.R. Olsson³³, A. Olszewski⁴², J. Olszowska⁴²,
 6 A. Onofre^{128a,128e}, K. Onogi¹⁰⁵, P.U.E. Onyisi^{11,ab}, H. Oppen¹²¹, M.J. Oreglia³³, Y. Oren¹⁵⁵,
 7 D. Orestano^{136a,136b}, N. Orlando^{62b}, R.S. Orr¹⁶¹, B. Osculati^{53a,53b,*}, R. Ospanov^{36a}, G. Otero y Garzon²⁹,
 8 H. Otono⁷³, M. Ouchrif^{137d}, F. Ould-Saada¹²¹, A. Ouraou¹³⁸, K.P. Oussoren¹⁰⁹, Q. Ouyang^{35a},
 9 M. Owen⁵⁶, R.E. Owen¹⁹, V.E. Ozcan^{20a}, N. Ozturk⁸, K. Pachal¹⁴⁴, A. Pacheco Pages¹³,
 10 L. Pacheco Rodriguez¹³⁸, C. Padilla Aranda¹³, S. Pagan Griso¹⁶, M. Paganini¹⁷⁹, F. Paige²⁷, G. Palacino⁶⁴,
 11 S. Palazzo^{40a,40b}, S. Palestini³², M. Palka^{41b}, D. Pallin³⁷, E. St. Panagiotopoulou¹⁰, I. Panagoulas¹⁰,
 12 C.E. Pandini⁵², J.G. Panduro Vazquez⁸⁰, P. Pani³², S. Panitkin²⁷, D. Pantea^{28b}, L. Paolozzi⁵²,
 13 Th.D. Papadopoulou¹⁰, K. Papageorgiou^{9,s}, A. Paramonov⁶, D. Paredes Hernandez¹⁷⁹, A.J. Parker⁷⁵,
 14 M.A. Parker³⁰, K.A. Parker⁴⁵, F. Parodi^{53a,53b}, J.A. Parsons³⁸, U. Parzefall⁵¹, V.R. Pascuzzi¹⁶¹,
 15 J.M. Pasner¹³⁹, E. Pasqualucci^{134a}, S. Passaggio^{53a}, Fr. Pastore⁸⁰, S. Pataria⁸⁶, J.R. Pater⁸⁷, T. Pauly³²,
 16 B. Pearson¹⁰³, S. Pedraza Lopez¹⁷⁰, R. Pedro^{128a,128b}, S.V. Peleganchuk^{111,c}, O. Penc¹²⁹, C. Peng^{35a,35d},
 17 H. Peng^{36a}, J. Penwell⁶⁴, B.S. Peralva^{26b}, M.M. Perego¹³⁸, D.V. Perepelitsa²⁷, F. Peri¹⁷, L. Perini^{94a,94b},
 18 H. Pernegger³², S. Perrella^{106a,106b}, R. Peschke⁴⁵, V.D. Peshekhonov^{68,*}, K. Peters⁴⁵, R.F.Y. Peters⁸⁷,
 19 B.A. Petersen³², T.C. Petersen³⁹, E. Petit⁵⁸, A. Petridis¹, C. Petridou¹⁵⁶, P. Petroff¹¹⁹, E. Petrolo^{134a},
 20 M. Petrov¹²², F. Petrucci^{136a,136b}, N.E. Pettersson⁸⁹, A. Peyaud¹³⁸, R. Pezoa^{34b}, F.H. Phillips⁹³,
 21 P.W. Phillips¹³³, G. Piacquadio¹⁵⁰, E. Pianori¹⁷³, A. Picazio⁸⁹, M.A. Pickering¹²², R. Piegai²⁹,
 22 J.E. Pilcher³³, A.D. Pilkington⁸⁷, M. Pinamonti^{135a,135b}, J.L. Pinfold³, H. Pirumov⁴⁵, M. Pitt¹⁷⁵,
 23 L. Plazak^{146a}, M.-A. Pleier²⁷, V. Pleskot⁸⁶, E. Plotnikova⁶⁸, D. Pluth⁶⁷, P. Podberezko¹¹¹, R. Poettgen⁸⁴,
 24 R. Poggi^{123a,123b}, L. Poggioli¹¹⁹, I. Pogrebnyak⁹³, D. Pohl²³, I. Pokharel⁵⁷, G. Polesello^{123a}, A. Poley⁴⁵,
 25 A. Policicchio^{40a,40b}, R. Polifka³², A. Polini^{22a}, C.S. Pollard⁵⁶, V. Polychronakos²⁷, K. Pommès³²,
 26 D. Ponomarenko¹⁰⁰, L. Pontecorvo^{134a}, G.A. Popeneciu^{28d}, D.M. Portillo Quintero⁸³, S. Pospisil¹³⁰,
 27 K. Potamianos⁴⁵, I.N. Potrap⁶⁸, C.J. Potter³⁰, H. Potti¹¹, T. Poulsen⁸⁴, J. Poveda³²,
 28 M.E. Pozo Astigarraga³², P. Pralavorio⁸⁸, A. Pranko¹⁶, S. Prell⁶⁷, D. Price⁸⁷, M. Primavera^{76a}, S. Prince⁹⁰,
 29 N. Proklova¹⁰⁰, K. Prokofiev^{62c}, F. Prokoshin^{34b}, S. Protopopescu²⁷, J. Proudfoot⁶, M. Przybycien^{41a},
 30 A. Puri¹⁶⁹, P. Puzo¹¹⁹, J. Qian⁹², Y. Qin⁸⁷, A. Quadt⁵⁷, M. Queitsch-Maitland⁴⁵, D. Quilty⁵⁶,
 31 S. Raddum¹²¹, V. Radeka²⁷, V. Radescu¹²², S.K. Radhakrishnan¹⁵⁰, P. Radloff¹¹⁸, P. Rados⁹¹,
 32 F. Ragusa^{94a,94b}, G. Rahal¹⁸¹, J.A. Raine⁸⁷, S. Rajagopalan²⁷, C. Rangel-Smith¹⁶⁸, T. Rashid¹¹⁹,
 33 S. Raspopov⁵, M.G. Ratti^{94a,94b}, D.M. Rauch⁴⁵, F. Rauscher¹⁰², S. Rave⁸⁶, I. Ravinovich¹⁷⁵,
 34 J.H. Rawling⁸⁷, M. Raymond³², A.L. Read¹²¹, N.P. Readioff⁵⁸, M. Reale^{76a,76b}, D.M. Rebuzzi^{123a,123b},
 35 A. Redelbach¹⁷⁷, G. Redlinger²⁷, R. Reece¹³⁹, R.G. Reed^{147c}, K. Reeves⁴⁴, L. Rehnisch¹⁷, J. Reichert¹²⁴,
 36 A. Reiss⁸⁶, C. Rembser³², H. Ren^{35a,35d}, M. Rescigno^{134a}, S. Resconi^{94a}, E.D. Resseguie¹²⁴, S. Rettie¹⁷¹,
 37 E. Reynolds¹⁹, O.L. Rezanova^{111,c}, P. Reznicek¹³¹, R. Rezvani⁹⁷, R. Richter¹⁰³, S. Richter⁸¹,
 38 E. Richter-Was^{41b}, O. Ricken²³, M. Ridel⁸³, P. Rieck¹⁰³, C.J. Riegel¹⁷⁸, J. Rieger⁵⁷, O. Rifki¹¹⁵,
 39 M. Rijssenbeek¹⁵⁰, A. Rimoldi^{123a,123b}, M. Rimoldi¹⁸, L. Rinaldi^{22a}, G. Ripellino¹⁴⁹, B. Ristić³²,
 40 E. Ritsch³², I. Riu¹³, F. Rizatdinova¹¹⁶, E. Rizvi⁷⁹, C. Rizzi¹³, R.T. Roberts⁸⁷, S.H. Robertson^{90,o},
 41 A. Robichaud-Veronneau⁹⁰, D. Robinson³⁰, J.E.M. Robinson⁴⁵, A. Robson⁵⁶, E. Rocco⁸⁶, C. Roda^{126a,126b},
 42 Y. Rodina^{88,am}, S. Rodriguez Bosca¹⁷⁰, A. Rodriguez Perez¹³, D. Rodriguez Rodriguez¹⁷⁰, S. Roe³²,
 43 C.S. Rogan⁵⁹, O. Røhne¹²¹, J. Roloff⁵⁹, A. Romaniouk¹⁰⁰, M. Romano^{22a,22b}, S.M. Romano Saez³⁷,
 44 E. Romero Adam¹⁷⁰, N. Rompotis⁷⁷, M. Ronzani⁵¹, L. Roos⁸³, S. Rosati^{134a}, K. Rosbach⁵¹, P. Rose¹³⁹,
 45 N.-A. Rosien⁵⁷, E. Rossi^{106a,106b}, L.P. Rossi^{53a}, J.H.N. Rosten³⁰, R. Rosten¹⁴⁰, M. Rotaru^{28b},
 46 J. Rothberg¹⁴⁰, D. Rousseau¹¹⁹, A. Rozanov⁸⁸, Y. Rozen¹⁵⁴, X. Ruan^{147c}, F. Rubbo¹⁴⁵, F. Rühr⁵¹,
 47 A. Ruiz-Martinez³¹, Z. Rurikova⁵¹, N.A. Rusakovich⁶⁸, H.L. Russell⁹⁰, J.P. Rutherford⁷, N. Ruthmann³²,
 48 E.M. Rüttinger⁴⁵, Y.F. Ryabov¹²⁵, M. Rybar¹⁶⁹, G. Rybkin¹¹⁹, S. Ryu⁶, A. Ryzhov¹³², G.F. Rzehorz⁵⁷,
 49 A.F. Saavedra¹⁵², G. Sabato¹⁰⁹, S. Sacerdoti²⁹, H.F-W. Sadrozinski¹³⁹, R. Sadykov⁶⁸, F. Safai Tehrani^{134a},
 50 P. Saha¹¹⁰, M. Sahinsoy^{60a}, M. Saimpert⁴⁵, M. Saito¹⁵⁷, T. Saito¹⁵⁷, H. Sakamoto¹⁵⁷, Y. Sakurai¹⁷⁴,
 51 G. Salamanna^{136a,136b}, J.E. Salazar Loyola^{34b}, D. Salek¹⁰⁹, P.H. Sales De Bruin¹⁶⁸, D. Salihagic¹⁰³,
 52 A. Salnikov¹⁴⁵, J. Salt¹⁷⁰, D. Salvatore^{40a,40b}, F. Salvatore¹⁵¹, A. Salvucci^{62a,62b,62c}, A. Salzburger³²,
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65

1 D. Sammel⁵¹, D. Sampsonidis¹⁵⁶, D. Sampsonidou¹⁵⁶, J. Sánchez¹⁷⁰, A. Sanchez Pineda^{167a,167c},
 2 H. Sandaker¹²¹, R.L. Sandbach⁷⁹, C.O. Sander⁴⁵, M. Sandhoff¹⁷⁸, C. Sandoval²¹, D.P.C. Sankey¹³³,
 3 M. Sannino^{53a,53b}, Y. Sano¹⁰⁵, A. Sansoni⁵⁰, C. Santoni³⁷, H. Santos^{128a}, I. Santoyo Castillo¹⁵¹,
 4 A. Sapronov⁶⁸, J.G. Saraiva^{128a,128d}, O. Sasaki⁶⁹, K. Sato¹⁶⁴, E. Sauvan⁵, G. Savage⁸⁰, P. Savard^{161,d},
 5 N. Savic¹⁰³, C. Sawyer¹³³, L. Sawyer^{82,u}, C. Sbarra^{22a}, A. Sbrizzi^{22a,22b}, T. Scanlon⁸¹,
 6 D.A. Scannicchio¹⁶⁶, J. Schaarschmidt¹⁴⁰, P. Schacht¹⁰³, B.M. Schachtner¹⁰², D. Schaefer³³,
 7 L. Schaefer¹²⁴, J. Schaeffer⁸⁶, S. Schaepe³², S. Schaezel^{60b}, U. Schäfer⁸⁶, A.C. Schaffer¹¹⁹, D. Schaile¹⁰²,
 8 R.D. Schamberger¹⁵⁰, V.A. Schegelsky¹²⁵, D. Scheirich¹³¹, F. Schenck¹⁷, M. Schernau¹⁶⁶,
 9 C. Schiavi^{53a,53b}, S. Schier¹³⁹, L.K. Schildgen²³, C. Schillo⁵¹, M. Schioppa^{40a,40b}, S. Schlenker³²,
 10 K.R. Schmidt-Sommerfeld¹⁰³, K. Schmieden³², C. Schmitt⁸⁶, S. Schmitt⁴⁵, S. Schmitz⁸⁶, U. Schnoor⁵¹,
 11 L. Schoeffel¹³⁸, A. Schoening^{60b}, B.D. Schoenrock⁹³, E. Schopf²³, M. Schott⁸⁶, J.F.P. Schouwenberg¹⁰⁸,
 12 J. Schovancova³², S. Schramm⁵², N. Schuh⁸⁶, A. Schulte⁸⁶, M.J. Schultens²³, H.-C. Schultz-Coulon^{60a},
 13 M. Schumacher⁵¹, B.A. Schumm¹³⁹, Ph. Schune¹³⁸, A. Schwartzman¹⁴⁵, T.A. Schwarz⁹², H. Schweiger⁸⁷,
 14 Ph. Schwemling¹³⁸, R. Schwienhorst⁹³, J. Schwindling¹³⁸, A. Sciandra²³, G. Sciolla²⁵,
 15 M. Scornajenghi^{40a,40b}, F. Scuri^{126a,126b}, F. Scutti⁹¹, J. Searcy⁹², P. Seema²³, S.C. Seidel¹⁰⁷, A. Seiden¹³⁹,
 16 J.M. Seixas^{26a}, G. Sekhniaidze^{106a}, K. Sekhon⁹², S.J. Sekula⁴³, N. Semprini-Cesari^{22a,22b}, S. Senkin³⁷,
 17 C. Serfon¹²¹, L. Serin¹¹⁹, L. Serkin^{167a,167b}, M. Sessa^{136a,136b}, R. Seuster¹⁷², H. Severini¹¹⁵, T. Sfiligoi⁷⁸,
 18 F. Sforza¹⁶⁵, A. Sfyrla⁵², E. Shabalina⁵⁷, N.W. Shaikh^{148a,148b}, L.Y. Shan^{35a}, R. Shang¹⁶⁹, J.T. Shank²⁴,
 19 M. Shapiro¹⁶, P.B. Shatalov⁹⁹, K. Shaw^{167a,167b}, S.M. Shaw⁸⁷, A. Shcherbakova^{148a,148b}, C.Y. Shehu¹⁵¹,
 20 Y. Shen¹¹⁵, N. Sherafati³¹, A.D. Sherman²⁴, P. Sherwood⁸¹, L. Shi^{153,an}, S. Shimizu⁷⁰, C.O. Shimmin¹⁷⁹,
 21 M. Shimojima¹⁰⁴, I.P.J. Shipsey¹²², S. Shirabe⁷³, M. Shiyakova^{68,ao}, J. Shlomi¹⁷⁵, A. Shmeleva⁹⁸,
 22 D. Shoaleh Saadi⁹⁷, M.J. Shochet³³, S. Shojaii^{94a,94b}, D.R. Shope¹¹⁵, S. Shrestha¹¹³, E. Shulga¹⁰⁰,
 23 M.A. Shupe⁷, P. Sicho¹²⁹, A.M. Sickles¹⁶⁹, P.E. Sidebo¹⁴⁹, E. Sideras Haddad^{147c}, O. Sidiropoulou¹⁷⁷,
 24 A. Sidoti^{22a,22b}, F. Siegert⁴⁷, Dj. Sijacki¹⁴, J. Silva^{128a,128d}, S.B. Silverstein^{148a}, V. Simak¹³⁰, L. Simic⁶⁸,
 25 S. Simion¹¹⁹, E. Simioni⁸⁶, B. Simmons⁸¹, M. Simon⁸⁶, P. Sinervo¹⁶¹, N.B. Sinev¹¹⁸, M. Sioli^{22a,22b},
 26 G. Siragusa¹⁷⁷, I. Siral⁹², S.Yu. Sivoklokov¹⁰¹, J. Sjölin^{148a,148b}, M.B. Skinner⁷⁵, P. Skubic¹¹⁵, M. Slater¹⁹,
 27 T. Slavicek¹³⁰, M. Slawinska⁴², K. Sliwa¹⁶⁵, R. Slovak¹³¹, V. Smakhtin¹⁷⁵, B.H. Smart⁵, J. Smiesko^{146a},
 28 N. Smirnov¹⁰⁰, S.Yu. Smirnov¹⁰⁰, Y. Smirnov¹⁰⁰, L.N. Smirnova^{101,ap}, O. Smirnova⁸⁴, J.W. Smith⁵⁷,
 29 M.N.K. Smith³⁸, R.W. Smith³⁸, M. Smizanska⁷⁵, K. Smolek¹³⁰, A.A. Snesarev⁹⁸, I.M. Snyder¹¹⁸,
 30 S. Snyder²⁷, R. Sobie^{172,o}, F. Socher⁴⁷, A. Soffer¹⁵⁵, A. Søgaard⁴⁹, D.A. Soh¹⁵³, G. Sokhrannyi⁷⁸,
 31 C.A. Solans Sanchez³², M. Solar¹³⁰, E.Yu. Soldatov¹⁰⁰, U. Soldevila¹⁷⁰, A.A. Solodkov¹³²,
 32 A. Soloshenko⁶⁸, O.V. Solovyanov¹³², V. Solovyev¹²⁵, P. Sommer¹⁴¹, H. Son¹⁶⁵, A. Sopczak¹³⁰,
 33 D. Sosa^{60b}, C.L. Sotiropoulou^{126a,126b}, S. Sottocornola^{123a,123b}, R. Soualah^{167a,167c}, A.M. Soukharev^{111,c},
 34 D. South⁴⁵, B.C. Sowden⁸⁰, S. Spagnolo^{76a,76b}, M. Spalla^{126a,126b}, M. Spangenberg¹⁷³, F. Spanò⁸⁰,
 35 D. Sperlich¹⁷, F. Spettel¹⁰³, T.M. Spieker^{60a}, R. Spighi^{22a}, G. Spigo³², L.A. Spiller⁹¹, M. Spousta¹³¹,
 36 R.D. St. Denis^{56,*}, A. Stabile^{94a}, R. Stamen^{60a}, S. Stamm¹⁷, E. Stanecka⁴², R.W. Stanek⁶, C. Stanescu^{136a},
 37 M.M. Stanitzki⁴⁵, B.S. Stapf¹⁰⁹, S. Stapnes¹²¹, E.A. Starchenko¹³², G.H. Stark³³, J. Stark⁵⁸, S.H. Stark³⁹,
 38 P. Staroba¹²⁹, P. Starovoitov^{60a}, S. Stärz³², R. Staszewski⁴², M. Stegler⁴⁵, P. Steinberg²⁷, B. Stelzer¹⁴⁴,
 39 H.J. Stelzer³², O. Stelzer-Chilton^{163a}, H. Stenzel⁵⁵, T.J. Stevenson⁷⁹, G.A. Stewart⁵⁶, M.C. Stockton¹¹⁸,
 40 M. Stoebe⁹⁰, G. Stoicea^{28b}, P. Stolte⁵⁷, S. Stonjek¹⁰³, A.R. Stradling⁸, A. Straessner⁴⁷, M.E. Stramaglia¹⁸,
 41 J. Strandberg¹⁴⁹, S. Strandberg^{148a,148b}, M. Strauss¹¹⁵, P. Strizenec^{146b}, R. Ströhmer¹⁷⁷, D.M. Strom¹¹⁸,
 42 R. Stroynowski⁴³, A. Strubig⁴⁹, S.A. Stucci²⁷, B. Stugu¹⁵, N.A. Styles⁴⁵, D. Su¹⁴⁵, J. Su¹²⁷, S. Suchek^{60a},
 43 Y. Sugaya¹²⁰, M. Suk¹³⁰, V.V. Sulin⁹⁸, DMS Sultan^{162a,162b}, S. Sultansoy^{4c}, T. Sumida⁷¹, S. Sun⁵⁹,
 44 X. Sun³, K. Suruliz¹⁵¹, C.J.E. Suster¹⁵², M.R. Sutton¹⁵¹, S. Suzuki⁶⁹, M. Svatos¹²⁹, M. Swiatlowski³³,
 45 S.P. Swift², I. Sykora^{146a}, T. Sykora¹³¹, D. Ta⁵¹, K. Tackmann⁴⁵, J. Taenzer¹⁵⁵, A. Taffard¹⁶⁶,
 46 R. Tafirout^{163a}, E. Tahirovic⁷⁹, N. Taiblum¹⁵⁵, H. Takai²⁷, R. Takashima⁷², E.H. Takasugi¹⁰³, K. Takeda⁷⁰,
 47 T. Takeshita¹⁴², Y. Takubo⁶⁹, M. Talby⁸⁸, A.A. Talyshev^{111,c}, J. Tanaka¹⁵⁷, M. Tanaka¹⁵⁹, R. Tanaka¹¹⁹,
 48 R. Tanioka⁷⁰, B.B. Tannenwald¹¹³, S. Tapia Araya^{34b}, S. Tapprogge⁸⁶, S. Tarem¹⁵⁴, G.F. Tartarelli^{94a},
 49 P. Tas¹³¹, M. Tasevsky¹²⁹, T. Tashiro⁷¹, E. Tassi^{40a,40b}, A. Tavares Delgado^{128a,128b}, Y. Tayalati^{137e},
 50 A.C. Taylor¹⁰⁷, A.J. Taylor⁴⁹, G.N. Taylor⁹¹, P.T.E. Taylor⁹¹, W. Taylor^{163b}, P. Teixeira-Dias⁸⁰,
 51 D. Temple¹⁴⁴, H. Ten Kate³², P.K. Teng¹⁵³, J.J. Teoh¹²⁰, F. Tepel¹⁷⁸, S. Terada⁶⁹, K. Terashi¹⁵⁷,
 52 J. Terron⁸⁵, S. Terzo¹³, M. Testa⁵⁰, R.J. Teuscher^{161,o}, S.J. Thais¹⁷⁹, T. Theveneaux-Pelzer⁸⁸, F. Thiele³⁹,
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65

1 J.P. Thomas¹⁹, J. Thomas-Wilsker⁸⁰, P.D. Thompson¹⁹, A.S. Thompson⁵⁶, L.A. Thomsen¹⁷⁹, 66
 2 E. Thomson¹²⁴, Y. Tian³⁸, M.J. Tibbetts¹⁶, R.E. Ticse Torres⁵⁷, V.O. Tikhomirov^{98,aq}, Yu.A. Tikhonov^{111,c}, 67
 3 S. Timoshenko¹⁰⁰, P. Tipton¹⁷⁹, S. Tisserant⁸⁸, K. Todome¹⁵⁹, S. Todorova-Nova⁵, S. Todt⁴⁷, J. Tojo⁷³, 68
 4 S. Tokár^{146a}, K. Tokushuku⁶⁹, E. Tolley¹¹³, L. Tomlinson⁸⁷, M. Tomoto¹⁰⁵, L. Tompkins^{145,ar}, K. Toms¹⁰⁷, 69
 5 B. Tong⁵⁹, P. Tornambe⁵¹, E. Torrence¹¹⁸, H. Torres⁴⁷, E. Torró Pastor¹⁴⁰, J. Toth^{88,as}, F. Touchard⁸⁸, 70
 6 D.R. Tovey¹⁴¹, C.J. Treado¹¹², T. Trefzger¹⁷⁷, F. Tresoldi¹⁵¹, A. Tricoli²⁷, I.M. Trigger^{163a}, 71
 7 S. Trincaz-Duvoid⁸³, M.F. Tripiana¹³, W. Trischuk¹⁶¹, B. Trocme⁵⁸, A. Trofymov⁴⁵, C. Troncon^{94a}, 72
 8 M. Trovatelli¹⁷², L. Truong^{147b}, M. Trzebinski⁴², A. Trzupek⁴², K.W. Tsang^{62a}, J.C.-L. Tseng¹²², 73
 9 P.V. Tsiarehka⁹⁵, N. Tsirintanis⁹, S. Tsiskaridze¹³, V. Tsiskaridze⁵¹, E.G. Tskhadadze^{54a}, 74
 10 I.I. Tsukerman⁹⁹, V. Tsulaia¹⁶, S. Tsuno⁶⁹, D. Tsybychev¹⁵⁰, Y. Tu^{62b}, A. Tudorache^{28b}, V. Tudorache^{28b}, 75
 11 T.T. Tulbure^{28a}, A.N. Tuna⁵⁹, S. Turchikhin⁶⁸, D. Turgeman¹⁷⁵, I. Turk Cakir^{4b,at}, R. Turra^{94a}, P.M. Tuts³⁸, 76
 12 G. Ucchielli^{22a,22b}, I. Ueda⁶⁹, M. Ughetto^{148a,148b}, F. Ukegawa¹⁶⁴, G. Unal³², A. Undrus²⁷, G. Unel¹⁶⁶, 77
 13 F.C. Ungaro⁹¹, Y. Unno⁶⁹, K. Uno¹⁵⁷, J. Urban^{146b}, P. Urquijo⁹¹, P. Urrejola⁸⁶, G. Usai⁸, J. Usui⁶⁹, 78
 14 L. Vacavant⁸⁸, V. Vacek¹³⁰, B. Vachon⁹⁰, K.O.H. Vadla¹²¹, A. Vaidya⁸¹, C. Valderanis¹⁰², 79
 15 E. Valdes Santurio^{148a,148b}, M. Valente⁵², S. Valentineti^{22a,22b}, A. Valero¹⁷⁰, L. Valéry¹³, A. Vallier⁵, 80
 16 J.A. Valls Ferrer¹⁷⁰, W. Van Den Wollenberg¹⁰⁹, H. van der Graaf¹⁰⁹, P. van Gemmeren⁶, 81
 17 J. Van Nieuwkoop¹⁴⁴, I. van Vulpen¹⁰⁹, M.C. van Woerden¹⁰⁹, M. Vanadia^{135a,135b}, W. Vandelli³², 82
 18 A. Vaniachine¹⁶⁰, P. Vankov¹⁰⁹, G. Vardanyan¹⁸⁰, R. Vari^{134a}, E.W. Varnes⁷, C. Varni^{53a,53b}, T. Varol⁴³, 83
 19 D. Varouchas¹¹⁹, A. Vartapetian⁸, K.E. Varvell¹⁵², J.G. Vasquez¹⁷⁹, G.A. Vasquez^{34b}, F. Vazeille³⁷, 84
 20 D. Vazquez Furelos¹³, T. Vazquez Schroeder⁹⁰, J. Veatch⁵⁷, V. Veeraraghavan⁷, L.M. Veloce¹⁶¹, 85
 21 F. Veloso^{128a,128c}, S. Veneziano^{134a}, A. Ventura^{76a,76b}, M. Venturi¹⁷², N. Venturi³², V. Vercesi^{123a}, 86
 22 M. Verducci^{136a,136b}, W. Verkerke¹⁰⁹, A.T. Vermeulen¹⁰⁹, J.C. Vermeulen¹⁰⁹, M.C. Vetterli^{144,d}, 87
 23 N. Viaux Maira^{34b}, O. Viazlo⁸⁴, I. Vichou^{169,*}, T. Vickey¹⁴¹, O.E. Vickey Boeriu¹⁴¹, G.H.A. Viehhauser¹²², 88
 24 S. Viel¹⁶, L. Vigani¹²², M. Villa^{22a,22b}, M. Villaplana Perez^{94a,94b}, E. Vilucchi⁵⁰, M.G. Vincter³¹, 89
 25 V.B. Vinogradov⁶⁸, A. Vishwakarma⁴⁵, C. Vittori^{22a,22b}, I. Vivarelli¹⁵¹, S. Vlachos¹⁰, M. Vogel¹⁷⁸, 90
 26 P. Vokac¹³⁰, G. Volpi¹³, H. von der Schmitt¹⁰³, E. von Toerne²³, V. Vorobel¹³¹, K. Vorobev¹⁰⁰, 91
 27 M. Vos¹⁷⁰, R. Voss³², J.H. Vossebeld⁷⁷, N. Vranjes¹⁴, M. Vranjes Milosavljevic¹⁴, V. Vrba¹³⁰, 92
 28 M. Vreeswijk¹⁰⁹, R. Vuillermet³², I. Vukotic³³, P. Wagner²³, W. Wagner¹⁷⁸, J. Wagner-Kuhr¹⁰², 93
 29 H. Wahlberg⁷⁴, S. Wahrenmund⁴⁷, K. Wakamiya⁷⁰, J. Walder⁷⁵, R. Walker¹⁰², W. Walkowiak¹⁴³, 94
 30 V. Wallangen^{148a,148b}, C. Wang^{35b}, C. Wang^{36b,au}, F. Wang¹⁷⁶, H. Wang¹⁶, H. Wang³, J. Wang⁴⁵, 95
 31 J. Wang¹⁵², Q. Wang¹¹⁵, R.-J. Wang⁸³, R. Wang⁶, S.M. Wang¹⁵³, T. Wang³⁸, W. Wang^{153,av}, 96
 32 W. Wang^{36a,aw}, Z. Wang^{36c}, C. Wanotayaroj⁴⁵, A. Warburton⁹⁰, C.P. Ward³⁰, D.R. Wardrope⁸¹, 97
 33 A. Washbrook⁴⁹, P.M. Watkins¹⁹, A.T. Watson¹⁹, M.F. Watson¹⁹, G. Watts¹⁴⁰, S. Watts⁸⁷, B.M. Waugh⁸¹, 98
 34 A.F. Webb¹¹, S. Webb⁸⁶, M.S. Weber¹⁸, S.M. Weber^{60a}, S.W. Weber¹⁷⁷, S.A. Weber³¹, J.S. Webster⁶, 99
 35 A.R. Weidberg¹²², B. Weinert⁶⁴, J. Weingarten⁵⁷, M. Weirich⁸⁶, C. Weiser⁵¹, P.S. Wells³², T. Wenaus²⁷, 100
 36 T. Wengler³², S. Wenig³², N. Wermes²³, M.D. Werner⁶⁷, P. Werner³², M. Wessels^{60a}, T.D. Weston¹⁸, 101
 37 K. Whalen¹¹⁸, N.L. Whallon¹⁴⁰, A.M. Wharton⁷⁵, A.S. White⁹², A. White⁸, M.J. White¹, R. White^{34b}, 102
 38 D. Whiteson¹⁶⁶, B.W. Whitmore⁷⁵, F.J. Wickens¹³³, W. Wiedenmann¹⁷⁶, M. Wielers¹³³, 103
 39 C. Wiglesworth³⁹, L.A.M. Wiik-Fuchs⁵¹, A. Wildauer¹⁰³, F. Wilk⁸⁷, H.G. Wilkens³², H.H. Williams¹²⁴, 104
 40 S. Williams¹⁰⁹, C. Willis⁹³, S. Willocq⁸⁹, J.A. Wilson¹⁹, I. Wingerter-Seez⁵, E. Winkels¹⁵¹, 105
 41 F. Winklmeier¹¹⁸, O.J. Winston¹⁵¹, B.T. Winter²³, M. Wittgen¹⁴⁵, M. Wobisch^{82,u}, A. Wolf⁸⁶, 106
 42 T.M.H. Wolf¹⁰⁹, R. Wolff⁸⁸, M.W. Wolter⁴², H. Wolters^{128a,128c}, V.W.S. Wong¹⁷¹, N.L. Woods¹³⁹, 107
 43 S.D. Worm¹⁹, B.K. Wosiek⁴², J. Wotschack³², K.W. Wozniak⁴², M. Wu³³, S.L. Wu¹⁷⁶, X. Wu⁵², Y. Wu⁹², 108
 44 T.R. Wyatt⁸⁷, B.M. Wynne⁴⁹, S. Xella³⁹, Z. Xi⁹², L. Xia^{35c}, D. Xu^{35a}, L. Xu²⁷, T. Xu¹³⁸, W. Xu⁹², 109
 45 B. Yabsley¹⁵², S. Yacoob^{147a}, D. Yamaguchi¹⁵⁹, Y. Yamaguchi¹⁵⁹, A. Yamamoto⁶⁹, S. Yamamoto¹⁵⁷, 110
 46 T. Yamanaka¹⁵⁷, F. Yamane⁷⁰, M. Yamatani¹⁵⁷, T. Yamazaki¹⁵⁷, Y. Yamazaki⁷⁰, Z. Yan²⁴, H. Yang^{36c}, 111
 47 H. Yang¹⁶, Y. Yang¹⁵³, Z. Yang¹⁵, W.-M. Yao¹⁶, Y.C. Yap⁴⁵, Y. Yasu⁶⁹, E. Yatsenko⁵, K.H. Yau Wong²³, 112
 48 J. Ye⁴³, S. Ye²⁷, I. Yeletsikh⁶⁸, E. Yigitbasi²⁴, E. Yildirim⁸⁶, K. Yorita¹⁷⁴, K. Yoshihara¹²⁴, C. Young¹⁴⁵, 113
 49 C.J.S. Young³², J. Yu⁸, J. Yu⁶⁷, S.P.Y. Yuen²³, I. Yusuf^{30,ax}, B. Zabinski⁴², G. Zacharis¹⁰, R. Zaidan¹³, 114
 50 A.M. Zaitsev^{132,ak}, N. Zakharchuk⁴⁵, J. Zalieckas¹⁵, A. Zaman¹⁵⁰, S. Zambito⁵⁹, D. Zanzi⁹¹, 115
 51 C. Zeitnitz¹⁷⁸, G. Zemaityte¹²², A. Zemla^{41a}, J.C. Zeng¹⁶⁹, Q. Zeng¹⁴⁵, O. Zenin¹³², T. Ženiš^{146a}, 116
 52 D. Zerwas¹¹⁹, D. Zhang^{36b}, D. Zhang⁹², F. Zhang¹⁷⁶, G. Zhang^{36a,aw}, H. Zhang¹¹⁹, J. Zhang⁶, L. Zhang⁵¹, 117
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65

1 L. Zhang^{36a}, M. Zhang¹⁶⁹, P. Zhang^{35b}, R. Zhang²³, R. Zhang^{36a,au}, X. Zhang^{36b}, Y. Zhang^{35a,35d}, 66
 2 Z. Zhang¹¹⁹, X. Zhao⁴³, Y. Zhao^{36b,x}, Z. Zhao^{36a}, A. Zhemchugov⁶⁸, B. Zhou⁹², C. Zhou¹⁷⁶, L. Zhou⁴³, 67
 3 M. Zhou^{35a,35d}, M. Zhou¹⁵⁰, N. Zhou^{36c}, Y. Zhou⁷, C.G. Zhu^{36b}, H. Zhu^{35a}, J. Zhu⁹², Y. Zhu^{36a}, 68
 4 X. Zhuang^{35a}, K. Zhukov⁹⁸, A. Zibell¹⁷⁷, D. Zieminska⁶⁴, N.I. Zimine⁶⁸, C. Zimmermann⁸⁶, 69
 5 S. Zimmermann⁵¹, Z. Zinonos¹⁰³, M. Zinser⁸⁶, M. Ziolkowski¹⁴³, L. Živković¹⁴, G. Zobernig¹⁷⁶, 70
 6 A. Zoccoli^{22a,22b}, R. Zou³³, M. zur Nedden¹⁷, L. Zwalinski³² 71
 7 72
 8 73

9 ¹ Department of Physics, University of Adelaide, Adelaide, Australia 74

10 ² Physics Department, SUNY Albany, Albany NY, United States 75

11 ³ Department of Physics, University of Alberta, Edmonton AB, Canada 76

12 ⁴ (a) Department of Physics, Ankara University, Ankara; (b) Istanbul Aydin University, Istanbul; (c) Division of Physics, TOBB University of Economics and Technology, Ankara, Turkey 77

13 ⁵ LAPP, CNRS/IN2P3 and Université Savoie Mont Blanc, Annecy-le-Vieux, France 78

14 ⁶ High Energy Physics Division, Argonne National Laboratory, Argonne IL, United States 79

15 ⁷ Department of Physics, University of Arizona, Tucson AZ, United States 80

16 ⁸ Department of Physics, The University of Texas at Arlington, Arlington TX, United States 81

17 ⁹ Physics Department, National and Kapodistrian University of Athens, Athens, Greece 82

18 ¹⁰ Physics Department, National Technical University of Athens, Zografou, Greece 83

19 ¹¹ Department of Physics, The University of Texas at Austin, Austin TX, United States 84

20 ¹² Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan 85

21 ¹³ Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain 86

22 ¹⁴ Institute of Physics, University of Belgrade, Belgrade, Serbia 87

23 ¹⁵ Department for Physics and Technology, University of Bergen, Bergen, Norway 88

24 ¹⁶ Physics Division, Lawrence Berkeley National Laboratory and University of California, Berkeley CA, United States 89

25 ¹⁷ Department of Physics, Humboldt University, Berlin, Germany 90

26 ¹⁸ Albert Einstein Center for Fundamental Physics and Laboratory for High Energy Physics, University of Bern, Bern, Switzerland 91

27 ¹⁹ School of Physics and Astronomy, University of Birmingham, Birmingham, United Kingdom 92

28 ²⁰ (a) Department of Physics, Bogazici University, Istanbul; (b) Department of Physics Engineering, Gaziantep University, Gaziantep; (d) Istanbul Bilgi University, Faculty of Engineering and 93

29 Natural Sciences, Istanbul; (e) Bahcesehir University, Faculty of Engineering and Natural Sciences, Istanbul, Turkey 94

30 ²¹ Centro de Investigaciones, Universidad Antonio Narino, Bogota, Colombia 95

31 ²² (a) INFN Sezione di Bologna; (b) Dipartimento di Fisica e Astronomia, Università di Bologna, Bologna, Italy 96

32 ²³ Physikalisches Institut, University of Bonn, Bonn, Germany 97

33 ²⁴ Department of Physics, Boston University, Boston MA, United States 98

34 ²⁵ Department of Physics, Brandeis University, Waltham MA, United States 99

35 ²⁶ (a) Universidade Federal do Rio De Janeiro COPPE/EE/IF, Rio de Janeiro; (b) Electrical Circuits Department, Federal University of Juiz de Fora (UFJF), Juiz de Fora; (c) Federal University of 100

36 Sao Joao del Rei (UFSJ), Sao Joao del Rei; (d) Instituto de Fisica, Universidade de Sao Paulo, Sao Paulo, Brazil 101

37 ²⁷ Physics Department, Brookhaven National Laboratory, Upton NY, United States 102

38 ²⁸ (a) Transilvania University of Brasov, Brasov; (b) Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest; (c) Department of Physics, Alexandru Ioan Cuza 103

39 University of Iasi, Iasi; (d) National Institute for Research and Development of Isotopic and Molecular Technologies, Physics Department, Cluj Napoca; (e) University Politehnica Bucharest, 104

40 Bucharest; (f) West University in Timisoara, Timisoara, Romania 105

41 ²⁹ Departamento de Física, Universidad de Buenos Aires, Buenos Aires, Argentina 106

42 ³⁰ Cavendish Laboratory, University of Cambridge, Cambridge, United Kingdom 107

43 ³¹ Department of Physics, Carleton University, Ottawa ON, Canada 108

44 ³² CERN, Geneva, Switzerland 109

45 ³³ Enrico Fermi Institute, University of Chicago, Chicago IL, United States 110

46 ³⁴ (a) Departamento de Física, Pontificia Universidad Católica de Chile, Santiago; (b) Departamento de Física, Universidad Técnica Federico Santa María, Valparaíso, Chile 111

47 ³⁵ (a) Institute of High Energy Physics, Chinese Academy of Sciences, Beijing; (b) Department of Physics, Nanjing University, Jiangsu; (c) Physics Department, Tsinghua University, Beijing 112

48 ³⁶ (a) Department of Modern Physics and State Key Laboratory of Particle Detection and Electronics, University of Science and Technology of China, Anhui; (b) School of Physics, Shandong 113

49 University, Shandong; (c) Department of Physics and Astronomy, Key Laboratory for Particle Physics, Astrophysics and Cosmology, Ministry of Education; Shanghai Key Laboratory for 114

50 Particle Physics and Cosmology, Shanghai Jiao Tong University, Tsung-Dao Lee Institute, China 115

51 ³⁷ Université Clermont Auvergne, CNRS/IN2P3, LPC, Clermont-Ferrand, France 116

52 ³⁸ Nevis Laboratory, Columbia University, Irvington NY, United States 117

53 ³⁹ Niels Bohr Institute, University of Copenhagen, Copenhagen, Denmark 118

54 ⁴⁰ (a) INFN Gruppo Collegato di Cosenza, Laboratori Nazionali di Frascati; (b) Dipartimento di Fisica, Università della Calabria, Rende, Italy 119

55 ⁴¹ (a) AGH University of Science and Technology, Faculty of Physics and Applied Computer Science, Krakow; (b) Marian Smoluchowski Institute of Physics, Jagiellonian University, Krakow, 120

56 Poland 121

57 ⁴² Institute of Nuclear Physics Polish Academy of Sciences, Krakow, Poland 122

58 ⁴³ Physics Department, Southern Methodist University, Dallas TX, United States 123

59 ⁴⁴ Physics Department, University of Texas at Dallas, Richardson TX, United States 124

60 ⁴⁵ DESY, Hamburg and Zeuthen, Germany 125

61 ⁴⁶ Lehrstuhl für Experimentelle Physik IV, Technische Universität Dortmund, Dortmund, Germany 126

62 ⁴⁷ Institut für Kern- und Teilchenphysik, Technische Universität Dresden, Dresden, Germany 127

63 ⁴⁸ Department of Physics, Duke University, Durham NC, United States 128

64 ⁴⁹ SUPA – School of Physics and Astronomy, University of Edinburgh, Edinburgh, United Kingdom 129

65 ⁵⁰ INFN e Laboratori Nazionali di Frascati, Frascati, Italy 130

66 ⁵¹ Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany 131

67 ⁵² Département de Physique Nucléaire et Corpusculaire, Université de Genève, Geneva, Switzerland 132

68 ⁵³ (a) INFN Sezione di Genova; (b) Dipartimento di Fisica, Università di Genova, Genova, Italy 133

69 ⁵⁴ (a) E. Andronikashvili Institute of Physics, Iv. Javakhishvili Tbilisi State University, Tbilisi; (b) High Energy Physics Institute, Tbilisi State University, Tbilisi, Georgia 134

70 ⁵⁵ II Physikalisches Institut, Justus-Liebig-Universität Giessen, Giessen, Germany 135

71 ⁵⁶ SUPA – School of Physics and Astronomy, University of Glasgow, Glasgow, United Kingdom 136

72 ⁵⁷ II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany 137

73 ⁵⁸ Laboratoire de Physique Subatomique et de Cosmologie, Université Grenoble-Alpes, CNRS/IN2P3, Grenoble, France 138

74 ⁵⁹ Laboratory for Particle Physics and Cosmology, Harvard University, Cambridge MA, United States 139

75 ⁶⁰ (a) Kirchhoff-Institut für Physik, Ruprecht-Karls-Universität Heidelberg, Heidelberg; (b) Physikalisches Institut, Ruprecht-Karls-Universität Heidelberg, Heidelberg, Germany 140

76 ⁶¹ Faculty of Applied Information Science, Hiroshima Institute of Technology, Hiroshima, Japan 141

1	62	^(a) Department of Physics, The Chinese University of Hong Kong, Shatin, N.T., Hong Kong; ^(b) Department of Physics, The University of Hong Kong, Hong Kong; ^(c) Department of Physics and Institute for Advanced Study, The Hong Kong University of Science and Technology, Clear Water Bay, Kowloon, Hong Kong, China	66
2	63	Department of Physics, National Tsing Hua University, Taiwan, Taiwan	67
3	64	Department of Physics, Indiana University, Bloomington IN, United States	68
4	65	Institut für Astro- und Teilchenphysik, Leopold-Franzens-Universität, Innsbruck, Austria	69
5	66	University of Iowa, Iowa City IA, United States	70
6	67	Department of Physics and Astronomy, Iowa State University, Ames IA, United States	71
7	68	Joint Institute for Nuclear Research, JINR Dubna, Dubna, Russia	72
8	69	KEK, High Energy Accelerator Research Organization, Tsukuba, Japan	73
9	70	Graduate School of Science, Kobe University, Kobe, Japan	74
10	71	Faculty of Science, Kyoto University, Kyoto, Japan	75
11	72	Kyoto University of Education, Kyoto, Japan	76
12	73	Research Center for Advanced Particle Physics and Department of Physics, Kyushu University, Fukuoka, Japan	77
13	74	Instituto de Física La Plata, Universidad Nacional de La Plata and CONICET, La Plata, Argentina	78
14	75	Physics Department, Lancaster University, Lancaster, United Kingdom	79
15	76	^(a) INFN Sezione di Lecce; ^(b) Dipartimento di Matematica e Fisica, Università del Salento, Lecce, Italy	80
16	77	Oliver Lodge Laboratory, University of Liverpool, Liverpool, United Kingdom	81
17	78	Department of Experimental Particle Physics, Jožef Stefan Institute and Department of Physics, University of Ljubljana, Ljubljana, Slovenia	82
18	79	School of Physics and Astronomy, Queen Mary University of London, London, United Kingdom	83
19	80	Department of Physics, Royal Holloway University of London, Surrey, United Kingdom	84
20	81	Department of Physics and Astronomy, University College London, London, United Kingdom	85
21	82	Louisiana Tech University, Ruston LA, United States	86
22	83	Laboratoire de Physique Nucléaire et de Hautes Energies, UPMC and Université Paris-Diderot and CNRS/IN2P3, Paris, France	87
23	84	Fysiska institutionen, Lunds universitet, Lund, Sweden	88
24	85	Departamento de Física Teórica C-15, Universidad Autónoma de Madrid, Madrid, Spain	89
25	86	Institut für Physik, Universität Mainz, Mainz, Germany	90
26	87	School of Physics and Astronomy, University of Manchester, Manchester, United Kingdom	91
27	88	CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France	92
28	89	Department of Physics, University of Massachusetts, Amherst MA, United States	93
29	90	Department of Physics, McGill University, Montreal QC, Canada	94
30	91	School of Physics, University of Melbourne, Victoria, Australia	95
31	92	Department of Physics, The University of Michigan, Ann Arbor MI, United States	96
32	93	Department of Physics and Astronomy, Michigan State University, East Lansing MI, United States	97
33	94	^(a) INFN Sezione di Milano; ^(b) Dipartimento di Fisica, Università di Milano, Milano, Italy	98
34	95	B.I. Stepanov Institute of Physics, National Academy of Sciences of Belarus, Minsk, Belarus	99
35	96	Research Institute for Nuclear Problems of Byelorussian State University, Minsk, Belarus	100
36	97	Group of Particle Physics, University of Montreal, Montreal QC, Canada	101
37	98	P.N. Lebedev Physical Institute of the Russian Academy of Sciences, Moscow, Russia	102
38	99	Institute for Theoretical and Experimental Physics (ITEP), Moscow, Russia	103
39	100	National Research Nuclear University MEPhI, Moscow, Russia	104
40	101	D.V. Skobeltsyn Institute of Nuclear Physics, M.V. Lomonosov Moscow State University, Moscow, Russia	105
41	102	Fakultät für Physik, Ludwig-Maximilians-Universität München, München, Germany	106
42	103	Max-Planck-Institut für Physik (Werner-Heisenberg-Institut), München, Germany	107
43	104	Nagasaki Institute of Applied Science, Nagasaki, Japan	108
44	105	Graduate School of Science and Kobayashi-Maskawa Institute, Nagoya University, Nagoya, Japan	109
45	106	^(a) INFN Sezione di Napoli; ^(b) Dipartimento di Fisica, Università di Napoli, Napoli, Italy	110
46	107	Department of Physics and Astronomy, University of New Mexico, Albuquerque NM, United States	111
47	108	Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands	112
48	109	Nikhef National Institute for Subatomic Physics and University of Amsterdam, Amsterdam, Netherlands	113
49	110	Department of Physics, Northern Illinois University, DeKalb IL, United States	114
50	111	Budker Institute of Nuclear Physics, SB RAS, Novosibirsk, Russia	115
51	112	Department of Physics, New York University, New York NY, United States	116
52	113	Ohio State University, Columbus OH, United States	117
53	114	Faculty of Science, Okayama University, Okayama, Japan	118
54	115	Homer L. Dodge Department of Physics and Astronomy, University of Oklahoma, Norman OK, United States	119
55	116	Department of Physics, Oklahoma State University, Stillwater OK, United States	120
56	117	Palacký University, RCPTM, Olomouc, Czech Republic	121
57	118	Center for High Energy Physics, University of Oregon, Eugene OR, United States	122
58	119	LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France	123
59	120	Graduate School of Science, Osaka University, Osaka, Japan	124
60	121	Department of Physics, University of Oslo, Oslo, Norway	125
61	122	Department of Physics, Oxford University, Oxford, United Kingdom	126
62	123	^(a) INFN Sezione di Pavia; ^(b) Dipartimento di Fisica, Università di Pavia, Pavia, Italy	127
63	124	Department of Physics, University of Pennsylvania, Philadelphia PA, United States	128
64	125	National Research Centre "Kurchatov Institute", B.P. Konstantinov Petersburg Nuclear Physics Institute, St. Petersburg, Russia	129
65	126	^(a) INFN Sezione di Pisa; ^(b) Dipartimento di Fisica E. Fermi, Università di Pisa, Pisa, Italy	130
	127	Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh PA, United States	131
	128	^(a) Laboratório de Instrumentação e Física Experimental de Partículas – LIP, Lisboa; ^(b) Faculdade de Ciências, Universidade de Lisboa, Lisboa; ^(c) Department of Physics, University of Coimbra, Coimbra; ^(d) Centro de Física Nuclear da Universidade de Lisboa, Lisboa; ^(e) Departamento de Física, Universidade do Minho, Braga; ^(f) Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada; ^(g) Dep Física and CEFITEC of Faculdade de Ciências e Tecnologia, Universidade Nova de Lisboa, Caparica, Portugal	132
	129	Institute of Physics, Academy of Sciences of the Czech Republic, Praha, Czech Republic	133
	130	Czech Technical University in Prague, Praha, Czech Republic	134
	131	Charles University, Faculty of Mathematics and Physics, Prague, Czech Republic	135
	132	State Research Center Institute for High Energy Physics (Protvino), NRC KI, Russia	136
	133	Particle Physics Department, Rutherford Appleton Laboratory, Didcot, United Kingdom	
	134	^(a) INFN Sezione di Roma; ^(b) Dipartimento di Fisica, Sapienza Università di Roma, Roma, Italy	
	135	^(a) INFN Sezione di Roma Tor Vergata; ^(b) Dipartimento di Fisica, Università di Roma Tor Vergata, Roma, Italy	
	136	^(a) INFN Sezione di Roma Tre; ^(b) Dipartimento di Matematica e Fisica, Università Roma Tre, Roma, Italy	

- 1 ¹³⁷ (a) *Faculté des Sciences Ain Chock, Réseau Universitaire de Physique des Hautes Energies – Université Hassan II, Casablanca;* (b) *Centre National de l'Energie des Sciences Techniques* 66
 2 *Nucléaires, Rabat;* (c) *Faculté des Sciences Semlalia, Université Cadi Ayyad, LPHEA-Marrakech;* (d) *Faculté des Sciences, Université Mohamed Premier and LPTPM, Oujda;* (e) *Faculté des* 67
 3 *sciences, Université Mohammed V, Rabat, Morocco* 68
 4 ¹³⁸ *DSM/IRFU (Institut de Recherches sur les Lois Fondamentales de l'Univers), CEA Saclay (Commissariat à l'Energie Atomique et aux Energies Alternatives), Gif-sur-Yvette, France* 69
 5 ¹³⁹ *Santa Cruz Institute for Particle Physics, University of California Santa Cruz, Santa Cruz CA, United States* 70
 6 ¹⁴⁰ *Department of Physics, University of Washington, Seattle WA, United States* 71
 7 ¹⁴¹ *Department of Physics and Astronomy, University of Sheffield, Sheffield, United Kingdom* 72
 8 ¹⁴² *Department of Physics, Shinshu University, Nagano, Japan* 73
 9 ¹⁴³ *Department Physik, Universität Siegen, Siegen, Germany* 74
 10 ¹⁴⁴ *Department of Physics, Simon Fraser University, Burnaby BC, Canada* 75
 11 ¹⁴⁵ *SLAC National Accelerator Laboratory, Stanford CA, United States* 76
 12 ¹⁴⁶ (a) *Faculty of Mathematics, Physics & Informatics, Comenius University, Bratislava;* (b) *Department of Subnuclear Physics, Institute of Experimental Physics of the Slovak Academy of* 77
 13 *Sciences, Kosice, Slovak Republic* 78
 14 ¹⁴⁷ (a) *Department of Physics, University of Cape Town, Cape Town;* (b) *Department of Physics, University of Johannesburg, Johannesburg;* (c) *School of Physics, University of the* 79
 15 *Witwatersrand, Johannesburg, South Africa* 80
 16 ¹⁴⁸ (a) *Department of Physics, Stockholm University;* (b) *The Oskar Klein Centre, Stockholm, Sweden* 81
 17 ¹⁴⁹ *Physics Department, Royal Institute of Technology, Stockholm, Sweden* 82
 18 ¹⁵⁰ *Departments of Physics & Astronomy and Chemistry, Stony Brook University, Stony Brook NY, United States* 83
 19 ¹⁵¹ *Department of Physics and Astronomy, University of Sussex, Brighton, United Kingdom* 84
 20 ¹⁵² *School of Physics, University of Sydney, Sydney, Australia* 85
 21 ¹⁵³ *Institute of Physics, Academia Sinica, Taipei, Taiwan* 86
 22 ¹⁵⁴ *Department of Physics, Technion: Israel Institute of Technology, Haifa, Israel* 87
 23 ¹⁵⁵ *Raymond and Beverly Sackler School of Physics and Astronomy, Tel Aviv University, Tel Aviv, Israel* 88
 24 ¹⁵⁶ *Department of Physics, Aristotle University of Thessaloniki, Thessaloniki, Greece* 89
 25 ¹⁵⁷ *International Center for Elementary Particle Physics and Department of Physics, The University of Tokyo, Tokyo, Japan* 90
 26 ¹⁵⁸ *Graduate School of Science and Technology, Tokyo Metropolitan University, Tokyo, Japan* 91
 27 ¹⁵⁹ *Department of Physics, Tokyo Institute of Technology, Tokyo, Japan* 92
 28 ¹⁶⁰ *Tomsk State University, Tomsk, Russia* 93
 29 ¹⁶¹ *Department of Physics, University of Toronto, Toronto ON, Canada* 94
 30 ¹⁶² (a) *INFN-TIFPA;* (b) *University of Trento, Trento, Italy* 95
 31 ¹⁶³ (a) *TRIUMF, Vancouver BC;* (b) *Department of Physics and Astronomy, York University, Toronto ON, Canada* 96
 32 ¹⁶⁴ *Faculty of Pure and Applied Sciences, and Center for Integrated Research in Fundamental Science and Engineering, University of Tsukuba, Tsukuba, Japan* 97
 33 ¹⁶⁵ *Department of Physics and Astronomy, Tufts University, Medford MA, United States* 98
 34 ¹⁶⁶ *Department of Physics and Astronomy, University of California Irvine, Irvine CA, United States* 99
 35 ¹⁶⁷ (a) *INFN Gruppo Collegato di Udine, Sezione di Trieste, Udine;* (b) *ICTP, Trieste;* (c) *Dipartimento di Chimica, Fisica e Ambiente, Università di Udine, Udine, Italy* 100
 36 ¹⁶⁸ *Department of Physics and Astronomy, University of Uppsala, Uppsala, Sweden* 101
 37 ¹⁶⁹ *Department of Physics, University of Illinois, Urbana IL, United States* 102
 38 ¹⁷⁰ *Instituto de Física Corpuscular (IFIC), Centro Mixto Universidad de Valencia – CSIC, Spain* 103
 39 ¹⁷¹ *Department of Physics, University of British Columbia, Vancouver BC, Canada* 104
 40 ¹⁷² *Department of Physics and Astronomy, University of Victoria, Victoria BC, Canada* 105
 41 ¹⁷³ *Department of Physics, University of Warwick, Coventry, United Kingdom* 106
 42 ¹⁷⁴ *Waseda University, Tokyo, Japan* 107
 43 ¹⁷⁵ *Department of Particle Physics, The Weizmann Institute of Science, Rehovot, Israel* 108
 44 ¹⁷⁶ *Department of Physics, University of Wisconsin, Madison WI, United States* 109
 45 ¹⁷⁷ *Fakultät für Physik und Astronomie, Julius-Maximilians-Universität, Würzburg, Germany* 110
 46 ¹⁷⁸ *Fakultät für Mathematik und Naturwissenschaften, Fachgruppe Physik, Bergische Universität Wuppertal, Wuppertal, Germany* 111
 47 ¹⁷⁹ *Department of Physics, Yale University, New Haven CT, United States* 112
 48 ¹⁸⁰ *Yerevan Physics Institute, Yerevan, Armenia* 113
 49 ¹⁸¹ *Centre de Calcul de l'Institut National de Physique Nucléaire et de Physique des Particules (IN2P3), Villeurbanne, France* 114
 50 ¹⁸² *Academia Sinica Grid Computing, Institute of Physics, Academia Sinica, Taipei, Taiwan* 115
 51 116
 52 117
 53 118
 54 119
 55 120
 56 121
 57 122
 58 123
 59 124
 60 125
 61 126
 62 127
 63 128
 64 129
 65 130
- ^a Also at Department of Physics, King's College London, London, United Kingdom.
^b Also at Institute of Physics, Azerbaijan Academy of Sciences, Baku, Azerbaijan.
^c Also at Novosibirsk State University, Novosibirsk, Russia.
^d Also at TRIUMF, Vancouver BC, Canada.
^e Also at Department of Physics & Astronomy, University of Louisville, Louisville, KY, United States of America.
^f Also at Physics Department, An-Najah National University, Nablus, Palestine.
^g Also at Department of Physics, California State University, Fresno CA, United States of America.
^h Also at Department of Physics, University of Fribourg, Fribourg, Switzerland.
ⁱ Also at II Physikalisches Institut, Georg-August-Universität, Göttingen, Germany.
^j Also at Departament de Física de la Universitat Autònoma de Barcelona, Barcelona, Spain.
^k Also at Departamento de Física e Astronomia, Faculdade de Ciências, Universidade do Porto, Portugal.
^l Also at Tomsk State University, Tomsk, and Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.
^m Also at The Collaborative Innovation Center of Quantum Matter (CICQM), Beijing, China.
ⁿ Also at Università di Napoli Parthenope, Napoli, Italy.
^o Also at Institute of Particle Physics (IPP), Canada.
^p Also at Horia Hulubei National Institute of Physics and Nuclear Engineering, Bucharest, Romania.
^q Also at Department of Physics, St. Petersburg State Polytechnical University, St. Petersburg, Russia.
^r Also at Borough of Manhattan Community College, City University of New York, New York City, United States of America.
^s Also at Department of Financial and Management Engineering, University of the Aegean, Chios, Greece.
^t Also at Centre for High Performance Computing, CSIR Campus, Rosebank, Cape Town, South Africa.
^u Also at Louisiana Tech University, Ruston LA, United States of America.
^v Also at Institutio Catalana de Recerca i Estudis Avancats, ICREA, Barcelona, Spain.
^w Also at Department of Physics, The University of Michigan, Ann Arbor MI, United States of America.
^x Also at LAL, Univ. Paris-Sud, CNRS/IN2P3, Université Paris-Saclay, Orsay, France.
^y Also at Graduate School of Science, Osaka University, Osaka, Japan.
^z Also at Fakultät für Mathematik und Physik, Albert-Ludwigs-Universität, Freiburg, Germany.

1	^{aa} Also at Institute for Mathematics, Astrophysics and Particle Physics, Radboud University Nijmegen/Nikhef, Nijmegen, Netherlands.	66
2	^{ab} Also at Department of Physics, The University of Texas at Austin, Austin TX, United States of America.	67
3	^{ac} Also at Institute of Theoretical Physics, Ilia State University, Tbilisi, Georgia.	68
4	^{ad} Also at CERN, Geneva, Switzerland.	69
5	^{ae} Also at Georgian Technical University (GTU), Tbilisi, Georgia.	70
6	^{af} Also at Ochadai Academic Production, Ochanomizu University, Tokyo, Japan.	71
7	^{ag} Also at Manhattan College, New York NY, United States of America.	72
8	^{ah} Also at The City College of New York, New York NY, United States of America.	73
9	^{ai} Also at Departamento de Física Teórica y del Cosmos, Universidad de Granada, Granada, Portugal.	74
10	^{aj} Also at Department of Physics, California State University, Sacramento CA, United States of America.	75
11	^{ak} Also at Moscow Institute of Physics and Technology State University, Dolgoprudny, Russia.	76
12	^{al} Also at Departement de Physique Nucleaire et Corpusculaire, Université de Genève, Geneva, Switzerland.	77
13	^{am} Also at Institut de Física d'Altes Energies (IFAE), The Barcelona Institute of Science and Technology, Barcelona, Spain.	78
14	^{an} Also at School of Physics, Sun Yat-sen University, Guangzhou, China.	79
15	^{ao} Also at Institute for Nuclear Research and Nuclear Energy (INRNE) of the Bulgarian Academy of Sciences, Sofia, Bulgaria.	80
16	^{ap} Also at Faculty of Physics, M.V.Lomonosov Moscow State University, Moscow, Russia.	81
17	^{aq} Also at National Research Nuclear University MEPhI, Moscow, Russia.	82
18	^{ar} Also at Department of Physics, Stanford University, Stanford CA, United States of America.	83
19	^{as} Also at Institute for Particle and Nuclear Physics, Wigner Research Centre for Physics, Budapest, Hungary.	84
20	^{at} Also at Giresun University, Faculty of Engineering, Turkey.	85
21	^{au} Also at CPPM, Aix-Marseille Université and CNRS/IN2P3, Marseille, France.	86
22	^{av} Also at Department of Physics, Nanjing University, Jiangsu, China.	87
23	^{aw} Also at Institute of Physics, Academia Sinica, Taipei, Taiwan.	88
24	^{ax} Also at University of Malaya, Department of Physics, Kuala Lumpur, Malaysia.	89
25	* Deceased.	90
26		91
27		92
28		93
29		94
30		95
31		96
32		97
33		98
34		99
35		100
36		101
37		102
38		103
39		104
40		105
41		106
42		107
43		108
44		109
45		110
46		111
47		112
48		113
49		114
50		115
51		116
52		117
53		118
54		119
55		120
56		121
57		122
58		123
59		124
60		125
61		126
62		127
63		128
64		129
65		130