

Research Letters

Power lines and birds: An overlooked threat in South America

Natalia Rebolo-Ifrán^{a,*}, Pablo Plaza^a, Juan Manuel Pérez-García^b,
Víctor Gamarra-Toledo^{c,d}, Francisco Santander^{e,f,g}, Sergio A. Lambertucci^a



^a Grupo de Investigaciones en Biología de la Conservación, Laboratorio Ecotono, INBIOMA, Universidad Nacional del Comahue – CONICET, Quintral 1250 (R8400FRF), San Carlos de Bariloche, Argentina

^b Área de Ecología, Departamento de Biología Aplicada, CIAGRO – Universidad Miguel Hernández, Avda Universidad S/N, E03202. Elche, Spain

^c Área de Ornitología, Colección Científica, Museo de Historia Natural (MUSA), Universidad Nacional de San Agustín de Arequipa, Av. Alcides Carrión s/n, Arequipa, Peru

^d Universidad Nacional San Agustín de Arequipa, Peru

^e Proyecto Aves y Tendido Eléctrico, AvesChile, Avda. Nueva Providencia 1881, Oficina 2208, Santiago, Chile


^f Laboratorio de Ecología de Vida Silvestre, Facultad de Ciencias Forestales y de la Conservación de la Naturaleza, Universidad de Chile, Avda. Santa Rosa 11315, La Pintana, Chile

^g Geobiota Consultores, Avda. Andrés Bello 2325, piso 12, Santiago, Chile

HIGHLIGHTS

- Power lines are a major cause of bird mortality due to electrocutions and collisions.
- This threat has been poorly studied in South America.
- Scientific and grey literature suggest this threat is present in this subcontinent.
- A total of 85 bird species from 34 families affected by power lines were identified.
- More studies assessing bird mortality due to this threat in South America are needed.

GRAPHICAL ABSTRACT



ARTICLE INFO

Article history:
Received 16 May 2022
Accepted 28 October 2022
Available online 8 December 2022

Keywords:
Collision
Electrocution
Human infrastructure
Distribution lines
Transmission lines
Mortality

ABSTRACT

Power lines endanger birds around the world, as a large number of them are killed every year through electrocutions and collisions. This problem can have severe consequences at population level, particularly for threatened species. While this threat has been widely studied in different parts of the world, information from South America is scarce. Here, we review information from scientific and grey literature on the collision and electrocution of birds on power lines from this sub-continent. We complement this information with novel data provided by a citizen science project, electrical companies and field monitoring records. Our results show that although in South America scientific and anecdotal information on this topic is scarce, data suggests that this threat is present in many areas of this sub-continent and affects several species, some of which are seriously threatened. However, information on the most affected species, the number of individuals impacted, the most dangerous geographical areas and the effectiveness of mitigation action is scarce and mainly anecdotal. This is worrying, because South America is a hot spot of biodiversity with many threatened and endemic bird species. We urge conservationists to evaluate this problem in more detail, define areas where it is important to avoid power line installation and establish priority areas for implementation of effective mitigation actions. Scientific evidence shows

* Corresponding author.
E-mail address: nataliarebolo@comahue-conicet.gob.ar (N. Rebolo-Ifrán).

that dangerous power lines require retrofitting, but this knowledge should also be applied to the new energy facilities and the establishment of national regulations, which would undoubtedly reduce the impact of this infrastructure on wildlife.

© 2022 Associação Brasileira de Ciência Ecológica e Conservação. Published by Elsevier B.V. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Introduction

The increasing use of airspace by human devices and structures is producing intense impacts on wildlife ecology and conservation (Lambertucci et al., 2015). Among the diverse human structures invading the airspace, power lines are one of the most important because they produce relevant negative impacts on bird species worldwide (Bevanger, 1998; Bernardino et al., 2018; Jenkins et al., 2010; Lehman et al., 2007). Overhead power lines and associated infrastructure cause different negative interactions with wildlife (e.g., behavioral changes, alterations of physiology, endocrine system and immune function of birds; Fernie and Reynolds, 2005). However, bird direct mortality by collision or electrocution is the one that is of most concern, as it affects a large number of individuals annually (Erickson et al., 2005; Loss et al., 2014, 2015; Rioux et al., 2013). These impacts on birds could even have significant consequences on the population dynamics of the affected species, especially for threatened ones (e.g., Galmes et al., 2017; Hernández-Matías et al., 2015; Jenkins et al., 2010; Tavecchia et al., 2012).

Worryingly, a large number of bird species affected by this issue are considered of conservation concern (Bevanger, 1998; Slater et al., 2020). For example, electrocutions on power lines have been reported to be a major cause of mortality of European threatened raptors such as the Bonelli's Eagle (*Aquila fasciata*) (Hernández-Matías et al., 2015; Rollán et al., 2010), and the Spanish Imperial Eagle (*Aquila adalberti*) in Spain (López-López et al., 2011), Saker Falcon (*Falco cherrug*) in Mongolia (Dixon et al., 2020), or the Cape Vulture (*Gyps coprotheres*) in South Africa (Boshoff et al., 2011). On the other hand, collisions have been reported as an important cause of non-natural fatalities in Great Bustard (*Otis tarda*) and Common Crane (*Grus grus*) from Spain and Portugal (Janss and Ferrer, 2000; Marques et al., 2020) or Blue Crane (*Anthropoides paradiseus*), Ludwig's Bustard (*Neotis ludwigii*) and Kori Bustard (*Ardeotis kori*) from South Africa (Shaw et al., 2010, 2018). This suggests that it is key to evaluate this threat for birds in general, with an emphasis on threatened species, and particularly in areas of high diversity.

The potential risk of wildlife-power line accidents is a combination of three main factors: environmental factors (e.g., weather conditions or vegetation cover), biological characteristics of species (e.g., body mass, wingspan, or wing loading), and the technical configuration of the power grid (e.g., number of insulators and conductors, pylons material) (Bevanger, 1998; d'Amico et al., 2019; Janss, 2000; Mañosa, 2001). Power lines are classified according to the level of electrical voltage carried. Electrical energy is transported and distributed from power plants to consumers through an extensive network of distribution or medium voltage (<66 kV) lines and transmission or high voltage (>60 kV) lines. Depending on this level, power lines vary in their technical configuration, which leads to a different potential hazard for electrocution and collision of birds. Bird electrocution generally occurs on distribution lines (Bevanger, 1994), where the distances between electrical conductors (e.g., cables, poles, transformers) are close enough for large birds to contact two of them and get electrocuted. On high voltage, or transmission towers, conductors are usually spaced at safe distances for birds, so electrocutions rarely occur (APLIC, 2006) but instead these structures often cause more bird collisions than distribution lines (Shaw et al., 2018). Therefore, addressing factors influencing bird interactions with power lines is fundamental to understand this conservation issue and the impacts produced at

individual and population levels. This is especially important in sites where currently there is little information about this problem and their consequences are unknown.

Birds collisions and electrocutions with power lines have been studied in diverse parts of the world during the last four decades (Bevanger, 1998; Jenkins et al., 2010; Lehman et al., 2007). However, efforts have been concentrated in certain areas of the world, and a significant information gap exists for some geographical areas such as South America (Bernardino et al., 2018; Guil and Pérez-García, 2022). This is of concern because different bird species from this region could be impacted by this problem associated with the rapid growth of energy demand and the constant development of new power networks in this geographical area (Yépez-García et al., 2018). In this sense, it is essential to provide available evidence on the characteristics and extent of this threat evaluating aspects such as the species affected, quantities of individuals impacted or the places where this problem occurs. This is particularly important in order to promote actions that can be accepted and implemented by management agencies, electric companies and government authorities, among others, who seek to reduce the impacts of power lines on bird populations while reducing mitigation and remediation costs (Davis, 2002).

In this article, we compile and review available information from disparate sources about the impacts produced by power lines (collision and electrocution) on birds from South America to put this conservation problem in context. For this, we conducted different bibliographic searches of scientific information and newspaper reports on this threat. In addition, to complement the available information, we compiled new data on: (1) bird-induced power outages provided by electric companies in three South American countries (Peru, Chile and Argentina), (2), bird collisions and electrocutions recorded through a citizen science project in Chile, and (3) bird species and electrocution rates resulting from on-site monitoring on power lines in Chile. Since the number of studies in South America is scarce (Bernardino et al., 2018; Guil and Pérez-García, 2022), our objective is to compile all available information from various sources of power line impacts on South American birds. However, we did not intend to compare data from different sources, but just gather all the information available.

Methods

Information from scientific articles and newspaper reports

We first assessed available knowledge about bird collision or electrocution with power lines in South America from both a scientific (scientific articles) and media (newspaper reports) perspective. To find scientific information, we performed a bibliographic search in English, Spanish and Portuguese. This search was performed using Google Scholar and Scopus until February 2021. We used different key terms in the mentioned languages (e.g., "power line collisions", "bird electrocution", "avian electrocution", "power line mortality", "colisión con tendidos eléctricos y aves", "electrocución de aves", "colisão com linhas de transmissão e pássaros" combined with the different countries of South America, except for the search in Portuguese that was only combined with Brazil). This information was complemented by searching the references of the articles found and adding personal communications of specialists to

include data that did not emerge through the search methods used. To find newspaper reports that complement scientific information, we performed additional searches with the same key terms in Spanish and Portuguese in the web search Google (www.google.com) until February 2021.

From each scientific article or newspaper report found, we extracted the following information: species involved, year of publication, geographical origin of the article, number of individuals affected, type of electrical line (distribution/transmission), and conservation status of species involved according to the IUCN (IUCN, 2021). In addition, we obtained information on the methodology applied in each scientific research papers. We excluded scientific articles that only mentioned power lines as a threat to a species, but did not assess it, and articles showing the positive effects of power lines (e.g., benefits of these structures as nest sites). In the case of newspaper reports, we included the species involved only when the species was mentioned or there was a photo of the birds' electrocution or collision that allowed its correct identification.

Information from electric companies

In order to complement the information available about this conservation problem, we gathered new data on bird collisions and electrocutions with power lines from electric companies. For this, we compiled data on power outages caused by bird collisions and electrocutions with distribution and transmission power lines provided by electric companies that recorded these events in Peru, Chile, and Argentina from 2009 to 2021.

Data on power outages associated with birds were obtained either by consulting public available reports from the agencies regulating the service of the electric companies (for Peru and Chile), or by contacting the electric companies directly by e-mail (Argentina). In the case of Argentina, the company "Ente Provincial de Energía del Neuquén" (EPEN) was contacted and we requested the data on power outage events caused by birds in the Neuquén province because this company do not perform public reports about this issue. The power outage data for five Peruvian departments (Arequipa, Iquitos, Lima, Madre de Dios, and Piura) were obtained from public reports provided by the "Organismo Supervisor de la Inversión en Energía y Minería" (OSINERGMIN). Those reports correspond to interruptions due to different problems of unforeseeable causes of power outages; from these database we selected the ones related to birds. Data from Chile regarding annual power outages were obtained through public reports requested to the "Superintendencia de Electricidad y Combustibles" (SEC). This Chilean public agency receives and compiles reports from electric companies about power outages and their causes; from these reports we extracted the ones related to birds.

Information from field monitoring efforts and citizen science

We performed a field monitoring of distribution power lines in two regions of Chile (Atacama and Coquimbo) from 2015 to 2017 in search of carcasses of electrocuted birds. In the Atacama region (27.12°S, 70.85°W) a total of 83 power pylons in six different distribution power lines were monitored during seven days, five in January 2016 and two in November 2017. While in Coquimbo (29.88°S, 71.27°W) a total of 150 power pylons in 14 distribution power lines during two days in December 2015 and three days in December 2017. For each pylon, a 2 m area around the base was checked for carcasses or remains. At each pylon the GPS position, the characteristics of the pylon (i.e. crossarm design, crossarm and pylon material), and if bird remains were found, data such as species, state of decomposition, age, and sex were recorded.

In addition, we also obtained data provided by a citizen science project called "Aves y Tendido Eléctrico" ("Birds and power lines")



Fig. 1. Map of South America showing the number of scientific articles and newspaper reports reporting bird collisions and electrocutions with power lines discriminated by each country from 1985 to 2021. Countries with no reported bird collision or electrocution events are shown in grey.

from the AvesChile ONG (<https://aveschile.cl/>), where bird collisions and electrocutions on distribution and transmission power lines in Chile were recorded from 2014 to 2021. Therefore, we collected data on bird collision and electrocution events on power lines recorded by citizens through the iNaturalist Chile webpage (<https://inaturalist.mma.gob.cl/projects/aves-y-tendido-electrico>).

Results and discussion

Impacts of power lines in South America

Scientific articles and newspaper reports

We found only 15 scientific articles that reported or evaluated birds affected by collision or electrocution with power lines in South America (Table 1, Fig. 1). Additionally, 41 newspaper reports referred diverse bird species interaction with power lines (Table 2). The scientific publications reported 61 bird species affected by collisions and electrocutions with power lines, while 22 species come from newspaper reports (Tables 1, 2, Fig. 2). The newspaper reports did not provide data on the type of line involved in the event (distribution/transmission). In the case of the scientific articles, although the type of line involved could be inferred in some cases, most omitted this type of information, so we urge researchers to report this data in future studies.

Electric companies

Bird-induced power outages reported by the power companies did not provide relevant data on bird species affected (Table 3). This may be due to the fact that the companies do not have qualified

Table 1
Scientific information available about power lines impacts on birds from South America showing the country of origin, species affected, species conservation status, number of individuals impacted, type of impact (E: electrocutions, C: collisions), bibliographic reference and year of the study. *Only the number of individuals that could be identified to species level are listed.

Report number	Country	Species	Conservation status	Individuals affected	Type of impact	Reference	Year
1	Argentina	<i>Buteogallus coronatus</i>	Endangered	9	E	Sarasola et al. (2020)	2012–2019
2	Argentina	<i>Asio clamator</i>	Least Concern	1	E	Galmes et al. (2017)	2011–2012
		<i>Buteogallus coronatus</i>	Endangered	4			
		<i>Cathartes aura</i>	Least Concern	5			
		<i>Coragyps atratus</i>	Least Concern	7			
		<i>Cyanoliseus patagonus</i>	Least Concern	12			
		<i>Myiopsitta monachus</i>	Least Concern	5			
3	Argentina	<i>Vultur gryphus</i>	Vulnerable	5	C	Plaza and Lambertucci (2020a)	1999–2019
4	Peru						
4	Chile	<i>Vultur gryphus</i>	Vulnerable	10	C	Pavez and Estades (2016)	1993–2014
5	Peru	<i>Vultur gryphus</i>	Vulnerable	1	C	Hinostroza et al. (2020)	2014
6	Peru	<i>Geranoaetus melanoleucus</i>	Least Concern	1	E	Nolazco et al. (2010)	2010
7	Brazil	<i>Harpia harpyja</i>	Vulnerable	1	E	Gusmão et al. (2020)	2018
8	Brazil	<i>Harpia harpyja</i>	Vulnerable	1	E	Aguiar-Silva et al. (2014)	2014
9	Brazil	<i>Harpia harpyja</i>	Vulnerable	1	E	Gusmão et al. (2016)	2008
10	Venezuela	<i>Pelecanus occidentalis</i>	Least Concern	468	C	McNeil et al. (1985)	1983
		<i>Phalacrocorax brasilianus</i>	Least Concern	56			
		<i>Ardea cocoi</i>	Least Concern	1			
		<i>Egretta rufescens</i>	Near Threatened	1			
		<i>Nycticorax nycticorax</i>	Least Concern	12			
		<i>Phoenicopterus ruber</i>	Least Concern	8			
		<i>Larus atricilla</i>	Least Concern	2			
		<i>Sterna hirundo</i>	Least Concern	5			
		<i>Thalasseus maximus</i>	Least Concern	57			
		<i>Rynchops niger</i>	Least Concern	1			
11	Chile	<i>Larus modestus</i>	Least Concern	491	C	Malinarich (2016)	2015–2016
12	Chile	<i>Cygnus melancoryphus</i>	Least Concern	14	C	Brito (2000)	1997
13	Chile	<i>Cygnus melancoryphus</i>	Least Concern	3	C	Brito (2002)	2000
14	Chile	<i>Geranoaetus melanoleucus</i>	Least Concern	16	E	Alvarado and Roa (2010)	2009–2010
15*	Colombia	<i>Tachybaptus dominicus</i>	Least Concern	1	C	De la Zerda and Rosselli (2003)	1997–2000
		<i>Pelecanus occidentalis</i>	Least Concern	1			
		<i>Phalacrocorax brasilianus</i>	Least Concern	25			
		<i>Fregata magnificens</i>	Least Concern	1			
		<i>Ardea cocoi</i>	Least Concern	6			
		<i>Casmerodius albus</i>	Least Concern	16			
		<i>Egretta thula</i>	Least Concern	7			
		<i>Egretta caerulea</i>	Least Concern	1			
		<i>Egretta tricolor</i>	Least Concern	2			
		<i>Butorides striata</i>	Least Concern	13			
		<i>Bubulcus ibis</i>	Least Concern	44			

Table 1 (Continued)

Report number	Country	Species	Conservation status	Individuals affected	Type of impact	Reference	Year
		<i>Nycticorax nycticorax</i>	Least Concern	67			
		<i>Cochlearius cochlearius</i>	Least Concern	9			
		<i>Phimosus infuscatus</i>	Least Concern	10			
		<i>Plegadis falcinellus</i>	Least Concern	10			
		<i>Dendrocygna bicolor</i>	Least Concern	5			
		<i>Dendrocygna viduata</i>	Least Concern	10			
		<i>Dendrocygna autumnalis</i>	Least Concern	30			
		<i>Spatula discors</i>	Least Concern	55			
		<i>Oxyura dominica</i>	Least Concern	18			
		<i>Cathartes aura</i>	Least Concern	1			
		<i>Cathartes burrovianus</i>	Least Concern	2			
		<i>Coragyps atratus</i>	Least Concern	2			
		<i>Aramus guarauna</i>	Least Concern	10			
		<i>Laterallus exilis</i>	Least Concern	1			
		<i>Porzana carolina</i>	Least Concern	7			
		<i>Laterallus flaviventer</i>	Least Concern	1			
		<i>Porphyrio martinicus</i>	Least Concern	89			
		<i>Gallinula chloropus</i>	Least Concern	35			
		<i>Jacana jacana</i>	Least Concern	7			
		<i>Vanellus chilensis</i>	Least Concern	2			
		<i>Gallinago gallinago</i>	Least Concern	3			
		<i>Burhinus bistriatus</i>	Least Concern	2			
		<i>Columba cayennensis</i>	Least Concern	9			
		<i>Zenaida auriculata</i>	Least Concern	11			
		<i>Columbina minuta</i>	Least Concern	1			
		<i>Columbina talpacoti</i>	Least Concern	2			
		<i>Leptotila verreauxi</i>	Least Concern	4			
		<i>Amazona ochrocephala</i>	Least Concern	1			
		<i>Chordeiles acutipennis</i>	Least Concern	2			
		<i>Nyctidromus albicollis</i>	Least Concern	2			
		<i>Thamnophilus doliatus</i>	Least Concern	1			
		<i>Tyrannus melancholicus</i>	Least Concern	1			
		<i>Campylorhynchus griseus</i>	Least Concern	2			
		<i>Setophaga striata</i>	Near Threatened	1			
		<i>Spiza americana</i>	Least Concern	3			

Table 2
Newspaper reports and personal communications mentioning birds affected by power lines in South America showing the country of origin, species affected, conservation status, number of individuals impacted, article link, date of publication and type of impact (E: electrocutions, c: collisions, EC: both impacts recorded).

Report number	Country	Species	Conservation status	Individuals affected	Type of impact	Article (Link)	Date
1	Argentina	<i>Cyanoliseus patagonus</i>	Least Concern	NA	E	https://www.rionegro.com.ar/muchos-cortes-de-luz-en-valle-medio-por-los-loros-en-los-cables-1347056/	May 5, 2020
2	Argentina	<i>Cyanoliseus patagonus</i>	Least Concern	NA	E	https://www.rionegro.com.ar/chos-malal-tuvo-dos-cortes-de-luz-la-semana-pasada-por-culpa-de-los-loros-1399458/	June 16, 2020
3	Argentina	<i>Geranoaetus melanoleucus</i> <i>Geranoaetus polyosoma</i> <i>Buteogallus coronatus</i>	Least Concern Least Concern Endangered	Hundreds of individuals	E	https://www.avesargentinas.org.ar/noticia/posicion-institucional-%E2%80%9CElectrocuci%C3%B3n-de-aves-entendidos-el%C3%A9ctricos%E2%80%9D	December 17, 2018
4	Paraguay	<i>Nycticorax nycticorax</i>	Least Concern	At least 2	E	https://www.abc.com.py/nacionales/aves-generan-cortes-electricos-en-trinidad-1783619.html	February 3, 2019
5	Argentina	<i>Enicognathus ferrugineus</i>	Least Concern	At least 3	E	https://www.bariloche2000.com/noticias/leer/varios-loros-causaron-una-falla-y-se-corto-la-luz-en-el-oeste/122603	August 17
6	Argentina	<i>Cyanoliseus patagonus</i>	Least Concern	NA	E	http://miningpress.com/nota/261815/fueron-los-loros-en-plottier-culpan-a-las-aves-por-los-cortes-https://cevicoeste.com.ar/nota/852/telen-aves-ocasionan-corte-de-luz	July 16, 2014
7	Argentina	<i>Cyanoliseus patagonus</i>	Least Concern	At least 1	E	https://www.puntal.com.ar/las/una-bandada-loros-se-asento-el-tendido-electrico-y-provoco-un-apagon-sampacho-n103941	May 16, 2020
8	Argentina	<i>Cyanoliseus patagonus</i>	Least Concern	Some individuals die	E	https://www.puntal.com.ar/las/una-bandada-loros-se-asento-el-tendido-electrico-y-provoco-un-apagon-sampacho-n103941	May 12, 2020
9	Argentina	<i>Zenaida auriculata</i>	Least Concern	At least 1	E	https://www.distributointerior.com.ar/hoy/39996/fue-una-paloma-la-que-provoco-un-importante-corte-de-energia-electrica	October 22, 2016
10	Uruguay	<i>Caracara plancus</i>	Least Concern	NA	E	https://www.elpais.com.uy/informacion/caranchos-falla-disyuntor-provocaron-historico-apagon.html	August 4, 2016
11	Argentina	No species identified	NA	NA	E	http://elsurdiario.com.ar/?p=23872	July 24, 2014
12	Argentina	<i>Caracara plancus</i>	Least Concern	NA	E	https://www.infofunes.com.ar/noticias/7301-bicho-feo-un-carancho-caus-cortes-de-luz-en-la-ciudad-https://www.lmneuquen.com/una-lechuga-se-electrocuto-y-dejo-luz-todo-junin-n751595	November 22, 2016
13	Argentina	<i>Bubo magellanicus</i>	Least Concern	1	E	https://www.nuevamujer.com/lifestyle/2012/09/07/chile-gaviota-dejo-gran-parte-de-concepcion-sin-luz-por-chocar-con-el-cableado-electrico.html	November 29, 2020
14	Chile	<i>Larus dominicanus</i>	Least Concern	1	EC	http://fenix951.com.ar/nuevo_2013/noticia.php?id=27890	September 7, 2012
15	Argentina	No species identified	NA	NA	E	http://www.cean.gob.ar/muerte-por-electrocucion/	September 2, 2014
16	Argentina	<i>Geranoaetus melanoleucus</i> <i>Coragyps atratus</i>	Least Concern Least Concern	9	E	http://www.cean.gob.ar/muerte-por-electrocucion/	September 23, 2016

Table 2 (Continued)

Report number	Country	Species	Conservation status	Individuals affected	Type of impact	Article (Link)	Date
17	Argentina	<i>Milvago chimango</i> <i>Furnarius rufus</i>	Least Concern Least Concern	1	E	https://www.ramalloinforma.com.ar/interes-general/pajaro-suicida-deja-a-ramallo-sin-luz/	April 26, 2019
18	Colombia	<i>Quiscalus sp.</i>	Least Concern	NA	E	https://noticias.caracoltv.com/el-periodista-soy-yo/pajaros-estan-muriendo-electrocutados-cuando-se-posan-en-estos-arboles-de-mango	November 18, 2019
19	Argentina	No species identified	NA	1	E	https://www.tiemposur.com.ar/nota/68484-un-p%C3%A1jaro-electrocutado-dej%C3%B3-sin-servicios-a-caleta-olivia-y-ca%C3%B1ad%C3%B3n-seco	May 3, 2014
20	Argentina	<i>Mimus patagonicus</i>	Least Concern	1	E	https://www.eqsnotas.com/un-pajaro-en-un-transformador-dio-origen-al-incendio	March 4, 2020
21	Chile	No species identified	NA	NA	EC	http://www.economiaynegocios.cl/noticias/noticias.asp?id=416617	November 13, 2017
22	Argentina	No species identified	NA	1	E	https://viapais.com.ar/obera/1055430-un-pajaro-se-electrocuto-y-dejo-sin-luz-a-una-parte-de-obera/	May 30, 2019
23	Chile	<i>Coragyps atratus</i>	Least Concern	NA	E	https://www.24horas.cl/nacional/pajaros-electrocutados-habrian-causado-incendio-en-valparaiso-1580782	February 2, 2015
24	Chile	No species identified	NA	NA	C	https://www.biobiochile.cl/noticias/nacional/region-de-magallanes/2018/02/27/ave-habria-provocado-masivo-corte-de-luz-en-punta-arenas-mas-de-4-mil-clientes-afectados.shtml	February 27, 2018
25	Chile	<i>Chloephaga picta</i>	Least Concern	1	EC	https://archivo.laprensaaustral.cl/cronica/un-ave-provoco-corte-de-electricidad-en-natales/	May 4, 2020
26	Chile	Vultures (No species identified)	NA	1	E	http://www.region2.cl/corte-de-energia-en-parte-del-sector-norte-fue-provocado-por-aves/	March 15, 2012
27	Chile	No species identified	NA	1	EC	https://www.ovejeronoticias.cl/2016/11/un-ave-en-el-tendido-electrico-fue-la-causa-del-corte-de-energia-esta-manana-en-punta-arenas/	November 22, 2016
28	Bolivia	<i>Columba livia</i>	Least Concern	1	E	https://www.deoruro.bo/?t=ave-provoca-interrupcion-electrica-en-ciudad-oruro_&p=184	May 15, 2018
29	Peru	<i>Coragyps atratus</i>	Least Concern	1	C	https://canaln.pe/actualidad/caos-vehicular-lima-gallinazo-genero-corte-luz-varios-districtos-n283239	July 6, 2017

Table 2 (Continued)

Report number	Country	Species	Conservation status	Individuals affected	Type of impact	Article (Link)	Date
30	Peru	Pigeons (No species identified)	Least Concern	NA	E	https://diariocorreo.pe/edicion/ica/proliferacion-de-palomas-causa-corte-de-energia-electrica-826956/	June 26, 2018
31	Argentina	<i>Geranoaetus melanoleucus</i>	Least Concern	Hundred individuals	E	http://argentinainvestiga.edu.ar/noticia.php?titulo=alarma-por-mortandad-masiva-de-aves-rapaces-en-el-oeste-de-la-pampa&id=2768	August 5, 2017
32	Chile	<i>Geranoaetus polyosoma</i>	Least Concern	NA	C	https://www.publimetro.cl/cl/ciencia/2015/04/02/denuncian-brutal-dano-cables-tendido-electrico-aves-migratorias.html	April 2, 2015
		<i>Chroicocephalus maculipennis</i>	Least Concern				
		<i>Thalasseus maximus</i>	Least Concern				
		<i>Coscoroba coscoroba</i>	Least Concern				
33	Venezuela	<i>Quiscalus sp.</i>	Least Concern	1	E	https://www.ntn24.com/america-latina/venezuela/un-ave-se-estrella-contra-un-tendido-electrico-y-genera-descarga-que-hirio	December 9, 2019
34	Colombia	<i>Phoenicopterus ruber</i>	Least Concern	50	C	https://andina.pe/agencia/noticia-mueren-electrocutados-50-flamencos-rosados-el-norte-colombia-648897.aspx	January 10, 2017
35	Peru	<i>Coragyps atratus</i>	Least Concern	1	EC	https://www.diariovoces.com.pe/67967/gallinazo-muere-electrocutado-produce-apagon-juanjui	October 19, 2016
36	Peru	<i>Vultur gryphus</i>	Vulnerable	1	C	https://diariocorreo.pe/edicion/arequipa/condor-termino-electrocutado-chocar-cables-alta-tension-colca-fotos-829945/?ref=dcr	July 13, 2018
37	Peru	<i>Vultur gryphus</i>	Vulnerable	1	C	Pers. Comm. (Johselm Canto)	June 7, 2018
38	Peru	<i>Vultur gryphus</i>	Vulnerable	1	E	https://www.facebook.com/COLCAINFORMA/posts/2465224993761309	October 10, 2019
39	Peru	<i>Vultur gryphus</i>	Vulnerable	1	C	https://www.actualidadambiental.pe/cronica-el-valle-del-sondondo-refugio-de-condores-ii/	June 18, 2018
40	Peru	<i>Vultur gryphus</i>	Vulnerable	1	C	https://www.youtube.com/watch?v=-A5Gdf-NHcU	July 21, 2014
41	Peru	<i>Vultur gryphus</i>	Vulnerable	1	E	https://mobile.facebook.com/story.php?story_fbid=117105073656572&id=193054168084337&_rdr	March 11, 2021

Table 3

Species affected by power lines reported by electric companies, field monitoring and a citizen science project in Peru, Argentina, and Chile. Minimum number of individuals affected, type of impact (E: electrocution, C: collision), country, province/department and year of the event are shown.

Species	Country	Province/department	Year	Minimum affected individuals	Type of impact	
<i>Ardea cocoi</i>	Chile	Coquimbo	2015	1	E	
<i>Bubo magellanicus</i>	Chile	Atacama	2020	1	C	
		Metropolitana		1	E	
		Valparaíso		1	EC	
<i>Bubulcus ibis</i>	Chile	Metropolitana	2019	2	C	
<i>Cathartes aura</i>	Chile	Atacama	2016, 2017	7	E	
		Coquimbo	2015, 2017	7	E	
		Tarapacá	2019, 2020	5	E	
		Valparaíso	2021	1	E	
		Arequipa	2020	1	E	
<i>Columba livia</i>	Chile	Metropolitana	2021	1	E	
<i>Coragyps atratus</i>	Chile	Biobío	2020	1	E	
		Coquimbo	2015, 2017, 2021	6	E	
<i>Cygnus melancoryphus</i>	Chile	Los Lagos	2020	1	C	
Pigeons (No species identified)	Perú	Arequipa	2016	1	E	
		Lima	2019, 2020	2	C	
		Piura	2019	5	C	
<i>Falco femoralis</i>	Chile	Tarapacá	2020	1	E	
<i>Falco peregrinus</i>	Chile	Arica - Parinacota	2020	1	E	
<i>Falco sp.</i>	Perú	Piura	2017	1	C	
<i>Falco sparverius</i>	Chile	Biobío	2020	1	E	
		Maule	2015	1	E	
<i>Fulica sp.</i>	Chile	NA	2020	1	C	
<i>Geranoaetus melanoleucus</i>	Chile	Aysén	2020	2	E	
		Metropolitana	2019, 2020	2	C	
<i>Geranoaetus polyosoma</i>	Chile	Valparaíso	2014, 2020, 2021	4	E	
		Biobío	2017	1	E	
		Coquimbo	2017	1	E	
		Metropolitana	2021	1	C	
		Valparaíso	2019	1	E	
<i>Larus dominicanus</i>	Chile	Atacama	2016	3	E	
		Coquimbo	2015, 2017	4	E	
		Valparaíso	2021	1	E	
<i>Milvago chimango</i>	Chile	Coquimbo	2015, 2017	3	E	
		Metropolitana	2021	1	E	
		Valparaíso	2020	1	E	
<i>Mimus thenca</i>	Chile	Valparaíso	2019	1	C	
<i>Myiopsitta monachus</i>	Chile	Metropolitana	2020	1	E	
No species identified	Argentina	Neuquén	2020, 2021	69	E	
		Chile	Aysén	2010–2015	593	NA
		Antofagasta	2010–2015, 2021	539	NA	
		Arica - Parinacota	2010–2015	374	NA	
		Atacama	2010–2015	234	NA	
		Biobío	2010–2015	1827	NA	
		Coquimbo	2010–2015	650	NA	
		La Araucanía	2010–2015	3480	NA	
		Libertador General	2010–2015	508	NA	
		Bernardo O'Higgins				
		Los Lagos	2010–2015	4120	NA	
		Los Ríos	2010–2015	2903	NA	
		Magallanes - Antártica	2010–2015	135	NA	
		Chilena				
		Maule	2010–2015	757	NA	
		Metropolitana	2010–2015	1907	NA	
		Tarapacá	2010–2015	453	NA	
		Valparaíso	2010–2015	641	NA	
		Perú	Arequipa	2009–2017; 2020	54	EC
			Iquitos	2018	1	C
Lima	2017–2019		7	EC		
Piura	2017–2021		32	EC		
Metropolitana	2017		1	C		
<i>Oceanites oceanicus</i>	Chile	Coquimbo	2019	1	E	
		Maule	2019; 2020	4	E	
		Metropolitana	2020; 2021	2	E	
		O'Higgins	2020	1	E	
		Valparaíso	2020; 2021	9	E	
<i>Phalacrocorax brasilianus</i>	Chile	Biobío	2020	1	C	
<i>Theristicus melanopis</i>	Chile	La Araucanía	2020	1	E	
		Los Lagos	2019; 2020	5	E	
		Los Lagos	2019	1	E	

Table 3 (Continued)

Species	Country	Province/department	Year	Minimum affected individuals	Type of impact
<i>Thinocorus rumicivorus</i>	Chile	Antofagasta	2020	1	C
<i>Tringa melanoleuca</i>	Chile	Biobío	2017	1	C
<i>Tyto alba</i>	Chile	Coquimbo	2020	1	EC
<i>Vultur gryphus</i>	Chile	Valparaíso	2020	1	E
Vultures (no species identified)	Chile	Coquimbo	2015; 2017	3	E
	Perú	Arequipa	2017	1	C
		Iquitos	2019	1	C
		Lima	2017–2019	3	C
		Madre de Dios	2020	1	C
		Piura	2016–2021	35	EC
<i>Zenaida auriculata</i>	Chile	Metropolitana	2018	1	C

personnel to identify the bird species and that there is no regulation obliging them to report this type of information. However, data from the electric companies revealed a total of 19,335 power outage events caused by bird collisions and electrocutions (Table 3, S1). Most of the data did not specify whether the power outages were caused by electrocutions or collisions; however, of the 214 data that did report, 151 (70.6%) corresponded to bird electrocutions and 63 (29.4%) to bird collisions. With respect to the type of line, 93 outages (0.5%) occurred on transmission lines, while the vast majority, 19,242 (99.5%), occurred on distribution lines (Table S1).

Field monitoring and citizen science project

During field monitoring between 2015 and 2017 in two regions of Chile, 34 events of bird electrocutions with distribution power lines were recorded (Table S1). Six bird species were registered during these surveys, which were also identified by at least one of the other data sources (Table 3).

The citizen science project contributed 67 events of bird collisions and electrocutions with both distribution and transmission power lines in 14 of the 16 regions of Chile from 2014 to 2021

(Table S1). Of these, 54 events were electrocutions, while 13 were collisions. More events (n=48) occurred on distribution than on transmission power lines (n= 19, Table 3, S1).

Temporal and geographical distribution of information

Scientific information on the impacts of power lines on birds in South America is mainly recent, with most studies (9 of 15) conducted in the last decade (Table 1). This is surprising considering that the knowledge of the wires impacts on bird species (e.g., telegraph cables) has a long history in other regions of the world (Coues, 1876; Emerson, 1904) and even in Argentina (Doering, 1881). There has been an increase of scientific information about the impacts produced by power lines -mainly from North America and Europe- in the last decades of the 20th century (Bernardino et al., 2018; Lehman et al., 2007). However, in South America it has been evaluated relatively recently, with the exception of a pioneering work that evaluated bird collisions with a transmission line in Venezuela (McNeil et al., 1985). We found that both scientific articles and newspaper reports have reported on this issue nearly every year




Fig. 2. Number of individuals and bird species per family that recorded electrocution and collision events with power lines. Numbers are based on information provided by scientific articles, newspaper reports, electric companies, field monitoring and a citizen science project.

of the last decade, which highlights there is some concern in both scientific and lay people.

We showed that only 6 out of 13 of the countries in South America have addressed some aspects of this conservation problem in a scientific study (Fig. 1, Table 1). However, information provided by newspaper reports shows that the problem is widespread and that in most countries of South America - although probably in all -, bird collisions and electrocutions with power lines represent an important source of avian mortality at present (Fig. 1). Moreover, most scientific and anecdotal information from this sub-continent comes mainly from a few countries such as Argentina, Brazil, Peru and Chile. This is probably driven, among other things, by the higher development of socio-economic indicators of these countries (Guil and Pérez-García, 2022), including the increase of the rural electricity distribution network (Yépez-García et al., 2018), which increase the probability of mortality by electrocution. Further research and efforts should be directed to improve scientific and technical information about this problem in all the countries from South America, but especially in countries or regions where there is no information available or in those where information is only anecdotal (i.e., Paraguay, Uruguay or Bolivia).

Use of scientific studies and newspapers reports to study the impacts of power lines

The methodological approaches implemented in the scientific papers reviewed were: (1) bird carcass searches under power lines (e.g., Galmes et al., 2017; McNeil et al., 1985); (2) reports from wildlife rehabilitation centers or occasional records of dead or injured individuals due to power lines (e.g., Aguiar et al., 2014; Gusmão et al., 2020, 2016; Hinostrroza et al., 2020; Nolazco et al., 2010; Pavez and Estades, 2016; Plaza and Lambertucci, 2020a); and (3) location of tracked individuals (e.g., tagged with telemetry devices) found dead, which were complemented with records provided by farmers or NGOs (e.g., Sarasola et al., 2020). Studies that addressed the effectiveness of mitigation actions to reduce the impacts of power lines on birds and studies that evaluated the impacts produced by this threat at the population level are scarce (but see, Biasotto et al., 2017; De la Zerda and Rosselli, 2003; Galmes et al., 2017). Unfortunately, many studies did not report the type of power line associated with bird electrocutions and collisions (distribution or transmission) nor do they provide the detected mortality rates that allow comparison between areas (Guil and Pérez-García, 2022). Finally, the information present in newspaper reports was mainly based on news about power outages associated with different bird species, with several events reporting high numbers of birds affected at the same time by this problem (Table 2, reports 3, 31, 34).

Species affected by power lines

From the total reported data coming from the different sources addressed (i.e., scientific research, newspaper reports, citizen science, field monitoring and electric company), 85 South American bird species belonging to 34 families have been identified affected by power lines (Fig. 2). Twenty of these species were recorded by at least two of the methods we used, 46 were obtained by scientific research, 11 by the citizen science project and eight by newspaper reports exclusively. Field monitoring included six species, which were also recorded by at least one of the other methods. In the case of the electric company records, most of them did not provide data on the species affected. Two species were identified at the genus level, *Fulica* sp. and *Quiscalus* sp., reported by citizen science and newspaper reports respectively. These results are a clear underestimation of what is actually happening, but useful to see that the problem is widespread between taxa.

Of the species affected by power lines, 17 were electrocutions, 56 were collisions and 12 were both impacts. The species reported as most affected were the Grey Gull (*Leucophaeus modestus*) and the Brown Pelican (*Pelecanus occidentalis*) with 491 and 468 individuals killed by collisions, respectively. Most of the species (n = 79) reported as affected by power lines are classified as Least Concern species. However, five species are considered of conservation concern: the Near Threatened Blackpoll Warbler (*Setophaga striata*) and Reddish Egret (*Egretta rufescens*), both affected by collisions (De la Zerda and Rosselli, 2003; McNeil et al., 1985), the Vulnerable Harpy Eagle (*Harpia hapyja*), affected by electrocution (Aguiar-Silva et al., 2014; Gusmão et al., 2020, 2016) and Andean Condor (*Vultur gryphus*), suffering from both electrocutions and collisions in different parts of its distribution (Peru: Hinostrroza et al., 2020.; Chile: Pavez and Estades, 2016; Argentina: Plaza and Lambertucci, 2020a; this study); and the Endangered Chaco Eagle (*Buteogallus coronatus*), for which electrocution was reported as one of the most relevant threats along with human persecution (Galmes et al., 2017; Sarasola et al., 2020, Tables 1,2). Finally, the threat category of the species of the genus *Fulica* sp. was not determined, as they could be species with different degrees of threat.

The information obtained here does not allow us to estimate the annual bird mortality due to power lines in any country of South America. However, our data indicate that in some regions of Chile for which data are available, in just 5 years, there were 19,121 power outages caused by at least the same number of animals (Table S1). It seems clear that the estimations obtained which are based on anecdotal or disperse data suggest the mortality is several orders more. It is urgent to design specific studies to evaluate how many birds are affected by this threat in the different countries of South America, and the mortality per km of power lines (Galmes et al., 2017). Given the current limited knowledge and the great diversity of environments, species and the growth of current power lines infrastructure to provide an estimate is not possible, but the threat is clear and needs to be considered by governments, companies, conservationists, and other stakeholders.

Type of impact: electrocution and collision

The information obtained shows that, in general, most of the reported events are related to electrocutions rather than collisions. Most newspaper reports are referred to power outages or accidents produced by bird electrocutions rather than collisions (Table 2). This same pattern is observed in the data from the electric companies and field monitoring of power lines (Table S1). These results are probably explained by electrocutions attracting more media attention than collisions because power outages produce economic losses and may cause significant damage from wildfires (Guil et al., 2018), and probably because they impact society's environmental sensibilities through images of dead birds hanging from poles. Furthermore, given that electrocutions most frequently affect large birds, the probability that they will be found is much higher than if they were small birds, such as passerines. In addition, collisions that do not result in electrocutions may not be fatal in many cases or the bird will die far from the power line, so recording the event would be more unlikely. Therefore, the information of impacts of power lines tend to be biased toward electrocution.

Conservation implications

Information for actions and key areas

Efficient management decisions require reliable scientific information taking into account the perspectives of the parties involved, such as scientists, policy makers, authorities and, in this case, electric companies (Cook et al., 2013; Plaza and Lambertucci, 2020b). We humans are not only modifying terrestrial or aquatic ecosys-

tems but also the aerial habitat (Lambertucci and Speziale, 2020), and power lines are an important threat to wildlife in this habitat. Therefore, to mitigate the impacts produced by power lines in bird species from South America it is necessary to produce scientific information from sites where it is not available. Here, we show that for most South American countries information is scarce or non-existent. The implementation of modifications in power lines to reduce bird mortality is expensive and electric companies could consider them as prohibitive, especially if scientific information about the impacts of their infrastructures is not available (Davis, 2002). However, there are environmental liability laws aimed at regulating human activities with harmful implications for wild species (Durá Alemañ et al., 2020), which must be considered and implemented by the competent authorities. Moreover, given the strong evidence from other parts of the world, it could be important to implement a precautionary principle to avoid negative impacts on both wildlife and economic impacts; the latter resulting from mitigation costs and power outages. A potential strategy could be to evaluate the most affected bird species and detect indicator species of high mortality risk of collision or electrocution (Pérez-García et al., 2016). Complementarily, the establishment of priority management zones based on predictive electrocution models can be a very useful tool for decision-makers when establishing protection zones (Pérez-García et al., 2017; Hernández-Lambrano et al., 2018; Hernández-Matías et al., 2020). A recent study has developed a predictive map of risk of electrocution for Brazil to prioritize species in areas of interest (Biasotto et al., 2021). In some areas where species of conservation concern exist (the Endangered Chaco Eagle) mitigation measures already started (Sarasola and Zanón-Martínez, 2017), but efforts should be implemented more widely along the sub-continent.

In the last years, South America have experienced an increase in its demands of electricity associated with an incipient economic growth (Agostini et al., 2019). Under this scenario, there is no doubt that the surface covered by power lines will increase in the near future as happened in other regions of the world (D'Amico et al., 2019; Jenkins et al., 2010). If the effects produced by these structures are not properly addressed and mitigated, bird may suffer important impacts on their populations. It is necessary to joint efforts between energy developers, authorities, conservation managers, and scientists to define priority areas for bird conservation, where the potential extension of power lines could produce significant impacts on birds. This is especially important if developments are located in areas of priority for biodiversity, as well as on the peripheries of protected areas, where there may be an increase in the use of pylons by birds for roosting and resting (Pérez-García et al., 2011), with the consequent risk of collision and electrocutions. Solutions to this threat are needed if we aim for aero conservation measures that reduce the impact for aerial wildlife movement (Zuluaga et al., 2022).

The need for effective mitigation actions

Mitigation actions aimed to reduce the risk of collision and electrocution with power lines are often species-specific (Jenkins et al., 2010; Shaw et al., 2021). In addition, studies performed in Argentina suggest that some characteristics of power lines, as power lines of concrete pylons with jumpers above the cross-arm, could be associated to greater risks of electrocution in birds of prey from that area (Galmes et al., 2017; Sarasola et al., 2020; Sarasola and Zanón-Martínez, 2017). However, these studies are the few ones that locally address this issue from the entire South America. This knowledge together with the evidence obtained from other parts of the world (e.g., Ferrer and Janss, 1999; Lehman et al., 2007) should be the guide to address the influence of the characteristics of power lines on bird collision-electrocution, and to implement effective mitigation actions in the different countries of South America.

There is a need to promote national legislation in Latin American countries concerning both the installation and renovation of bird-safe infrastructures. In addition, the creation of monitoring protocols and public databases, both systematic and occasional (e.g., power outages), mediated by specialists who can recognize the species affected is necessary to address this conservation problem for birds (Guil and Pérez-García, 2022). Therefore, whether to produce effective mitigation actions in the current lines or to renew them, it is urgent to evaluate which South American bird species are currently affected by this problem. Finally, once mitigation actions are implemented, an exhaustive evaluation of their positive effects on avoiding electrocutions or collisions in birds is necessary. For instance, in the case of collisions, while increasing the visibility of wires by marking them is currently the most widespread measure to reduce collisions, more studies are needed to confirm which factors determine the effectiveness of marking and how each species respond to this measure (Bernardino et al., 2019). In addition, studies putting in evidence the effectiveness of actions implemented for target species are needed (e.g., Chevallier et al., 2015; Shaw et al., 2021). It is also important to highlight that this kind of studies require baseline data of mortality events due to power lines before applying the action which we lack in South America (Guil and Pérez-García, 2022).

Conclusions

The distinct impact of global-change drivers on airspace must be assessed; this habitat and the species that use it need effective conservation strategies and focused protection (Lambertucci and Speziale, 2020). Power lines, together with other human infrastructure, are intruding into the airspace, fragmenting it and limiting the possibilities of aerial wildlife to move worldwide with unexpected consequences (Zuluaga et al., 2022). We found that there is an important lack of information about collision and electrocution with power lines on South American bird species, and this should be reversed. It is necessary to design studies aimed to evaluate bird mortality events associated with power lines; these studies should produce standardized results able to be compared between different geographical areas of South America but also with the rest of the world (Guil and Pérez-García, 2022). There is also a need to identify the priority areas where this threat is producing large bird mortalities. Complementarily, evaluating the characteristics of power lines that make them more dangerous for each bird species will help to map priority areas of dangerous power lines; so, to make retrofitting in order to avoid negative impacts. Finally, testing the effectiveness of the devices implemented and performing long-term monitoring evaluations of the impacts produced by these human structures will help to look for strategies to reverse the problem.

More scientists and managers should be involved in evaluating and solving this threat and guiding research groups to perform the entire conservation process (describing the threat and proposing-performing mitigation actions with different stakeholders) along the South American continent. Moreover, governments should designate economic resources to fund the projects destined to evaluate this relevant threat. Until we generate the proper information to evaluate this problem, it is necessary to apply the precautionary principle in order to mitigate the potential impact on wildlife, particularly threatened species. Novel developments should consider the hazard of power lines to bird species and implement proven mitigation actions to reduce the risks both in new and in developments already installed. In a context where the demand for electricity is growing in South America, the study, evaluation and application of mitigation actions become indispensable to avoid

harmful consequences on bird conservation and associated ecological processes.

Conflict of interest

No conflict of interest declared.

Declaration of Competing Interest

The authors report no declarations of interest.

Acknowledgments

We thank Consejo Nacional de Investigaciones Científicas y Técnicas (CONICET), Agencia Nacional de Promoción Científica y Tecnológica, PICT (BID)-2018-1254, Spanish Ministry of Economy and Competitiveness (PID2020-113808RA-I00), Universidad Nacional del Comahue project 04/B227, and Aves Argentinas for their financial support. J.M.P.G. was supported by a Spanish Ministry of Science, Innovation and Universities postdoctoral contract (IJC-2019-038968). VGT was supported by Universidad Nacional de San Agustín de Arequipa (UNSA) and the scholarship program UNSA-Investiga (Contract N^o IBA-IB-05-2020-UNSA). We would like to thanks to J. Ayala and N.E. Gamarra, for providing information on the Peruvian departments of Ayacucho and Arequipa, respectively, and the associate editor and two anonymous reviewers for constructive comments that helped to improve the manuscript. We also thank the Ente Provincial de Energía del Neuquén (EPEN) of Argentina, Organismo Supervisor de la Inversión en Energía y Minería (OSINERGMIN) of Perú, and Superintendencia de Electricidad y Combustibles (SEC) of Chile for providing information on power outages caused by birds.

Appendix A. Supplementary data

Supplementary material related to this article can be found, in the online version, at doi:<https://doi.org/10.1016/j.pecon.2022.10.005>.

References

- Agostini, C.A., Guzmán, A.M., Nasirov, S., Silva, C., 2019. A surplus based framework for cross-border electricity trade in South America. *Energy Policy* 128, 673–684.
- Aguiar, F.H., Sanaiotti, T.M., Jaudoin, O., Martins, F.D., Vasconcelos, D.U.V.M., Peres, V.S., 2014. Remoção e reintegração de gavião-real em área de conflito no Pará: conservação na Volta Grande do Rio Xingu. In *1 International Symposium and V Meeting of the Post-Graduate Program in Tropical Biodiversity, Macapá*. https://ppgbiocconservation.weebly.com/uploads/2/7/5/7/27576775/abstract_book_ppgbio2014.pdf.
- Alvarado, S., Roa, M., 2010. Electrocutación de Águilas Moras *Geranoaetus melanoleucus* por tendido eléctrico en Calera de Tango, Chile. *Spizaetus* 9, 12–15.
- APLIC – Avian Power Line Interaction Committee, 2006. *Suggested Practices for Avian Protection on Power Lines: the State of the Art in 2006*. Avian Power Line Interaction Committee.
- Bernardino, J., Bevanger, K., Barrientos, R., Dwyer, J.F., Marques, A.T., Martins, R.C., Shaw, J.M., Silva, J.P., Moreira, F., 2018. Bird collisions with power lines: state of the art and priority areas for research. *Biol. Conserv.* 222, 1–13.
- Bernardino, J., Martins, R.C., Bispo, R., Moreira, F., 2019. Re-assessing the effectiveness of wire-marking to mitigate bird collisions with power lines: a meta-analysis and guidelines for field studies. *J. Environ. Manage.* 252, 109651.
- Bevanger, K., 1994. Bird interactions with utility structures: collision and electrocution, causes and mitigating measures. *Ibis* 136, 412–425.
- Bevanger, K., 1998. Biological and conservation aspects of bird mortality caused by electricity power lines: a review. *Biol. Conserv.* 86, 67–76.
- Biasotto, L.D., Barcelos-Silveira, A., Agne, C.E.Q., Kindel, A., 2017. Bird flight behavior in response to marked wire use in power transmission lines. *Iheringia. Série Zoologia* 107.
- Biasotto, L.D., Moreira, F., Bencke, G.A., D'Amico, M., Kindel, A., Ascensão, F., 2021. Risk of bird electrocution in power lines: a framework for prioritizing species and areas for conservation and impact mitigation. *Anim. Conserv.*
- Boshoff, A.F., Minnie, J.C., Tambling, C.J., Michael, M.D., 2011. The impact of power line-related mortality on the Cape Vulture *Gyps coprotheres* in a part of its range, with an emphasis on electrocution. *Bird Conserv. Int.* 21, 311–327.
- Brito, J.L., 2000. Solución a la mortalidad accidental de cisne cuello negro (*Cygnus melanocorypha*) por impactos con el tendido eléctrico alrededor de la laguna El Peral y el Estero Cartagena, región de Valparaíso. *Boletín chileno de ornitología* 7 (36).
- Brito, J.L., 2002. Mitigación de la mortalidad accidental de *Cygnus melanocorypha* por colisión con cables eléctricos en el embalse Los Molles, región de Valparaíso, Chile. *Boletín chileno de ornitología* 9 (47).
- Chevallier, C., Hernández-Matías, A., Real, J., Vincent-Martin, N., Ravayrol, A., Besnard, A., 2015. Retrofitting of power lines effectively reduces mortality by electrocution in large birds: an example with the endangered Bonelli's eagle. *J. Appl. Ecol.* 52, 1465–1473.
- Cook, C.N., Mascia, M.B., Schwartz, M.W., Possingham, H.P., Fuller, R.A., 2013. Achieving conservation science that bridges the knowledge–action boundary. *Conserv. Biol.* 27, 669–678.
- Coues, E., 1876. The destruction of birds by telegraph wire. *Am. Nat.* 10, 734–736.
- D'Amico, M., Martins, R.C., Álvarez-Martínez, J.M., Porto, M., Barrientos, R., Moreira, F., 2019. Bird collisions with power lines: prioritizing species and areas by estimating potential population-level impacts. *Divers. Distrib.* 25, 975–982.
- Davis, G., 2002. A Roadmap for PIER Research on Avian Collisions with Power Lines in California. California Energy Commission, pp. 1–57.
- De la Zerde, S., Rosselli, L., 2003. Mitigación de colisión de aves contra líneas de transmisión eléctrica con marcaje del cable de guarda. *Ornitología Colombiana* 1 (1), 42–62.
- Dixon, A., Batbayar, N., Bold, B., Davaasuren, B., Erdenechimeg, T., Galtbalt, B., Tsolmonjav, P., Ichinkhorloo, S., Gunga, A., Purevochir, G., 2020. Variation in electrocution rate and demographic composition of Saker Falcons electrocuted at power lines in Mongolia. *J. Raptor Res.* 54, 136–146.
- Doering, D.A., 1881. Informe oficial de la Comisión científica agregada al Estado Mayor general de la expedición al Rio Negro (Patagonia) realizada en los meses de abril, mayo y junio de 1879, bajo las órdenes del general d. Julio A. Roca. *Zoología. Ostwald y Martinez*.
- Durá Alemañ, C.J., Morales-Reyes, Z., Ayerza, P., Bodega, D.D.L., Aguilera-Alcalá, N., Botella, F., Jiménez Peinado, J., Jiménez, J., López-Bao, J.V., Mateo-Tomás, P., Moleón, M., Olea, P., Sebastián-González, E., Sánchez-Zapata, J.A., 2020. La responsabilidad por el daño ambiental generado en el caso de la lucha contra el uso del veneno en España.
- Emerson, W.O., 1904. Destruction of birds by wires. *Condor* 6, 37–38.
- Erickson, W. P., Johnson, G. D., & David Jr, P. 2005. A summary and comparison of bird mortality from anthropogenic causes with an emphasis on collisions. In: Ralph, C. John; Rich, Terrell D., editors. *Bird Conservation Implementation and Integration in the Americas: Proceedings of the Third International Partners in Flight Conference*. 2002 March 20–24; Asilomar, California, Volume 2 Gen. Tech. Rep. PSW-GTR-191. Albany, CA: US Dept. of Agriculture, Forest Service, Pacific Southwest Research Station: 1029–1042 (191).
- Fernie, K.J., Reynolds, S.J., 2005. The effects of electromagnetic fields from power lines on avian reproductive biology and physiology: a review. *J. Toxicol. Environ. Health B* 8 (2), 127–140.
- Ferrer, M., Janss, G.F.E., 1999. *Birds and Power Lines*. Quercus, Madrid.
- Galmes, M.A., Sarasola, J.H., Grande, J.M., Vargas, F.H., 2017. Electrocution risk for the endangered Crowned Solitary Eagle and other birds in semiarid landscapes of central Argentina. *Bird Conserv. Int.* 28, 403–415.
- Guil, F., Pérez-García, J.M., 2022. Bird electrocution on power lines: spatial gaps and identification of driving factors at global scales. *J. Environ. Manag.* 301, 113890.
- Guil, F., Soria, M.A., Margalida, A., Pérez-García, J.M., 2018. Wildfires as collateral effects of wildlife electrocution: an economic approach to the situation in Spain in recent years. *Sci. Total Environ.* 625, 460–469.
- Gusmão, A.C., Francis Ferrari, S., Santos, A.B. dos, Silva, F.H.A. da, Souza, L.S. de, Sanaiotti, T.M., Silva, A.M. da, Costa, T.M. da, Oliveira, L.E., Morais, W.G. de, 2016. Records of the occurrence, nesting, and hunting of the Harpy Eagle (*Harpia harpyja*) (Aves: Accipitridae) in Rondônia, southwestern Brazilian Amazonia 190:19–23.
- Gusmão, A.C., Degra, D., Silva, O.D. da, Souza, L.S. de, Frota, A.V.B. da, Tuyama, C.A., Tuyama, M.C., Costa, T.M. da, Dalbem, A.P., Barnett, A.A., 2020. Power lines as a threat to a canopy predator: electrocuted Harpy Eagle in southwestern Brazilian Amazon 12(13):16904–16908.
- Hernández-Lambraño, R.E., Sánchez-Agudo, J.Á., Carbonell, R., 2018. Where to start? Development of a spatial tool to prioritize retrofitting of power line poles that are dangerous to raptors. *J. Appl. Ecol.* 55 (6), 2685–2697.
- Hernández-Matías, A., Real, J., Parés, F., Pradel, R., 2015. Electrocution threatens the viability of populations of the endangered Bonelli's eagle (*Aquila fasciata*) in Southern Europe. *Biol. Conserv.* 191, 110–116.
- Hinojosa, W.A., Azurza, C.R., García, V.J.V., 2020. Registro audiovisual de la colisión de un individuo de Cóndor Andino (*Vultur gryphus*) con una línea de transmisión eléctrica en el Valle del Sondondo, provincia de Lucanas, Ayacucho, Perú.
- IUCN, 2021. IUCN Red List of Threatened Species. www.iucnredlist.org.
- Janss, G.F., 2000. Avian mortality from power lines: a morphologic approach of a species-specific mortality. *Biol. Conserv.* 95, 353–359.
- Janss, G.F., Ferrer, M., 2000. Common crane and great bustard collision with power lines: collision rate and risk exposure. *Wildl. Soc. Bull.*, 675–680.
- Jenkins, A.R., Smallie, J.J., Diamond, M., 2010. Avian collisions with power lines: a global review of causes and mitigation with a South African perspective. *Bird Conserv. Int.* 20, 263–278.

- Lambertucci, S.A., Shepard, E.L., Wilson, R.P., 2015. Human-wildlife conflicts in a crowded airspace. *Science* 348, 502–504.
- Lambertucci, S.A., Speziale, K.L., 2020. Need for global conservation assessments and frameworks to include airspace habitat. *Conserv. Biol.* 35, 1341–1343, <http://dx.doi.org/10.1111/cobi.13641>.
- Lehman, R.N., Kennedy, P.L., Savidge, J.A., 2007. The state of the art in raptor electrocution research: a global review. *Biol. Conserv.* 136, 159–174.
- López-López, P., Ferrer, M., Madero, A., Casado, E., McGrady, M., 2011. Solving man-induced large-scale conservation problems: the Spanish imperial eagle and power lines. *PLoS One* 6, e17196.
- Loss, S.R., Will, T., Marra, P.P., 2014. Refining estimates of bird collision and electrocution mortality at power lines in the United States. *PLoS one* 9, e101565.
- Loss, S.R., Will, T., Marra, P.P., 2015. Direct mortality of birds from anthropogenic causes. *Annu. Rev. Ecol. Evol. Syst.* 46, 99–120.
- Malinarich, V., Zona Norte de Chile 2016. Diagnóstico poblacional de la Gaviota Garuma Leucophaeus modestus (Tschudi, 1843).
- Mañosa, S., 2001. Strategies to identify dangerous electricity pylons for birds. *Biodivers. Conserv.* 10 (11), 1997–2012.
- Marques, A.T., Martins, R.C., Silva, J.P., Palmeirim, J.M., Moreira, F., 2020. Power line routing and configuration as major drivers of collision risk in two bustard species. *Oryx*, 1–10.
- McNeil, R., Rodríguez, J.R., Ouellet, H., 1985. Bird mortality at a power transmission line in northeastern Venezuela. *Biol. Conserv.* 31, 153–165.
- Nolazco, S., Conde, J., Jurado, M., La Molina, A., 2010. Electrocutación fatal de un Aguilucho de Pecho Negro Geranoaetus melanoleucus en la ciudad de Lima. *Boletín Inf. la Unión Ornitológicos del Perú* 5, 6–7.
- Pavez, E.F., Estades, C.F., 2016. Causes of admission to a rehabilitation center for Andean condors (*Vultur gryphus*) in Chile. *J. Raptor Res.* 50, 23–32.
- Pérez-García, J.M., Botella, F., Sánchez-Zapata, J.A., Moleón, M., 2011. Conserving outside protected areas: edge effects and avian electrocutions on the periphery of Special Protection Areas. *Bird Conserv. Int.* 21, 296–302.
- Pérez-García, J.M., Sebastián-González, E., Botella, F., Sánchez-Zapata, J.A., 2016. Selecting indicator species of infrastructure impacts using network analysis and biological traits: bird electrocution and power lines. *Ecol. Indic.* 60, 428–433.
- Pérez-García, J.M., DeVault, T.L., Botella, F., Sánchez-Zapata, J.A., 2017. Using risk prediction models and species sensitivity maps for large-scale identification of infrastructure-related wildlife protection areas: the case of bird electrocution. *Biol. Conserv.* 210, 334–342.
- Plaza, P.I., Lambertucci, S.A., 2020a. Ecology and conservation of a rare species: what do we know and what may we do to preserve Andean condors? *Biol. Conserv.* 251, 108782.
- Plaza, P.I., Lambertucci, S.A., 2020b. Reducing the gap between scientific knowledge and decision-making processes in a threatened species. *Biol. Conserv.* 256, 108924.
- Rioux, S., Savard, J.-P., Gerick, A., 2013. Avian mortalities due to transmission line collisions: a review of current estimates and field methods with an emphasis on applications to the Canadian electric network. *Avian Conserv. Ecol.* 8.
- Rollán, A., Real, J., Bosch, R., Tintó, A., Hernández-Matías, A., 2010. Modelling the risk of collision with power lines in Bonelli's Eagle *Hieraetus fasciatus* and its conservation implications. *Bird Conserv. Int.* 20 (3), 279–294.
- Sarasola, J.H., Galmes, M.A., Watts, B.D., 2020. Electrocution on power lines is an important threat for the endangered Chaco Eagle (*Buteogallus coronatus*) in Argentina. *J. Raptor Res.* 54, 166–171.
- Sarasola, J.H., Zanón-Martínez, J.I., 2017. Electrocutación de aves en líneas eléctricas: la muerte silenciosa de las grandes rapaces. *Informe Ambiental*, 219–230.
- Shaw, J.M., Jenkins, A.R., Smallie, J.J., Ryan, P.G., 2010. Modelling power-line collision risk for the Blue Crane *Anthropoides paradiseus* in South Africa. *Ibis* 152 (3), 590–599.
- Shaw, J.M., Reid, T.A., Schutgens, M., Jenkins, A.R., Ryan, P.G., 2018. High power line collision mortality of threatened bustards at a regional scale in the Karoo, South Africa. *Ibis* 160, 431–446.
- Shaw, J.M., Reid, T.A., Gibbons, B.K., Pretorius, M., Jenkins, A.R., Visagie, R., Michael, M.D., Ryan, P.G., 2021. A large-scale experiment demonstrates that line marking reduces power line collision mortality for large terrestrial birds, but not bustards, in the Karoo, South Africa. *Ornithol. Appl.*
- Slater, S.J., Dwyer, J.F., Murgatroyd, M., 2020. Conservation letter: raptors and overhead electrical systems. *J. Raptor Res.* 54, 198–203.
- Tavecchia, G., Adrover, J., Navarro, A.M., Pradel, R., 2012. Modelling mortality causes in longitudinal data in the presence of tag loss: application to raptor poisoning and electrocution. *J. Appl. Ecol.* 49 (1), 297–305.
- Yépez-García, R.A., Ji, Y., Hallack, M., Soto, D.L., 2018. The Energy Path of Latin America and the Caribbean. *Inter-American Development Bank*.
- Zuluaga, S., Speziale, K.L., Lambertucci, S.A., 2022. Flying wildlife may mask the loss of ecological functions due to terrestrial habitat fragmentation. *Sci. Total Environ.* 803, 150034.