

1 **Intra- and inter-day reliability of weightlifting variables and correlation to**
2 **performance during cleans**

3

4 Sorensen, A; Chavda, S; Comfort, P; Lake, J; Turner, AN

5 ABSTRACT

6 The purpose of this investigation was to examine intra- and inter-day reliability of kinetic
7 and kinematic variables assessed during the clean, assess their relationship to clean
8 performance, and determine their suitability in weightlifting performance analysis. Eight
9 competitive weightlifters performed 3 sets of single repetition cleans with 90% of their
10 one-repetition maximum. Force-time data were collected via dual force plates with
11 displacement-time data collected via 3-dimensional motion capture, on three separate
12 occasions under the same testing conditions. Seventy kinetic and kinematic variables
13 were analyzed for intra- and inter-day reliability using intraclass correlation coefficients
14 (ICC) and the coefficient of variation (CV). Pearson's correlation coefficients were
15 calculated to determine relationships between barbell and body kinematics and ground
16 reaction forces and for correlations to be deemed as statistically significant, an alpha-
17 level of $p \leq 0.005$ was set. Eleven variables were found to have 'good' to 'excellent'
18 intra- and inter-day ICC (0.779-0.994 and 0.974-0.996, respectively) and CV (0.64-
19 6.89% and 1.14-6.37%, respectively), with strong correlations ($r = 0.880-0.988$) to cleans
20 performed at 90% 1RM. Average resultant force of the weighting 1 (W1) phase
21 demonstrated the best intra- and inter-day reliability (ICC = 0.994 and 0.996
22 respectively), and very strong correlation ($r = 0.981$) to clean performance. Average bar
23 power from point of lift off to peak bar height exhibited the highest correlation ($r =$
24 0.988) to clean performance. Additional reliable variables with strong correlations to
25 clean performance were found, many of these occurred during or included the W1 phase,
26 which suggests coaches should pay particular attention to the performance of the W1
27 phase.

28 **Keywords:** weightlifting performance, kinetics, kinematics, reliability

29 **INTRODUCTION**

30 Weightlifting pulling movements have previously been defined by vertical ground reaction
31 force (vGRF) alongside changes in knee joint angles, and although system weight (body +
32 barbell weight) does not actually change, they are generally categorized into three phases:
33 weighting 1 (W1), unweighting (UW), and weighting 2 (W2) (9). These three phases have
34 also been reported in other research using different terminology, but with similar
35 definitions, as first pull, transition, and second pull, which approximately correspond to
36 W1, UW, and W2 respectively (20, 23, 32). The pulling phases have been considered to be
37 among the most important components in weightlifting (16-20, 32, 33), as the performance
38 off these will determine whether a lifter may be able to successfully displace the barbell
39 during a given lift. The W1 phase is noted by an increase in vGRF above system weight as
40 the knee joints extend, the UW phase is marked by a decrease in vGRF as the knee joints
41 flex, and lastly, the W2 phase is exhibited by a second increase in vGRF as the knee joints
42 reach maximal extension (9). While all phases exhibit varying levels of force and power,
43 W1 has been noted to be a knee-dominant movement where force must be exerted to
44 overcome the inertia of the barbell, making it more of a strength-oriented phase. In
45 comparison, W2 has been noted to be a hip-dominant movement that must occur quickly,
46 making it more of a power-oriented phase (1, 14, 16, 18, 20, 28) .

47

48 A variety of reliable kinetic and kinematic variables of both barbell and system (body +
49 barbell) have been reported to describe the pull and its specific elements, such as power,
50 velocity, and barbell displacement (3, 8-20, 25, 27, 28, 29, 32). Additional reliable

51 variables like peak force, peak power, and peak velocity are also frequently reported in the
52 weightlifting literature (3, 7, 10, 20, 21, 27, 33, 34). Peak barbell height has also been of
53 particular interest to researchers, as the primary objective in weightlifting is to displace a
54 barbell from the floor to the shoulders (clean) or overhead position (snatch and jerk) (3, 4,
55 13, 32, 33), illustrating the potential importance of peak barbell height. However, Isaka et
56 al. (26) and Nagao et al. (33) suggest that decreasing the distance between the maximum
57 height of the barbell and the catch position (drop distance), rather than peak bar height,
58 may be a more important factor for success in weightlifting. Thus, it may be suggested
59 that variables like peak barbell height are important only insofar as they relate to the
60 remainder of the system kinematics and additional reliable variables may exist that could
61 be shown to have higher correlations to weightlifting performance.

62

63 Many researchers have focused solely on variables during specific phases of the lift and
64 during the performance of weightlifting derivatives (i.e., power snatches, clean pulls, etc.)
65 that are initiated from a “hang” position, where the barbell is held at a position above knee
66 level, thus excluding the W1 phase (8, 22, 34, 35). Suchomel et al. (34) investigated the
67 effects different loads had on system peak power, peak velocity, and peak force during the
68 hang power clean, and later went on to investigate the force-time characteristics of the hang
69 high pull (35). Similarly, Comfort et al. (8) investigated the effect of load on barbell
70 displacement, velocity, and peak power during the performance of midhigh clean pulls;
71 noting that peak power, velocity, displacement, and impulse were shown to be highly
72 reliable across all loads. These investigations help paint a substantial picture on the
73 performance of weightlifting movements performed from the hang, which may be useful

74 in sports performance, but by default, exclude the W1 phase seen in competitive
75 weightlifting. Subsequently, these studies may miss important variables that may further
76 explain optimal movements of the barbell and system in weightlifting.

77

78 Recently, James et al. (27) noted that the difficulty in investigating the entire pull derives
79 from the inability to obtain the system weight, which is required to later calculate the
80 pulling variables, prior to the initiation of the lift. System weight must be obtained with
81 the lifter holding the barbell in a static position on force plates, while in contact with
82 nothing else. Obtaining system weight during lifts that include the W1 phase, which
83 typically begins with the barbell in contact with the floor, can be problematic as the barbell
84 must first be lifted off the floor to obtain system weight and may lead to increased difficulty
85 or additional fatigue to the lifter at higher loads. This was noted during the investigation
86 by James et al. (27) who asked their subjects to hold the barbell at mid-shank level in order
87 to obtain system weight before executing the lift from that level, and further noted that this
88 could be a difficult position to maintain at higher loads. To date this is one of the few
89 studies electing to specifically examine variables during the W1 phase of the pull.

90

91 Research investigating only particular portions of the weightlifting pull and pulling
92 derivatives may aid researchers in their investigations by eliminating the need to design
93 new methods for obtaining system weight prior to lifting the barbell from floor level;
94 however, these investigations would often exclude a comprehensive, detailed examination
95 of the W1 and UW phases. As weightlifting is a sport initiated from the floor, variables
96 within the early phases of the pull may have an impact on how variables are expressed in

97 subsequent phases and thus have an impact on overall weightlifting performance.
98 Determining what occurs during each individual phase and throughout the entire duration
99 of the pull would facilitate a better understanding of what underpins optimal movement of
100 the barbell and system. A detailed examination of the pull in its entirety to determine the
101 intra- and inter-day reliability of force-time and displacement-time variables is warranted
102 to provide a more detailed picture of performance, building upon the early work of Enoka
103 (9, 10), Garhammer (11-15), and Hakkinen (23). Providing coaches with specific variables
104 that occur during each of the three phases that are shown to be reliable measures of both
105 intra- and inter-day performance would enable them to track and monitor performance on
106 an acute, daily basis, as well as over longer training cycles. Furthermore, understanding
107 which of these variables have a higher correlation with clean performance would enable
108 coaches to design training programs to elicit specific improvements in overall clean
109 performance. Therefore, this study aimed to investigate the number of reliable
110 biomechanical variables that could be obtained during cleans from the floor, determine
111 their reliability, and determine their correlation with clean performance. It is theorized that
112 several variables that occur within the early phases of the pull will have a significant
113 correlation to overall clean performance.

114

115 **METHODS**

116 *Experimental Approach to the Problem*

117 A repeated measures design was used to assess the intra- and inter-day reliability of kinetic
118 and kinematic variables during cleans performed from the floor in eight competitive
119 weightlifters. Subjects were deemed competitive according to their ability to achieve

120 qualifying standards for regional and national competitions according to the standards set
121 by British Weightlifting. Subjects performed cleans beginning with 50% of their pre-
122 determined clean and jerk one-repetition maximum (1RM) and increased by 10%
123 increments up to 90% of their 1RM. Subjects were tested on three separate occasions over
124 the course of a week to determine intra- and inter-day reliability with at least 24-hours of
125 rest between testing sessions. Only the lifts performed with 90% 1RM were used for the
126 current analysis.

127

128 *Subjects*

129 Subjects of this study consisted of 8 competitive weightlifters (female $n = 4$, male $n = 4$)
130 competing at a regional to national level. The females were 29.5 ± 6.6 years of age, 166.9
131 ± 11.2 cm in height, 63.5 ± 8.4 kg in body mass, and with clean and jerk 1-repetition
132 maximum of 65.3 ± 18.8 kg. The males were 22.3 ± 3.3 years of age, 177.9 ± 5.5 cm in
133 height, 75.4 ± 11.2 kg in body mass, and with clean and jerk 1-repetition maximum of
134 104.0 ± 10.8 kg. Subjects were excluded if they were not competitive weightlifters or if
135 they were currently injured. All subjects were informed of the benefits and risks of the
136 investigation and completed informed consent prior to participation in the study. Ethics
137 were submitted and approved by an institutional ethics committee (3537). Given the strict
138 criteria for subject selection, a post-hoc power analysis was performed. Given the lowest
139 correlation used for analysis was 0.870, and we used the conventional alpha level of ≤ 0.05 ,
140 our sample size ($n = 8$) revealed a statistical power of 98%.

141

142 *Procedures*

143 Each subject completed three testing sessions over the course of a week, completed at the
144 same time of day, and with at least 24 hours rest between sessions. Subjects completed 8
145 minutes of a self-selected warm-up that was followed by a weightlifting specific warm-up
146 with an empty barbell (15 kg for females, 20 kg for males; Eleiko, Halmstad, Sweden) and
147 consisted of 10 overhead squats, 10 good mornings, 5 hang clean pulls, 5 front squats, 5
148 halted clean first pulls, and 5 cleans. All loads used during the testing sessions were based
149 on the subject's self-reported 1RM clean and jerk, which was obtained within 2 weeks prior
150 to the start of testing.

151

152 Each testing session consisted of 3 sets of 1 repetition cleans performed from the floor on
153 dual force plates (Kistler 9286AA and BA, Winterhur, Switzerland) with loads beginning
154 at 50% of the subject's 1RM CJ and each subsequent load was increased by 10% up to
155 90% of their 1RM. Subjects were given a 30 second inter-repetition rest between the cleans
156 performed at each given load in which subjects stood off the force plates in a relaxed state
157 and were then given 3 minutes rest between the different loads during which time they
158 were seated in a chair. The inter-repetition rest was increased from 30 to 60 seconds during
159 the 90% load. System weight was obtained prior to performing the lifts by asking the
160 subjects to stand motionless on the force plates for 2 seconds followed by an additional 2
161 seconds while they held the loaded barbell at arm's length. To reduce the effect of fatigue
162 while obtaining system weight, the barbell was passed to and from the subject (by
163 experimenters) while standing on the force plates in a position they would normally adopt
164 prior to initiating the lifting sequence.

165

166 Force data were recorded from dual force plates recording at 1000 Hz. Barbell kinematics
167 were captured using CODA motion capture (Charnwood Dynamics, Rothley, UK) at 200
168 Hz, with active markers attached to each end of the barbell and motion synchronized with
169 the force plates. A customized Microsoft Excel spreadsheet (Microsoft Office 365 2016,
170 Version 16.15) was used to extrapolate and calculate dependent variables from the raw
171 force-time data based on principles that have been applied during the analysis of
172 countermovement jumps (5). Only the cleans performed with 90% were analyzed for this
173 study and a total of 70 variables were analyzed. System weight was obtained during testing
174 (see above) and was used in the variable calculations seen in Table 1. Net force was
175 calculated by subtracting the system weight from the sum of the raw vertical force data
176 from the two force plates. The phases of the lift (W1, UW, W2) were determined when
177 system weight (body + barbell) was met by the vGRF along the duration of the lift, as was
178 defined by Enoka (9), and can be seen in Figure 1. Lift off was defined as the point where
179 vertical force reached +5 SD of system weight to create a robust criterion marking the
180 initiation of the lift. All kinetic variables were determined from the GRF according to each
181 of the three pulling phases as well as determining total pull impulse (TPI), peak force (PF),
182 and barbell peak power (BPP). Barbell power data were calculated from work (force
183 multiplied by displacement) divided by time for the entire pull and each of the three pulling
184 phases, according to the principles set forth by Garhammer (15). System metrics were
185 defined as those of the body + barbell combined.

186 TABLE 1 HERE

187

188 FIGURE 1 HERE

189

190 The raw marker position (displacement-time) data were smoothed using a low pass
191 Butterworth filter with a cut off frequency of 6 Hz as derived from previous weightlifting
192 literature (6, 29). Velocity was calculated by differentiating displacement ($v = \Delta x / \Delta t$
193 [m/s]), while acceleration calculated by differentiating velocity ($a = \Delta v / \Delta t$ [m/s²]). Both
194 were automatically calculated within the Odin X64 software (Charnwood Dynamics,
195 Rothley, UK) and filtered at 4 Hz. The two barbell markers' vertical data coordinates were
196 averaged and later processed through a customized Excel spreadsheet to calculate peak bar
197 height (PBH) as can be seen in Figure 2 and barbell peak power (BPP).

198

199 FIGURE 2 HERE

200

201 *Statistical Analyses*

202 All statistical analyses were performed in SPSS 24.0 (IBM Corp, Armonk, NY). All
203 variables were tested for normality using Shapiro-Wilk test and all variables were normally
204 distributed. Reliability was tested using the coefficient of variation (CV) with 95%
205 confidence intervals (CI), a 2-way random effects intraclass correlation coefficient (ICC)
206 with 95% CI, and standard error of measurement (SEM). The ICCs were analyzed as both
207 single measures and average measures. Single measures ICC was used for intra- and inter-
208 day best, and average measures was used for inter-day average. Reliability scores were
209 categorized as acceptable and retained for further analysis if the CV was $\leq 10\%$ (36).
210 Reliability scores were further categorized as “good” if the lower bound 95% CI of the ICC
211 fell between 0.75 and 0.90 and “excellent” if > 0.90 in line with ICC rankings proposed by

212 Koo and Li (30). Only the variables that exhibited high levels of reliability ($CV \leq 10\%$,
213 lower bound $ICC \geq 0.750$) for both intra- and inter-day were retained for further statistical
214 analysis. Pearson's correlation coefficients were calculated with 95% CI utilizing Fisher
215 z -transformation to determine associations between each variable and cleans performed at
216 90% 1RM (Table 2). Variables exhibiting a Pearson's r -value between 0.5-0.7 were
217 considered to have a moderate correlation, 0.7-0.9 a strong correlation, and values above
218 0.9 a very strong correlation with values approaching 1.0 to be considered near perfect
219 correlations (2). Lastly, variables whose ICCs were ranked as "good to excellent" and were
220 shown to have a meaningful correlation to clean performance were assessed for
221 multicollinearity by utilizing a Pearson's correlation coefficient matrix to determine
222 whether these variables also had correlations to each other and thus may be reporting
223 similar information (Table 3). To guard against Type II errors consequent to multiple
224 comparisons, the conventional alpha-level of 0.05 was divided by the number of
225 comparisons made ($n = 11$); therefore, a Bonferroni correction factor was applied.
226 Consequently, in this study for correlations to be deemed as statistically significant, an
227 alpha-level of $p \leq 0.005$ was set.

228

229 **RESULTS**

230 Sixteen of the 70 variables analyzed were found to have good to excellent intra- and inter-
231 day ICC (0.779-0.994 and 0.969-0.996 respectively) and CV (0.64-6.42 and 1.14-6.37
232 respectively) values (30, 36). Utilizing the Pearson's correlation coefficients ($r = 0.5$ -1.0
233 at $p < 0.005$), these 16 variables were also shown to have strong correlations ($r = 0.880$ -
234 0.988) to cleans performed at 90% 1RM. From these 16 variables, bar work variables that

235 were used to calculate bar power variables were then excluded because they are derived
236 from the same force and displacement data and represented duplicate data. The resulting
237 variables were further assessed for multicollinearity, which can be seen in Table 3. This
238 system of filtering resulted in a total of 11 variables exhibiting “good to excellent” ICC
239 with a CV of $\leq 10\%$ for both intra-day and inter-day reliability measures and with
240 correlations to clean performance as reported in Table 2.

241

242 TABLE 2 HERE

243

244 TABLE 3 HERE

Temporal Force

Five of the dependent temporal force variables showed good to excellent reliability ($CV \leq 10\%$, $ICC \geq 0.750$) (Table 2). Of these variables, W1 average resultant force (see Table 1) had the highest intra- and inter-day reliability, lowest variance, and the highest, nearly perfect, correlation to the performance of the 90% clean (Table 2).

Bar Power

There were six reliable bar power variables (Table 2). Average bar power from lift off until the end of the UW phase (W1 & UW) had the highest intra-day reliability ($ICC = 0.994$), whereas bar peak power and average power of UW to PBH had the highest inter-day reliabilities ($ICC = 0.997$ and 0.997). Peak power had the lowest intra-day variance ($CV\% = 2.86$) and average power UW to PBH had the lowest inter-day variance ($CV\% = 2.53$). Average power for lift off to PBH and for UW to PBH both exhibited the highest correlations to the clean, each exhibiting a nearly perfect correlation.

DISCUSSION

Eleven of the 70 variables analyzed were found to have good to excellent intra- and inter-day reliability (lower bound $ICC \geq 0.750$, $CV \leq 10\%$) and strong correlation to cleans performed at 90% 1RM as can be seen in Table 2. The variables with the greatest reliability and correlation to the clean from the two categories (temporal force and bar power) were W1 average resultant force, average bar power lift off to PBH, and average bar power UW to PBH. Furthermore, seven of the 11 variables included the W1 phase of the pull. This would suggest that clean performance at loads approaching maximal effort are largely determined by the performance of W1.

Previously, researchers have noted that the W1 phase is primarily characterized as a strength-based phase or more specifically, as the ability to exert force (1, 14, 16, 18, 20, 28). Of the five temporal force variables, three occurred during the W1 phase of the lift (W1 vertical impulse, W1 average vGRF, W1 average resultant force) where W1 average resultant force was shown to have the best intra- and inter-day reliability of all variables, as well as having the strongest correlation with clean performance (Table 2). The average resultant force, as defined in Table 1, captures the result of the combined application of vertical and horizontal force components. Previous investigations into weightlifting have noted that successful weightlifting performance is determined by displacing the barbell vertically while minimizing horizontal displacement, which is affected according to the direction of vertical and horizontal force application throughout the movement (2, 4, 13, 19, 24). The results of this investigation indicate that both the direction of force application and the magnitude are of particular importance during the pull as evidenced by the reliability of the average resultant force in all three phases, especially the W1 phase. It may therefore be suggested that programming exercises aimed at improving force generating capabilities, especially in movements initiated from the floor, would be of great benefit while also monitoring and ensuring appropriate technical performance of the pull. It can also be suggested that exercises like a squat or pull, which address force generating capabilities, would be easy for coaches to monitor as those exercises are regularly used in training programs.

There were six bar power variables where five of the six measured average bar power over different phases and four of the variables included the W1 phase (lift off to W1 end, W1 & UW, lift off to most rear, lift off to PBH). The highest intra-day reliability was shown in average power from lift off until the end of UW (W1 and UW), whereas the highest inter-day reliability was shown to be peak power and average power of UW to PBH (Table 2). This was

similar to findings by Comfort et al. (8) who also reported high reliability for peak power ($r = 0.981$), but it should be noted that this was during the performance of a mid-thigh clean pull and not a full lift from the floor. The findings of the current study showing the high reliability of peak power as an indicator of performance further supports other current weightlifting literature that frequently reports peak power (7, 10, 20, 21, 27, 33, 34). Average power of UW to PBH had the highest correlation to clean performance alongside average power of lift off to PBH, both exhibiting a correlation of $r = 0.988$. It should be noted that these two variables are also highly correlated to each other (Table 3) as one represents the entirety of the pull and the other only a portion of the pull. From a practical standpoint, average power of lift off to PBH is easier for coaches to track and monitor through video analysis, as it is much easier to identify the two main points of the lift (lift off and PBH) as compared to determining the start of the UW phase to PBH. Research by Baumann et al. (4) investigating the performance of elite level weightlifters in competition has reported higher average bar power values from lift off until maximal barbell height in weightlifters who performed the best in the elite competition versus lifters who finished lower in the rankings. This seems to suggest that average power from lift off to PBH could be an indicator of potential successful weightlifting performance and, as the current study has demonstrated, would be an easy variable to monitor throughout training. When considering both intra- and inter-day reliability, two of the three variables showing the highest reliability included the W1 phase (average power from lift off until end of UW and peak power) as did one of the two variables with the highest correlation to clean performance (average power of lift off to PBH). This would again illustrate the importance of the W1 phase during the performance of cleans. Additionally, it should be noted that five of the six bar power variables represent an average power which can be suggested to be a better gauge of performance over time as a greater portion of the lift will be represented as compared to peak values that only represent an instantaneous portion of the lift.

Overall, it should be noted that all 11 of the variables reported in this study showed a lower bound $ICC \geq 0.750$, which according to ICC rankings proposed by Koo and Li (30) falls within the category of having good to excellent reliability. Furthermore, all variables reported also had $CV \leq 10\%$. This would suggest that any of these variables would be reliable to use in clean performance assessment and monitoring. However, several of the variables would report similar findings (i.e., average power of lift off to PBH and average power from UW to PBH) and should be considered carefully when determining their usefulness in performance assessment and monitoring. When selecting between variables that report similar findings, it can be suggested that variables that contain easily identifiable components would be of greater value in a practical environment, as a coach will be more readily able to identify specific points of a lift such as point of lift off or peak bar height, than the point of onset of UW. Lastly, of all 11 variables reported, W1 average resultant force was the only variable to exhibit high intra- and inter-day reliability ($CV \leq 10\%$, lower bound $ICC \geq 0.750$) alongside a high correlation to clean performance (Table 2). This would suggest that particular attention should be paid to the performance of the W1 phase, particularly the application of vertical and horizontal force components.

The results of this study illustrate that additional reliable variables with a high correlation to clean performance exist beyond those that are commonly reported in current literature. Many of these variables were noted to occur during or include the W1 phase of the pull, which is of particular importance in competitive weightlifting. Variables like W1 average resultant force and average bar power lift off to PBH may provide valuable insights into understanding the underpinnings of weightlifting movements from the ground up, as they capture force and power components during the W1 phase as well as throughout the duration of the pull. These variables

may also provide new ways to improve weightlifting performance by providing reliable metrics to monitor performance on both an acute, daily level, as well as over the duration of a training cycle. Further research is needed to determine whether these variables are sensitive to change, how these changes affect the performance of subsequent phases, and how these variables may be manipulated to improve performance outcomes.

PRACTICAL APPLICATIONS

The findings of this study reveal a number of reliable variables within the W1 phase of the pull that have been shown to have correlations to and accurately reflect the performance of cleans. Coaches should pay particular attention to the technical performance of this phase as it may impact the performance of subsequent clean phases. Furthermore, as the W1 phase has been noted to be primarily a strength-based movement, therefore coaches should pay particular attention to exercises that increase force generating capabilities, especially exercises initiated from floor level such as clean pulls. Coaches should also consider using video analysis to monitor average power from point of lift off to PBH as these two points are easy to identify in video analysis and this variable was shown to be reliable, with a strong correlation to clean performance. The use of this reliability data will give coaches accurate, dependable variables that are correlated to clean performance and can be used to monitor intra- and inter-day performances. By monitoring technical performance alongside known reliable variables that assess force and power capabilities during the individual pulling phases and total pull, coaches will be better able to assess and monitor performance over time.

ACKNOWLEDGEMENTS

The authors would like to thank the weightlifting team for their participation in this study and the coach for their help throughout the entire process. There were no conflicts of interest

present in this study.

REFERENCES

1. Akkus, H. (2012) 'Kinematic Analysis of the Snatch lift with Elite Female Weightlifters during the 2010 World Weightlifting Championship', *Journal of Strength and Conditioning Research*, 26(4), pp. 897–905. doi: 10.1519/JSC.0b013e31822e5945.
2. Akoglu, H., 2018. 'User's Guide to Correlation Coefficients', *Turkish Journal of Emergency Medicine*, 18(3), pp.91-93.
3. Ammar, A. *et al.* (2017) 'Kinetic and kinematic patterns during high intensity clean movement: searching for optimal load', *Journal of Sports Sciences*. Routledge, 36(12), pp. 1–12. doi: 10.1080/02640414.2017.1376521.
4. Baumann, W. *et al.* (1988) 'The Snatch Technique of World Class Weightlifters at the 1985 World Championships', *International Journal of Sport Biomechanics*, 4(1), pp. 68–89. doi: 10.1123/ijsb.4.1.68.
5. Chavda, S. *et al.* (2018) 'Force-time characteristics of the countermovement jump: Analyzing the curve in excel', *Strength and Conditioning Journal*, 40(2), pp. 67–77. doi: 10.1519/SSC.0000000000000353.
6. Chiu, H.-T., Wang, C.-H. and Cheng, K. B. (2010) 'The three-dimensional kinematics of a barbell during the snatch of Taiwanese weightlifters', *Journal of Strength and Conditioning Research*, 24(6), pp. 1520–1526.
7. Comfort, P. *et al.* (2018) 'An Investigation Into the Effects of Excluding the Catch Phase of the Power Clean on Force-Time Characteristics During Isometric and Dynamic Tasks: An Intervention Study', *Journal of strength and conditioning research*, 32(8), pp. 2116–2129. doi: 10.1519/JSC.0000000000002656.

8. Comfort, P., Udall, R. and Jones, P. A. (2012) 'The Effect of Loading on Kinematic and Kinetic Variable during the Midthigh Clean Pull', *Journal of Strength and Conditioning Research*, (1208), pp. 1208–1214.
9. Enoka, R. M. (1979) 'The Pull in Olympic Weightlifting', *Medicine and Science in Sports*, 11(2), pp. 131–137. doi: Doi 10.1016/0021-9290(83)90154-9.
10. Enoka, R. M. (1988) 'Load- and skill-related changes in segmental contributions to a weightlifting movement', *Medicine and Science in Sports and Exercise*, 20(2), pp. 178–187. doi: 10.1249/00005768-198820020-00013.
11. Garhammer, J. (1980) 'Power production by Olympic weightlifters', *Medicine and Science in Sports and Exercise*, 12(1), pp. 54–60.
12. Garhammer, J. (1982) 'Energy flow during Olympic weightlifting', *Medicine and Science in Sports and Exercise*, 14(5), pp. 353–360.
13. Garhammer, J. (1985) 'Biomechanical Profiles of Olympic Weightlifters', *International Journal of Sport Biomechanics*, 1, pp. 122–130.
14. Garhammer, J. (1991) 'A Comparison of Maximal Power Outputs between Elite Male and Female Weightlifters in Competition', *International Journal of Sport Biomechanics*, 7(1), pp. 3–11. doi: 10.1123/ijsb.7.1.3.
15. Garhammer, J., 1993. A Review of Power Output Studies of Olympic and Powerlifting: Methodology, Performance Prediction, and Evaluation Tests. *The Journal of Strength and Conditioning Research*, 7(2), p.76.
16. Gourgoulis, V. *et al.* (2000) 'Three-dimensional kinematic analysis of the snatch of elite Greek weightlifters', *Journal of Sports Sciences*, 18(8), pp. 643–652. doi: 10.1080/02640410050082332.
17. Gourgoulis, V. *et al.* (2002) 'Comparative 3-dimensional kinematic analysis of the snatch technique in elite male and female greek weightlifters', *Journal of Strength*

- and Conditioning Research*, 16(3), pp. 359–366. doi: 10.1519/1533-4287(2002)016<0359:CDKAOT>2.0.CO;2.
18. Gourgoulis, V. *et al.* (2004) ‘Snatch lift kinematics and bar energetics in male adolescent and adult weightlifters’, *Journal of Sports Medicine and Physical Fitness*, 44(2), pp. 126–131.
 19. Gourgoulis, V. *et al.* (2009) ‘Unsuccessful vs. successful performance in snatch lifts: a kinematic approach’, *Journal of Strength and Conditioning Research*, 23(2), pp. 486–494.
 20. Hadi, G., Akkus, H. and Harbili, E. (2012) ‘Three-dimensional kinematic analysis of the snatch technique for lifting different barbell weights’, *Journal of Strength and Conditioning Research*, 26(6), pp. 1568–1576.
 21. Haff, G. G. *et al.* (2003) ‘Effects of Different Set Configurations on Barbell Velocity and Displacement During a Clean Pull’, *Journal of Strength and Conditioning Research*, 17(1), pp. 95–103. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/12580663>.
 22. Haff, G. G. and Nimphius, S. (2012) ‘Training principles for power’, *Strength and Conditioning Journal*, 34(6), pp. 2–12. doi: 10.1519/SSC.0b013e31826db467.
 23. Hakkinen, K. and Kauhanen, H. (1986) ‘A biomechanical analysis of selected assistant exercises of weightlifting’, *Journal of Human Movement Studies*, 12(6), pp. 271–288.
 24. Harbili, E. (2012) ‘A gender-based kinematic and kinetic analysis of the snatch lift in elite weightlifters in 69-kg category’, *Journal of Sports Science and Medicine*, 11(1), pp. 162–169.
 25. Ikeda, Y. *et al.* (2012) ‘Comparison of the Snatch Technique for Female Weightlifters at the 2008 Asian Championships’, *Journal of Strength and Conditioning Research*,

- 26(5), pp. 1281–1295.
26. Isaka, T., Okada, J. and Funato, K. (1996) ‘Kinematic Analysis of the Barbell During the Snatch Movement of Elite Asian Weight Lifters’, *Journal of Applied Biomechanics*, 12, pp. 508–516.
27. James, L. P. *et al.* (2020) ‘Effect of Onset Threshold on Kinetic and Kinematic Variables of a Weightlifting Derivative Containing a First and Second Pull’, *Journal of strength and conditioning research*, 34(2), pp. 298–307. doi: 10.1519/JSC.0000000000003316.
28. Kipp, K., Redden, J., Sabick, M. B. and Harris, C. (2012) ‘Weightlifting Performance is Related to Kinematic and Kinetic Patterns of the Hip and Knee Joints’, *Journal of Applied Biomechanics*, 26(7), pp. 1838–1844.
29. Kipp, K. and Harris, C. (2015) ‘Patterns of barbell acceleration during the snatch in weightlifting competition’, *Journal of Sports Sciences*, 33(14), pp. 1467–1471. doi: 10.1080/02640414.2014.992035.
30. Koo, T. K. and Li, M. Y. (2016) ‘A Guideline of Selecting and Reporting Intraclass Correlation Coefficients for Reliability Research.’, *Journal of chiropractic medicine*. Elsevier B.V., 15(2), pp. 155–63. doi: 10.1016/j.jcm.2016.02.012.
31. Korkmaz, S. and Harbili, E. (2016) ‘Biomechanical analysis of the snatch technique in junior elite female weightlifters’, *Journal of Sports Sciences*, 34(11), pp. 1088–1093. doi: 10.1080/02640414.2015.1088661.
32. Liu, G. *et al.* (2018) ‘Comparative 3-dimensional kinematic analysis of snatch technique between top-elite and sub-elite male weightlifters in 69-kg category’, *Heliyon*, 4(7). doi: 10.1016/j.heliyon.2018.e00658.
33. Nagao, H. *et al.* (2019) ‘A Biomechanical Comparison of Successful and Unsuccessful Snatch Attempts among Elite Male Weightlifters’, *Sports*, 7(6), p. 151.

doi: 10.3390/sports7060151.

34. Suchomel, T. J., Beckham, G. K. and Wright, G. A. (2014) 'The impact of load on lower body performance variables during the hang power clean', *Sports Biomechanics*, 13(1), pp. 87–95. doi: 10.1080/14763141.2013.861012.
35. Suchomel, T. J., Beckham, G. K. and Wright, G. A. (2015) 'Effect of various loads on the force-time characteristics of the hang high pull', *Journal of Strength and Conditioning Research*, 29(5). doi: 10.1519/JSC.0000000000000748.
36. Turner, A. *et al.* (2015) 'Data analysis for strength and conditioning coaches: Using excel to analyze reliability, differences, and relationships', *Strength and Conditioning Journal*, 37(1), pp. 76–83. doi: 10.1519/SSC.0000000000000113.




Figure 1. Force-Time Curve with Lift Phases




Figure 2. Barbell Displacement with Lift Phases

Table 1. Variable calculations

Variable	Calculation
Acceleration (a)	$a = \frac{F}{m}$
Velocity (V)	$v = u + at$ (using the trapezoid rule)
Displacement (s)	$s = \frac{1}{2}(v - u)t$ (using the trapezoid rule)
Power (P)	$P = FV$
Impulse	Impulse = $F\Delta t$ (using the trapezoid rule)
Resultant Force	$\sqrt{(Fz^2 + Fx^2)}$
F = force; m = system mass; u = initial velocity; t = time; Fz = vertical force; x = horizontal force (forward-backward)	

1 **Table 2.** Intra- and inter-day reliability of weightlifting variables

	Variable	Intra-day			Inter-day (average)			Correlation with 90% Clean (kg)
		ICC (95% CI)	CV% (95% CI)	SEM	ICC (95% CI)	CV% (95% CI)	SEM	Pearson's R (95% CI)
Temporal Force	W1 Vertical Impulse	0.932 (0.779 – 0.987)	5.53 (2.82 – 8.24)	11.59	0.995 (0.984 – 0.999)	4.12 (2.10 – 6.13)	2.97	0.907 (0.561 – 0.983)
	W1 Average vGRF	0.952 (0.837 – 0.991)	6.42 (3.27 – 9.56)	21.48	0.993 (0.978 – 0.998)	6.10 (3.11 – 9.09)	7.90	0.880 (0.462 – 0.978)
	W1 Average Resultant Force	0.998 (0.994 – 1.000)	0.64 (0.33 – 0.95)	17.96	0.999 (0.996 – 1.000)	1.14 (0.58 – 1.70)	12.68	0.981 (0.895 – 0.997)
	UW Average Resultant Force	0.984 (0.946 – 0.997)	2.56 (1.31 – 3.82)	35.78	0.997 (0.986 – 0.999)	1.94 (0.99 – 2.90)	15.35	0.910 (0.572 – 0.984)
	W2 Average Resultant Force	0.980 (0.929 – 0.996)	1.95 (0.99 – 2.90)	62.44	0.995 (0.983 – 0.999)	1.63 (0.83 – 2.43)	28.45	0.905 (0.553 – 0.983)
Bar Power	Peak Power	0.990 (0.962 – 0.998)	2.86 (1.46 – 4.26)	61.05	0.997 (0.990 – 0.999)	2.69 (1.37 – 4.00)	32.51	0.940 (0.697 – 0.989)
	Average Power – Lift Off to W1 End	0.990 (0.965 – 0.998)	4.60 (2.35 – 6.86)	26.80	0.994 (0.974 – 0.999)	6.37 (3.25 – 9.49)	20.92	0.957 (0.775 – 0.992)
	Average Power – W1 & UW	0.994 (0.980 – 0.999)	3.38 (1.72 – 5.03)	21.31	0.995 (0.984 – 0.999)	5.23 (2.67 – 7.80)	19.72	0.946 (0.724 – 0.990)

Average Power – Lift Off to Most Rear	0.993 (0.974 – 0.999)	3.22 (1.64 – 4.80)	22.31	0.995 (0.982 – 0.999)	5.23 (2.67 – 7.80)	18.98	0.926 (0.637 – 0.987)
Average Power – Lift Off to PBH	0.989 (0.962 – 0.998)	2.99 (1.52 – 4.45)	27.25	0.996 (0.988 – 0.999)	3.58 (1.83 – 5.33)	16.69	0.988 (0.933 – 0.998)
Average Power – UW to PBH	0.973 (0.907 – 0.955)	3.48 (1.78 – 5.19)	40.70	0.997 (0.989 – 0.999)	2.53 (1.29 – 3.77)	13.90	0.988 (0.993 – 0.998)

2 ICC = Intraclass coefficient correlation, CI = Confidence interval, CV = Coefficient of variation, SEM = Standard error of measurement, W1 = Weighting 1, vGRF = Vertical ground reaction force, UW
3 = Unweighting, W2 = Weighting 2, PBH = Peak bar height.

4

5 **Table 3.** Multicollinearity – Correlation Matrix

W1 Vertical Impulse	W1 Average vGRF	W1 Average Resultant Force	UW Average Resultant Force	W2 Average Resultant Force	Peak Power	Average Power - Lift Off to W1 End	Average Power - Lift Off UW	Average Power - Lift Off to Most Rear	Average Power - Lift Off to PBH	Average Power - Lift Off to PBH	Clean	
W1 Vertical Impulse	1.000											
W1 Average vGRF	0.989	1.000										
W1 Average Resultant Force	0.942	0.909	1.000									
UW Average Resultant Force	0.723	0.679	0.908	1.000								
W2 Average Resultant Force	0.867	0.803	0.964	0.917	1.000							
Peak Power	0.890	0.827	0.955	0.857	0.939	1.000						
Average Power - Lift Off to W1 End	0.863	0.870	0.932	0.885	0.833	0.840	1.000					
Average Power - W1 & UW	0.852	0.865	0.916	0.876	0.813	0.817	0.994	1.000				
Average Power - Lift Off to Most Rear	0.822	0.838	0.895	0.876	0.798	0.784	0.988	0.996	1.000			
Average Power - Lift Off to PBH	0.890	0.875	0.974	0.935	0.910	0.905	0.983	0.979	0.968	1.000		
Average Power - UW to PBH	0.894	0.865	0.985	0.949	0.945	0.940	0.945	0.940	0.923	0.988	1.000	
Clean	0.903	0.882	0.978	0.911	0.910	0.933	0.961	0.948	0.922	0.985	0.983	1.000

6

7

W1 = Weighting 1, vGRF = Vertical ground reaction force, UW = Unweighting, W2 = Weighting 2, PBH = Peak bar height.