Check for updates

OPEN ACCESS

EDITED BY Gaetano Perchiazzi, Uppsala University, Sweden

REVIEWED BY Lucia Mirabella, University of Foggia, Italy Katerina Vaporidi, University of Crete, Greece

*CORRESPONDENCE Marcelo Gama de Abreu, agamadem@ccf.org

RECEIVED 12 April 2023 ACCEPTED 13 July 2023 PUBLISHED 04 August 2023

CITATION

Wittenstein J, Scharffenberg M, Yang X, Bluth T, Kiss T, Schultz MJ, Rocco PRM, Pelosi P, Gama de Abreu M and Huhle R (2023), Distribution of transpulmonary pressure during one-lung ventilation in pigs at different body positions. *Front. Physiol.* 14:1204531. doi: 10.3389/fphys.2023.1204531

COPYRIGHT

© 2023 Wittenstein, Scharffenberg, Yang, Bluth, Kiss, Schultz, Rocco, Pelosi, Gama de Abreu and Huhle. This is an openaccess article distributed under the terms of the Creative Commons Attribution License (CC BY). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Distribution of transpulmonary pressure during one-lung ventilation in pigs at different body positions

Jakob Wittenstein¹, Martin Scharffenberg¹, Xiuli Yang^{1,2}, Thomas Bluth¹, Thomas Kiss^{1,3}, Marcus J. Schultz⁴, Patricia R. M. Rocco⁵, Paolo Pelosi^{6,7}, Marcelo Gama de Abreu^{1,8,9}* and Robert Huhle¹

¹Department of Anesthesiology and Intensive Care Medicine, Pulmonary Engineering Group, University Hospital Carl Gustav Carus Dresden at Technische Universität Dresden, Dresden, Germany, ²Department of Anesthesiology, First Affiliated Hospital of Anhui Medical University, Hefei, China, ³Department of Anaesthesiology, Intensive-Pain- and Palliative Care Medicine, Radebeul Hospital, Academic Hospital of the Technische Universität Dresden, Radebeul, Germany, ⁴Department of Intensive Care and Laboratory of Experimental Intensive Care and Anaesthesiology, Academic Medical Center, University of Amsterdam, Amsterdam, Netherlands, ⁵Laboratory of Pulmonary Investigation, Carlos Chagas Filho Institute of Biophysics, Federal University of Rio de Janeiro, Rio de Janeiro, Brazil, ⁶Department of Surgical Sciences and Integrated Diagnostics, University of Genoa, Italy, ⁷Anesthesia and Critical Care, San Martino Policlinico Hospital, IRCCS for Oncology and Neurosciences, Genoa, Italy, ⁸Department of Intensive Care and Resuscitation, Anesthesiology Institute, Cleveland Clinic, Cleveland, OH, United States, ⁹Department of Outcomes Research, Anesthesiology Institute, Cleveland Clinic, Cleveland, OH, United States

Background. Global and regional transpulmonary pressure (P_L) during one-lung ventilation (OLV) is poorly characterized. We hypothesized that global and regional P_L and driving P_L (Δ P_L) increase during protective low tidal volume OLV compared to two-lung ventilation (TLV), and vary with body position.

Methods. In sixteen anesthetized juvenile pigs, intra-pleural pressure sensors were placed in ventral, dorsal, and caudal zones of the left hemithorax by video-assisted thoracoscopy. A right thoracotomy was performed and lipopolysaccharide administered intravenously to mimic the inflammatory response due to thoracic surgery. Animals were ventilated in a volume-controlled mode with a tidal volume (V_T) of 6 mL kg⁻¹ during TLV and of 5 mL kg⁻¹ during OLV and a positive end-expiratory pressure (PEEP) of 5 cmH₂O. Global and local transpulmonary pressures were calculated. Lung instability was defined as end-expiratory P_L<2.9 cmH₂O according to previous investigations. Variables were acquired during TLV (TLVsupine), left lung ventilation in supine (OLVsupine), semilateral (OLVsemilateral), lateral (OLVlateral) and prone (OLVprone) positions randomized according to Latin-square sequence. Effects of position were tested using repeated measures ANOVA.

Results. End-expiratory P_L and ΔP_L were higher during OLVsupine than TLVsupine. During OLV, regional end-inspiratory P_L and ΔP_L did not differ significantly among

Abbreviations: ANOVA, analysis of variance; FIO2, inspired fraction of oxygen; I:E, inspiratory to expiratory time ratio; LPS, Lipopolysaccharide; MP, mechanical power; MW, mechanical work; OLV, one-lung ventilation; PEEP, positive end-expiratory pressure; PL, transpulmonary pressure; PPI, pleural pressure; ΔPL, driving transpulmonary pressure; RR, respiratory rate; SD, standard deviation; TLV, two-lung ventilation; VILI, ventilator induced lung injury; VT, tidal volume.

body positions. Yet, end-expiratory P_L was lower in semilateral (ventral: $4.8 \pm 2.9 \text{ cmH}_2\text{O}$; caudal: $3.1 \pm 2.6 \text{ cmH}_2\text{O}$) and lateral (ventral: $1.9 \pm 3.3 \text{ cmH}_2\text{O}$; caudal: $2.7 \pm 1.7 \text{ cmH}_2\text{O}$) compared to supine (ventral: $4.8 \pm 2.9 \text{ cmH}_2\text{O}$; caudal: $3.1 \pm 2.6 \text{ cmH}_2\text{O}$) and prone position (ventral: $1.7 \pm 2.5 \text{ cmH}_2\text{O}$; caudal: $3.3 \pm 1.6 \text{ cmH}_2\text{O}$), mainly in ventral ($p \le 0.001$) and caudal (p = 0.007) regions. Lung instability was detected more often in semilateral (26 out of 48 measurements; p = 0.012) and lateral (29 out of 48 measurements, p < 0.001) as compared to supine position (15 out of 48 measurements), and more often in lateral as compared to prone position (19 out of 48 measurements, p = 0.027).

Conclusion. Compared to TLV, OLV increased lung stress. Body position did not affect stress of the ventilated lung during OLV, but lung stability was lowest in semilateral and lateral decubitus position.

KEYWORDS

OLV, VILI, thoracic surgery, local transpulmonary pressure, local pleural pressure, mechanical power, open pneumothorax

1 Introduction

One-lung ventilation (OLV) for thoracic surgery leads to pronounced changes in respiratory system mechanics. When the thorax is opened and lung isolation achieved, not only absolute values, but also the distribution of intrathoracic pressure may change importantly. Furthermore, lateral decubitus position, which is commonly used during thoracic surgery, can promote atelectasis formation, and reduce the total lung volume. As a result, both global and regional mechanical stress on lung parenchyma may increase and lead to ventilator-induced lung injury (VILI) (Slutsky and Ranieri, 2013). In fact, the risk of VILI is considered to be higher during OLV than two-lung ventilation (TLV) (Lohser and Slinger, 2015).

Currently, respiratory system mechanics and mechanical power (MP), as well as global regional end-inspiratory and end-expiratory transpulmonary pressure (P_L), and driving P_L (Δ P_L) during OLV are poorly defined. Theoretically, higher end-inspiratory P_L might increase stress and overdistend the lungs, whereas negative end-expiratory P_L might cause instability with tidal collapse and reopening of lung units. Also, excessive transpulmonary driving pressure (Δ P_L) could further increase lung stress and injury (Grieco et al., 2017). To prevent this, V_T during OLV should not exceed 6 mL kg⁻¹ predicted body weight (Batchelor et al., 2019).

In this study, we aimed at determining P_L and ΔP_L in different lung regions, as well as the elastance, resistance and MP of the respiratory system during OLV in anesthetized pigs. We hypothesized that, compared to TLV, OLV increases P_L and ΔP_L and impairs respiratory system mechanics and MP. Also, we hypothesized that the gravity gradient is higher in OLV and, thus, OLV in lateral position increases stress and instability of the ventilated lung compared to semi-lateral, supine and prone positions.

2 Methods

This study was conducted as a secondary protocol of a previous experiment from our group (Wittenstein et al., 2021), and was approved by the Institutional Animal Care and Welfare Committee and the Government of the State of Saxony, Germany (DD24.1-5131/449/71). In the primary study, we determined the distribution of pulmonary blood flow during commonly used body positions for thoracic surgery during intravascular normo- and hypovolemia (n per group = 8) in pigs undergoing OLV (Wittenstein et al., 2021). All animals received care in compliance with the Principles of Laboratory Animal Care formulated by the National Society for Medical Research and the US National Academy of Sciences Guide for the Care and Use of Laboratory Animals, and complied with relevant aspects of the ARRIVE guidelines. Animals were kept at controlled temperature and light-dark cycle with free access to water and food.

2.1 Experimental protocol

The animal preparations were described in detail elsewhere (Wittenstein et al., 2021). Briefly, intravenous anesthesia and muscle paralysis were induced and maintained with midazolam $(1 \text{ mg kg}^{-1} \text{ h}^{-1})$, ketamine $(15 \text{ mg kg}^{-1} \text{ h}^{-1})$, and atracurium (3 mg kg⁻¹ h⁻¹) in sixteen female pigs (German landrace, weighing 35-49 kg, Danish Specific Pathogen Free Certification (Health Status Management, 2022)). The intravascular volume was maintained with a crystalloid solution at a rate of 5 mL kg⁻¹ h⁻¹. Norepinephrine was used to maintain a mean arterial pressure of at least 60 mmHg throughout the experiments. Lungs were ventilated in volume-controlled mode: fraction of inspired oxygen (F_1O_2) of 1.0, tidal volume (V_T) of 6 mL kg⁻¹, positive end-expiratory pressure (PEEP) of 5 cmH₂O, inspiratory: expiratory (I:E) ratio of 1:1, the constant gas flow of 25 L min⁻¹, and respiratory rate (RR) adjusted to achieve arterial pH > 7.3 (Evita XL, Drägerwerk AG & Co. KGaA, Lübeck, Germany).

All skin incisions were preceded by infiltration with 2–5 mL lidocaine 2%. A 20 cm PiCCO catheter was inserted in the right internal carotid artery. A 7.5 Fr. pulmonary artery catheter was advanced through an 8.5 Fr. sheath, placed in the right external jugular vein until typical pulmonary arterial pressure waveforms were observed. Urine was collected with a bladder catheter inserted through a median mini-laparotomy.

Regional pleural pressures (P_{Pl}) were measured using three custommade pressure sensors, calibrated and placed as previously described by our group (Kiss et al., 2019). Briefly, pressure sensors were made from a glued (Silicon-based clue, MBFZ toolcraft GmbH, Georgensgmünd, Germany) double layer of thin latex to build a sealed air-filled chamber ($30 \times 30 \times 3 \text{ mm}^3$). A silicon tube (50 cm length, $500 \mu\text{m}$ inner diameter, 1.2 mm outer diameter) was introduced into the chamber using seldinger technique and connected to the respective pressure transducers (163PC01D48-PCB, FirstSensors AG, Berlin, Germany) via Luer-lock. Before implantation, each sensor was inflated with 0.05 mL of room air and calibrated within an air-sealed chamber using pressures in the range of -50 to $50 \text{ cmH}_2\text{O}$ within 30 s, yielding a pressure rate of 6.7 cmH₂O s⁻¹. For calibration, a linear correction was used.

For placement of the sensors, lungs were separated introducing a left-sided double-lumen tube (39 Fr., Silbroncho Fuji, Tokyo, Japan) through a tracheotomy, with the bronchial tip placed into the left main bronchus under fiberoptic control (Ambu aScope 3 and Ambu aView, Ambu GmbH, Bad Nauheim, Germany). Animals were positioned in the right lateral decubitus position, and OLV of the dependent lung ($V_T = 5 \text{ mL kg}^{-1}$, RR = 35 min^{-1}) was initiated. Using video-assisted thoracoscopy (Thoracoscopy Set, Karl Storz, Tuttlingen, Germany), three pressure sensors were attached to the parietal pleura by staples in the following regions of the left hemithorax: 1) ventral (4–5th rib parasternal); 2) dorsal (4–5th rib paravertebral); and 3) caudal (8–9th rib paravertebral) (Figure 1). A thoracic drain was placed, and surgical wounds were sutured and sealed.

To mimic thoracic surgery conditions, a right-sided thoracotomy was performed between the medial-clavicular and the anterior axillary line in the fourth-fifth intercostal space, and a rib spreader was placed. Furthermore, systemic inflammation was induced by continuous administration of 0.5 μ g kg⁻¹ h⁻¹ Lipopolysaccharides (LPS) from *Escherichia coli* O111:B4 (SIGMA Aldrich, St. Louis, United States) through the central venous line.

According to the protocol of the primary study, animals were randomized to either normo- or the hypovolemia group. For induction of hypovolemia, 25% of the calculated blood volume, estimated as 70 mL kg-1. However, in this substudy all animals were analysed independently from their volume status. Animals were randomly submitted to one of four sequences during OLV according to a Latin square cross-over design: 1) a-b-c-d, 2) b-d-a-c, 3) d-c-b-a, and 4) c-a-d-b (with a = supine; b = left semilateral; c = left lateral; d = prone position; 30 min each). For protective low tidal volume OLV, volume-controlled mode was used ($V_T = 5 \text{ mL kg}^{-1}$; $F_IO_2 = 1.0$, PEEP = 5 cmH₂O, I:E = 1:1, RR = $30-35 \text{ min}^{-1}$ to achieve arterial pH > 7.25, and gas flow = 25 Lmin^{-1}). To reset lung history between the interventions, animals were placed in the supine position and disconnected from the ventilator (20 s), TLV resumed with baseline settings until normalization of gas exchange, and an alveolar recruitment maneuver performed before the start of OLV in each position.

2.2 Measurements

 P_L and respiratory variables were first collected after completing instrumentation (Baseline). Measurements were then





repeated 1 h after starting the LPS infusion (TLVsupine) and 30 min after turning the animal into each body position during OLV (OLVsupine, OLVsemilateral, OLVlateral, and OLVprone, 30 min each).

2.2.1 Respiratory signals, pleural pressures and regional P_{L}

Signals were recorded for 5 minutes at each time point. Air flow and airway pressure was obtained from internal sensors of the ventilator. An additional airway pressure signal and the three pleural pressure signals were measured using analogue pressure transducers. Pleural pressure signals were synchronized during post-processing with airway pressure, flow and volume using the redundantly measured airway pressure signal. Regional P_L in the three regions were calculated by subtracting the respective pleural pressure from airway pressure. Global P_L was calculated as mean P_L of the three sensors (ventral, dorsal and caudal). End-expiratory P_L <2.9 cmH₂O was defined as lung instability, as suggested elsewhere (Hedenstierna et al., 1981). In anaesthetized subjects in supine position, end-expiratory $P_{\rm L}$ of the left lung at closing capacity was 2.9 cmH_2O.

Respiratory system elastance and resistance were determined using multiple linear regression of the linear equation of motion to airway flow, volume and pressure signals. Respiratory system MP was calculated by deriving mechanical energy (ME) per breath by numerical integration of the tidal pressure-volume-curve (PV curve) using a trapezoidal rule (Huhle et al., 2018).

2.3 Statistical analysis

All animals of the primary study were included in this analysis. Data are presented as mean and standard deviation (SD) if not stated otherwise. The statistical analysis was conducted with SPSS (Version 27, IBM Corp, United States). Significance was accepted at p < 0.05. Differences between TLVsupine and OLVsupine were tested using a t-test for paired samples. Differences between the respective body position during OLV and sequences of interventions were compared using a repeated measures linear mixed-effects model with OLVsupine, OLVsemilateral, OLVlateral, and OLVprone as within-subjects factor and with latin-square sequence as between-subjects factor. Pairwise *post hoc* multiple comparisons were performed when appropriate and corrected for multiple comparisons according to Šidák. Differences of the binary outcome lung instability, defined as end-expiratory $P_L <$ 2.9 cmH₂O (Hedenstierna et al., 1981) were tested using the χ^2 test and pair-wise binomial *post hoc* test corrected according to Bonferroni.

3 Results

3.1 Global P_L

Global transpulmonary pressures are depicted in Table 1. Global end-expiratory, end-inspiratory and ΔP_L were lower during TLVsupine than during OLVsupine. During OLV, endexpiratory P_L was lower in lateral as compared to supine and prone position, while end-inspiratory and ΔP_L did not differ among body positions.

3.2 Regional end-expiratory PL

Regional end-expiratory P_L is depicted in Table 2. During TLVsupine, ventral and dorsal end-expiratory P_L were lower than during OLVsupine, while caudal end-expiratory P_L was not different.

During OLV, dorsal end-expiratory P_L was not different among the body positions during OLV. Ventral end-expiratory P_L was higher in OLVsupine as compared to all other positions and higher in OLVsemilateral as compared with OLVlateral and OLVprone. Caudal end-expiratory P_L was lower in the semilateral position as compared to OLVlateral and OLVprone. Lung instability was detected more often in semilateral (26 out of 48 measurements; p = 0.012) and lateral (29 out of 48 measurements, p < 0.001) as compared to supine position (15 out of 48 measurements) and more often in lateral as compared to prone position (19 out of 48 measurements, p = 0.027).

3.3 Regional end-inspiratory P_{L} and regional driving P_{L}

Regional end-inspiratory P_L is depicted in Table 2. Ventral, dorsal, and caudal end-inspiratory P_L were lower during TLVsupine as compared with OLVsupine. During OLV, ventral, dorsal and caudal end-inspiratory P_L were not different between the different positions. During TLVsupine, ΔP_L was lower in all regions as compared with OLVsupine (Figure 2). During OLV, ΔP_L was not different among the body positions.

3.4 Respiratory system mechanics, mechanical work, and power

Respiratory variables are represented in Table 3. Respiratory rate, plateau, and mean airway pressure, as well as elastance and resistance, were lower during TLVsupine compared with OLVsupine, while there were no differences between positions during OLV. Respiratory system MW and MP were lower during TLVsupine as compared with OLVsupine. During OLV, MW and MP were not significantly different between the different body positions.

4 Discussion

The main findings of the present study were that, in an esthetized pigs, mean end-inspiratory and end-expiratory P_L and ΔP_L were higher during OLV supine than TLV supine as well as respiratory system elastance, resistance and MP. During OLV, only end-expiratory P_L was lower in semilateral and lateral compared to supine and prone position, mainly in ventral and caudal regions.

To our knowledge, this is the first comprehensive investigation on regional P_L during TLV and OLV in different body positions. Differently from esophageal manometry, which may overestimate P_{Pl} of non-dependent lung zones and underestimates P_{Pl} of dependent regions (Pelosi et al., 2001; Pelosi et al., 2011), we measured P_{Pl} locally. Thereby, the distribution of P_L in ventral, dorsal, and caudal region of the left hemithorax could be determined in presence of a contra-lateral open chest. Of note, mechanical ventilation settings both during TLV as well as OLV followed closely the clinical standard recommended by an expert panelbased consensus (Batchelor et al., 2019; Young et al., 2019).

4.1 Lung instability and stress

Our finding that end-expiratory P_L increased when switching from TLV to OLV in supine position might be explained by the fact that the pressure difference over the ribcage is reduced during pneumothorax as well as a shift of the mediastinal content towards the side of pneumothorax, reducing intrathoracic pressure. During OLV, ventral and caudal end-expiratory P_L differed depending on body position, with the lowest values in lateral and semilateral

TABLE 1 Global transpulmonary pressures.

Variable	BL	TLV supine	OLV supine	OLV semi- lateral	OLV lateral	OLV prone	TLVsupine vs. OLVsupine P =	Sequence P =	Position P =
P _L ee [cmH ₂ O]	3.0 ± 1.6	2.4 ± 1.9	3.9 ± 1.9	2.8 ± 2.6	$2.4 \pm 2.0^{S, P}$	3.0 ± 1.7	0.004	0.113	0.007
P _L ei [cmH ₂ O]	11.8 ± 2.3	13.4 ± 4	25.6 ± 5.9	24.3 ± 4.1	23.8 ± 4.5	23.5 ± 4.3	≤0.001	0.388	0.332
$\Delta P_L [cmH_2O]$	13.8 ± 2.5	15.9 ± 3.4	28.9 ± 5.3	28.6 ± 3.6	28.1 ± 4.0	29.5 ± 4.1	≤0.001	0.319	0.637

 $Mean \pm SD; P_{L}, transpulmonary pressure; ee, end-expiratory; ei, end-inspiratory, BL, baseline. S, p < 0.05 vs. OLV supine; SE, p < 0.05 vs. OLV semilateral; L, p < 0.05 vs. OLV lateral; P, p < 0.05 vs. OLV lateral; P, p < 0.05 vs. OLV semilateral; L, p < 0.05 vs. OLV lateral; P, p < 0.05 vs. OLV semilateral; L, p < 0.05 vs.$

TABLE 2 Regional transpulmonary pressures.

Variable	BL	TLV supine	OLV supine	OLV semi- lateral	OLV lateral	OLV prone	TLVsupine vs. OLVsupine P =	Sequence P =	Position P =
P_L ventral ee	3.5 ± 3.1	3.2 ± 2.7	4.8 ± 2.9 ^{SE,} L, P	3.3 ± 2.9 ^{L; P}	1.9 ± 3.3	1.7 ± 2.5	0.009	0.076	≤0.001
P_L dorsal ee	3.2 ± 1.5	2.4 ± 2.1	3.9 ± 2.1	3.7 ± 3.9	2.7 ± 2	4.3 ± 1.5	0.008	0.664	0.096
P_L caudal ee	2.4 ± 1.5	1.6 ± 2.1	3.1 ± 2.6	$1.4 \pm 2.3^{L; P}$	2.7 ± 1.7	3.3 ± 1.6	0.079	0.162	0.007
P_L ventral ei	12.2 ± 2.9	13.5 ± 3.7	25.4 ± 7	24.2 ± 3.9	23.6 ± 4.8	22 ± 4.7	≤0.001	0.316	0.089
P_L dorsal ei	11.6 ± 2.8	13.4 ± 4.1	25.7 ± 6	25.3 ± 5.2	24.2 ± 5.2	24.6 ± 4.3	≤0.001	0.612	0.708
$\rm P_L$ caudal ei	11.5 ± 2.7	13.2 ± 4.7	25.6 ± 5.8	23.5 ± 4.4	23.5 ± 4.5	23.9 ± 4.5	≤0.001	0.199	0.289

All values as Mean \pm SD, in cmH₂O; P₁, transpulmonary pressure; ee, end-expiratory; ei, end-inspiratory, BL, baseline. S, p < 0.05 vs. OLV supine; SE, p < 0.05 vs. OLV semilateral; L, p < 0.05 vs. OLV lateral; P, p < 0.05 vs. OLV prone.

position, suggesting increased lung instability in this position. This finding is line with previous investigations in healthy volunteers during two lung ventilation (Ferris et al., 1959; Milic-Emili et al., 1964; Washko et al., 2006) and in thoracic surgery patients (Chiumello et al., 2020) using esophageal balloon manometry. Our finding can be explained by the fact that in the lateral position, the ventilated lung is compressed by the weight of the mediastinum, which shifts to the side of ventilation following gravity once the thorax is opened. More pronounced lung compression may increase the risk of end-expiratory lung collapse. As a consequence, potentially higher PEEP values are necessary to keep the lung open in lateral position. However, it is a matter of ongoing debate on which PEEP should be chosen during OLV (Battaglini et al., 2020). In addition to the set PEEP, auto-PEEP can influence end-expiratory PL. In our study however, auto-PEEP did not differ among the investigated body positions.

End-inspiratory P_L , as well ΔP_L , markedly increased in all regions of the lung during OLV as compared to TLV, theoretically indicating increased lung stress and tidal overdistension. High alveolar stress and overdistension are the driving forces of VILI (Güldner et al., 2016; Bates and Smith, 2018). We used a low V_T during OLV, which is considered to be protective. However, even this low V_T resulted in high endinspiratory P_L and high ΔP_L , independently of the body position, putting the ventilated lung at risk of VILI during OLV. Our results might explain why the risk of postoperative pulmonary complications is increased after thoracic anesthesia (Uhlig et al., 2020).

4.2 Mechanical power and respiratory mechanics

The fact that, during OLV, MP was almost twice as high as during TLV is in line with the literature and likely explained by increased elastance. In a prospective, observational, single-center study in 30 patients, MP increased in the lateral position with OLV as compared to TLV (Chiumello et al., 2020). Interestingly, MP exceeded 12 J/min during OLV in our animals, a threshold that was associated with formation of lung edema during TLV in pigs (Cressoni et al., 2016). Furthermore, OLV was accompanied by an increase of elastance in our study, which means that the stress exerted on the parenchymal tissue increased, potentially leading to increased distension of the septal walls and VILI (Bates and Smith, 2018). The fact that elastance did not differ significantly among body positions contrasts with results reported during TLV elsewhere



FIGURE 2

Regional transpulmonary driving pressure. Mean \pm SD; ΔP_L , transpulmonary driving pressure. Significance was accepted at p < 0.05. BL: Baseline. Differences between TLVsupine and OLVsupine were tested using a t-test for paired samples. Differences between the respective body position during OLV and sequences of interventions were compared using a linear mixed-effects model with repeated measures with OLVsupine, OLVsemilateral, OLVlateral, and OLVprone as within-subjects factor and with the sequence as between-subjects factor. Pairwise *post hoc* multiple comparisons were performed when appropriate and corrected for multiple comparisons according to Šidák (#p < 0.05).

Variable	BL	TLV supine	OLV supine	OLV semi- lateral	OLV lateral	OLV prone	TLVsupine vs. OLVsupine P =	Sequence P =	Position P =
V _T [ml kg ⁻¹]	6.5 ± 0.3	6.4 ± 0.1	5.1 ± 0.2	5.1 ± 0.2	5.1 ± 0.2	5.1 ± 0.2	≤0.001	0.495	0.855
RR [min ⁻¹]	30 ± 2	29 ± 2	35 ± 0	35 ± 1	35 ± 0	35 ± 0	≤0.001	0.491	0.374
Pplat [cmH ₂ O]	16.3 ± 2.7	18.5 ± 3.3	29.6 ± 5.9	28.9 ± 4.2	28 ± 4.8	29.3 ± 4.2	≤0.001	0.331	0.515
Pmean [cmH ₂ O]	10.5 ± 0.9	11 ± 1.2	15.3 ± 1.7	15.3 ± 1.3	15 ± 1.3	15.7 ± 1.9	≤0.001	0.298	0.468
PEEP [cmH ₂ O]	5.1 ± 0.1	5 ± 0.1	5 ± 0.2	5 ± 0.1	5 ± 0.2	4.9 ± 0.3	0.594	0.991	0.322
Auto-PEEP [cmH ₂ O]	1.9 ± 0.6	1.3 ± 0.5	2.0 ± 0.9	1.9 ± 0.8	1.7 ± 0.9	2.2 ± 2.2	0.003	0.098	0.045
E [cmH ₂ O L ⁻¹]	34.6 ± 8.5	42.6 ± 9.8	88.2 ± 23	84.8 ± 13.7	83.5 ± 16	86.3 ± 17	≤0.001	0.395	0.825
R [cmH ₂ O s L ⁻¹]	11.5 ± 1.3	11.7 ± 1.7	24.6 ± 4.6	25.2 ± 3.8	24.3 ± 2.6	26.2 ± 5.6	≤0.001	0.473	0.355
MP [J min ⁻¹]	7.1 ± 1.8	7.8 ± 2	12.6 ± 2.2	12.9 ± 2.1	13 ± 2.2	13.2 ± 2.7	≤0.001	0.609	0.656
MW [J]	0.2 ± 0.1	0.3 ± 0.1	0.4 ± 0.1	0.4 ± 0.1	0.4 ± 0.1	0.4 ± 0.1	≤0.001	0.651	0.640

TABLE 3 Respiratory mechanics, mechanical work and power.

Mean ± SD; V_T, tidal volume; Pplat, plateau airway pressure, Pmean, mean airway pressure; E, elastance of the respiratory system; R, resistance of the respiratory system; MP, mechanical power; MW, mechanical work; BL, baseline.

(Tanskanen et al., 1997). A likely explanation for this discrepancy is that, in our animals, elastance almost doubled during OLV compared to TLV, possibly masking less pronounced effects of body position. Furthermore, V_T adjusted to body weight during

left lung ventilation was almost twice when adjusted for the relative size of the ventilated lung (assuming that the left lung accounts for approximately 45% of the total lung size), which may explain the increased elastance, despite the pneumothorax.

4.3 Potential implications of the findings

The findings of this study suggest that the added risk of VILI during of OLV, as compared to TLV, is explained by increased MP and lung distending pressures. Importantly, this was not amenable by protective low tidal volumes that are commonly used in clinical practice. It is worth noting that lateral and semi-lateral decubitus positon, the most common positions used during thoracic surgery with OLV, led to the highest risk of VILI, since they were accompanied by increased lung instability.

4.4 Limitations

The present study knows several limitations. First, the study was conducted as an exploratory sub-study of another trial and lacked formal sample size estimation. Second, we did not investigate the effects of right lateral and semilateral decubitus positions. A previous study reported lower end-expiratory P_{Pl}, as estimated by oesophageal manometry, in the right lateral position compared to the left lateral position during OLV, which was explained by the lower volume of the left lung, thus leading to a smaller decrease in P_{Pl} during right decubitus compared to left decubitus position due to less traction of the smaller left lung on the pleural surface (Chiumello et al., 2020). Third, the cross-over design precluded assessment of lung injury. Therefore, we do not know whether lower end-inspiratory P_L during OLV in the lateral position increases the risk of VILI. Fourth, the thoracotomy limited the direct comparison of respiratory mechanics between TLV and OLV since the latter did not include assessment of chest wall mechanics. Fourth, the different shape of the rib cage and anatomical distribution of intrathoracic organs in pigs may lead to different amplitudes and distribution of pressures in humans.

4.5 Conclusions

In anesthetized pigs, protective low tidal volume OLV, as compared to TLV, increased lung stress and respiratory system MP and impaired respiratory system mechanics. Body position did not affect lung stress, or respiratory system mechanics and MP during OLV, but end-expiratory P_L was lowest in semilateral and lateral decubitus position.

Data availability statement

The raw data supporting the conclusion of this article will be made available by the authors, without undue reservation.

References

Batchelor, T. J. P., Rasburn, N. J., Abdelnour-Berchtold, E., Brunelli, A., Cerfolio, R. J., Gonzalez, M., et al. (2019). Guidelines for enhanced recovery after lung surgery: Recommendations of the enhanced recovery after surgery (ERAS[®]) society and the European society of thoracic surgeons (ESTS). *Eur. J. Cardio-Thorac Surg. Off. J. Eur. Assoc. Cardio-Thorac Surg.* 55 (1), 91–115. doi:10.1093/ejcts/ezy301

Ethics statement

The animal study was reviewed and approved by Landesdirektion Sachsen, Referat 25, Veterinärwesen und Lebensmittelüberwachung.

Author contributions

JW, MG, and RH planed and designed the study. JW, MS, XY, and RH conducted the experiments. JW, MS, XY, TB, TK, MS, PR, PP, MG, and RH were involved in the analyses of the data. JW and XY wrote the manuscript draft. RH designed, build and validated the custom-made pleural pressure sensors. All authors contributed to the article and approved the submitted version.

Funding

This work was supported by departmental sources. This study was funded by institutional funds, a grant by the local Faculty of Medicine Carl Gustav Carus, Dresden (MeDDrive #60485), and a national grant of the German Research Council (Deutsche Forschungsgemeinschaft, DFG; Grant number GA 1256/8-1).

Acknowledgments

We thank the members of the Pulmonary Engineering Group, University Hospital Carl Gustav Carus Dresden at Technische Universität Dresden, Dresden, for their assistance in conducting the experiments. Finally, we express our gratitude to PP, who recently passed away, for his contribution, his genuine inspiration, and his pioneering work in local pleural pressure measurement in experimental research: "To the next..."!

Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

Bates, J. H. T., and Smith, B. J. (2018). Ventilator-induced lung injury and lung mechanics. Ann. Transl. Med. 6 (19), 378. doi:10.21037/atm.2018.06.29

Battaglini, D., Ball, L., Wittenstein, J., Cohen, E., Gama de Abreu, M., and Pelosi, P. (2020). PEEP in thoracic anesthesia: PROS and CONS. *Minerva Anestesiol.* 87, 223–229. doi:10.23736/S0375-9393.20.14797-7

Chiumello, D., Formenti, P., Bolgiaghi, L., Mistraletti, G., Gotti, M., Vetrone, F., et al. (2020). Body position alters mechanical power and respiratory mechanics during thoracic surgery. *Anesth. Analg.* 130 (2), 391–401. doi:10.1213/ANE.000000000004192

Cressoni, M., Gotti, M., Chiurazzi, C., Massari, D., Algieri, I., Amini, M., et al. (2016). Mechanical power and development of ventilator-induced lung injury. *Anesthesiology* 124 (5), 1100–1108. doi:10.1097/ALN.000000000001056

Ferris, B. G., Mead, J., and Frank, N. R. (1959). Effect of body position on esophageal pressure and measurement of pulmonary compliance. *J. Appl. Physiol.* 14 (4), 521–524. doi:10.1152/jappl.1959.14.4.521

Grieco, D. L., Chen, L., and Brochard, L. (2017). Transpulmonary pressure: Importance and limits. Ann. Transl. Med. 5 (14), 285. doi:10.21037/atm.2017.07.22

Güldner, A., Braune, A., Ball, L., Silva, P. L., Samary, C., Insorsi, A., et al. (2016). Comparative effects of volutrauma and atelectrauma on lung inflammation in experimental acute respiratory distress syndrome. *Crit. Care Med.* 44 (9), e854–e865. doi:10.1097/CCM.00000000001721

Health Status Management (2022). *RaaTec AB approved producer of heat treated sphagnum*. Home [Internet] Available at: https://spfsus.dk/en (Accessed November 28, 2022).

Hedenstierna, G., Bindslev, L., and Santesson, J. (1981). Pressure-volume and airway closure relationships in each lung in anaesthetized man. *Clin. Physiol. Oxf Engl.* 1 (5), 479–493. doi:10.1111/j.1475-097x.1981.tb00915.x

Huhle, R., Serpa Neto, A., Schultz, M. J., and Gama de Abreu, M. (2018). Is mechanical power the final word on ventilator-induced lung injury?-no. *Ann. Transl. Med.* 6 (19), 394. doi:10.21037/atm.2018.09.65

Kiss, T., Bluth, T., Braune, A., Huhle, R., Denz, A., Herzog, M., et al. (2019). Effects of positive end-expiratory pressure and spontaneous breathing activity on regional lung inflammation in experimental acute respiratory distress syndrome. *Crit. Care Med.* 47 (4), e358–e365. doi:10.1097/CCM.00000000003649

Lohser, J., and Slinger, P. (2015). Lung injury after one-lung ventilation: A review of the pathophysiologic mechanisms affecting the ventilated and the collapsed lung. *Anesth. Analg.* 121 (2), 302–318. doi:10.1213/ANE.00000000000808

Milic-Emili, J., Mead, J., and Turner, J. M. (1964). Topography of esophageal pressure as a function of posture in man. *J. Appl. Physiol.* 19, 212–216. doi:10.1152/jappl.1964.19. 2.212

Pelosi, P., Goldner, M., McKibben, A., Adams, A., Eccher, G., Caironi, P., et al. (2001). Recruitment and derecruitment during acute respiratory failure: An experimental study. *Am. J. Respir. Crit. Care Med.* 164 (1), 122–130. doi:10.1164/ajrccm.164.1.2007010

Pelosi, P., Luecke, T., and Rocco, P. R. M. (2011). Chest wall mechanics and abdominal pressure during general anaesthesia in normal and obese individuals and in acute lung injury. *Curr. Opin. Crit. Care* 17 (1), 72–79. doi:10.1097/MCC. 0b013e3283427213

Slutsky, A. S., and Ranieri, V. M. (2013). Ventilator-induced lung injury. N. Engl. J. Med. 369 (22), 2126–2136. doi:10.1056/nejmra1208707

Tanskanen, P., Kyttä, J., and Randell, T. (1997). The effect of patient positioning on dynamic lung compliance. *Acta Anaesthesiol. Scand.* 41 (5), 602–606. doi:10.1111/j. 1399-6576.1997.tb04750.x

Uhlig, C., Neto, A. S., van der Woude, M., Kiss, T., Wittenstein, J., Shelley, B., et al. (2020). Intraoperative mechanical ventilation practice in thoracic surgery patients and its association with postoperative pulmonary complications: Results of a multicenter prospective observational study. *BMC Anesthesiol.* 20 (1), 179. doi:10.1186/s12871-020-01098-4

Washko, G. R., O'Donnell, C. R., and Loring, S. H. (2006). Volume-related and volume-independent effects of posture on esophageal and transpulmonary pressures in healthy subjects. *J. Appl. Physiol.* 100(3), 753–758. doi:10.1152/japplphysiol.00697.2005

Wittenstein, J., Scharffenberg, M., Ran, X., Zhang, Y., Keller, D., Tauer, S., et al. (2021). Effects of body position and hypovolemia on the regional distribution of pulmonary perfusion during one-lung ventilation in endotoxemic pigs. *Front. Physiol.* 12, 717269. doi:10.3389/fphys.2021.717269

Young, C. C., Harris, E. M., Vacchiano, C., Bodnar, S., Bukowy, B., Elliott, R. R. D., et al. (2019). Lung-protective ventilation for the surgical patient: International expert panel-based consensus recommendations. *Br. J. Anaesth.* 123 (6), 898–913. doi:10.1016/ j.bja.2019.08.017