

Micromechanics of temperature sensitive microgels

Citation for published version (APA):

Voudouris, P., Sleeboom, J. J. F., & Wyss, H. M. (2012). *Micromechanics of temperature sensitive microgels*. Poster session presented at Mate Poster Award 2012 : 17th Annual Poster Contest.

Document status and date:

Published: 01/01/2012

Document Version:

Accepted manuscript including changes made at the peer-review stage

Please check the document version of this publication:

- A submitted manuscript is the version of the article upon submission and before peer-review. There can be important differences between the submitted version and the official published version of record. People interested in the research are advised to contact the author for the final version of the publication, or visit the DOI to the publisher's website.
- The final author version and the galley proof are versions of the publication after peer review.
- The final published version features the final layout of the paper including the volume, issue and page numbers.

[Link to publication](#)

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal.

If the publication is distributed under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license above, please follow below link for the End User Agreement:

www.tue.nl/taverne

Take down policy

If you believe that this document breaches copyright please contact us at:

openaccess@tue.nl

providing details and we will investigate your claim.

Micromechanics of temperature sensitive microgels


P. Voudouris and H. M. Wyss
Eindhoven University of Technology, Department of Mechanical Engineering



Introduction

Over recent years, stimuli responsive materials have been developed which respond to changes in their solvent conditions. One of the most common type of stimuli-responsive materials is a class of materials called hydrogels—low density cross-linked polymer networks in water. Microgels are important materials for both basic science and engineering and have wide applications from the study of phase transitions to the delivery of drugs. These micron and sub-micron particles, made of hydrogel materials, respond to solvent conditions. The most common microgels are environmentally sensitive, responding to temperature and pH. Our material of interest, poly (N-isopropylacrylamide) or PNIPAM, undergoes a deswelling transition above a critical temperature. The deswelling behavior of this polymeric material has been thoroughly studied in ensemble microgel systems as well as in bulk hydrogel samples.

PNIPAM Micrometer hydrogel particles



Aim of Study

On this work we present measurements of the (linear) **elastic properties** of **single microgel particles** at different temperature, using the recently developed capillary micromechanics technique.^[2]

Method

Capillary micromechanics ^[1]





Image analysis on the particles trapped at the end of the tip under different hydrostatic pressures.

K (Pa) Elastic Compressive modulus (Volume changes)
G (Pa) Elastic Shear modulus (Shape changes)


Synthesis and Characterization of Microgels

PDMS microfluidic devices were used to generate uniform emulsion drops containing the monomer a crosslinker and a photoinitiator. The synthesis of the particles was then achieved by **inverse emulsion polymerization**. By varying the crosslinker / monomer concentrations different batches of PNIPAM particles were prepared, where we expect to have different stiffness. At the following figure the size of the particles as a function of temperature is presented.



Results and Discussion

At the following figures an overview of our experimental results is presented



We observe that **G** constantly increases with increasing T while for **K** we observe a sharp minimum close to LCST. Thus we can conclude that close LCST, the particles change easier their volume than their shape! This can be quantified through the so called Poisson ratio (ν - negative ratio of transverse to axial strain) which is presented at fig. C along with the comparison of available data in the literature ^[2] for a macroscopic gel.

References

- [1] H. M. Wyss, T. Franke, E. Mele, and D. A. Weitz *Soft Matter* 4550-4555 (2010)
- [2] S. Hirotsu 3949-3957 *JCP* (1991)